




**BLENDER**<sup>®</sup>  
BGA SOLUTIONS

**Make a concrete change!**  
a decorative concrete world.



# Blender stamped concrete

adds beauty, durability and quality to any project regardless of its structural characteristics.



Texture  
Flake Stone  
TB-18 SFT-18  
Size  
28" x 28"

**Release your creativity.**  
With our unique variety of designs and textures.



Our team of professionals with over a decade of experience in the industry, combined with the quality of our products and services give you the peace of mind that every inch of your project is maintained.

Furthermore, our **Blender** color hardener enhances durability and beauty to the surface of floors and pavements and can add more than twice the life compared to conventional concrete!

With a wide range of designs, textures, surface treatments, stains and dyes, sealants and, of course, a first class service for you. **Blender Group**® ensures that your project becomes the center of attention.



Streets, public roads, malls, parks, main squares, schools, residential, housing complex, industries, parking lots, sports centers, hotels, resorts, and much more.

**Application of**  
Blender stamped concrete



## BLENDER STAMPING MATS®



The patterns have a high level of durability, impact strength, and excellent resistance against dirt and oils.

They have a unique elasticity and exceptional elastomeric memory which also contains an excellent resistance to abrasion, damage and UV radiation in comparison with other plastic patterns.

In Blender we have a wide range of tailored textures for the client and a laboratory offering customized patterns for all kinds of projects.




## BLENDER COLOR RELEASE®



Is available in reinforced cardboard boxes of 19.8 lb (9Kg) and neutral powder form.

The **BLENDER RELEASE AGENT®** contains a releasing agent formulated especially as a barrier between the stamped patterns and the fresh concrete surface easing the separation of flexible tools.

Specially designed to be applied in stamped concrete, enriching the appearance of the textures, providing a contrast effect thanks to wide range of colors that mark deep lines on the Stamped Concrete.



## BLENDER SEAL ACRYL®




This product line consists of:

- **Blender SEAL ACRYL 30 % High Gloss (HG).**
- **Blender SEAL ACRYL 30 %.**
- **Blender SEAL ACRYL 25 %.**
- **Blender SEAL ACRYL WATER BASE.**

As added value all Blender Sealers offer a unique finishing to your stamped concrete surfaces.

\*\*For more information on characteristics, benefits, performances, applications, storage and guarantees, consult the product technical data sheet.



Texture  
English Fan  
TB-13 SFT-13  
Size  
46"x27"



1. Concrete placing.



2. Applying **Blender Color Hardener** onto the surface.



3. We have tools that will improve the quality of your stamped concrete floor.



 **YouTube**  
Find Us Like Blender Group



4. Wait until water excess is gone once **Blender Color Hardener** is placed.



5. Go forward with **Blender Color Release**®.



6. It is time to stamp, using the **Blender** patterns.



7. **Blender Seal Acryl**® will enhance the beauty of your floor.



# Stamping Mats

offer more than 50 different textures from our design catalog, successfully re-creating natural occurring textures such as stone, rock, brick, and many others.



Texture  
Lined Skin  
TB-02 TB-02  
Size  
56" x 56"


**Make a concrete Change.**  
Decorative concrete that reflect your own personality.



Our Stamped Concrete is so versatile, with our Blender textures or mats a wide range of projects can be achieved such as walkways, hallways, sidewalks, patios, pool decking, lobbies and much more for either residential, commercial, or even industrial applications.

Our products are used by experts in the field of stamped concrete, who with the right tools, can add a touch of natural beauty to both interior and exterior applications

**Walkways, hallways, sidewalks, patios, pool decking, lobbies, and much more.**





**Color**  
Marfil  
**Release Agent**  
Neutral

**Texture**  
Melted Mat  
TY-01  
**Size**  
30" X 30"





**Color**  
Yellow Blender  
**Release Agent**  
Dark Brown

**Texture**  
Lined Skin  
TB-02 TB-03  
**Size**  
56"x56"-24"x24"





**Color**  
Plumb  
**Release Agent**  
Dark Gray

**Texture**  
Garden Stone  
TR-09  
**Size**  
28" x 28"



**Color**  
Gray  
**Release Agent**  
Dark Gray

**Texture**  
Seamless Coquina Stone  
TB-10  
**Size**  
28" x 28"



**Color**  
Golden Sand  
**Release Agent**  
Dark Gray

**Texture**  
Classic Granite Fan  
TY-11  
**Size**  
43" X 25"



**Color**  
Coral  
**Release Agent**  
Dark Gray

**Texture**  
French Granite  
TY-12  
**Size**  
33" X 25.5"



**Color**  
Sky Blue  
**Release Agent**  
Dark Gray

**Texture**  
English Fan  
TB-13  
**Size**  
46" x 27"




**Color**  
Sand  
**Release Agent**  
Dark Brown

**Texture**  
European Fieldstone  
TB-14  
**Size**  
36" x 18"



**Color**  
Chocolate  
**Release Agent**  
Neutral

**Texture**  
River Stone  
TR-15  
**Size**  
29" X 32"





**Color**  
Gray  
**Release Agent**  
Dark Gray

**Texture**  
Cracked Rock  
TY-16 TB-16 TR-16  
**Size**  
30" x 30"




**Color**  
Gray  
**Release Agent**  
Dark Gray

**Texture**  
English Cobblestone  
TB-17  
**Size**  
17" X 29"



**Color**  
Yellow Blender  
**Release Agent**  
Dark Brown

**Texture**  
Flake Stone  
TY-18 TB-18 TR-18  
**Size**  
28" x 28"



**Color**  
Peach  
**Release Agent**  
Dark Brown

**Texture**  
Iberic Fan  
TR-19  
**Size**  
46" X 27"



**Color**  
Capuccino  
**Release Agent**  
Dark Brown

**Texture**  
Square Stone  
TB-20  
**Size**  
20" x 20"



**Color**  
Sand  
**Release Agent**  
Dark Gray

**Texture**  
Natural Ashler Slate  
TY-21 TB-21 TR-21  
**Size**  
23" X 23"



**Color**  
Green Lagoon  
**Release Agent**  
Dark Gray

**Texture**  
Flat Ashler Slate  
TY-22 TB-22 TR-22  
**Size**  
25" X 25"




## Skins, Stones & Slates



**Color**  
Coral  
**Release Agent**  
Dark Brown

**Texture**  
Thin Ashler Slate  
TY-23 TB-23 TR-23  
**Size**  
28" X 28"



**Color**  
Terracota  
**Release Agent**  
Dark Gray

**Texture**  
Arrow Slate  
TY-24 TB-24 TR-24  
**Size**  
8" X 16"



**Color**  
Golden Sand  
**Release Agent**  
Dark Gray

**Texture**  
Woven Slate  
TY-25 TB-25 TR-25  
**Size**  
24" X 24"



**Color**  
Chocolate  
**Release Agent**  
Dark Brown

**Texture**  
Roman Stile  
TR-26  
**Size**  
3' x 5'




**Color**  
Forest  
**Release Agent**  
Dark Gray

**Texture**  
Walkway Slate  
TY-27 TB-27 TR-27  
**Size**  
18" x 36"



**Color**  
Plumb  
**Release Agent**  
Dark Brown

**Texture**  
Napoleon Tile 4"x4"  
TR-31  
**Size**  
24" x 36"



**Color**  
Terracota  
**Release Agent**  
Dark Gray

**Texture**  
Border Course Tile 12"x12"  
TR-32  
**Size**  
12" X 48"



**Color**  
Capuccino  
**Release Agent**  
Dark Gray

**Texture**  
Square Tile 12"x12"  
TY-33 TB-33  
**Size**  
24" x 24"



**Color**  
Capuccino  
**Release Agent**  
Dark Brown

**Texture**  
Old Brick Herringbone  
TY-41 TB-41  
**Size**  
26.5" X 33.4"




**Color**  
Sky Blue  
**Release Agent**  
Dark Gray

**Texture**  
Old Brick Runningbone  
TY-42 TB-42  
**Size**  
16" x 36.25"



**Color**  
Green Lagoon  
**Release Agent**  
Dark Gray

**Texture**  
Old Brick Road Course  
TY-43  
**Size**  
8.8" X 37"



**Color**  
Pale Pink  
**Release Agent**  
Dark Brown

**Texture**  
Old Brick Basketweave  
TY-44 TB-44  
**Size**  
16.75" x 33.5"



**Color**  
Gray  
**Release Agent**  
Dark Gray

**Texture**  
Quarry Bricks  
TY-45  
**Size**  
23" X 23"



**Color**  
Capuccino  
**Release Agent**  
Dark Brown

**Texture**  
Long Deck  
TB-51  
**Size**  
1"x1" - 1"x8"



**Texture**  
No Parking Custom  
TB  
**Size**  
25" X 25"



**Texture**  
Special Custom  
TB  
**Size**  
25" X 25"



## Slates, Bricks, Tiles, Woods & Customs



# BLENDER<sup>®</sup>

BGA SOLUTIONS

Shake On Hardener Color Chart

📍 22632 Kuykendahl Rd Suite F,  
Spring, Texas 77389

☎ 832 843 6760


▶ Colors shown on this chart represent formulation using medium gray cement, and sealed with **BLENDER SEAL ACRYL**. Variations can be expected due to specific differences and method of application.



Obsidiane




Smoke



Plumb



Gray




Sand



Walnut



Carolina Tan



Arena Buff



French Cream




Marfil



Caramel




Chocolate




Travertine



Ivory Sand



Golden Sand




Dark Red



Terracota



Capuccino




Pale Pink



Green Lagoon



Yellow Blender




Colorado




Orange




Peach



Coral



Sky Blue



Forest

▶ For more information on special **colors, mats** or **release agent** please contact us.



# BLENDER<sup>®</sup>

BGA SOLUTIONS

## Color Release Agent Chart



22632 Kuykendahl Rd Suite F,  
Spring, Texas 77389




832 843 6760

[www.stampedconcrete.com](http://www.stampedconcrete.com)


BGA SOLUTIONS LLC



Colors Show on this chart represent formulation using medium gray cement and sealed with Blender Seal Acryl<sup>®</sup>. Variations can be expected due to specific differences and method of application.



LIGHT GRAY



DARK GRAY



CHARCOAL




SMOKE BEIGE




TERRACOTTA



WALNUT



NEUTRO



LIGHT BROWN



DARK BROWN



CAPUCCINO



For more information on **special colors, mats or release agent** please contact us.

Any textures, any surfaces  
Renews your garage, patio, swimming pool, hall or any area.

## Blender Re-Cover® (stamping overlay)






More than 85 % of the residential floors are finished with grey concrete; as you know, demolishing them in order to build another floor or cover them with tiles, marble or granite is an expensive and overwhelming process; and also, it obstructs access to some spaces for weeks.

Having a hard concrete surface is not an impediment to enjoy a great stamp. Use "Re-Cover: Stamping overlay" from Blender, and enrich the results that you always wanted.



With "Re-Cover: Stamping Overlay from Blender you could change (for a lower price and without complications) the appearance of your garage, patio, swimming pool, halls or basically any area you wish to renew.






VERTICAL OVERLAY

# RECOVER



## Walls - Perimeter Fence - Fountains

and any concrete, block or brick surface that requires a nice and decorative appearance.



At **Blender Group**® we constantly work with our customers and associates to develop new and unbelievable solutions in order to make this industry more accessible, durable, convenient and of course: more affordable.


Thanks to the success of our products for horizontal stamped concrete, we have decided to bring a new mortar to accomplish the vertical stamp called Recover-W® on the market, which has the right properties to achieve a professional and reliable work.





**Blender Repair®**  
Color restoration  
system for existing  
concrete flooring  
textures

**Blender Group®** has always been characterized as a company that constantly innovates in processes of Construction, Maintenance and Repair of Concrete in the Construction Industry.




Before



After

**Blender Repair®** is applied to surfaces of existing stamped concrete aged from one day to over ten years since the original installation date. Without a doubt, Stamped Concrete has taken decorative building methods to a whole new level and this is why, **Blender Group®** proudly presents a unique system in the market (patent pending), that aims to restore the concrete floor

to its original look which has been neglected due to normal wear over time. What does this mean for you? **COST SAVINGS AND TIME.** Avoid a costly demolition job and restore your stamped concrete floor with our products. With our versatile products you can change the tone of color or restore the original color of the stamped concrete that was lost.



BLENDER REPAIR® (COLOR RESTORATION)




1. First we need to clean the surface perfectly with a duty degreaser like **Citrus®**.



2. Use a machine if is necessary.



3. Take away all kinds of dirty over the floor.



4. Prepare the **Blender Repair®** mix with water.



5. Apply the **Blender Bond®** for best results.



6. Pour **Blender Repair®**.



7. Spread **Blender Repair®** with a sponge or sprayer.



8. We need to let the **Blender Recover®** dry.



9. Apply **Blender Release Agent®**.



10. Sweep the excess of **Blender Release Agent®**.




11. Apply the sealer for best results.



12. Your stamped concrete has a new look now.





INTEGRAL COLOR  
FOR CONCRETE AND CONCRETE MORTAR

# COLORMAX LIQUID®



**BLENDER COLORMAX LIQUID® is a liquid product that adds color to concrete and cement mortars, guarantees the stability of the color and strength in it.**

**It is easy to apply in mortars and concrete systems, does not cause efflorescence.**

**BLENDER COLOR MAX LIQUID®** has been designed to apply a long-lasting coloring onto concrete, making your projects look different with a permanent coloring without compromising its properties.

**BLENDER COLOR MAX LIQUID®** is available in plastic containers of 16.90 oz. Is a chemically designed, lead-free, and water-based product.

**BLENDER COLOR MAX LIQUID®** is your best option to apply color to your space.

Easily mixes with the followings Blender products.

• **Overlay ultra thin:**

**BLENDER RECOVER®** (White and gray cement base).


**BLENDER RECOVER W®** (White and gray cement base).

**BLENDER ULTRA DECK®**

**BLENDER ULTRA THIN-®**

**BLENDER DRY MORTAR®**

**BLENDER REPAIR®**







▶ Color shown on this chart represent formulation using a Blender in cement white base variations can be expected due to.



Base White

Grey Base



# CONCRETE FINE TOOLS



**Philadelphia Trowel**  
Made of high carbon steel  
228mm/9"  
254mm/10"  
279mm/11"



**Professional Trowel**  
Made of High carbon steel  
5" X 11" 127 X 280 mm  
5" X 12" 127 X 305 mm  
5" X 14" 127 X 356 mm



**Professional Slim Pattern Trowel**  
Made of high carbon steel  
127 x 280 mm 5" x 11"



**Professional Square Pattern Trowel**  
Made of high carbon steel  
127 x 280 mm 5" x 11"



**Hand Curved & Flat Edger**  
Made of tempered polish steel blade  
203 x 120 mm 8" x 4 3/4" (curved)  
108 x 203 mm 8" x 4 1/4" (flat)



**Galvanized Steel Edger**  
Made tempered polish steel blade  
228mm/9"  
254mm/10"  
279mm/11"



**Professional Rounden Trowel**  
Made of high carbon steel 4 rivets  
127 x 356 mm  
5" x 14"



**Professional Rounded Trowel**  
Made of high carbon steel 10 rivets  
124 x 404 mm  
5" x 16"



**Professional Rounded Trowel**  
Made of high carbon steel 24 rivets  
127 x 610 5" x 24"



**Rub brick With Metal Plate**  
Made of 100% natural vulcanized rubber  
100 x 240 mm 4" x 9"



**Magnesium Float Round Edger**  
Yellow Paint  
83 x 407 mm 16" x 3 1/8"



**Big Fresno Trowel**  
Made of high carbon steel  
304 x 914 mm 36" x 12"  
304 x 1219 mm 48" x 12"

## Centurion Tools®

**BLENDER** offers a wide range of solutions for anyone who wants to become successful professional in the area of stamped concrete applications and decorative tools.



**CENTURION TOOLS**



**Fresno Trowel with adaptor**  
Blade made of tempered high carbon steel  
127 x 610 mm 5" x 24"



**Bull Float**  
Made of magnesium  
122 x 200 mm 48" x 8"




**Magnesium Float Round Edger**  
Yellow Paint  
83 x 407 mm 16" x 3 1/8"



**Big Fresno Trowel**  
Made of high carbon steel  
304 x 914 mm 36" x 12"  
304 x 1219 mm 48" x 12"



**Aluminum Extension Tube**  
Made of aluminum  
1220 x 200 mm 48" x 8"



**Extension with Adaptor**  
Made of steel covered with high impact plastic  
2400 x 25 mm 94 1/2" x 1"


**Ask if you need a special tool.**



**Rotary Bracket**  
Made of aluminum in two pieces  
127 x 280 mm 5" x 11"



**Stamped texture Shoes**  
Made of steel covered with high impact plastic  
2400 x 25 mm 94 1/2" x 1"



## Concrete Acid Stains

It is a method which when applied to concrete, creates chemical reactions that bring life and color to otherwise lackluster concrete without altering the structural properties of the surface.



**Brings life to concrete and accentuates the physical properties of the concrete such as fissure lines.**

This product is perfect for both horizontal and vertical applications such as flooring, walls, columns, concrete furniture, kitchens and / or bathroom applications.

**Natural Stain®** is manufactured with the highest standard of quality and it is guaranteed to work when applied

Although perfect for interior projects, **Natural Stain®** can be used for outdoor applications.

Let your creativity run wild with the beauty that **Natural Stain®** can provide to your concrete projects.



1. Remove all kinds of the contaminants from the surface that will be worked.



2. Frame the area where the **Blender Natural Stain®** will be applied.



3. Prepare the product that will be applied in the framed area.



4. Spread the product with a sprayer or sponge for best results.




5. Finally, place a coat of sealant from the seal acrylic line.



6. The stained concrete floor is ready.

NOTE: Neutralize reaction with bicarbonate and water.





# BLENDER®

BGA SOLUTIONS

## Color Chart Blender® Natural Stain

▶ The colors shown in this document are a graphic representation; so it can vary with respect to reality, depending on the cement, aggregates and methods of application.



▶ For more information on **special colors, mats or release agent** please contact us.

Penetrating translucent dye for concrete

# DYE OVER<sup>®</sup> BLENDER<sup>®</sup>

## Dye Over<sup>®</sup>

(concrete dye) is a system that permits a way of making concrete surfaces more alive and colorful, both horizontal and vertical, using translucent stains over finished concrete and works for interior only!


### Fast dry concrete dye

The Dye Over Blender<sup>®</sup> formulation contains small color molecules that are designed to penetrate and give color to any concrete surface.

**It is perfect for use as a complement for polished concrete systems.**



**DYE OVER<sup>®</sup> SB** is available in plastic containers of 1 Lt. (1qt) and 3.8 Lt. (1 Gal); you have to add acetone to maximum capacity and mix all of the product.




**DYE OVER® WB** Is available in plastic container of 1 Lt (1qt) and 3.8 Lt ( 1 Gal) you have to add water to maximum capacity and mix all the product.



**DYE OVER® BLENDER WB** does not emit any odor because is 100% water-base product.

It is a concentrated product, easy to apply like the solvent-based which is currently available in 8 colors.

They are an excellent option for your indoor floors, especially those with a polished concrete system.



TINTE TRASLÚCIDO PARA CONCRETO



**DYE OVER® BLENDER WB** allows the user to mix water in the same container without having to use extra containers separately.

The range of colors of both products has a slight difference in color tone; that's why we recommend you to work a smaller testing place on the Surface of the concrete before applying.

In the polished concrete process, we recommend to use a second coat when using Dye Over Blender WB in order to get better results and maximum coloration.

If you want to know more about the features of the product, we recommend you to consult the data sheet and contact us to show you better practices.








Translucent dyes for concrete

# DYE OVER® BLENDER®







▶ Color show on this chart represent formulation using medium gray cement and sealed with sodium silicate densifier variations can be expected due to.

Solvent Base: \_\_\_\_\_



Water Base: \_\_\_\_\_





**INTERSTAR**  
 Pigments, Admixtures & Fibers  
 Blender BGA Solutions proudly offers  
 Granastar® granular pigment from Interstar.



# Blender Color Max®

(powder integral pigments)


They have been made for both, professional and non-professional use. These pigments have been designed to apply a long life color into your concrete applications with strong tones all over the concrete mix.

Whenever you want your project a different look, having a permanent coloring without affecting its properties, "Color Max®: Integral pigments" from Blender will be your best friend.

More than 25 wonderful COLORS to bring life your masterpiece! Our color selections are similar for all our products.



INTEGRAL COLOR  
FOR CONCRETE AND CONCRETE MORTARS



YELLOW / ORANGE



JN-2400R (1 bag)



JN-2400R (2 bags)

Champagne



JN-4010R (1 bag)



JN-4010R (2 bags)

Gold



JN-4416R (1 bag)



JN-4416R (2 bags)

Buff



JO-7960R (1 bag)



JO-7960R (2 bags)

Goldenrod



JO-4159R (1 bag)

Mystic Shadow



JN-4411R (1 bag)

Bamboo



JO-4134R (1 bag)

Orange Blossom



JO-4134R (2 bags)



JO-4131R (1 bag)

Sahara



JO-6435R (1 bag)

Sedona



JO-6435R (2 bags)



JO-7950R (1 bag)

Camel



JO-7961R (1 bag)

Desert Sand

RED



RG-2827R (1 bag)



RG-2827R (2 bags)

Baja Red



RG-2832R (1 bag)

Salmon



RG-2832R (2 bags)



RG-2835R (1 bag)

Egyptian Red



RG-2835R (2 bags)



RG-2846R (2 bags)

Raspberry



RG-3077R (1 bag)

Redwood



RG-3077R (2 bags)



RG-3072R (1 bag)

Maroon



RG-3072R (2 bags)

BLACK



NR-5011R (1 bag)

Shadow Gray



NR-5010R (1 bag)

Gray Cloud



NR-5010R (2 bags)



NR-5157R (1 bag)

Monsoon



NR-5157R (2 bags)



NR-5171R (1 bag)

Midnight Bay



NR-5105R (1 bag)



NR-5105R (2 bags)



NR-5105R (3 bags)

Smoke

THE ORIGINAL  
GRANULAR PIGMENT  
FOR READY MIX

BROWN



BN-2530R (1 bag)



BN-2530R (2 bags)

Nutmeg



BN-2531R (1 bag)



BN-2531R (2 bags)

Potter's Clay



BN-1703R (1 bag)



BN-1703R (2 bags)

Copper



BN-1701R (1 bag)  
Taupe



BN-2520R (1 bag)



BN-2520R (2 bags)

Chaps



BN-2681R (1 bag)  
Willow



BN-1705R (1 bag)



BN-1705R (2 bags)

Rustic



BN-1711R (1 bag)



BN-1711R (2 bags)

Hazelnut



BN-1711R (3 bags)



BN-2730R (1 bag)  
Biscuit



BN-2739R (1 bag)



BN-2739R (2 bags)

Stone Castle



BN-1616R (1 bag)



BN-1616R (2 bags)

Plum



BN-1714R (1 bag)



BN-1714R (2 bags)

Santa Fe Tan



BN-2978R (1 bag)



BN-2978R (2 bags)

Chocolate Fudge



BN-2680R (1 bag)



BN-2680R (2 bags)

Balsam Wood



BN-2680R (3 bags)



BN-2510R (1 bag)



BN-2510R (2 bags)

Maple



BN-2510R (3 bags)



BN-2550R (1 bag)



BN-2550R (2 bags)

Khaki



VT-3450R (1 bag)



VT-3450R (2 bags)

Olive

GREEN



# COLOR CHART FOR READY MIX CONCRETE

### IMPORTANT:

Because the color of concrete can be affected by many factors, **this color chart must be used only as a guideline.** It offers an approximation of the colors that can be obtained. **Please see Interstar's Ready Mix Sample Kit** for a more accurate representation of our concrete colors. A test pour using your materials and finishing techniques is the best way to determine if the desired color can be obtained.




## Semi-translucent dye to coloring concrete surfaces.

**BLENDER NATURAL DYES®** is a system which adds color and changes the physical appearance of concrete both in horizontal and vertical surfaces, because it acts through chemical reactions without altering its physical characteristics.

It will give color to the concrete surfaces, enhance its natural appearance and create special effects over concrete; and it is available in 20 colors.

Basic use: Any type of cementitious surfaces like floors, walls, columns, concrete furniture, counter tops and bathrooms. Apply to indoor and outdoor areas.

It is an affordable choice to change the coloring and the appearance of the concrete, and it preserves the natural stone



appearance as found in marble and granite.

It can be used in an artistic manner providing a different concept of concrete.

It comes in 1 Gal plastic containers and it covers around 400 ft<sup>2</sup>.





▶ The colors shown on this chart are photography of sample applied directly on gray concrete and white concrete respectively. Variations can be expected due to differences in cement, aggregates and method of application before applying the products, make a preliminary sample.



# Ultra Deck

BASE+GUN

ANTI-SLIPPERY OVERLAY

BLENDER ULTRA DECK® is a high-resistance decorative coating for concrete, indoors and outdoors with an anti-slip finishing.



BLENDER ULTRA DECK® Is easy to apply, it is required add water to the powder mix and if is necessary, you can use a pigment container of BLENDER COLORMAX LIQUID®, it is a Fast-setting product and has an excellent adhesive system.

It can be used in a plane surface with a thickness of 25mm, it is recommended for indoor and outdoor surfaces like pedestrian areas, garages, offices, hallways, stairs, commercial stores, and pools.

It is also a flexible system, quick to install and is designed to be applied through a professional compressor gun.

You only need to add one container of BLENDER COLORMAX LIQUID® per one pack of 25 kg.



# BLENDER CITRUS®

**It is a high-performance, water-based degreaser for deep cleaning, ideal for heavy and deep cleaning of daily maintenance.**

BLENDER CITRUS® Penetrates and emulsifies the oil and existing greases, and it rinses easily. The formulation and concentration of Blender Citrus provide excellent cleaning performance.

The yielding of BLENDER CITRUS® can vary between 5m<sup>2</sup> / Lt and 3 m<sup>2</sup>/Lt (30.6 ft<sup>2</sup>/qt) depending on the deepness of cleaning required, and the dilution applied.

## FEATURES AND BENEFITS

Biodegradable product (100% water based).

- Easy to apply and easy to rinse.
- Light and pleasant citrus scent.
- Eliminates oil-derivative stains quickly and efficiently.
- Free of lead and heavy metals.
- Concentrated formula that allows the user to apply it directly or diluted in different concentrations depending on the deepness of cleaning required.

BLENDER CITRUS® is available in 1 gallon (3.8 Lt), 5 gallon (18.9 Lt) and 55 gallon (208 Lt) plastic containers. All products are perfectly identified by name and lot number.



*Blender*  
**CITRUS®**

**High Performance  
Concrete Citric Degreaser.**



**Decco  
Floor®**  
FLEXIBLE CONCRETE



**Deccofloor®**  
**Flexible Concrete**  
This concrete has a high decorative value, fine texture, adaptable to all types of solutions that modern architecture requires.

At **Blender Group®** we create innovative products such as our flexible concrete called, **DeccoFloor®**, this concrete has a high-decorative value, fine texture, adaptable to all types of solutions that modern architecture require. It is designed to create unique finishes over different types of environment.

**Blender Group®** and **Decco-Floor®** are well-known for offering products that have a low thickness, which provide extreme flexibility and resistance to weather stress, **DeccoFloor®** is perfect for a quick and easy installation that needs very low maintenance.



## DeccoFloor®

Microtop+

Powerful concrete mix with micronized mineral charges, ceramic particles, and high-standard additives to provide an extreme flexibility and resistance.

## DeccoFloor®

500

Flexible coating, specially designed for outdoor or indoor areas that require high impact resistance. Quick and easy to apply only one hand and does not require sanding. resistant to water, harrow and oils.

Available in 24-kg buckets.

## DeccoFloor®

Oxytop

Decorative element based on iron particles with a rusty effect. This provides an esthetic quality that gives the cement a nice rustic look.

## DeccoFloor®

Rústico

It is a powerful concrete mix with thick grain size aggregates and high-standard additives emulsified by a polymer. It has stone texture and rustic look for outside decorations.

## DeccoFloor®

Microquartz

One-coat, single-component coating, formulated with terrazzo powder, cement, porcelain, arid, correctors and synthetic last generation resins. Great resistance to abrasion, impervious to water, grease and oils. High mechanical resistance. Stable against UV rays.

Available in 25 kg buckets.

# Decco Floor


FLEXIBLE CONCRETE




22632 Kuykendahl Rd Suite F,  
Spring, Texas 77389

832 843 6760


▶ The colors shown in this document are a graphic representation; so they can vary with respect to reality, depending on the cement, aggregates and method of application.



White | Blanco




Vision | Visión




Pearl Gray | Gris Perla




Dark Gray | Gris Plomo



Portland | Portland



Cement | Cemento



Black | Negro




Champagne | Champagne



Paris Stone | Piedra París



Brown Caramel | Dulce de Leche



Chocolate | Chocolate



Dijon | Mostaza



Iruya | Iruya



Liberty | Lavanda



Royal Blue | Azul Francia



Ivory | Marfil



Henna | Henna



Red Ferrari | Rojo Ferrari



Orange | Naranja



Cocoa | Cacao



▶ For more information on special colors, mats or release agent please contact us.

## BLENDER BOND®



**BLENDERBOND®** is a primer for concrete, stucco, and to repair materials based on cement.

Blender Bond is a versatile acrylic polymer emulsion that can be used as a primer to enhance mixtures based on Portland cement with the final purpose to improve the bonding strength.

It is a milky, high-in-solids emulsion, not re-emulsified when it is exposed to water, does not rust, and it is stable in the presence of UV rays.

**BLENDERBOND®** It is available in containers of 3.8 Lt (1 gal), 18.9 Lt (5 gal) and 208 Lt (55 gal).



## ULTRATHIN®



**BLENDER ULTRATHIN®** is a leveling and repairing system for cement made of high-strength and a single component reinforced polymers..

This non-shrinkage repair mortar has been specifically formulated for horizontal repairs requiring thin thickness at the edges, which will be subsequently covered by slabs, brick, carpet or any other system.

**BLENDER ULTRATHIN®** it has an integral polymer bonding system, which requires the application of an external bonding agent in most applications.

It is available in 22.7 kg (50 Lb) plastic packages.

BLENDER INDUSTRIAL



**FIBERCON MICROFIBER®** is a polypropylene fiber in the form of multifilaments (loose fibers), designed specifically as a secondary reinforcement in concrete and mortars, its main purpose is to reduce cracking due to plastic contraction in fresh state and temperature in hardened state concrete.

## MICROFIBER®



**FIBERCON MICROFIBER®** fibers are made of 100% virgin polypropylene and treated with a dispersant, so its distribution in concrete is fast and homogeneous, requiring 3-5 minutes of mixing.

**FIBERCON MICROFIBER®** comes in bags of 600 gr for a cubic meter of concrete and 100 gr bags for a sack of cement.

## BLENDER GROUT®

**BLENDERGROUT®** is a ready-mixed, non-shrink, non-metallic, flowable, high-strength structural grout.

**BLENDERGROUT®** contains a balanced blend of washed and graded silica sands, Portland cement, flow improvement compounds, and a shrinkage compensating system which produces a volume-stable structural grout.

**BLENDERGROUT®** produces early high resistance without intermittent or latent contraction. It is available in 22.7 kg (50 Lb) plastic packages.

remains stable without presenting failure from compressive loading, impact, lateral thrusts, high temperature or continuous vibration. It is scientifically proportioned (balanced?) and is ready to use at varied consistencies from plastic to fluid.





## Seal Acryl®

It is an easy to apply, acrylic copolymer that cures, seals and dustproofs concrete. **Seal Acryl®** tough, impervious acrylic retains moisture, curing the concrete for maximum hardness.

This clear, fast drying, sprayable sealer is effective on both interior and exterior surfaces. The high solids, film forming qualities of Seal Acryl provides protection from penetration of salts, jobsite dirt and other mild contaminants, as long as the film is intact.

### Types

- Seal Acryl 25%
- Seal Acryl 30%
- Seal Acryl 30% HG
- Seal Acryl 30% Water Base



## Seal Acryl®WB

### Seal Acryl WB®

Formulations are water based, low VOC, acrylic copolymer solutions that cure, seal and dustproof concrete without yellowing. The tough film locks in moisture, curing the concrete for maximum hardness. These clear, fast drying, sprayable liquids are equally effective on indoor as well as outdoor surfaces.

Formulations have a very low odor and dry to form a clear, medium to high gloss, protective film that is highly resistant to blushing. They adhere well to sound concrete surfaces and have excellent barrier properties, particularly to jobsite contaminants, dirt, and a variety of mild chemicals.



## Li-Quid Hard®

**Li-Quid Hard®** is a hardener and sealer densifier for concrete surfaces with a high concentration of a highly reactive lithium catalyst that achieves greater penetration by improving the performance, appearance and reflectivity of light within the concrete surface and activates a faster and more complete reaction than conventional hardeners.

This lithium silicate treatment deeply penetrates and reacts with the concrete to produce an insoluble calcium silicate hydrate within the concrete pores, when treating the floor it will make the entire surface smoother and more uniform leaving fewer marks on the floor.

The product allows the floor to breathe, is UV stable, will not yellow, discolor, crack or peel from the surface. Treated surfaces are more resistant to the penetration of water and mineral oils. They have significant improvement in impact and abrasion resistance, eliminate efflorescence and prevent dusting by making concrete easy to maintain and resistant to dirt.



## Denso Hard®

**Denso Hard®** is a colorless water-based solution with a carefully controlled concentration of 100% active sodium silicates with a low content of non-acid, biodegradable volatile organic compounds used to harden and protect against dust. It meets VOC requirements. It chemically reacts within the concrete and becomes an integral part with free lime components such as lime and calcium carbonate, forming dense, insoluble and chemically resistant surfaces.

It is recommended for light industrial plants, warehouses, laundries, as well as food storage plants and bakeries. It is also suitable for pedestrian traffic areas such as stadiums, museums, sports complexes, and other commercial buildings.



One Floor. One System. One time.

## BLENDER SYSTEM OF POLISHED CONCRETE FLOORS

Is a patented roughing and dry-polishing process that brings benefits such as being able to work in limited areas with no dust during the process, as well as getting excellent brightness and colors; along with long-term benefits in terms of maintenance cost, increased duration, and safety of your slip-resistant floor, **ALL IN ONE SYSTEM!**

It is very important to have a professional team that meets the ideal characteristics necessary to obtain an excellent finish on the surface where the system is being implemented. As such the FGS Permashine system can be applied with a wide range of brands of floor finishing equipment.

We offer you the products, consumables, machinery and spare parts of NSS (Natural Stone Solutions) one of the brands that from the experience of our own customers has been one of the most consistent, with a team very capable of working efficiently in addition to providing professional services and technical advice.





**SC-Q2275P**  
22" Surface  
Prep &  
Polishing  
Machine



**SC-Q204R**  
20" Surface  
Prep &  
Polishing  
Machine



**SC-Q2310R**  
23" Surface  
Prep &  
Polishing  
Machine



**SC-Q2375R**  
23" Surface  
Prep &  
Polishing  
Machine



**SC-Q2415R**  
24" Surface  
Prep &  
Polishing  
Machine



**SC-Q2510P**  
25" Surface  
Prep &  
Polishing  
Machine



**SC-Q2720R**  
27" Surface  
Prep &  
Polishing  
Machine



**SC-Q3015P**  
30" Surface  
Prep &  
Polishing  
Machine



**SC-Q3520P**  
35" Surface  
Prep &  
Polishing  
Machine



**STI-2420**  
75" L X 27" W  
X 50" H



**STI-2807**  
72" L X 28" W  
X 50" H



**STI-3030**  
86" L X 30" W  
X 52" H



**STI-4430**  
80" L X 44" W  
X 52" H



**Brute Floor  
Machine with  
180-Frame**  
HAW-F0009-180CP  
Size: 17"  
HAW-F0012-180CP  
Size: 20"



**Heavy Duty  
Standard  
Floor Machine**  
HAW-F0009 - Size: 17"  
HAW-F0012 - Size: 20"  
Polishing  
Machine



**Heavy Duty  
Standard  
Floor Machine**  
HAW-F1500-F1800-  
F2000-SIZE 17"  
HAW-F1500-F1800-  
F2000-SIZE 20"





**NSS**  
 NATURAL STONE  
 SOLUTIONS  
 Polishing Machines

**EP-CT40ECS-145**  
 IPC Eagle Automatic  
 Scrubber



**CT70 ECS**  
 IPC Eagle Automatic  
 Scrubber  
 Machine



**CT90 BT85**  
 IPC Eagle Automatic  
 Scrubber



**CT110**  
 IPC Eagle Automatic  
 Scrubber  
 Machine



**SC-V235T**  
 Electric  
 Vacuum  
 Cleaner  
 general use



**SC-V350T**  
 Electric  
 Vacuum  
 Cleaner  
 general use



**SC-V350B**  
 Electric  
 Vacuum  
 Cleaner  
 general use



**SC-V1155**  
 Electric  
 Vacuum  
 Cleaner  
 general use



**PLAN110T**  
 Large Capacity  
 Industrial  
 Vacuum with  
 Air Reversal  
 Cleaning  
 System



**PLANCD**  
 Large Capacity  
 Industrial  
 Vacuum with  
 Air Reversal  
 Cleaning  
 System



**Makita 4" PW5001C**  
 Electronic  
 Stone Polisher  
 Machine



**Makita 7" 9227C**  
 Electronic  
 Polisher-  
 Sander




**Makita 7" GA7911**  
 Angle Sander  
 Machine



**NSS MACHINES** NSS  
 is an American  
 company of floor  
 care equipment  
 represented by over  
 600 dealers world-  
 wide. ISO9001  
 certified, nss keeps  
 prestigious clients in  
 their country of  
 origin, which  
 include American  
 airlines, k-mart and  
 Hilton hotels.

At blender Group  
 we are distributors  
 of NSS, we are com-  
 mitted to quality as  
 our guarantee, to  
 provide you with a  
 variety of equip-  
 ment for the devel-  
 opment and mainte-  
 nance of all types of  
 concrete floors.



**BLENDER**<sup>®</sup>  
BGA SOLUTIONS

**CONCRETE SUPPLIES:**



Acid Stains



Industrial Concrete



Tools and Stamping Mats



Tools and Equipments



Stamped Concrete Products



Polished Concrete and more...



Overlays and Toppings



Polished Concrete



Stain Concrete



Stamped Concrete

**Call us!** Let us recommend you the best option!

[www.stampedconcrete.pro](http://www.stampedconcrete.pro)



**Make a concrete change!**  
a decorative concrete world.



Blender Group



Phone 832 843 67 60

22632 Kuykendahl Rd. Suite F. Spring, Texas 77389