APPENDIX A

2016 On-Site Preliminary Assessment Report

On-Site Environmental

On-Site Environmental, Inc.
119 Shepherds Way, Coatesville, Pa. 19320
Phone: (610) 384-2719 Fax (610) 384-2709

Preliminary Assessment Report

North Brunswick Gulf
1696 Georges Road Rt 130
North Brunswick, New Jersey
NJDEP Case #: 01-08-30-1546-07 & 01-08-30-1549-55
Preferred I.D #: 010180

Prepared for:

1696 Rt 130, LLC.
C/O
Walter Lapp Jr.
555 Georges Road
Dayton, NJ 08810
&
Ruth Frey
43 Overbrook Circle
Berwyn, Pa. 19312

Prepared by:

On-Site Environmental, Inc.
119 Shepherds Way
Coatesville, Pa. 19320

August 2016

Frank Jasiulewicz, P.G., SSE, LSRP
On-Site Environmental, Inc.
Principal

Table of Contents

SECTION	TITLE	PAGE
1.0	INTRODUCTION	1
	1.1 Resources Utilized	2
2.0	GENERAL INFORMATION & SITE SETTING	3
	2.1 General Information	3
	2.2 Site Setting	3
3.0	SITE HISTORY	5
	3.1 Summary of Ownership, Operators and Operations	5
	3.2 Historic and Current Operations	6
	3.3 Sanborn Map Review	8
	3.4 Historic Topographic Map Review	8
	3.5 Aerial Photograph Review	8
	3.6 City Directory Abstract Review	9
	3.7 Hazardous Material & Substance Use	10
	3.8 Waste Water Discharge History	10
	3.9 Discharge History	10
	3.10 Environmental Permits & Violations	10
	3.11 Previous Investigations and Remedial Actions	11
	3.11.1 Environmental Compliance Monitoring Assessment	11
	3.11.2 Environmental Maintenance Company & RedHawk Environmental Consulting Ltd	11
	3.11.3 The Whitman Company: Delineation of Soil and Ground Water Contamination & Estimated Remediation Cost	12
	3.11.4 RedHawk Draft RI Addendum	13
	3.11.5 On-Site Environmental, Inc. Draft SI Report	16
	3.11.6 Vapor Intrusion Investigation Performed by On-Site	16
	3.11.7 On-Site's Response to Csepes Complaint	16
	3.11.8 Comparison of the Historical Analytical Data to Current NJDEP Standards	17
4.0	AREA OFCONCERN	18
	4.1 AOC 1: Historic and Current UST Locations	19
	4.2 AOC 2: Former Pump Island	20
	4.3 AOC 3: High Levels of Lead Behind Station	20
	4.4 AOC 4:Heating Oil UST Closed-In-Place	20
	4.5 AOC 5: Heating Oil AST	21
	4.6 AOC 6: Waste Oil and Heating Oil AST	21
	4.7 AOC 7:Storm Drains	21

4.8 AOC 8:Swale 22
4.9 AOC 9: Former Floor Drains 22
4.10 AOC 10:Former Hydraulic Lifts 23
4.11 AOC 11: Former Septic System 23
4.12 AOC 12: Former Parts Cleaning Basin 23
4.13 AOC 13: Ground Water Media 23

5.0 ONGOING REMEDIATIONS 22

6.0 CASAE INVENTORY DOCUMENT 25

7.0 FIGURES and DRAWINGS 25

List of Figures

Figure 1 Topographic Map
Figure 2 Tax Map
Figure 3 Areas of Concern
Figure 4 Streams and Wetlands
Figure 5 Layout of Site in 2002
Figure 6 Benzene in Ground Water
Figure 7 MTBE in Ground Water
Figure 8 TBA in Ground Water
Figure 9 Benzene in Soil Above Direct Contact Standard
Figure 10 Naphthalene in Soil Above Direct Contact Standard
Figure 11 Lead in Soil Above Direct Contact Standard & Default Soil to Ground Water Standard
Figure 12 Benzene in Soil Above Default Soil to Ground Water Standard
Figure 13 Toluene in Soil Above Dfault Soil to Ground Water Standard
Figure 14 Ethylbenzene in Soil Above Default Soil to Ground Water Standard
Figure 15 Xylenes in Soil Above Default Soil to Ground Water Standard
Figure 16 MTBE in Soil Above Default Soil to Ground Water Standard
Figure 17 Concentrations of Naphthalene in Unsaturated Soil
Figure 18 Soil Samples Analyzed for EDC
Figure 19 Soil Samples Analyzed for EDB
Figure 20 Soil Samples Analyzed for TBA in Unsaturated Zone

List of Tables

Table 1 Summary of Ground Water Samples Collected October 2009

Appendix

Appendix A Sanborn Maps
Appendix B Historical Topographic Maps
Appendix C Historical Aerial Photographs
Appendix D EDR Chain of Title Report
Appendix E EDR Radius Map with Geo Check
Appendix F EDR City Directory Abstract
Appendix G EDR Lien and AUL Search
Appendix H EDR Industrial Site Addendum
Appendix I EDR Building Permit Report
Appendix J EDR Property Tax Map Report
Appendix K North Brunswick Twp. Department Records
Appendix L NJDEP Data Minor Reports
Appendix M R.F. Stump Associates : File of Known & Reported Incidents

1.0 Introduction

This Preliminary Assessment (PA) Report has been prepared by On-Site Environmental, Inc. (On-Site) on behalf of 1696 Route 130, LLC with regard to the North Brunswick Gulf (NBG) Station located at 1696 Route 130 (a.k.a. 1696 Georges Road) in North Brunswick, New Jersey **(Figure 1)**. The site has been operated as a gasoline service station for over 50 years. The preparation of this PA was performed to meet the diligent inquiry requirements of the New Jersey Department of Environmental Protection (NJDEP) Technical Requirements for Site Remediation to determine if there may be any potentially Contaminated Areas of Concern (CAOCs) that require further investigation. A visual inspection of the site was conducted on June 3, 2016 by a Licensed Site Remediation Professional (LSRP) with On-Site Environmental, Inc. (On-Site).

In 2001, a gasoline underground storage tank (UST) was damaged and a release of unleaded gasoline impacted the soil and ground water. Interim remedial measures were conducted by Environmental Maintenance Company (EMC) under the supervision of RedHawk Environmental Consulting, Ltd and a Preliminary Site Investigation/Remedial Investigation Report prepared by RedHawk was submitted to the New Jersey Department of Environmental Protection (NJDEP) around May 2002. Subsequent investigations were also conducted by The Whitman Companies, Inc. (2004/2005), RedHawk (2007 to 2010) and On-Site (2013/2014).

Based on the findings of this PA, ten (10) additional AOCs have been identified beyond the three (3) that were identified in the original Case Inventory Document (CID) submitted to the NJDEP on 2/20/12. In summary, there are thirteen (13) AOCs at the site, including impacted ground water media.

1.1 Resources Utilized

During the conduct of this PA, a number of sources of historical information were evaluated including a search of Environmental Data Resource's (EDR) data bases, the NJDEP files in Trenton, NJ and available reports prepared by consultants that conducted investigations at the site. A listing of the resources used to compile the site history is provided below:

Name of Resource	Date of document reviewed	Appendix #
Sanborn Maps	Non available in EDR search	Appendix A
Historical Topographical Maps	Various	Appendix B
Historical Aerial Photographs	Various	Appendix C
EDR Chain of Title Report	July 23, 2016	Appendix D
EDR Radius Map with GeoCheck	July 14, 2016	Appendix E
EDR City Directory Abstract	July 15, 2016	Appendix F
EDR Lien and AUL Search	July 18, 2016	Appendix G
EDR Industrial Site Addendum	July 14, 2016	Appendix H
EDR Building Permit Report	July 14, 2016	Appendix I
EDR Property Tax Map Report	July 14, 2016	Appendix J
North Brunswick Twp Department Records	July 28, 2016	Appendix K
NJDEP Data Minor Reports	July 2016	Appendix L
NJDEP File Review	August 23, 2016	Not included
ECM Interim Phase II Report	November 1, 2001	Not included
RedHawk Preliminary SI/RIR	May 1, 2002	Not included
R.F. Stump Associates, Inc. : NBG data base of known and reported Incidents	August 23, 2016	Appendix M
The Whitman Company "Delineation of Soil & Ground Water Contamination & Estimated Remediation Cost"	April 2005	Not included
RedHawk :Draft RI Addendum"	April 2010	Not included
On-Site "Draft RI Report"	January 26, 2012	Not included

2.0 General Information and Site Setting

2.1 General Information

According to the New Jersey Association of County Tax Board, the North Brunswick Gulf site is located in Middlesex County, North Brunswick Township at Block 282 Lot 1 and is approximately 0.6313 acre **(Figure 2)**. The x and y state plane co-ordinates for the site are 500,226.35 and 586,393.95. The NJDEP PI # for the site is 010180.

2.2 Site Setting

The NBG site is situated in a mixed use area of North Brunswick Township that includes commercial and residential properties and one (1) undeveloped lot. The site is bound to the north by Route 130 (a four lane highway), to the east by a small strip mall where a dry cleaner is located, to the south by a residential property and to the west by a street named Washington Place. A PB gas station is located to the west across Washington Place. To the north of RT 130 is an undeveloped wooded lot. The area is serviced by public water and sewer utilities.

The site has a one story building used as an automobile repair center with three service bays and a small office area **(Figure 3)**. There are also two gasoline pump islands located on a common concrete pad separated by a small kiosk, which are located under a canopy to the north of the building. A diesel dispenser is located to the west of the building. A concrete pad is also located to the west of the building where three USTs are located. The site currently has one 12,000 gallon UST and two 6,000 gallon USTs. The tanks are used to store unleaded gasoline and diesel fuel for resale. There is also a heating oil UST that was reportedly closed in place in the late 1990s near the east side of the building. There is also a 275 gallon above ground storage tank (AST) used to store heating oil located behind the building on asphalt. In addition, there is a 275 gallon waste oil and a 275 gallon heating oil AST on a common concrete pad located behind the building. A 1,000 gallon above ground propane tank is located along the east side of the site that is used to fill small propane tanks. Also two (2) small storm drains are located behind the building in a stoned area that discharges to a swale at the southwest end of the site. The swale terminates at a pipe that is connected to the local storm drain system, which ultimately drains to Farrington Lake, a Natural Heritage Program site. A storage shed used by previous environmental consultants is located to the west of the building and there is another on a concrete pad used to store mainly files and new automobile parts located behind the building.

The majority of the site is paved with macadam except for the area behind the one story building (southeast of the building), which is mainly stoned and to the southwest of the onsite building, which is grass. Small grass areas are also located at the north end of the site and the northeast and northwest corners of the site. The stoned area behind the building is enclosed by a chain link fence. There is some asphalt in the stoned area near the chain link entrance gate.

Based on the results of previous environmental investigations there are significant lithology changes in the material between the northeast and western parts of the site. The material to the northeast

consists mainly of silty clays to a depth of 12 feet underlain by fine to medium sand with thin interbedded silty and sandy clays. The material from the middle of the site to the west is mainly a silty clay. Beneath the sand in the northeast and the silty clay to the west at a depth of approximately 20 feet below grade is plastic clay of undetermined thickness.

The depth to ground water ranges from 2 to 8 feet at the western end of the site depending on the season and from 4½ to 8 feet at the northeast end of the site depending on the season. Based on previous investigations, ground water flow at times is radial but the overall direction of flow is expected to mirror local topography, which slopes to the south, which is in the direction of Farrington Lake.

The eastern part of the site's topographical setting can be characterized as flat lying with a gentle slope to the south. From the middle of the site the land surface slopes toward Washington Place. According to the USGS Topographic Map of the area, and verified by field observations, there are no water bodies located within 1,000 feet of the site. The closest surface water body is Farrington Lake located approximately 1,300 feet to the south of the site and the closest stream (Lawrence Brook Tributary) is located approximately 1,058 feet to the southwest of the site **(Figure 4)**. Based on a review of the NJDEP Geo-web site, no community or non-community ground water wells were identified within 1,000 feet of the site. Ground water at the site is classified by NJDEP as Class IIA. Also according to the NJDEP Geo web site the closest wetland is approximately 275 feet to the northwest (across RT 130), which is topographically up-gradient **(Figure 4)**.

3.0 Site History

A narrative description of the past and current operations conducted at the site by each owner is provided below.

3.1 Summary of Ownership, Operators and Operations

According to information supplied by Environmental Data Resources (EDR), an interview with Walter Lapp Jr. (one of the current owners), and reports prepared by consultants that have conducted investigations at the site, the following table presents On-Site's understanding of site ownership, operators and operations conducted by each.

Name of Property Owner	Dates From and To	Use or Operations
Rocco Grazziano	Unknown To 11/20/1930	Unknown
Michael Thomas & Edith Thomas	11/20/1930 to unknown	Unknown
Hyman Farber & Ray Farber	Unknown to 08/06/1934	Unknown
Donata Cantore	08/06/1934 to unknown	Unknown
Emilio Cantore (widower)	Unknown to 01/15/1944	Residential
Catherine R. Keefe	1/15/1944 to unknown	Residential
Township of North Brunswick	Unknown to 1/25/1944	Residential
Sarah A. Cornelius	01/25/1944 to unknown	Residential
Catherine R. Keefe	Unknown to 2/18/1944	Residential
Michael Thomas & Edith Thomas	2/18/1944 to unknown	Residential
Rocco Grazziano	5/15/1944 to unknown	Residential
Michael Thomas	Unknown to 5/15/1944	Residential
Sarah A. Cornelius (widow)	Unknown to 7/28/1952	Residential
Michael Thomas	7/28/1952 to unknown	Residential
J. Nathan Cahan & Beatrice Cahan	Unknown to 4/23/1953	Residential
Michael Thomas (widower)	4/23/1953 to 4/23/1953	Residential
Irving J. Benzera	4/23/1953 to 11/08/1956	Residential
Tremarco Corporation	11/08/1956 to unknown	1957 Service station
Gulf Oil Corporation successor by merger with Tremarco	Unknown to 11/17/1976	Service Station rented to North Brunswick Gulf/Water Lapp Sr.
Walter E. Lapp Sr. & Janitha K. Lapp	11/17/1976 to 01/11/1995	Service station
Walter E. Lapp Sr. & Janitha K. Lapp	01/11/1995 to 1/2016	Service station
1696 Route 130 LLC: Walter Lapp Jr. & Ruth Frey	1/2016 to present	Service station
Name of Operator	**Dates From and To**	**Operations**
North Brunswick Gulf: Walter Lapp Sr.	1957 to 1976	Automobile repair & retail gasoline station
North Brunswick Gulf: Walter	1976 to 1978/1979	Automobile repair & retail

Lapp Sr.		gasoline station
North Brunswick Gulf: Walter Lapp Sr. & Jr. (partnership)	1978/1979 to 1981/1982	Automobile repair & retail gasoline station
North Brunswick Gulf, Inc.: Walter Lapp Sr. & Jr.	1981/1982 to 2005/2006	Automobile repair & retail gasoline station
Summit Reality/Petroleum Supply Corp: Ted Cohen: lessee	2005/2006 to present	
Brunswick Auto Craft: Hossan : sub lease	2006 to present	Automobile repair
Hare Krishna Fuel Inc. : sub lease	2013 to present	Retail gasoline & diesel sales
Avis: sub lease	2008	Car rentals
Avis Rent A Car: sub lease	2008	Car rentals
Shreeram Gas Inc.: sub lease	2008, 2007	Retail fuel sales
Fai Fuel, Inc.: sub lease	2005	Retail fuel sales
Precision Auto Service: sub lease	2004, 2003	Automobile repair

Based on the results of the EDR Title and Deed search, the property is currently owned by Walter Lapp Sr. and Janitha K. Lapp, which is not current information. The current owner is 1696 Route 130 LLC (Walter Lapp Jr. and Ruth Frey). On April 6, 2016, the Licensed Site Remediation Professional (LSRP) for the site filed a Site and Contact Information Update Form with the NJDEP to inform them that Walter Lapp Sr. and Jathina K.Lapp (former owners) passed and that their children (Walter Lapp Jr. and Ruth Frey) established an organization for the site, which is called 1696 Route 130 LLC. However, the Title and Deed search performed by EDR did not have that updated information nor did the NJDEP Data Minor search conducted in July 2016 identify the new owners.

3.2 Historic and Current Operations

The use of the site prior to 1940 is uncertain. Based on aerial photography and interviews conducted by R.F. Stump Associates, Inc. in 2002/2003 with a nearby resident that lived near the site since 1946 the site was a residential property from 1940 to 1957. Since 1957 to the present the site has been a retail gasoline service station and automobile repair center. On June 2016, On-Site interviewed Walter Lapp Jr. and the current tenant who operates Brunswick Auto Craft, LLC. In that interview Mr. Lapp stated:

- The site is currently leased to Petroleum Supply Corporation (Ted Cohen) who subleases the site to Brunswick Auto Craft, LLC (Hossan) and Hare Krishna Fuel, Inc. Brunswick Auto Craft operates an automobile repair service center at the site and Hare Krishna Fuel, Inc. operates the USTs at the site and sells retail gasoline and diesel fuel.
- Waste oil during NBG's ownership has always been stored in an AST located behind the building and the site never had a waste oil UST.

- The site did have two center post hydraulic lifts. The center posts, which held the oil, were removed and only the sleeves and safety rods were left in the ground.
- The site had one dual post lift, which was removed along with the UST that held the hydraulic oil for that lift. Note that according to a Phase II report prepared by Environmental Compliance Monitoring (ECM) the dual post lift was removed during May 2001 with no apparent discharge noted.
- The site had two floor drains, which are currently sealed. One of the floor drains may have been connected to a septic field as identified in ECM's Phase II report. The ECM report indicated the site had a septic system prior to 1965 and that the septic tank was removed when the site was connected to the municipal sanitary system. According to the township engineer the site was connected to the local sanitary system in 1973.
- The location of the former septic was located near the rear of the building and somewhere to the north/northeast of the location where the waste oil AST is located.

In that interview Hossan, the owner of Brunswick Auto Craft, LLC stated:

- He does not use solvents and that they have Mercury Oil Recovery from Ocean County remove used oil when their waste oil AST is full.

In 1957, the Gulf Oil Corporation constructed a gasoline service station on the property and rented it to Walter Lapp Sr. (now deceased) who operated an automobile repair service center and sold retail gasoline at the site. In 1976, Walter Lapp Sr. and Jathina K. Lapp purchased the property from Gulf and continued to operate a retail gasoline facility and an automobile repair center at the site.

At the time Gulf sold the property to NBG, Gulf reportedly replaced three steel USTs with four 6,000 gallon fiberglass reinforced tanks. Before Walter Lapp Sr. passed he reported the replacement tanks were installed in the same location as the Gulf tanks. In the early 1980's an addition was added onto the building.

Between December 1998 and March 1999, the tank system reportedly underwent modifications to comply with the regulatory deadline of December 1998 to upgrade USTs. The upgrades included new pump islands and piping, A Veeder Root tank monitoring system, spill containment, overfill protection, and the construction of a kiosk and canopy. At that time, the piping to a former pump island was also reportedly removed. The pump island that was removed is shown on **Figure 3** as AOC 2. The upgrades were performed by P & R Maintenance, Inc. (P&R) of Forked River, NJ. On 11/12/1998, P&R submitted a 30 Day Notice of Intent to remove a 550 waste oil UST and 80 feet of piping and perform the upgrades mentioned above. The permit indicated the waste oil UST and piping would be removed on 12/15/98 but the NJDEP never received any documentation regarding the removal or the location of the waste oil UST.

USTs Registration Questionnaires dated 6/1/81 and 6/1/86 indicated the site had four 6,000 gallon gasoline fiberglass USTs with bare steel piping and one 275 gallon heating oil UST. An UST Registration

Questionnaire dated 3/27/90 indicated the site had four 6,000 gallon fiberglass gasoline USTs with bare steel piping and one 550 gallon heating oil UST. As noted above Mr. Lapp Jr. stated the site never had a waste oil UST. Perhaps the waste oil UST on the UST Registration Questionnaire that P&R filed was actually the heating oil UST that was closed in place at the site.

On August 30, 2001, an unleaded gasoline UST was damaged by a drill rig during a Phase II assessment. The damaged tank and the three sister tanks were removed and in May/June 2003, two 6,000 and one 12,000 gallon USTs were installed in the same tank pit where the previous USTs were located. Also new lines were installed to the two pump islands under the canopy and a diesel dispenser was installed to the south of the tank pit. Between the time when the tank was damaged and when new tanks were installed, fuel was not sold at the site (8/2001 to approximately 7/2003). **Figure 5** shows the layout of the site in 2002 a few months after the tank was damaged.

Around June/July 2003, NBG reopened the station and began to sell diesel fuel and unleaded gasoline. They also operated an automobile repair center at the site until around 2005/2006. At that time NBG started to lease the site to Summit Reality who subleased the site to the tenants listed in Section 3.1

3.3 Sanborn Map Review

On-Site requested a Certified Sanborn Map Report for the site, from EDR. The certified report indicated the property was unmapped and no Sanborn maps were available for the site. A copy of the EDR report is provided in **Appendix A**.

3.4 Historical Topographic Map Review

On-Site requested a Historic Topographic Map Report from EDR. Maps were provided for various years (1888, 1893, 1901, 1902, 1942, 1954, 1970, 1981, 1995, and 2014). Copies of the maps are provided in **Appendix B**. A summary of the information obtained from review of the maps is provided below.

The maps from 1888 to 1902 depict the site as undeveloped.

The maps from 1942 to 1981 depict a structure at the site.

The maps from 1995 and 2014 did not depict any useful information except that the likely regional direction of ground water flow is toward the south.

3.5 Aerial Photograph Review

On-Site requested an Aerial Photo Decade Package from EDR and secured additional photos from Keystone Aerial Surveys, Inc. (Keystone), Aerial Viewpoint Photo Lab, Inc. (Viewpoint) and Historic Aerial by NETR online. On-Site also reviewed available stereo pair aerial photographs at the NJDEP Bureau of Tideland Management in Trenton, NJ. Select photographs are presented in **Appendix C**.

Aerial coverage provided by EDR included the years 1931, 1940, 1951, 1954, 1961, 1969, 1970, 1974, 1984, 1995, 2006, 2008 and 2010. Aerial photograph from Keystone included 1979, 1987 and 1999.

Aerial photographs secured from Viewpoint included 1951, 1962 and 1974. Aerials reviewed online at Historic Aerials included 1940, 1947, 1953, 1956 & 1957. Aerial photographs reviewed at the NJDEP Tidelands Management Library included the years 1940, 1951, 1954, 1956, 1958, 1962.

Comments offered relative to the aerial photograph review are presented below:

- In summary, a review of the aerial photographs indicates there may have been a structure on the site in 1931 toward the northeast end of the site but the photograph is of poor quality.
- In the 1940, 1947, 1951, 1953 and 1956 photographs a structure is noted near the west end of the site, which may be a house. During a remedial investigation concrete and some fill with wood was encountered in that area. In the 1951 photograph the suspect house has a small driveway extending to RT 130.
- In the 1954 photograph the neighboring house at 359 Washington Place appears.
- In the 1957 photograph, the structure near the west end of the site is gone and the original portion of the service station building and two pump islands can be seen. One pump island is located where the existing pump islands are located and the other is located to the northeast closer to Route 130. The location of the tanks cannot be determined.
- In the 1974 photograph a concrete pad appears where the current waste oil AST is located.
- In the 1979 photograph a concrete pad can be seen in the location where the USTs are currently installed.
- In the 1984 photograph an addition to the building is noted.
- In the 1995 photograph, concrete pads where the waste oil and heat oil ASTs are located can be seen, the 2 pump islands and the tank pit are still in the same location and some cars are parked in the area behind the building.
- The 1999 photograph indicates an asphalt patch where the old pump island to the northeast was located and a canopy is installed where the current pump island is located.
- The 2006 photograph shows the concrete pad where the diesel dispenser is currently located.
- The 2008 and 2010 photographs are similar to the 2006 photographs.

In summary, the topographic maps suggest the site was undeveloped in 1902. A 1931 aerial photo shows some type of structure near the east end of the site. In 1940 a structure appears at the western end of the site, which is believed to be house. In 1957, the service station was built and sometime between 1979 and 1984 an addition to the service station building was built.

3.6 City Directory Abstract Review

Based on a review of the City Directory Abstract the tenants occupying the site since 1999 have included the operators listed in the table in section 3.1. The City Directory is presented in **Append F**.

3.7 Hazardous Material and Substance Use

No specific information with regard to historic hazardous substances utilized in past operations was available for review in the historic records reviewed for the site.

In general, based upon the site use as a service station, hazardous substances utilized for site operations likely included a variety of petroleum products (leaded and unleaded gasoline, diesel fuel, heating oil, lubricants, hydraulic fluids), solvents and degreasers and hazardous waste generated as spent material.

3.8 Waste Water Discharge History

Though review of a Phase II report by Environmental Compliance Monitoring (ECM), it was determined that one of former floor drains (i.e., the one in the original part of the building) may have been originally connected to a site septic system before it was connected to the local sanitary sewer system. According to the township engineer the site was connected to the local sanitary system in 1973. The ECM report also indicated the septic tank was removed when the site was connected to the local sanitary system. Through an interview On-Site had with one of the current owners, the approximate location of the septic system was identified. A ground penetrating radar survey is planned to more accurately locate the former septic system.

3.9 Discharge History

Through review of existing environmental reports it was determined that a release of unleaded gasoline occurred on August 30, 2001, when a drill rig damaged an UST during a Phase II assessment. In addition, two previous gasoline spills were reported to the NJDEP Hot Line. One was dated 2/21/97 and was given incident # 97-2-21-2249-41. The incident was reported by a nearby resident (Faust) who reported the tanks were leaking for years to the storm drain. The other incident was dated 4/14/98 and was given incident # 98-04-14-1037-37. That incident was also reported by Faust who indicated the cement over the UST dropped 4-inches and gasoline was leaking into soil and seeping onto the driveway. Also on 10/01/99, there was a small surface spill, which was inspected by the Office of Emergency Management (OEM) who reported that it was not a problem.

3.10 Environmental Permits & Violations

Based on review of the NJDEP Data Minor data bases permits have been issued to the site to operate USTs and emissions from the USTs are covered under a General Permit. The UST registration # is 10180. The site also had a permit from the NJDEP dated 12/8/98 to perform upgrades to USTs and remove a 550 gallon waste oil UST and 80 feet of piping. Several violations have been issued to the site regarding the USTs systems, however, they have been satisfied according to the NJDEP violation status report in the NJDEP Data Minor data base. **Appendix L** presents the NJDEP Data Minor Reports.

3.11 Previous Investigations and Remedial Activities

3.11.1 Environmental Compliance Monitoring Assessment

Environmental Compliance Monitoring, Inc. (ECM) initiated a Phase II assessment of the property in early August 2001. Unfortunately during their assessment an UST was damaged on August 30, 2001 and ECM only prepared an interim letter report dated November 1, 2001. That report identified eleven (11) AOC at the site which included: four active USTs, two active pump islands, one abandon pump island, two former floor drains, three former hydraulic lifts, a former septic field, one waste oil AST, one heating oil AST, an abandon heating oil UST closed in place, and two catch/storm basins in rear of property that ran to a surface swale. The ECM report did not include a map but the AOCs identified by ECM are shown on **Figure 3**.

3.11.2 Environmental Maintenance Company and RedHawk Environmental Consulting, Ltd

Environmental Maintenance Company (EMC) under the supervision of RedHawk Environmental Consulting, Ltd. (RedHawk) conducted interim remedial measures in response to the damaged UST, which included excavation of 1,050 tons of soil, disposal of approximately 38,330 gallons of impacted ground water and 500 gallons of free product. Remedial activities stopped on February 11, 2002 when it was discovered that the soil degradation in the UST excavation extended up gradient and that significant soil and ground water degradation appeared to be associated with the up gradient/northeastern end of the site.

To evaluate the extent of the impacts RedHawk installed 6 test pits, 28 test borings and 4 monitoring wells and had 29 soil samples analyzed for VOCs and lead, 31 for VOCs and 34 for forensic analysis. That data indicated benzene, xylenes and lead was above the direct contact standards and soil to ground water standards. RedHawk also collected ground water samples from 4 temporary wells and the 4 ground water monitoring wells **(Figure 3 & 5: MW 1 through MW 4)**. That data indicated benzene; toluene; ethyl benzene; xylenes (BTEX); MTBE; TBA; naphthalene; EDB and possibly 1,1,2 trichloroethane was above the ground water quality standards (GWQS).

In summary, RedHawk concluded most, if not all of the contamination associated with the August 2001 release was remediated and the remaining contamination was mainly related to older releases that occurred at the site that appeared to be coming from the abandon pump island located near the northeastern end of the site. Note that RedHawk did not collect any samples beneath the building or behind the building. Compounds reported in the samples have been compared to the current standards as part of the PA Assessment and are discussed in a following section of this report.

Since the excavation dug by EMC(53' x 35' x 13') was still open in January 2003, RedHawk requested an On-Scene Co-ordinator (OSC) emergency discharge authorization from the NJDEP to control the water level in the tank grave excavation and prevent overflow onto Washington Place. The authorization was approved and a pump and treat system was installed, which discharged treated water to a storm drain

that outfalls to Farrington Lake. The system was started on January 8, 2003 and operated until July 3, 2003 during which time it recovered and treated 402,920 gallons of groundwater.

During May and June 2003 Pine Run Construction (a licensed tank installer from Doyelstown, Pa.) installed two 6,000 and one 12,000 gallon UST in the old tank grave. They also installed new piping to the existing gasoline dispensers and a diesel dispenser. The tanks that were installed were double wall fiberglass with interstitial monitoring and spill and overflow protection.

During the USTs installation, a sump was installed in the back fill material by RedHawk, which was converted to a recovery well (RW 1) by Tri State Environmental Probing and Drilling. The well was constructed of 6-inch diameter PVC casing and screen. The total depth of the well was 15 feet. Water and electric lines were installed from the well to the existing water treatment shed and a pump was installed in the well, however, the recovery well was never started. The borings, test pits, temporary wells and samples collected by RedHawk are shown on **Figure 3 & 5** and pertinent information was discussed in this report.

To secure historical information about the site, RedHawk contracted R.F.Stump Associates, Inc. to interview nearby residents and review files from the local police, fire, health and office of Emergency Management regarding the site. Their findings are summarized in **Appendix M** and pertinent information was discussed in this report.

In summary, RedHawk's investigation did not identify any new AOCs, but it did identify soil and ground water impacts in the up gradient end of the site, which appeared to be coming from AOC 2 where a former pump island was located. However, through On-Site's review of the RedHawk report another AOC was identified, which was the location of a Safety Kleen parts cleaning basin. The location of the parts cleaning basin is shown on **Figure 5**, which shows the facility layout in 2002.

3.11.3 The Whitman Company: Delineation of Soil & Ground Water Contamination & Estimated Remediation Cost

From December 20 to December 23, 2004, the Whitman Companies reportedly oversaw the installation of 19 borings and six 2-inch groundwater monitoring wells at the site. The boring locations and wells (MW 5 – MW 10) are shown on **Figure 3**. During the boring and well installations Whitman reportedly collected 37 soil samples for volatile organics+10 (VOC+10) analysis. Compounds reported in the samples were compared to the current standards by On-Site and are discussed in a following section of this PA report.

However, it should be noted that the highest concentration of benzene (30.9 mg/kg), toluene (281 mg/kg), ethylbenzene (180 mg/kg) and xylenes (1,100 mg/kg) in soil were detected in a sample from boring N13-1, which was installed inside/beneath the onsite building where a former hydraulic lift and former floor drain were located.

On January 11 and 12, 2005, Whitman collected groundwater samples from the 10 groundwater monitoring wells at the site and determined the direction of groundwater flow was towards the south, which was in line with the previously determined flow direction. The samples were analyzed for VOC+10. In addition, samples from MW 4 and MW 9 were analyzed for lead. That data indicated:

- The following compounds exceeded the NJDEP Class II-A Ground Water Quality Standards (GWQS): BTEX, MTBA, and TBA,
- The highest BTEX concentrations were detected in MW 7, located near the west side of the buidling,
- The highest MTBE and TBA concentrations were detected in MW 4,
- Downgradient wells MW 9 and MW 10 did not have concentrations above the NJDEP GWQS,
- The extent of the groundwater degradation has not been defined by the existing configuration of monitoring wells.

No new AOCs were identified by the Whitman investigations but it did identify impacts beneath and behind the building.

3.11.4 RedHawk Draft RI Addendum (Report never submitted to NJDEP)

On December 5 and 6, 2007, RedHawk collected samples from all the groundwater monitoring wells for VOC+10 and TBA to secure updated information on the groundwater quality. The analytical data indicated the results overall were similar to the sample results obtained by Whitman in 2005, except TBA was not detected in MW 4.

Before additional monitoring wells were installed to define the extent of the soil and groundwater impacts, RedHawk supervised the installation of 9 borings on August 25 and 26, 2008. Three of the borings were installed on the NBG property, two were installed in Washington Place and four were installed in RT 130. The boring locations (F1 through F 9) are shown on **Figure 3**. Twenty three soil samples were collected from the 9 borings from various depths and analyzed by Friedman and Bruya, Inc. (F&B) for VOC+10 and Total Petroleum Hydrocarbon (TPH) analysis. That data indicates:

- The compounds detected above the default soil to groundwater screening level included: benzene, ethylbenzene, toluene and xylenes, however, the detection level for all the TBA analysis were above the screening level and some of the detection levels for benzene and MTBE were above the screening levels.
- Only the samples from boring F 5 contained concentrations of BTEX above the soil to groundwater screening levels.
- All the detection levels were below the residential direct contact soil standard and only one sample contained a compound (benzene) above the direct contact standard. That sample was collected in boring F 5 at a depth of 23 feet below grade **(Figure 3)**.

Immediately after the borings mentioned above were installed they were completed as temporary wells. The exception was a temporary well was not installed in boring F8 and F9. Ground water samples

were collected from the temporary wells for VOC+10 analyses by F&B. The ground water analytical reports indicated:

- The compounds detected above the NJDEP GWQS included: benzene, MTBE and TBA.
- The highest concentration of benzene (690 ppb) was detected in temporary well F3 located along the swale at the south end of the site **(Figure 3)**.
- The highest concentration of MTBE (2,500 ppb) and TBA (300 ppb) was detected in temporary well F1, which was installed in Washington Place **(Figure 3)**.
- The extent of the groundwater degradation was not defined and the groundwater contamination appears to extend beneath RT 130 and Washington Place.

To further evaluate the extent of the soil and groundwater degradation, RedHawk supervised the installation of 15 additional borings **(Figure 3: F 10 through F 24)** on February 18 & 19, 2009. One boring was installed in RT 130, two were installed in Washington Place, one was installed at 368 Washington Place (a residential property owned by Denise Luzak), six were installed at 359 Washington Place (a residential property owned by Thomas Csepes) and six were installed to the rear of the building at the NBG site.

Thirteen soil samples were collected from the 15 borings from various depths and analyzed by F&B for VOC+10 analyses. Some samples were also analyzed for lead. In addition, five samples were analyzed for TPH. The analytical reports of the soil samples indicate:

- The compounds detected above the default soil to groundwater screening levels included: BTEX and lead, however, the detection level for all the TBA analysis were above the screening level and the detection level for some of the benzene and MTBE analysis were above the screening levels.
- All the detection levels were below the residential direct contact soil standard.
- Benzene (2.3 mg/kg) and lead (1,490 mg/kg) were detected above the direct contact standard in the sample collected from boring F 24 located to the rear of the onsite building at a depth of 3 to 4 feet below grade. Due to the high concentration of lead in the sample and it location this sample area was considered an AOC.

Immediately after the borings mentioned above were installed select borings were completed as temporary wells. Specifically, 9 of the borings were completed as a temporary well to collect groundwater samples. However, no water entered the F 11 boring installed in Washington Place after 3 hours; therefore, a sample was not collected at that location. Also a sample was not collected from boring F 12 because that hole was abandon before completion due to water entering the hole from beneath the asphalt. Ground water samples were collected from the temporary wells and analyzed by F&B for VOC+10. That data indicates:

- The compounds detected above the NJDEP GWQS included: BTEX, TBA and EDC.
- The highest concentrations of BTEX were detected in the sample collected from temporary well F20 installed behind the building on the NBG property **(Figure 3)**.

- The highest concentration of TBA (300 ppb) and EDC (3.7 ppb) was detected in temporary well F17, which was installed in the backyard of 359 Washington Place **(Figure 3)**.

On September 22 and 24, 2009, RedHawk supervised the installation of six (6) additional groundwater monitoring wells to secure extended data on the extent of the groundwater degradation **(Figure 3: MW 11 through MW 16)**. Two wells were installed on the NBG property, two were installed at 359 Washington Place, one was installed at 368 Washington Place and one was installed on the property located at 1674 Rt 130 (owned by Jacob Krauszer) where the strip mall is located.

During October 19 and 20, 2009, RedHawk sampled all the groundwater monitoring wells. The samples were submitted to Test America Laboratories and analyzed for VOC+10. Review of the analytical reports indicates:

- The compounds that exceed the NJDEP GWQS included: BTEX, MTBE and TBA.
- VOC TICs also exceeded the NJDEP groundwater cleanup criteria.
- The highest concentrations of benzene were detected in MW 1 (4,500 ppb) and MW 7 (4,600 ppb).
- The highest concentrations of toluene were detected in MW 1 (21,000 ppb) and MW 7 (6,500 ppb).
- The highest concentrations of ethylbenzene were detected in MW 1 (2,900 ppb) and MW 7 (3,400 ppb).
- The highest concentrations of xylenes were detected in MW 1 (16,000 ppb) and MW 7 (21,000 ppb).
- The highest concentration of MTBE was detected in MW 3 (2,000 ppb).
- The highest concentration of TBA was detected in MW 3 (6,300 ppb).
- The highest concentration of VOC TICs was detected in MW 5 (4,900 ppb).
- MW 9 through MW 16 did not have concentrations above the NJDEP GWQS or cleanup criteria.
- The extent of the groundwater degradation has been defined,
- The groundwater plume extends off-site and is beneath Rt 130 to the north, beneath Washington Place to the southwest and appears to extent onto the Csepes property located at 359 Washington Place.
- The extent of the groundwater degradation is shown on **Figure 3**

In summary, RedHawk's investigations revealed:

- There are concentrations of gasoline constituents in soil above the current residential direct contact soil standards (RDCS). The compounds detected above the RDCS include benzene, naphthalene and lead. The soil with concentrations above the RDCS do not extend off site.

- There are concentrations of gasoline constituents in soil above the NJDEP default soil to groundwater screening levels. Those compounds include: BTEX, MTBE, naphthalene, and lead. Since the laboratory detection levels for benzene, TBA and MTBE in a number of samples were higher than the default screening levels, the extent of soil above the screening levels has not been totally defined.

- There are two (2) structures within 30 feet of the groundwater plume where the concentrations in groundwater likely exceed the NJDEP groundwater vapor intrusion screening levels. One structure is a residential house located at 359 Washington Place (Block 282 Lot 5). The other structure is the onsite building used by the NBG facility. Vapor intrusion investigations should be conducted at these buildings.

- The location where sample F24 was collected is another AOC because it had elevated concentrations of lead in soil (1,490 mg/kg) which cannot be readily explained.

3.11.5 On-Site Environmental, Inc. Draft SI Report (Never submitted to NJDEP)

Since no work had been conducted at the site since 2010, On-Site prepared a draft report for the client dated January 2012, which included recommendations to secure samples at each AOC identified in previous investigations. However, the only work that was approved was to conduct a vapor intrusion investigation at the Csepes residence located at 359 Washington Place.

3.11.6 Vapor Intrusion Investigation performed by On-Site

On July 9, 2012, On-Site received approval to conduct a VI investigation at the Csepes residence located at 359 Washington Place. After access was secured to perform the investigation a building walk through of the Csepes residence was conducted on January 22, 2013 and a building survey form was completed while interviewing Mr. Csepes. During that interview, Mr. Csepes stated he did not want sub slab soil gas points installed in his basement because he stated water comes up through cracks in the basement floor usually in the spring and he did not want any borings in the floor. He did, however, agree to allow indoor air samples to be collected.

On February 19, 2103, On-Site collected two indoor air and an ambient air sample at the Csepes residence. Some compounds related to gasoline were detected in the indoor air samples but they were below the indoor air screening level. On-Site recommending collecting a sample from the Csepes sump to secure another line of evidence to evaluate the vapor intrusion pathway. The sump sample was eventually collected on January 15, 2014. Chloroform (0.85 ppb) was the only compound reported in the sump sample, which was below the ground water screening level for vapor intrusion (1 ug/l). On-Site recommended collecting another round of air samples from the Csepes residence before the end of the heating season (March 31, 2014), however, approval was never received. Based on the fact that the LSRP could not conclude if vapor intrusion was incurring at the Csepes residence additional indoor air samples should be collected during the next heating season unless future ground water data indicates the Csepes residence is no longer a concern. The last ground water samples collected at the NBG project were collected in 2009 (7 years ago).

3.11.7 On-Site's Response to Csepes Complaint: January 14, 2104

On January 14, 2014, Mr. Csepes contacted On-Site with a complaint that it was raining and runoff from the NBG site had a sheen from gasoline and oil and that it was running down the street to Farrington Lake, which is at the end of the street. He also stated he was concerned the water he was seeing going

down the street was the water in his sump in the basement. On-Site advised him to report it to the township and after receiving approval to respond to the call, On-Site inspected the site the following day.

The site inspection revealed some staining along the road in gravelly and leafy material, which had an odor of diesel fuel, but no active seepage was noted along Washington Place. It appeared the sheen was likely related to surface spillage at the diesel dispenser at the NBG site. On-Site also inspected the storm drain at southwest corner of NBG site and the swale on NBG property. No positive photo-ionization detector (PID) reading from the storm drain or sheens was detected in the storm drain and only standing water was detected in the swale. To confirm the staining was not from ground water seepage to the surface, On-Site gauged the water level in MW 3 located at the west end of the NGB site. The depth to water in MW 3 was 5.51 feet below ground.

During the inspection, a water sample was collected from the sump in the Csepes basement as previously noted and a sample of the standing water in the swale was collected. The samples were analyzed for VOC+15, BN+15 and SIM analysis. The analytical reports indicated:

- Chloroform was detected in the sump sample (0.85 ug/l) and in the swale sample (1.1 ug/l).
- Bis(2-ethylhexyl)phthalate was detected in the swale sample (1.1 ug/l) and in the method blank.
- Benzo(a)anthracene was reported in the swale sample (0.188 ug/l) at a concentration slightly over the ground water standard (0.1 ug/l) and surface water standard (0.038 ug/l).

On-Site recommended another round of indoor air samples at the Csepes residence and the collection of another sample from the swale in addition to collecting ground water samples from at least the two closest monitoring wells and sediment samples from the catch basins/storm drains on the NBG site. On-site only received permission to collect another water sample from the swale. That sample was collected on February 21, 2014 and was analyzed for the same parameters as the first sample. The analytical report indicated no compounds were detected in the sample.

No further investigations have been conducted at the site since then, except for the site inspection which was conducted in June 2016 as part of this PA.

3.11.8 Comparison of the Historical Analytical Data to the Current NJDEP Standards

Since some of the NJDEP requirements and standards changed since the historical soil and ground water samples were collected, On-Site compared the historical analytical data to the 2016 standards. When the last set of ground water samples collected in October 2009 are compared to the current ground water standards the following is noted:

- The concentrations of BTEX, MTBE, TBA, naphthalene and VOC TICs are above the current ground water quality standards in some of the well samples **(Table 1)**. **Figures 6, 7 and 8** shows the inferred extent of benzene, MTBE and TBA in the ground water based on the October 2009 samples and from ground water samples collected from temporary wells in 2008 and 2009.

- The samples were not analyzed for EDB or 1,2-4 trimethylbenzene in accordance with the 2016 requirements.
- There were concentrations of benzene, ethylbenzene, xylenes, MTBE, and naphthalene in ground water above the ground water screening levels for vapor intrusion.
- The aerial extent of the ground water plume above the standards is shown on **Figure 3**, i.e. based on the October 2009 analytical data and samples collected from temporary wells in 2008 and 2009.

When the historical soil analytical data is compared to the 2016 standards the following was noted:

- There are concentrations of benzene, naphthalene and lead above the 2016 residential and non-residential direct contact standards. **Figures 9, 10 & 11** shows the inferred extent of benzene, naphthalene and lead above the direct contact soil standards, respectively.
- There are concentrations of BTEX in soil above the default soil to ground water standards **(Figure 12, 13, 14 & 15)**.
- There are concentrations of MTBE in soil above the default soil to ground water standard of 0.2 mg/kg **(Figure 16)**.
- There are concentrations of lead in soil above the default soil to ground water standard of 90 mg/kg **(Figure 11)**.
- Naphthalene was not above the soil to ground water standard of 25 mg/kg in the samples collected in the unsaturated zone **(Figure 17)**.
- The detection level of all the samples collected in the unsaturated zone for EDC was higher than the default soil to ground water standard of 0.005 mg/kg **(Figure 18)** but EDC was not detected in the ground water samples from the monitoring wells.
- The detection level of all the samples collected for EDB analysis was not low enough to determine if the concentrations were below the residential direct contact standard of 0.008 mg/kg. Also the detection levels of all the samples collected for EDB analysis were higher than the default soil to ground water standard of 0.005 mg/kg **(Figure 19)**.
- The detection level of all the samples collected in the unsaturated zone for TBA were higher than the default soil to ground water standard of 0.3 mg/kg **(Figure 20)**.

4.0 Areas of Concern

A summary of the AOC detected at the site is presented below and their locations are shown on **Figure 3.**

4.1 AOC 1: Historic and Current UST Locations

AOC 1 is the area where the historic and current USTs were located. It also includes an area where one of the historic pump islands was located and where the current gasoline and diesel pump islands are located.

According to available information it appears when Gulf built the station in 1957 they installed three steel USTs at the site. In 1976 when the site was sold to Walter Lapp Sr., Gulf reportedly removed the steel tanks and installed four 6,000 gallon fiberglass USTs in the same tank pit. According to The NJDEP records the four fiberglass USTs were installed in 1976. Between December 1998 and March 1999, the tank system had undergone modifications, which included new double wall piping, spill and overfill protection, installation of a Veeder Root tank gauging system, interstitial monitoring for the piping and leak detectors. Two new pump islands on a common concrete pad, kiosk and canopy were also constructed. The old piping from the tanks to the former pump island (AOC 2) was also reportedly removed at that time.

On August 30, 2001, one of the four fiberglass tanks was damaged by a drill rig during a Phase II assessment. The incident was reported to the NJDEP and case numbers 01-08-30-1546-07 and 01-08-30-1549-55 were assigned to the incident. Since the damaged tank was in the same location as the other three fiberglass tanks, the four tanks were all removed on December 27, 2001.

After interim remedial measures were performed (which included excavation of 1,050 tons of soil, disposal of approximately 38,330 gallons of impacted ground water and 500 gallons of free product, and onsite treatment of 402,920 gallons of impacted ground water via a pump and treat system under an On-Scene Co-coordinator's emergency discharge permit), three new fiberglass tanks were installed in the same location (one 12,000 gallon and two 6,000 gallon USTs). New piping to the two gasoline pump islands and a diesel pump dispenser were also installed.

Closure soil samples collected after the four 6,000 gallons USTs were removed and 1,050 tons of soil was excavated indicated that the soil in the sidewalls of the excavation where the USTs were located was compliant with the NJDEP soil standards in place at that time. However those soil samples were not analyzed for EDB and 1,2-4 trimethylbenzene per the current NJDEP requirements.

Additional soil samples were collected and indicated soil samples collected in the vicinity of piping runs contained concentrations of benzene and naphthalene above the current residential direct contact (RDC) standard and one sample collected down gradient of the tank pit contained lead above the direct contact standard. Also concentrations of BTEX and MTBE were above the current default soil to groundwater standards in the vicinity of the piping runs and the detection levels of EDC, EDB & TBA

were higher than the default soil to ground water standards in the samples collected in the unsaturated zone.

Ground water in the vicinity of AOC 1 contains concentrations of BTEX, MTBE, TBA, naphthalene and VOC TICs above the Class IIA groundwater quality standards (GWQS). However, it should be noted these ground water impacts may be mainly related to releases from AOC 2. There were also concentrations of benzene in ground water above the ground water screening levels for vapor intrusion within 30 feet of the residential property located at 359 Washington Place and concentrations of BTEX were above the VI screening levels within 30 feet of the NBG building. Based on these finding additional soil and ground water sampling at this AOC is recommended.

4.2 AOC 2: Former Pump Island

AOC 2 is the area where an old pump island was removed in 1998/1999. Soil samples collected in this area indicated that benzene and naphthalene were above the RDC standard and that concentrations of benzene, ethylbenzene, and xylenes were above the default soil to groundwater standard. The detection levels of EDC, EDB & TBA were also higher than the standards in most samples.

Groundwater in the vicinity of AOC 2 contains concentrations of BTEX, MTBE, TBA, naphthalene and VOC TICs above the Class IIA GWQS and appears to be comingled with groundwater impacts from AOC 1. AOC 2 is up gradient of AOC 1. Soil samples should be collected from this AOC to define the extent of benzene, ethylbenzene and xylenes that are above the default soil to groundwater standard in the vicinity of AOC 2. Additional ground water investigations are also warranted at this AOC.

4.3 AOC 3**:** High Levels of Lead Behind Station

This is a unpaved area where high concentrations of lead (1,490 mg/kg) were detected behind the on-site building at a depth of 3 to 4 feet below grade **(Figure 3: F24)**. Benzene and naphthalene were also detected above the RDC standard in the 3 to 4 foot soil sample and benzene was also above the default soil to groundwater standard in that sample. No surface soil samples were collected in this area and the source of the lead is unknown. Surface soil samples should be collected in this AOC and analyzed for lead, EPH, and 25% of the samples where EPH is detected should be analyzed for VOCs+15, SVO+15, PCBs and TAL metals. This AOC is within the groundwater plume believed to be associated with historical gasoline releases and is up-gradient of a potential migration pathway (AOC 8: swale).

4.4 AOC 4**:** Heating Oil UST Closed-In-Place

This AOC is where a 550 gallon unregulated UST that was used to store heating oil was reportedly closed-in-place in the late 1990s. No VOC contamination has been identified at this AOC in a soil sample collected near this AOC **(Figure 3: N12)**. However, soil samples have not been collected at this AOC for EPH per the current requirements. Groundwater at this specific AOC has not been evaluated but this AOC is within the footprint of the gasoline plume defined on **Figure 3**. Soil samples should be collected at this AOC for EPH analysis.

In an interview with Walter Lapp Jr., it was determined that the location where the UST is closed in place may not be where it was thought to be during the previous investigations. A ground penetrating radar (GPR) survey should be conducted to determine the exact location of this AOC.

4.5 AOC 5: Heating Oil AST

This AOC is where a 275 gallon unregulated heating oil AST is located. Surface staining was observed at this AOC in 2009. A boring installed near the AST in 2009 did not evidence signs of VOC impacts **(Figure 3: F22)**. This AOC is within the groundwater plume believed to be associated with historical gasoline releases. Surface and subsurface soil samples in this AOC should be collected for EPH. If EPH is greater than 1,000 mg/kg 25% of the samples should be analyzed for naphthalene and 2-methylnaphthalene contingency analysis to evaluate discharges at this AOC in accordance with the current regulations. This AOC is located topographically up gradient of one of the onsite storm drains.

4.6 AOC 6: Waste Oil and Heating Oil AST

This AOC is where one 275 gallon waste oil AST and a 275 gallon heating oil AST are located on a concrete pad adjacent to the rear of the on-site building. Signs of staining were observed at this AOC in 2009. No surface samples were collected at this AOC but a soil sample collected at a depth of 9 to 10 feet below grade near this location did have concentrations of naphthalene above the RDC standard **(Figure 9: F23)**. That sample was only analyzed for VOC+10 and lead. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases. Surface and subsurface soil samples should be collected at this AOC for EPH, and 25% of the samples where EPH is detected should be analyzed for VOC+15, SVO+15, PCBs, TAL metals. Soil samples should also be collected at this AOC to define the extent of naphthalene above the direct contact standard. This AOC is located topographically up gradient of one of the onsite storm drains. A groundwater sample from this area should be analyzed for VOCs, SVO and TAL metals to allow for a comprehensive evaluation of the groundwater quality at the site.

4.7 AOC 7: Storm Drains

This AOC involves two storm drains located behind the on-site building. The drains are approximately 2 by 4 feet in length and approximately 2 feet deep and connected by a pipe that outfalls to the swale at the southern end of the site that discharges to the local storm drain system, which ultimately discharge to Farrington Lake a Natural Heritage Priority Site. The drains are located in an unpaved area and have never been inspected for sediment. During On-Site's inspection in June 2016 cars were parked over the drains. One of the drains is located down gradient of the waste oil AST and the area where high levels of lead was detected in a subsurface soil sample **(Figure 11: F24)**. A subsurface soil sample collected along the piping between the drains had a concentration of benzene above the RDC standard **(Figure 9: N7-3: 6.5-7')**. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases. If sediment is present in the drains sediment samples should be collected

for EPH analysis, and 25% of the samples where EPH is detected should be analyzed for VOC+15, SVO+15, PCBs, TAL metals. If the base of the drain is deteriorated borings should be installed adjacent to the drain for sample collection.

4.8 AOC 8: Swale

This AOC is where the swale at the south end of the site is located. The swale is approximately 78 feet long and 8 feet at its widest point. It is lined with rip rap and in an area where brush and deciduous trees are located. No signs of stressed vegetation have ever been reported in the swale. There is a buried storm drain pipe between the swale and the township owned storm drain on Washington Place. Usually the swale is dry except after precipitation events. The storm drains associated with AOC 7 outfall to the swale.

On January 15, 2014, On-Site collected a sample of the standing water in the swale after a rain storm for VOC+15, BN+15 and SIM analysis. The analytical results indicated:

- Chloroform was detected in the swale sample (1.1 ug/l).
- Bis(2-ethylhexyl)phthalate was detected in the swale sample (1.1 ug/l) and in the method blank.
- Benzo(a)anthracene was reported in the swale sample (0.188 ug/l) at a concentration slightly over the ground water standard (0.1 ug/l) and surface water standard (0.038 ug/l).

On February 21, 2014, On-Site collected another sample from the swale for the same analytical parameters. The analytical report indicated no compounds were detected in the sample.

Additional water samples from the swale and ground water samples from nearby monitoring wells should be analyzed for VOCs, BN & SIMs to evaluate the environmental status of this AOC. Also surface soil samples should be collected in the swale to determine if historical releases impacted the swale. The soil samples should be analyzed for EPH analysis, and 25% of the samples where EPH is detected should be analyzed for VOC+15, SVO+15, PCBs, TAL metals. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases.

4.9 AOC 9: Former Floor Drains

This AOC is where two 4-inch floor drains were reported to be located inside the building in the ECM Phase II report dated December 2001. That report indicated the floor drains at that time were tied into the municipal sanitary sewer but the connections were not verified. It also reported that the drain in the original portion of the building may have originally been connected to the former site septic system. The exact location of the floor drains has been determined during On-Site's site inspection **(Figure 3)**. The drains at the time of On-Site's inspection were sealed with concrete. A soil sample collected near the former floor drain in 2004 had the highest concentrations of BTEX detected at the site **(Figure 3: N13-1)**. The sample was only analyzed for VOC+10. Soil samples should be collected near these drains for EPH analysis, and 25% of the samples where EPH is detected should be analyzed for VOC+15,

SVO+15, PCBs, TAL metals. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases.

4.10 AOC 10: Former Hydraulic Lifts

This AOC is where three former hydraulic lifts were reported in the ECM Phase II report dated December 2001. Two were reportedly center post lifts and one was a dual post lift. The dual post lift and associated hydraulic oil UST was reportedly removed approximately during May 2001 with no apparent discharge reported. The exact locations of the former lifts were determined during On-Site's inspection **(Figure 3)**.

Soil samples should be collected at this AOC for EPH and 25% of the samples where EPH is detected over 100 mg/kg should be analyzed for PAH. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases.

4.11 AOC 11: Former Septic System

This AOC is where the former septic system is located. It was reportedly located to the east side of the building per the ECM December Phase II report. That report indicated that the septic tank was removed when the site was connected to the municipal sanitary system. The exact location of the former septic system is unknown. During On-Site's site inspection, Walter Lapp Jr. indicated it is somewhere to the north/northeast of the waste oil AST. Construction permits from the township did not provide any information regarding this AOC. A ground penetrating radar survey is planned to locate the leach field. If the position of the AOC is found soil samples should be collected in and down gradient of the leech field for EPH analysis, and 25% of the samples where EPH is detected should be analyzed for VOC+15, SVO+15, PCBs, TAL metals. This AOC is also located within the groundwater plume believed to be associated with the historical gasoline releases. According to the township engineer the site was connected to the local sanitary system in 1973.

4.12 AOC 12: Former Parts Cleaning Basin

This AOC is where a former Safety Kleen parts cleaning basin was located inside the building. Its location was identified on a base map prepared by RedHawk that showed the facility layout in 2002 **(Figure 5)**. No cracks were detected in the concrete floor at that area. Since this AOC is near AOC 9 (floor drains) and one of the former hydraulic lifts (AOC 10) and investigations are recommended at AOC 9 and AOC 10, no further investigations should be required at AOC 12.

4.13 AOC 13: Ground Water Media

AOC 13 is related to the ground water media impacts. Seventeen ground water monitoring wells and fourteen temporary wells have been installed and sampled for VOCs at the site and surrounding properties. The last set of ground water samples were collected in October 2009. Based on review of that analytical data there are concentrations of BTEX, MTBE, TBA, naphthalene and VOC TICs in ground water above the Class IIA ground water quality standards. The available data indicates the extent of the

groundwater degradation has been defined. However, no groundwater samples were analyzed for EDB or 1,2-4 TMB and additional groundwater samples are required to confirm the extent of the gasoline contamination.

The 2009 ground water data indicates the groundwater plume extends off-site and is beneath RT. 130 to the north, beneath Washington Place to the southwest and appears to extent onto the Csepes property located at 359 Washington Place. The extent of the ground water impacts defined in 2009 that is above the GWQS is shown on **Figure 3** In addition to VOC analysis future ground water samples should be analyzed for BNs, SIMS and TAL metals to determine if there are ground water impacts related to other petroleum products from the site.

Furthermore, there are concentrations of VOCs in ground water above the ground water screening levels for vapor intrusion and there are two buildings within 30 feet of those impacts. The two building include the onsite building and the Csepes residence at 359 Washington Place. VI investigations have been conducted at the Csepes residence but the results have not been conclusive. Additional VI investigations should be conducted at the Csepes residence and at the onsite building if those buildings are still with the 30 feet of concentration above the ground water screening levels for vapor intrusion.

5.0 Ongoing Remediation that has not received Remedial Action Outcome (RAO)or No Further Action (NFA)

This PA is being conducted as part of an ongoing remediation that was triggered by the August 30, 2001 incident, which is discussed in previous sections of this PA.


6.0 Case Inventory Document

The Case Inventory Document (CID) is a summary of all AOCs that form the basis for remedial decisions. A CID is provided with this PA in accordance with the requirements for conducting a preliminary assessment (N.J.A.C. 7:26E-1.6(a)3.

7.0 Figures and Drawings

A site location map, Site plan showing tax lots and blocks and site plan showing site features and potential AOCs are presented in this PA Report.

FIGURES



North Brunswick Quadrangle

N

0' 2030'

(approximate scale in feet)

Contour Interval: 10 feet
Photo Revised: 1981


ON-SITE ENVIRONMENTAL
119 Shepherds Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709


Drawing #:
File : Topo 10

Date
8/12/16

Figure 1 Site Location

North Bruswick Gulf
1696 Georges Road Rt 130
North Brunswick,New Jersey


Nimitz Place
Wooded
Calvert Rd
230
15
16
17
18
19
NBG
1
282
278
1
1.01
2
3
4
5
6
7
283
1
2
3
4
5
4.01
4.02
286
1
Route 130
Harding Ave
Pershing Ave
Kundes St.
278
25
26
27
28
29
35
34
33
32
31
30
Keamey Dr
Hamlin Rd
284
1
2
3.01
3.02
Washington Place
285
1
KEY
Residential Property
Commercial Property
Wooded
4208 Block
2 Lot
0'
242'
APPROXIMATE SCALE IN FEET
ON-SITE ENVIRONMENTAL
119 Shepherds Way • Collegeville, PA 19320
Phone: (610) 584-2719 • Fax (610) 584-2709
File : tax map 2.drw
Date:
10/24/12
Figure 2 Tax Map
North Bruswick Gulf
1696 Georges Road Rt 130
North Brunswick,New Jersey



List of Areas of Concern (AOCs)

- **AOC 1: Historical & current UST location.**
- **AOC 2: Former pump island.**
- **AOC 3: Area behind station where high levels of lead were detected in soil.**
- **AOC 4: Unregulated heating oil UST closed in place exact location not determined.**
- **AOC 5: Unregulated heating oil AST.**
- **AOC 6: Waste oil & heating oilAST.**
- **AOC 7: Stom drains behind station.**
- **AOC 8: Swale associated with storm drains.**
- **AOC 9: Two Former floor drains in service area.**
- **AOC 10: Three Former in ground hydraulic lifts in service area.**
- **AOC 11: Former septic system - behind station exact location has not been determined.**
- **AOC 12: Former Parts Cleaning Basin**
- **AOC 13: Ground water media.**

MW 11

Extent of Groundwater Impacts Identified in 2009 from Gasoline Release

KEY

- MW 6 — Monitoring Well & #
- Natural gas line
- Sewer line
- Water line
- Storm drain line
- Sewer manhole 24 inch
- Storm drain
- DOT Box
- DOT Box
- Utility Pole
- R — Residential house
- Tree
- F7 — Soil Boring Installed by RedHawk 2008 & 2009
- N12 ▲ — Soil Boring Installed by RedHawk in 2001 & 2002
- ⊕ — Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- Extent of Excavation in 2001/2002
- Regional Direction of Groundwater Flow
- FD Floor Drain: sealed
- HL Hydraulic Lift: removed

ON-SITE ENVIRONMENTAL
119 Shepherds Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

Drawing #: File : AOC map.drw
Date: 2/3/13 & 6/15/16

Figure 3 Areas of Concern

North Brunswick Gulf
1696 Georges Road RT 130
Middlesex County
North Brunswick, New Jersey 08902



Legend

GeoWeb
- Natural Heritage Priority Sites

Streams
- Coastline
- Stream/River
- Artificial Path
- Connector
- Canal/Ditch
- Pipeline

Water Bodies

Wetlands (2012)

Counties

Mid-Atlantic States
- New Jersey
- Other Mid-Atlantic States

Map Printed On {2016-08-12 13:36}

ON-SITE ENVIRONMENTAL
119 Sheridan Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

File :Streams wetlands

Date
8/25/16

Figure 4 Streams & Wetlands

North Brunswick Gulf
1696 Georges Road RT 130
North Brunswick, NJ

Heating Oil UST
(Closed-in-Place)

Heating Oil AST

Waste Oil AST
(on concrete slab)

North Brunswick
Gulf

station (brick bldg.)

Safety Kleen
degreasing unit

Stone

Stoneed area

Fence

Approx. Location
of old pump island
(removed)

Concrete Pad

Asphalt
Patch

Grass

RT 130

Kiosk

Test
Pit 2

Test
Pit 1

Test
Pit 6

Test
Pit 5

Test
Pit 4

Extent of
UST Excavation
(53X35X13')

Excavation
2' deep at
south end

Excavation 1' deep

Excavation 6' deep
along sewer line

Excavation 3' deep

concrete Pad over USTs
(removed: approx.location)

Guard Rail
(removed)

Vents
(removed)

Sewer
line

Sewer
clean out

Northwest
Corner 5'

North
Wall 4½'

West
Wall 4'

West
Wall

stone

Asphalt

Grass

Residential
Property

Possible
Property
Boundary

Washington Place

Washington Place

Gas Line

N1 N2 N3 N4 N5 N6 N7 N8 N9 N10 N11 N12 N13 N14 N15 N16

D1 D2 D3 D4

MW1 MW 2 MW 3 MW 4

TW1 TW2 TW3 TW4

TB1 TB2 TB3 TB4 TB5 TB6 TB7 TB8

G1 G2 G3

SW1 SW2 SW3 SW4 SW5 SW6 SW7 SW8 SW9 SW10 SW11 SW12 SW13 SW14 SW15 SW16

KEY

- ▲ Soil Sample Location collected in 2001 & 2002
- Monitoring & Temporary Well
- ◑ Location of USTs Closure Samples
- ✯ Approximate Location of Tank Damage

approximate
north

0' 30'

APPROXIMATE SCALE IN FEET


RedHawk Environmental
2845 Hale Hollow Road
Bridgewater Corners, VT 05035

File : NBGS1

Date:
4/22/02

Figure 5 Facility Layout in 2002

North Brunswick Gulf
1696 Georges Road
North Brunswick, NJ




RedHawk Environmental
2845 Hale Hollow Road
Bridgewater Corners, VT 05035

BenOC09.DRW | Date 12/11/09

Figure 6 Benzene in Groundwater 10/19 & 20/09

North Brunswick Gulf
1696 Georges Road RT 130
Middlesex County
North Brunswick, New Jersey 08902


Gas line approximate location
Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
Rt 130
Traffic Light
F10
(<1)
F7
(210)
F8
Shoulder of Road
F9
MW 6
(470)
MW 5
(<2)
MW 15
(<2)
F6
(<1)
Guard Rail
Fence
Propane Tank Area
MW 1
(730)
Asphalt
North Brunswick Gulf Station
Pump Islands with Canopy
MW 2
(96)
TB-7V
TB7
RW 1
(6.5)
MW 16
(3.7)
TB6
Concrete over Tanks
TB1
TB2
TB3
MW 7
(390)
Diesel Fuel Dispenser
One Story Masonary Building
N13-1
F23
F24
Stone
N13-2
TW16-2
TW16-1
F22
Waste Oil AST
N7-1
N7-2
F20
(<100)
Storm Drain
F21
MW 14
(<2)
F5
F17
(9.2)
F19
F15
(23)
F18
(19)
Shed
MW 11
(<2)
Property Boundary
Sewer Line
Water Line
Gas Line
Washington Place
MW 3
(2000)
MW 4
(150)
MW 9
(12)
MW 8
(280)
F3
(70)
F16
(<1)
F1
(300)
70
F4
(<1)
F2
(49)
MW 10
(<2)
MW 12
(<2)
359 Washington Place House
F14
(3.4)
MW 13
(7.7)
Property of Denice Luzack
368 Washington Place
House
F11
F13
(<1)
F12
Driveway
Note: Only recent analytical data is shown.
Borings F 1 through F 9 installed 8/25 & 26/08
Borings F 10 through F 24 installed 2/18 & 19/09
Getty Station
Key
Existing Groundwater Monitoring Well
F7 Soil Boring Installed by RedHawk 2008 & 2009
N12 Soil Boring Installed by RedHawk in 2001 & 2002
Soil Boring Installed by Whitman in 2004
(730) MTBE concentration in monitoring well on 10/19&20/09(ppb)
70 70 ppb contour line (dashed were approximated)
(300) MTBE concentration (ppb) in temporary boring 8/25 & 26/08 or 2/18 &19/09
Tree
0' 35'
Approximate scale in feet
N
RedHawk Environmental
2845 Hale Hollow Road
Bridgewater Corners, VT 05035
MTBEOC09.DRW
Date
12/11/09
Figure 7 MTBE in Groundwater 10/19 & 20/09
North Brunswick Gulf
1696 Georges Road RT 130
Middlesex County
North Brunswick, New Jersey 08902

Rt 130

Gas line approximate location

Grass

Gravel

Paved Shoulder

Turning Lane

Grass Median

Shoulder of Road

Traffic Light

F10 (<50)

F7 (460)

F8

F9

MW 6 (340)

MW 5 (<100)

MW 15 (<100)

F6 (<50)

Guard Rail

Fence

Propane Tank Area

asphalt

MW 14 (<100)

F21

F20 (<5,000)

Storm Drain

F22

Waste Oil AST

N7-1

N7-2

N7-3

F5

F17 (300)

F19

F15 (210)

F18 (210)

Shed

MW 11 (<100)

Property Boundary

F23

F24

Stone

N13-2

N13-1

One Story Masonary Building

Asphalt

MW 1 (290)

MW 7 (380)

MW 8 (340)

F3 (420)

F16 (<50)

F4 (<50)

359 Washington Place House

MW 12 (<100)

North Brunswick Gulf Station

Pump Islands with Canopy

MW 2 (820)

TB-7V

TB7

RW 1 (<100)

TB1

TB2

TB6

N13-V

N14

N15

N16

Concrete over Tanks

Diesel Fuel Dispenser

TW16-1

TW16-2

MW 16 (<100)

Sewer Line

Water Line

Gas Line

Washington Place

MW 3 (6,300)

MW 4 (810)

MW 9 (<100)

MW 10 (<100)

F1 (2,500)

F2 (740)

F14 (<50)

MW 13 (<100)

Property of Denice Luzack
368 Washington Place

House

F11

F13 (<50)

F12

Driveway

Swale

100

N1 N2 N2-V N3 N3-1 N4 N5 N6 N7 N7-V N8 N9 N10 N10-S N11 N12

TB7-1

TB6

Getty Station

Key

- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- (290) TBA concentration in monitoring well on 10/19&20/09(ppb)
- 100 100 ppb contour line (dashed were approximated)
- (740) TBA concentration (ppb) in temporary boring 8/25 & 26/08 or 2/18 &19/09
- Tree

N

0' 35'
Approximate scale in feet


RedHawk Environmental
2845 Hale Hollow Road
Bridgewater Corners, VT 05035

TBA09X.DRW

Date 12/11/09

Figure 8 TBA in Groundwater 10/19 & 20/09

North Brunswick Gulf
1696 Georges Road RT 130
Middlesex County
North Brunswick, New Jersey 08902



Note: 1) Contamination detected at TB8, SW 1, SW 15 and SW 16 was removed by excavation in 2001/2002.
2) Concentrations shown are the highest value reported in a boring.
3) Pea gravel sample collectd between D 1 and D 2.

Benzene Above Residential Direct Contact

Sample ID	Benzene (mg/kg)	Depth (ft)
TB 7	5.4	10-11'
North Wall	6.6	4.5'
West Wall	14	4'
D1	12	2.5-3.5'
D2	8.2	2.5-4'
D3	3.8	3.5-4.5'
N1	2.9	8-9.5'
N5	2.6	4-5'
N6	2.7	8-9'
N7	7.9	8-9'
N13	5.1	9-10'
N14	4	8-9'
N15	2.4	2-3'
N16	5.2	4 - 7'
N 13-1	30.9	3.5 - 4'
N13-1	23.1	7.5-8'
N13-1	12.5	9.5-10'
N7-2	12	6.5-7'
N7-3	12.3	6.5-7'
TB7-1	4.66	7.5-8'
TW16-1	14.6	5-5.5'
F 5	2.3	19-20'
F 20	10	5-6'
F 24	2.3	3 - 4'

Benzene Less Than Residential Direct Contact

Sample ID	Benzene (mg/kg)	Depth (ft)
Test Pit 1	1.2	2'
Test Pit 1	0.5	8'
Test Pit 2	<0.32	2'
Test Pit 2	<0.3	7'
Test Pit 4	<0.6	2.5'
Test Pit 4	<0.16	6.5'
Test Pit 6	<0.14	5'
Test Pit 6	<0.13	14-15'
TB1	0.32	8-9'
TB2	0.38	6-7'
TB3	0.62	3.4'
TB4	<0.15	13-14'
TB5	0.35	2-2.5'
TB6	<0.14	10-11'
TB7	1.5	4-5'
TB8	0.32	3-4'
Pea Gravel	<0.13	3'
NW Corner	2	5'
D 4	0.53 J	3.5-4.5'
G 1	0.24	2'
G 2	<0.14	6'
G 3	<0.14	3.5'
N 2	<1.5	8-9'
N 3	<0.69	4-5.5'
N 4	<0.26	10-12'
N 8	<0.45	8-9.5'
N 9	<0.26	11-12'
N 10	<0.29	8-10'
N 11	<0.28	10-12'
N 12	<0.49	6-8'
MW 1	0.78	8-9'
MW 2	0.34	6-7'
MW 3	<0.05	12-13'
MW 4	<0.05	2-4'
MW 4	<0.05	9-10'
MW 4	<0.05	12-13'
MW 4	<0.05	14-15'
MW 4	<0.05	16-18'
N-13V	0.311 J	12-12.5'
N13-1	0.479	15-15.5'
N13-2	ND	5-5.5'
N13-2	ND	9.5-10'
N7-V	ND	11.5-12'
N7-1	ND	8.5-9'
N7-2	0.572	15-15.5'
N7-3	0.763	10.5-11'
N7-3	ND	15-15.5'
N10-S	ND	4.5-5'
N3-1	0.355	7.5-8'
N3-1	0.795	15-15.5'
N2-V	ND	5.5-6'
N2-V	1.3	11.5-12'
TB-7V	ND	14-14.5'
TB7-1	0.648	15.5-16'
TW16-1	0.714	9.5-10'
TW16-1	ND	14-14.5'
TW16-2	0.097 J	6.5-7'
TW16-2	0.562	9.5-10'
MW 5	0.209 J	9.5-10'
MW 5	ND	13.5-14'
MW 5	ND	18-18.5'
MW 5	ND	22.5-23'
MW 7	0.569	11-11.5'
MW 8	0.487 J	2.5-3'
MW 8	ND	9.5-10'
MW 9	ND	2.5-3'
MW 10	ND	2.5-3'
F 1	<0.06	9-9.5'
F 2	<0.06	9-9.5'
F 2	<0.06	12-12.5'
F 3	<0.06	8.5-9'
F 4	<0.06	6.5-7'
F 4	<0.06	9-9.5'
F 5	0.66	8-9'
F 5	2	11-12'
F 5	0.73	13-14'
F 5	1.1	15-16'
F 5	0.91	16-17'
F 5	2	18-19'
F 7	<0.06	1-2'
F 7	<0.06	2-3'
F 7	<0.03	6-7'
F 7	<0.06	7.5-8'
F 8	<0.12	7-8'
F 8	<0.12	8-9'
F 8	<0.15	9-10'
F 9	<0.3	6-7'
F 9	<0.6	9-10'
F 9	<0.3	13-14'
F 17	0.13	4-5'
F 17	<0.03	13-14'
F 18	<0.03	10-11'
F 19	0.038	10-12'
F 20	0.73	10-11'
F 23	<0.3	9-10'
F 23	0.41	13-14'
F 24	0.03	9-10'

SW 1, SW 2, SW 3, SW 5, SW 6, SW 14, SW 5 & SW 16 collected at depth of 11.5-12'.
SW 4, SW 7, SW 8, SW9, SW 10, SW 11, SW 12 & SW 13 collected at depth of 10.5-11'.

ON-SITE ENVIRONMENTAL
119 Spethman Way • Collegeville, PA 19320
Phone: (610) 584-2719 • Fax (610) 584-2709

Drawing #: File : Soilben2.drw
Date 1/20/12 & 4/2/16

Figure 9 Benzene in Soil Above Residential & Non-Residential Direct Contact Standard

Getty Station

Gas line approximate location

Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medum
Shoulder of Road
Rt 130
Traffic Light
Grass
Guard Rail
Fence
Propane Tank Area
asphalt
Fence
Grass
Shed
Shed
Stone
Storm Drain
Fence
Property Boundary
Fence
Fence
Shed
Fence
Guard Rail
Guard Rail
Fence
Grass
Grass
Grass
Driveway
Driveway
Sewer Line
Water Line
Gas Line
Washington Place
North Brunswick Gulf Station
Pump Islands with Canopy
Waste Oil AST
One Story Masonary Building
Concrete over Tanks
Diesel Fuel Dispenser
359 Washington Place House
Property of Denice Luzack
368 Washington Place
House

F10
F7 (<0.1)
F8 (1.5)
F9 (<0.5)
F1 (<0.1)
F2 (<0.1)
F3 (<0.1)
F4 (<0.1)
F5 (12)
F6
F11
F12
F13
F14
F15
F16
F17 (1.6)
F18 (<0.05)
F19 (<0.05)
F20 (28)
F21
F22
F23 (14)
F24 (9.7)

MW 1 (13)
MW 2 (2.8)
MW 3 (<0.05)
MW 4 (<0.05)
MW 5
MW 6
MW 7
MW 8
MW 9
MW 10
MW 11
MW 12
MW 13
MW 14
MW 15
MW 16

N1 (10)
N2 (10)
N3 (7.8)
N4 (<0.4)
N5 (11)
N6 (3.6)
N7 (20)
N8 (<0.41)
N9 (<0.39)
N10 (0.57)
N11 (<0.43)
N12 (<0.73)
N13 (13)
N14 (13)
N15 (14)
N16 (16)
D1 (3.9)
D2 (6.5)
D3 (9.0)
D4 (5.2)
TB1 (29)
TB2 (2)
TB3 (6.6)
TB4 (14)
TB5 (11)
TB6 (2.6)
TB7
TB8
G1
G2
G3
SW8
SW14
TW2
TW3
TW4
TW16-1
TW16-2
Test Pit1
Test Pit2
Test Pit4
Test Pit6
RW
N1-V
N2-V
N7-V
N13-V
N1-1
N7-1
N7-2
N7-3
N10-S
N13-1
N13-2
TB7-1
TB7-V

Extent of Naphthalene Contamination (that exceeds residential direct contact standard of 6 mg/kg)

Extent of Naphthalene Contamination (that exceeds non-residential direct contact standard of 17 mg/kg)

Key

- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (14) Naphthalene concentration: mg/kg
- 6 ppm contour line
- Extent of Excavation in 2001/2002
- Tree
- Planned soil sample locations for naphthalene analysis.

0' 35'
Approximate scale in feet

ON-SITE ENVIRONMENTAL
119 Shepherds Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

Drawing #: File : Soilnap.drw
Date 1/20/12

Figure 10 Naphthalene in Soil Above Residential & Non-Residential Direct Contact Standard

Samples Analyzed for Lead

Sample ID	Concentration (mg/kg)	Depth (ft)
Test pit 1	72	2'
	5	8'
Test pit 2	34	2'
	8	7'
TB 1	21.2	8-9'
TB 2	7.4	6-7'
TB 3	66	3-4'
TB 4	12.9	13-14'
TB 5	15.7	2-2½' dug out
TB 6	6.3	10-11'
TB 7	13	4-5'
TB 7	7	10-11'
TB 8	675	3-4' dug to 3'
N 1	13	8-9½'
N 2	14	8-9'
N 3	29	4-5'
N 4	7	10-12'
N 5	6	4-5'
N 6	9	8-9'
N 7	2	8-9'
N 8	9	8-9½'
N 9	3	11-12'
N 10	2	8-10'
N 11	<1	10-12'
N 12	3	6-8'
N 13	8	9-10'
N 14	19	8-9'
N 15	7	2-3'
N 16	10	4-7'
F 17	6.97	4-5'
F 17	7.19	13-14'
F 18	2.87	10-11'
F 19	1.34	10-12'
F 20	11.1	5-6'
F 20	3.97	10-11'
F 23	5.83	9-10'
F 23	16.8	13-14'
F 24	1,490	3-4'
	5.42	9-10'

Gas line approximate location
Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
Shoulder of Road
Rt 130
Traffic Light
Grass
Guard Rail
Fence
Propane Tank Area
asphalt
Fence
Grass
North Brunswick Gulf Station
Pump Islands with Canopy
Waste Oil AST
One Story Masonary Building
Storm Drain
Fence
Concrete over Tanks
Diesel Fuel Dispenser
Guard Rail
Fence
Shed
Swale
Fence
Shed
Shed
Stone
Property Boundary
Sewer Line
Water Line
Gas Line
Washington Place
Getty Station
Grass
Driveway
Storm Drain
359 Washington Place House
Property of Denice Luzack
368 Washington Place
House
Driveway
MW 1
MW 2
MW 3
MW 4
MW 5
MW 6
MW 7
MW 8
MW 9
MW 10
MW 11
MW 12
MW 13
MW 14
MW 15
MW 16
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
F13
F14
F15
F16
F17
F18
F19
F20
F21
F22
F23
F24
RW1
TW1
TW2
TW3
TW4
TW16-1
TW16-2
TB1
TB2
TB3
TB4
TB5
TB6
TB7
TB7-1
TB8
Test Pit1
Test Pit2
Test Pit4
Test Pit6
N1
N2
N2-V
N3
N3-1
N4
N5
N6
N7
N7-V
N7-1
N7-2
N7-3
N8
N9
N10
N10-S
N11
N12
N13
N13-V
N13-1
N13-2
N14
N15
N16
D1
D2
D3
D4
G1
G2
G3
SW8
(1,490)
(16.8)
(11.1)
(1.34)
(7.19)
(2.87)
(5.42)
(3)
(<1)
(2)
(3)
(13)
(14)
(2)
(29)
(9)
(9)
(7)
(6)
(8)
(2)
(6.6)
(72)
(34)
(19)
(21.2)
(7)
(7.4)
(66)
(10)
(12.9)
(15.7)
(6.3)
(13)
(<1)
(675)

Inferred Extent of Lead Contamination
(that exceeds non- residential direct contact standard
of 800 mg/kg & soil to ground water standard of 90 mg/kg)

Inferred Extent of Lead Contamination
(that exceeds residential direct contact standard
of 400 mg/kg)

Key

- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (8) Lead concentration: mg/kg
- 400 400 ppm contour line
- Concentration exceeds default soil to groundwater screening level of 90 mg/kg
- Extent of Excavation in 2001/2002
- Tree
- Planned soil sample location for lead analysis


0' 35'
Approximate scale in feet

Note: Contamination detected at TB 5 was removed by excavation in 2001/2002.

ON-SITE ENVIRONMENTAL
119 Sassafras Way • Centreville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

Drawing #: File : Soillead2.drw
Date 1/20/12 & 4/4/16

Figure 11 LEAD in Soil Above Resiential & Non Residential Direct Contact & Default Soil to Groundwater Standard



UNSATURATED SOIL SAMPLES

Sample ID	Benzene (mg/kg)	Depth (ft)
Test Pit 1	1.2	2'
Test Pit 2	<0.32	2'
TB3	0.62	3-4'
TB7	1.5	4-5'
Pea Gravel	<0.13	3'
North Wall	6.6	4.5'
West Wall	14	4'
D1	12	2.5 - 3.5'
D 2	8.2	2.5 - 4
D 3	3.8	3.5 - 4.5'
D4	0.53J	3.5 - 4.5'
N3	<0.69	4 - 5.5'
N 5	2.6	4 - 5'
N 15	2.3	2 - 3'
N 16	5.2	4 - 7'
N 13-1	30.9	3.5 - 4'
F 7	<0.06	1 - 2'
F 7	<0.06	2 - 3'
F17	0.13	4-5'
F 24	2.3	3 - 4'

ON-SITE ENVIRONMENTAL
119 Sheridan Way • Centreville, PA 19320
Phone: (610) 584-2719 • Fax (610) 584-2799

Drawing #.
File : Soilben2unsat

Date
1/20/12 & 6/2016

Figure 12 Benzene in Soil Above Default Soil to Groundwater Screening Level

Inferred Extent of Toluene Contamination
(above default soil to groundwater screening level
of 7 mg/kg based on analytical data
and high PID readings in unsaturated zone)

Gas line approximate location

Rt 130

Grass

Gravel

Paved Shoulder

Turning Lane

Grass Medium

Shoulder of Road

Traffic Light

Sewer Line

Water Line

Gas Line

Washington Place

Driveway

Grass

Concrete over New Tanks

Pump Islands with Canopy

North Brunswick Gulf Station

asphalt

Waste Oil AST

One Story Masonary Building

Diesel Fuel Dispenser

Stone

Guard Rail

Fence

Shed

Swale

Storm Drain

Propane Tank Area

Property Boundary

359 Washington Place House

Property of Denice Luzack
368 Washington Place

House

MW 1
MW 2
MW 3
MW 4
MW 5
MW 6
MW 7
MW 8
MW 9
MW 10
MW 11
MW 12
MW 13
MW 14
MW 15
MW 16

F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 F11 F12 F13 F14 F15 F16 F17 F18 F19 F20 F21 F22 F23 F24

(<0.1) (6.2) (3.2) (56) (160) (160) (55) (220) (140) (11) (0.5) (<0.32) (7.9) (281) (69) (0.37) (0.95) (3.4)

TB7-1 TB7-V TB7 TB6 TB5 TB4 TB3 TB2 TB1 TW3 TW2 TW1 TW4 TW16-1 TW16-2

N1 N2 N2-V N3 N3-1 N4 N5 N6 N7 N7-V N7-1 N7-2 N7-3 N8 N9 N10 N10-S N11 N12 N13 N13-V N13-1 N13-2 N14 N15 N16

D1 D2 D3 D4

SW1 SW2 SW3 SW4 SW5 SW6 SW7 SW8 SW9 SW10 SW11 SW12 SW13 SW14 SW15 SW16

G1 G2 G3

RW 1

Test Pit1 Test Pit2 Test Pit4 Test Pit6

TB8

Getty Station

Key

- Existing Groundwater Monitoring Well
- F7 — Soil Boring Installed by RedHawk 2008 & 2009
- N12 — Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (220) — Toluene concentration: mg/kg
- —7— 7 ppm contour line
- Tree
- Extent of Excavation in 2001/2002
- Planned soil sample location in unsaturated zone for Toluene analysis

Note: 1) Contamination detected at TB8, SW 1, SW 15 and SW 16 was removed by excavation in 2001/2002.
2) Concentrations shown are the highest value reported in a boring.
3) Pea gravel sample collectd between D 1 and D 2.

0' 35'
Approximate scale in feet

MW 11 UNSATURATED SOIL SAMPLES

Sample ID	Toluene (mg/kg)	Depth (ft)
Test Pit 1	0.5	2'
Test Pit 2	<0.32	2'
TB 3	0.37 J	3-4'
TB7	11	4-5'
Pea Gravel	<0.66	3'
North Wall	140	4.5'
West Wall	220	4'
D1	160	2.5 - 3.5'
D 2	160	2.5 - 4
D 3	55	3.5 - 4.5'
D4	3.2 J	3.5 - 4.5'
N3	6.2	4 - 5.5'
N 5	56	4 - 5'
N 15	7.9	2 - 3'
N 16	69	4 - 7'
N 13-1	281	3.5 - 4'
F 7	<0.1	1 - 2'
F 7	<0.1	2 - 3'
F17	3.4	4-5'
F 24	0.95	3 - 4'

ON-SITE ENVIRONMENTAL
119 Shipyards Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2799

Drawing #
File : SoilToluneunsat

Date
2/28/12& 8/15/16

Figure 13 Toluene in Soil Above Default Soil to Groundwater Screening Level

Inferred Extent of Ethylbenzene
(above default soil to groundwater screening level
of 13 mg/kg based on analytical data
and high PID readings in unsaturated zone)

Gas line approximate location

Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
Shoulder of Road
Rt 130
Traffic Light
Grass
Guard Rail
Fence
Propane Tank Area
asphalt
North Brunswick Gulf Station
Waste Oil AST
One Story Masonary Building
Pump Islands with Canopy
Concrete over New Tanks
Diesel Fuel Dispenser
Stone
Storm Drain
Swale
Shed
Driveway
Sewer Line
Water Line
Gas Line
Washington Place
Property Boundary
Property of Denice Luzack
368 Washington Place
359 Washington Place
House
Storm Drain

MW 1
MW 2
MW 3
MW 4
MW 5
MW 6
MW 7
MW 8
MW 9
MW 10
MW 11
MW 12
MW 13
MW 14
MW 15
MW 16

F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 F11 F12 F13 F14 F15 F16 F17 F18 F19 F20 F21 F22 F23 F24

TB7-1 TB-7V TB7 TB6 TW3 TB5 TW2 TB4 TB3 TB2 TB1 TW4 TB8 TW16-1 TW16-2

N1 N2 N2-V N3 N3-1 N4 N5 N6 N7 N7-V N7-1 N7-2 N7-3 N8 N9 N10 N10-S N11 N12 N13 N13-V N13-1 N14 N15 N16

D1 D2 D3 D4

SW1 SW2 SW3 SW4 SW5 SW6 SW7 SW8 SW9 SW10 SW11 SW12 SW13 SW14 SW15 SW16

G1 G2 G3

RW 1

Test Pit1 Test Pit2 Test Pit4 Test Pit6

(4.1) (0.93) (0.81) (4.8) (89) (70) (58) (42) (16) (27) (156) (29) (32) (14) (<0.1) (2)

13

Getty Station

Key

- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (51) Ethylbenzene concentration: mg/kg
- —13— 7 ppm contour line
- Tree
- Extent of Excavation in 2001/2002
- Planned soil sample location in unsaturated zone for Toluene analysis

Note: 1) Contamination detected at TB8, SW 1, SW 15 and SW 16 was removed by excavation in 2001/2002.
2) Concentrations shown are the highest value reported in a boring.
3) Pea gravel sample collectd between D 1 and D 2.

0' 35'
Approximate scale in feet

MW 11 **UNSATURATED SOIL SAMPLES**

Sample ID	Ethylbenzene (mg/kg)	Depth (ft)
Test Pit 1	4.1	2'
Test Pit 2	0.93	2'
TB 3	0.81	3-4'
TB7	4.8	4-5'
Pea Gravel	<0.52	3'
North Wall	70	4.5'
West Wall	89	4'
D1	58	2.5 - 3.5'
D 2	42	2.5 - 4
D 3	18	3.5 - 4.5'
D4	16	3.5 - 4.5'
N3	14	4 - 5.5'
N 5	27	4 - 5'
N 15	29	2 - 3'
N 16	32	4 - 7'
N 13-1	156	3.5 - 4'
F 7	<0.1	1 - 2'
F 7	<0.1	2 - 3'
F17	2	4-5'
F 24	4.8	3 - 4'

ON-SITE ENVIRONMENTAL
119 Shipyards Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2799

Drawing #
File : Soil ethylbenzeneunsat

Date
2/28/12& 8/15/16

Figure 14 Ethylbenzene in Soil Above Default Soil to Groundwater Screening Level

Inferred Extent of Xylene Contamination
(above default soil to groundwater screening level
of 19 mg/kg based on analytical data
and high PID readings in unsaturated zone)

Gas line approximate location

Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
Shoulder of Road
Rt 130
Traffic Light
Grass
Guard Rail
Fence
Propane Tank Area
asphalt
North Brunswick Gulf Station
Waste Oil AST
One Story Masonary Building
Pump Islands with Canopy
Concrete over New Tanks
Diesel Fuel Dispenser
Storm Drain
Swale
Shed
Stone
Driveway
Sewer Line
Water Line
Gas Line
Washington Place
Property Boundary
Property of Denice Luzack
368 Washington Place
359 Washington Place
House
Approximate scale in feet
0'
35'

F10 F8 F7 (<0.2) F9 F6 F21 F22 F20 F5 F19 F17 (16) F15 F18 F23 F24 (17.3) F3 F16 F4 F2 F14 F11 F13 F12 F1

MW 15 MW 5 MW 6 MW 1 MW 14 MW 2 MW 16 MW 7 MW 8 MW 4 MW 9 MW 10 MW 12 MW 13 MW 3

N9 N8 N11 N3-1 N10-S N10 N3 (69) N6 N12 N1 D4 (96) N7 N2 N2-V N7-V N4 N5 (195) N7-1 N7-2 N7-3 D2 (290) D1 (380) D3 (130) N13 N13-V TB7-V TB7 (32) West Wall (590) North Wall (480) Test Pit1 (11.37) RW1 SW1 (18) TB1 N14 TB6 TW3 SW16 SW15 SW14 SW13 SW12 SW11 SW10 SW9 SW8 SW7 SW6 SW5 SW4 SW3 SW2 TW1 TB2 TB3 (1.8) TB5 TB4 G1 TW2 G3 TW4 G2 TB8 Test Pit4 Test Pit6 N15 (235) N13-1 (1,100) N16 (193) N13-2 TW16-2 TW16-1 19

Getty Station

Key

- Existing Groundwater Monitoring Well
- F7 — Soil Boring Installed by RedHawk 2008 & 2009
- N12 — Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (130) — Xylene concentration: mg/kg
- —19— 12 ppm contour line
- Tree
- Extent of Excavation in 2001/2002
- Planned soil sample location in unsaturated zone for Xylene analysis

Note: 1) Contamination detected at TB8, SW 1, SW 15 and SW 16 was removed by excavation in 2001/2002.
2) Concentrations shown are the highest value reported in a boring.
3) Pea gravel sample collectd between D 1 and D 2.

MW 11

UNSATURATED SOIL SAMPLES

Sample ID	Xylenes (mg/kg)	Depth (ft)
Test Pit 1	11.37	2'
Test Pit 2	18	2'
TB 3	1.8	3-4'
TB7	32	4-5'
Pea Gravel	<0.66	3'
North Wall	480	4.5'
West Wall	590	4'
D1	380	2.5 - 3.5'
D 2	290	2.5 - 4
D 3	130	3.5 - 4.5'
D4	96	3.5 - 4.5'
N3	69	4 - 5.5'
N 5	195	4 - 5'
N 15	235	2 - 3'
N 16	193	4 - 7'
N 13-1	1,100	3.5 - 4'
F 7	<0.2	1 - 2'
F 7	<0.2	2 - 3'
F17	16	4-5'
F 24	17.3	3 - 4'

ON-SITE ENVIRONMENTAL
119 Shipyards Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2799

Drawing #
File : Soilxyleneunsat2
Date
2/28/12& 4/4/16

Figure 15 Xylenes in Soil Above Default Soil to Groundwater Screening Level

UNSATURATED SOIL SAMPLES

Sample ID	MTBE (mg/kg)	Depth (ft)
Test Pit 1	<0.31	2'
Test Pit 2	<0.05	2'
TB3	<0.83	3-4'
TB7	<0.05	4-5'
Pea Gravel	<0.66	3'
North Wall	<0.95 J	4.5'
West Wall	3.7 J	4'
D1	0.11	2.5 - 3.5'
D 2	0.24	2.5 - 4
D 3	2	3.5 - 4.5'
D4	0.11	3.5 - 4.5'
N3	<0.05	4 - 5.5'
N 5	<0.05	4 - 5'
N 15	<0.05	2 - 3'
N 16	0.13	4 - 7'
N 13-1	?	3.5 - 4'
F 7	<0.1	1 - 2'
F 7	<0.1	2 - 3'
F17	<0.05	4 - 5'
F 24	<0.05	3 - 4'

Gas line approximate location
Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
F10
F7 (<0.1)
F8
F9
Shoulder of Road
Rt 130
Grass
MW 15
F6
Guard Rail
MW 5
N9
N8
N11
N3-1
MW 6
N3 (<0.05)
N10-S
N10
N6
N12
Fence
Propane Tank Area
N1
D4 (0.11)
MW 1
N2
N2-V
N7-V
N7
N4
TB7-1
2
Grass
asphalt
F21
MW 14
Traffic Light
North Brunswick Gulf Station
0.2
D2 (0.24)
D1 (0.11)
Pump Islands with Canopy
D3 (2)
N5 (<0.05)
N7-1
Waste Oil AST
F22
F20
MW 2
TB-7V
TB7 (<0.05)
N13
N13-V
N7-2
One Story Masonary Building
F23
F5
F19
N7-3
Test Pit1 (<0.31)
(3.7J)
(0.950 J)
RW 1
Test Pit2 (<0.05)
N14
TB1
TW1
N13-1
F17 (<0.05)
MW 16
TB6
TW3
N15 (<0.05)
F24 (<0.05)
Storm Drain
F15
Concrete over Tanks
MW 7
Stone
F18
Shed
Shed
TB2
TB3 (<0.83)
N16 (0.13)
N13-2
MW 11
Fence
Property Boundary
Sewer Line
Water Line
Gas Line
Washington Place
TB5
SW8
G3
Guard Rail
TB4
Diesel Fuel Dispenser
Guard Rail
TW16-2
G1
TW2
MW 3
TW4
MW 4
G2
TB8
Shed
TW16-1
MW 8
F3
Fence
Fence
Getty Station
Test Pit4
Test Pit6
F1
MW 9
Grass
Swale
F16
F4
Driveway
F2
MW 10
359 Washington Place House
MW 12
Storm Drain
F14
Property of Denice Luzack 368 Washington Place
MW 13
F11
F13
Driveway
House
F12

Inferred Extent of MTBE Above Default Soil to Groundwater standard of 0.2 mg/kg

Key
- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (8) MTBE concentration: mg/kg
- 0.2 0.2 ppm contour line
- Concentration exceeds default soil to groundwater screening level of 0.2 mg/kg
- Extent of Excavation in 2001/2002
- Tree

0' 35'
Approximate scale in feet

Note: Contamination detected at TB 5, TB8, SW 1, SW 15 and SW 16 was removed by excavation in 2001/2002.

ON-SITE ENVIRONMENTAL
119 Shoppers Way • Coatesville, PA 19320
Phone: (610) 384-2739 • Fax (610) 384-2799

Drawing #: File : Soilmtbe.drw
Date 1/20/12 & 4/4/16

Figure 16 MTBE in Soil Above the Default Soil to Groundwater Screening Level

UNSATURATED SOIL SAMPLES

Sample ID	Naphthalene (mg/kg)	Depth (ft)
Test Pit 1	0.98	2'
Test Pit 2	0.62/4.4	2'
TB3	NA	3-4'
TB7	11	4-5'
Pea Gravel	NA	3'
North Wall	NA	4.5'
West Wall	NA	4'
D1	3.9	2.5 - 3.5'
D 2	6.5	2.5 - 4
D 3	9	3.5 - 4.5'
D4	5.2	3.5 - 4.5'
N3	7.8	4 - 5.5'
N 5	11	4 - 5'
N 15	14	2 - 3'
N 16	16	4 - 7'
N 13-1	?	3.5 - 4'
F 7	<0.1	1 - 2'
F 7	<1	2 - 3'
F17	1.6	4 - 5'
F 24	9.7	3 - 4'

Note: No concentration of naphthalene in unsaturated soil was above the default soil to groundwater standard of 25 mg/kg.

Getty Station

Key


- Existing Groundwater Monitoring Well
- F7 Soil Boring Installed by RedHawk 2008 & 2009
- N12 Soil Boring Installed by RedHawk in 2001 & 2002
- Soil Boring Installed by Whitman in 2004
- UST Closure Sample 2002
- (14) Naphthalene concentration: mg/kg
- Extent of Excavation in 2001/2002
- Tree


0' 35' Approximate scale in feet

ON-SITE ENVIRONMENTAL
119 Sutphen Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

Drawing #: File : Soilnapunsat
Date 1/20/12 & 4/2/16

Figure 17 Concentrations of Naphthalene in Unsaturated Soil


Gas line approximate location
Grass
Gravel
Paved Shoulder
Turning Lane
Grass Medium
Shoulder of Road
Rt 130
Traffic Light
Grass
Guard Rail
Fence
Propane Tank Area
asphalt
Fence
Waste Oil AST
One Story Masonary Building
Storm Drain
Fence
Shed
Shed
Stone
Fence
Guard Rail
Fence
Fence
Property Boundary
Swale
Pump Islands with Canopy
Concrete over Tanks
Diesel Fuel Dispenser
Guard Rail
Fence
Shed
Test Pit1
Test Pit2
Test Pit4
Test Pit6
Grass
Grass
Grass
Grass
Grass
Sewer Line
Water Line
Gas Line
Washington Place
Getty Station
Driveway
Driveway
Storm Drain
359 Washington Place House
House
Property of Denice Luzack
368 Washington Place
MW 1
MW 2
MW 3
MW 4
MW 5
MW 6
MW 7
MW 8
MW 9
MW 10
MW 11
MW 12
MW 13
MW 14
MW 15
MW 16
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
F13
F14
F15
F16
F17
F18
F19
F20
F21
F22
F23
F24
RW 1
TB1
TB2
TB3
TB4
TB5
TB6
TB7
TB7-1
TB-7V
TW1
TW3
TW4
TW16-1
TW16-2
N1
N2
N2-V
N3
N3-1
N4
N5
N6
N7
N7-1
N7-2
N7-3
N7-V
N8
N9
N10
N10-S
N11
N12
N13
N13-1
N13-2
N13-V
N14
N15
N16
D1
D2
D3
D4
G1
G2
G3
SW1
SW2
SW3
SW4
SW5
SW6
SW7
SW8
SW9
SW10
SW11
SW12
SW13
SW14
SW15
(<0.05)
(<0.310)
(<0.140)
(<2.800)
(<1.4)
(<2.99)
(<0.320)
(<0.310)
(<1.80)
(<0.510)
(<2.60)
(<0.550)
(<0.330)
(<0.290)
(<0.300)
(<0.270)
(<0.300)
(<0.310)
(<0.300)
(<0.310)
(<0.350)
(<0.260)
(<0.310)
(<0.290)
(<0.310)
(<0.280)
(<0.280)
(<0.300)
(<0.250)
(<0.250)
(<0.280)
(<0.600)
(<0.310)
(<0.1)
(<0.25)
(<1)
(<0.690)
(<0.850)
(<0.260)
(<0.280)
(<0.280)
(<0.290)
(<0.490)
(<2.3)
(<1.4)
(<1.5)
(<0.05)
(<0.260)
(<3.600)
(<1.400)
(<2.8)
(<2.8)
(<1.5)
(<2.60)
(<1.60)
(<0.290)
(<0.1)
(<0.1)
(<0.1)
(<0.1)
(<0.1)
(<0.5)
(<0.2)
(<0.5)
(<0.05)
(<0.05)
(<0.05)
(<0.05)
(<0.5)
(<0.05)
(<0.05)
(<0.05)
(<0.05



UNSATURATED SOIL SAMPLES

Sample ID	EDB (mg/kg)	Depth (ft)
Test Pit 1	<0.05	2'
Test Pit 2	<0.05	2'
D 1	<0.05	2.5 - 3.5'
D 2	<0.05	2.5 - 4'
D 3	<0.05	3.5 - 4.5'
D4	<0.05	3.5 - 4.5'
N3	<0.05	4 - 5.5'
N 5	<1.4	4 - 5'
N 15	<0.05	2 - 3'
N 16	<0.05	4 - 7'


Detection Levels not low enough to determine if concentrations are above the residential or non-residential direct contact standards.

The detection Levels of all the samples collecetd in the unsaturated zone were higher than the default soil to groundwater stantard of 0.005 mg/kg.

ON-SITE ENVIRONMENTAL
119 Shippens Way • Coatesville, PA 19320
Phone: (610) 384-2719 • Fax (610) 384-2709

Drawing #: File : Soil EDB.drw
Date 2/8/13

Figure 19 Soil Samples Analyzed for EDB



UNSATURATED SOIL SAMPLES

Sample ID	TBA (mg/kg)	Depth (ft)
Test Pit 1	<3.1	2'
Test Pit 2	<3.2	2'
TB3	<16	3-4'
TB7	<14	4-5'
Pea Gravel	<13	3'
North Wall	<140	4.5'
West Wall	<140	4'
D1	<140	2.5 - 3.5'
D 2	<140	2.5 - 4
D 3	<77	3.5 - 4.5'
D4	<72	3.5 - 4.5'
N3	<6.9	4 - 5.5'
N 5	<14	4 - 5'
N 15	<26	2 - 3'
N 16	<16	4 - 7'
N 13-1	?	3.5 - 4'
F 7	<6	1 - 2'
F 7	<6	2 - 3'
F17	<3	4 - 5'
F 24	<3	3 - 4'

The detection levels of all the samples collected in the unsaturated zone were higher than the default soil to ground water standard of 0.3 mg/kg.

ON-SITE ENVIRONMENTAL
119 Shoemaker Way • Coatesville, PA 19320
Phone: (610) 384-2710 • Fax: (610) 384-2799

Drawing #: Date
File : SoilTBAunsat.dwg 4/20/12 & 4/4/16

Figure 20 Soil Samples Analyzed for TBA in Unsaturated zone

TABLES

Table 1
Summary of Groundwater Samples Collected October 19 and 20, 2009
North Brunswick Gulf - North Brunswick, NJ

Well Number	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Xylenes (ug/l)	MTBE (ug/l)	TBA (ug/l)	Acetone (ug/l)	2-Butanone (ug/l)	Chloroethane (ug/l)	1,2-Dichloroe-thane (ug/l)	2-Hexanone (ug/l)	Naphthalene (ug/l)	4-Methyl-2-pentanone	Total TICs (ug/l)	Total VOCs & TICs (ug/l)
MW 1	**4,500**	**21,000**	**2,900**	**16,000**	**730**	**290**	76	27	<2	<1	<10	**560**	<10	**3,360**	**3,360**
MW 2	**530**	**1,700**	**890**	**3,900**	**96**	**820**	<50	38	3.4	<1	11	**380**	<10	**4,060**	**4,060**
MW 3	**1.7**	<2	<2	<10	**2,000**	**6,300**	<50	<10	<2	<1	<10	<8	<10	17	**17**
MW 4	<1	<2	<2	<10	**150**	**810**	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 5	**120**	17	190	340	<2	<100	<50	<10	<2	<1	<10	230	<10	**4,670**	**4,670**
MW 6	**1,800**	**2,300**	**870**	**3,300**	**470**	**340**	<50	21	<2	<1	<10	**360**	<10	**3,320**	**3,320**
MW 7	**4,600**	**6,500**	**3,400**	**21,000**	**390**	**380**	150	51	<2	<1	26	**750**	25	**3,687**	**3,687**
MW 8	**32**	2.2	17	12	**280**	**340**	<50	<10	<2	<1	<10	9.6	<10	34.9	35
MW 9	<1	<2	<2	<10	12	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 10	<1	<2	<2	<10	<2	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 11	<1	<2	<2	<10	<2	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 12	<1	<2	10	15	<2	<100	<50	<10	<2	<1	<10	49	<10	231	231
MW 13	<1	<2	<2	<10	7.7	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 14	<1	<2	<2	<10	<2	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 15	<1	<2	<2	<10	<2	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
MW 16	<1	<2	<2	<10	3.7	<100	<50	<10	<2	<1	<10	<8	<10	<8	0
RW 1	**9.0**	<2	<2	<10	6.5	<100	<50	<10	<2	<1	<10	<8	<10	29.0	29
Trip Blank	<1	<2	<2	<10	<2	<100	<50	<10	<2		<10	<8	<10	<8	0
Class IIA GWQS	1	600	700	1,000	70	100	6,000	300	5	2	300	300	-	500	1,000
Groundwater Screening Levels for Vapor Intrusion	20	330,000	700	8,600	580	-	21,000,000	2,500,000	26,000	3	-	300	900,000		

EDB an 1,2,4 Trimethylbenzene not analyzed

MTBE: Methyl tertiary butyl ether
TBA: Teriary butyl alcohol
TIC: Tentatively Identifiable Compound
730 : exceeds Class IIA standard

APPENDIX A

SANBORN MAPS

APPENDIX A

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.3
July 14, 2016

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

07/14/16

Site Name:

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902
EDR Inquiry # 4674141.3

Client Name:

On-Site Environmental
119 Shepherds Way
Coatesville, PA 19320
Contact: Frank Jasiulewicz

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by On-Site Environmental were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 9AF0-4922-B35D

PO # NA

Project NA

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

Sanborn® Library search results

Certification #: 9AF0-4922-B35D

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

On-Site Environmental (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

APPENDIX B

HISTORICAL TOPOGRAPHIC MAPS

APPENDIX B

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.4
July 14, 2016

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

07/14/16

Site Name:

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902
EDR Inquiry # 4674141.4

Client Name:

On-Site Environmental
119 Shepherds Way
Coatesville, PA 19320
Contact: Frank Jasiulewicz

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by On-Site Environmental were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# NA
Project: NA

Coordinates:

Latitude:	40.443325 40° 26' 36" North
Longitude:	-74.471125 -74° 28' 16" West
UTM Zone:	Zone 18 North
UTM X Meters:	544851.41
UTM Y Meters:	4477098.13
Elevation:	108.08' above sea level

Maps Provided:

2014
1995
1981
1970
1954
1942
1902
1901
1893
1888

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2014 Source Sheets



New Brunswick
2014
7.5-minute, 24000

1995 Source Sheets



New Brunswick
1995
7.5-minute, 24000
Aerial Photo Revised 1995

1981 Source Sheets



New Brunswick
1981
7.5-minute, 24000
Photo Revised 1981
Aerial Photo Revised 1976



Monmouth Junction
1981
7.5-minute, 24000
Photo Revised 1981
Aerial Photo Revised 1976

1970 Source Sheets



Monmouth Junction
1970
7.5-minute, 24000
Photo Revised 1970
Aerial Photo Revised 1970



New Brunswick
1970
7.5-minute, 24000
Photo Revised 1970
Aerial Photo Revised 1970

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1954 Source Sheets



New Brunswick
1954
7.5-minute, 24000
Edited 1954




Monmouth Junction
1954
7.5-minute, 24000
Aerial Photo Revised 1943

1942 Source Sheets




New Brunswick
1942
7.5-minute, 31680

1902 Source Sheets



Navesink
1902
30-minute, 125000

1901 Source Sheets



New Brunswick
1901
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1893 Source Sheets



New Brunswick
1893
15-minute, 62500

1888 Source Sheets




New Brunswick
1888
15-minute, 62500



Princeton
1888
15-minute, 62500

Historical Topo Map

2014



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 2014, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1995, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1981, 7.5-minute
W, Monmouth Junction, 1981, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1970, 7.5-minute
W, Monmouth Junction, 1970, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1954, 7.5-minute
W, Monmouth Junction, 1954, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1942, 7.5-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Navesink, 1902, 30-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1901, 15-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1893, 15-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, New Brunswick, 1888, 15-minute
SW, Princeton, 1888, 15-minute

SITE NAME: North Brunswick Gulf
ADDRESS: 1696 Route 130
North Brunswick, NJ 08902
CLIENT: On-Site Environmental

N

APPENDIX C

HISTORICAL AERIAL PHOTOGRAPHS

APPENDIX C

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.15
July 14, 2016

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

07/14/16

Site Name:

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902
EDR Inquiry # 4674141.15

Client Name:

On-Site Environmental
119 Shepherds Way
Coatesville, PA 19320
Contact: Frank Jasiulewicz

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2008	1"=500'	Flight Year: 2008	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1995	1"=500'	Acquisition Date: April, 16 1995	USGS/DOQQ
1984	1"=500'	Flight Date: March, 26 1984	USGS
1974	1"=500'	Flight Date: March, 13 1974	EDR Proprietary Aerial Viewpoint
1970	1"=500'	Flight Date: November, 06 1970	USDA
1969	1"=500'	Flight Date: December, 07 1969	USGS
1961	1"=500'	Flight Date: April, 20 1961	EDR Proprietary Aerial Viewpoint
1954	1"=500'	Flight Date: April, 13 1954	USDA
1951	1"=500'	Flight Date: March, 26 1951	EDR Proprietary Aerial Viewpoint
1940	1"=500'	Flight Date: April, 10 1940	EDR Proprietary Aerial Viewpoint
1931	1"=500'	Flight Date: January, 01 1931	EDR/EdrAerials


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


SITE
INQUIRY #: 4674141.15
YEAR: 2010
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 2008
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 2006
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 1995
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 1984
= 500'
N
EDR



INQUIRY #: 4674141.15

YEAR: 1974

= 500'

N

EDR


Site
INQUIRY #: 4674141.15
YEAR: 1970
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 1969
= 500'
N
EDR



INQUIRY #: 4674141.15

YEAR: 1961

= 500'

N

EDR



INQUIRY #: 4674141.15

YEAR: 1954

= 500'

N

EDR


SITE
INQUIRY #: 4674141.15
YEAR: 1951
= 500'
N
EDR


SITE
INQUIRY #: 4674141.15
YEAR: 1940
= 500'
N
EDR



INQUIRY #: 4674141.15

YEAR: 1931

= 500'

N

EDR

Additional Photos Secured from:

1. **Aerial View Point**
2. **Keystone Aerial Survey**
3. **Historical Aerials**

HistoricAerials by NETRonline | Environmental Data | Public Records Online | Property Data Store | Historic Aerials | Jul 25, 2016, 7:11 am

1940

Home | Discussions | Examples | Contact | Account



New Additions

San Juan, Utah (1971)
Grand, Utah (1971)
San Juan, Utah (1971)
Wasatch, Utah (1969)
Fremont, Idaho (1962)
Grand, Utah (1971)
Washington, Utah (1973)
Utah, Utah (1972)
Salt Lake, Utah (1971)
Beaver, Utah (1978)

Discussions

how NOT to zoom, and offset on older maps
Is there a way to just pay one flat rate fee for all maps concerned?
old houston maps
Shift watermark option please.
Copyright over photos

Points of Interest..

Wrigley Field, Chicago,IL »
Hartsfield-Jackson Atlanta International Airport, Atlanta, GA »
Gordon Hall Mansion »
Chase Field, Phoenix AZ »
Angel Stadium »
Qualcomm Stadium »
Ralph Wilson Stadium, formerly known as Rich Stadium, Orchard Park, NY »
McCarran International, Las Vegas »
Shibe Park / Connie Mack Stadium, Philadelphia, Pennsylvania »

Follow us on twitter!



King, Washington (1980)

The 2016 Volkswagen
Golf
The sporty hatch is fun in a concentrated form.



View key feature info
BUILD YOURS ›

In partnership with:

USDA

USGS science for a changing world

1947



Follow us on twitter!



King, Washington
(1980)

The 2016 Volkswagen
Golf
The sporty hatch is fun in a concentrated form.



View key feature info
BUILD YOURS ›

New Additions

San Juan, Utah (1971)
Grand, Utah (1971)
San Juan, Utah (1971)
Wasatch, Utah (1969)
Fremont, Idaho (1962)
Grand, Utah (1971)
Washington, Utah (1973)
Utah, Utah (1972)
Salt Lake, Utah (1971)
Beaver, Utah (1978)


Discussions

how NOT to zoom, and offset on older maps
Is there a way to just pay one flat rate fee for all maps concerned?
old houston maps
Shift watermark option please.
Copyright over photos

In partnership with:
USDA
USGS science for a changing world

Points of Interest..

Wrigley Field, Chicago,IL »
Hartsfield-Jackson Atlanta International Airport, Atlanta, GA »
Gordon Hall Mansion »
Chase Field, Phoenix AZ »
Angel Stadium »
Qualcomm Stadium »
Ralph Wilson Stadium, formerly known as Rich Stadium, Orchard Park, NY »
McCarran International, Las Vegas »
Shibe Park / Connie Mack Stadium, Philadelphia, Pennsylvania »


3/26/51
aerial viewpoint

1953



New Additions

San Juan, Utah (1971)
Grand, Utah (1971)
San Juan, Utah (1971)
Wasatch, Utah (1969)
Fremont, Idaho (1962)
Grand, Utah (1971)
Washington, Utah (1973)
Utah, Utah (1972)
Salt Lake, Utah (1971)
Beaver, Utah (1978)

Discussions

how NOT to zoom, and offset on older maps
is there a way to just pay one flat rate fee for all maps concerned?
old houston maps
Shift watermark option please.
Copyright over photos

Points of Interest..

Wrigley Field, Chicago,IL »
Hartsfield-Jackson Atlanta International Airport, Atlanta, GA »
Gordon Hall Mansion »
Chase Field, Phoenix AZ »
Angel Stadium »
Qualcomm Stadium »
Ralph Wilson Stadium, formerly known as Rich Stadium, Orchard Park, NY »
McCarran International, Las Vegas »
Shibe Park / Connie Mack Stadium, Philadelphia, Pennsylvania »

Follow us on twitter!



King, Washington (1980)

The 2016 Volkswagen
Golf
The sporty hatch is fun in a concentrated form.
View key feature info
BUILD YOURS ›



In partnership with:
USDA
USGS
science for a changing world

HistoricAerials by NETR Online | Environmental Data | Public Records Online | Property Data Store | Historic Aerials | Jul 25, 2016, 7:11 am

Follow us on twitter!

1956

Home | Discussions | Examples | Contact | Account





King, Washington (1980)

The 2016 Volkswagen
Golf
The sporty hatch is fun in a concentrated form.



View key feature info
BUILD YOURS ›

New Additions

San Juan, Utah (1971)
Grand, Utah (1971)
San Juan, Utah (1971)
Wasatch, Utah (1969)
Fremont, Idaho (1962)
Grand, Utah (1971)
Washington, Utah (1973)
Utah, Utah (1972)
Salt Lake, Utah (1971)
Beaver, Utah (1978)

Discussions

how NOT to zoom, and offset on older maps
is there a way to just pay one flat rate fee for all maps concerned?
old houston maps
Shift watermark option please.
Copyright over photos

In partnership with:

USDA

USGS science for a changing world

Points of Interest..

Wrigley Field, Chicago,IL »
Hartsfield-Jackson Atlanta International Airport, Atlanta, GA »
Gordon Hall Mansion »
Chase Field, Phoenix AZ »
Angel Stadium »
Qualcomm Stadium »
Ralph Wilson Stadium, formerly known as Rich Stadium, Orchard Park, NY »
McCarran International, Las Vegas »
Shibe Park / Connie Mack Stadium, Philadelphia, Pennsylvania »

HistoricAerials by NETR Online | Environmental Data | Public Records Online | Property Data Store | Historic Aerials | Jul 25, 2016, 7:11 am

1957

Home | Discussions | Examples | Contact | Account





King, Washington (1980)

The 2016 Volkswagen
Golf
The sporty hatch is fun in a concentrated form.



View key feature info
BUILD YOURS ›

New Additions

San Juan, Utah (1971)
Grand, Utah (1971)
San Juan, Utah (1971)
Wasatch, Utah (1969)
Fremont, Idaho (1962)
Grand, Utah (1971)
Washington, Utah (1973)
Utah, Utah (1972)
Salt Lake, Utah (1971)
Beaver, Utah (1978)

Discussions

how NOT to zoom, and offset on older maps
Is there a way to just pay one flat rate fee for all maps concerned?
old houston maps
Shift watermark option please
Copyright over photos

Points of Interest..


Wrigley Field, Chicago,IL »
Hartsfield-Jackson Atlanta International Airport, Atlanta, GA »
Gordon Hall Mansion »
Chase Field, Phoenix AZ »
Angel Stadium »
Qualcomm Stadium »
Ralph Wilson Stadium, formerly known as Rich Stadium, Orchard Park, NY »
McCarran International, Las Vegas »
Shibe Park / Connie Mack Stadium, Philadelphia, Pennsylvania »

In partnership with:

USDA


USGS science for a changing world

11/14/62
aerial viewpoint


3/13/74
aerial viewpoint
3/13/74

Keystone

3/19/79



NORTH BRUNSWICK GULF

DATE - 3.23.87

Keystone

Tank pit appears to be where it is today

Set # 2

4/27/99

Keystone

APPENDIX D

CHAIN OF TITL REPORT

Appendix D

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ

Inquiry Number: 4674141.6
July 23, 2016

The EDR Chain of Title Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Chain of Title

The EDR Chain of Title Report tracks a line of successive owners from the present back to 1940 of a particular parcel of property, linked together by recorded transactions which pass title. Available nationwide, this report provides a summary of a property's ownership history and is a valuable source for determining the prior uses of a property.

A network of professional abstractors following established procedures, uses client supplied address information to locate:

- Historical Chain of Title research
- Leases and Miscellaneous

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc., and Nationwide Environmental Title Research LLC, exclusively. This report is neither a guarantee of title, a commitment to insure, or a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WTH THIS REPORT.** Environmental Data Resources, Inc. (EDR) and Nationwide Environmental Title Research LLC specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates.All other trademarks used herein are the property of their respective owners.

EDR Chain of Title

TARGET PROPERTY INFORMATION

ADDRESS

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ

RESEARCH SOURCE

Source 1: Middlesex County Clerk

LEGAL DESCRIPTION

Lot 1, Block 282, situated and lying in the City of North Brunswick, Middlesex County, State of New Jersey

Property Identifier: Block 282 Lot 1

HISTORICAL CHAIN OF TITLE

See Exhibit "A"

EDR Chain of Title

Chain of Title

Exhibit “A”

EDR Chain of Title

HISTORICAL CHAIN OF TITLE

Deed 1:

Type of Deed: Warranty Deed
Grantor: Rocco Grazziano
Grantee: Michael Thomas & Edith Thomas
Deed Recorded: 11/20/1930
Instrument: Book 998, Page 136

Deed 2:

Type of Deed: Deed
Grantor: Hyman Farber & Ray Farber
Grantee: Donata Cantore
Deed Recorded: 08/06/1934
Instrument: Book 1068, Page 219

Deed 3:

Type of Deed: Deed
Grantor: Emilio Cantore, a widower
Grantee: Catherine R. Keefe
Deed Recorded: 01/15/1944
Instrument: Book 1250, Page 273
Comments: Emilio Cantore acquired title to the subject property by virtue of the Last Will and Testament of Donata Cantore

Deed 4:

Type of Deed: Deed
Grantor: Township of North Brunswick, a Municipal corporation
Grantee: Sarah A. Cornelius
Deed Recorded: 01/25/1944
Instrument: Book 1252, Document #203

Deed 5:

Type of Deed: Deed
Grantor: Catherine R. Keefe
Grantee: Michael Thomas & Edith Thomas
Deed Recorded: 02/18/1944
Instrument: Book 1252, Page 321

Deed 6:

Type of Deed: Deed
Grantor: Rocco Grazziano
Grantee: Michael Thomas
Deed Recorded: 05/15/1944
Instrument: Book 1256, Page 355

EDR Chain of Title

Deed 7:

Type of Deed: Deed
Grantor: Sarah A. Cornelius, a widow
Grantee: Michael Thomas
Deed Recorded: 07/28/1952
Instrument: Book 1631, Page 524

Deed 8:

Type of Deed: Deed
Grantor: J. Nathan Cahan & Beatrice Cahan
Grantee: Michael Thomas
Deed Recorded: 04/23/1953
Instrument: Book 1677, Page 208

Deed 9:

Type of Deed: Deed
Grantor: Michael Thomas, widower
Grantee: Irving J. Benzera
Deed Recorded: 04/23/1953
Instrument: Book 1677, Page 211
Comments: Edith Thomas died 11/3/1951

Deed 10:

Type of Deed: Deed
Grantor: Irving J. Benzera & Estelle A. Benezra, his wife
Grantee: Tremarco Corporation
Deed Recorded: 11/08/1956
Instrument: Book 1929, Page 277

Deed 11:

Type of Deed: Deed
Grantor: Gulf Oil Corporation successor by merger to Tremarco Corporation
Grantee: Walter E. Lapp, Sr., & Janitha K. Lapp
Deed Recorded: 11/17/1976
Instrument: Book 2956, Page 199

Deed 12:

Type of Deed: Deed
Grantor: Walter E. Lapp, Sr., & Janitha K. Lapp
Grantee: Walter E. Lapp, Sr., & Jathina K. Lapp, as Tenants in common, each as to an undivided 50% interest
Deed Recorded: 01/18/1995
Instrument: Book 4213, Page 450

EDR Chain of Title

Deed - Exhibit

RECEIVED/RECORDED
MIDDLESEX COUNTY 01/18/95 144232
CONSIDERATION 1.00 TAX 1.00
DEED REC. FEE 28.00
INSTRUMENT DEED 944 NAME

Prepared By:
JEFFREY M. HYMAN

DEED

BK4213PG450 JANUARY 11, 1995

This Deed is made on ~~December __, 1994~~,

BETWEEN

WALTER E. LAPP, SR. and JATHINA K. LAPP, Husband and Wife, whose address is 263 Edwards Place, North Brunswick, New Jersey 08902, referred to as the Grantor,

AND

WALTER E. LAPP, SR. and JATHINA K. LAPP, as Tenants in Common, Each Owning an Undivided 50% Interest, whose post office address is 263 Edward Place, North Brunswick, New Jersey 08902, referred to as the Grantee.

The words "Grantor" and "Grantee" shall mean all Grantors and all Grantees listed above.

Transfer of Ownership. The Grantor grants and conveys (transfers ownership of) the property described below to the Grantee. This transfer is made for the sum of LESS THAN ONE HUNDRED ($100.00) DOLLARS.

The Grantor acknowledges receipt of this money.

Tax Map Reference. (N.J.S.A. 46:15-1.1) Municipality of North Brunswick Township
Block No. 282 Lot No. 1 Account No.

☐ No property tax identification number is available on the date of this Deed. (Check box if applicable).

Property. The property consists of the land and all the buildings and structures on the land in the Township of North Brunswick, Middlesex County, State of New Jersey. The legal description is:

FIRST TRACT: Known as lots numbers one hundred seventy five (175) and one hundred seventy-six (176) as shown and designated on a map entitled, "Map of North Brunswick Park situate in North Brunswick Township, Middlesex County, New Jersey, Scale 1" - 80' November 1920, Raymond P. Wilson, C.E." and more particularly described as follows: BEGINNING in the Northeasterly line of Washington Place, at a point therein distant Two hundred fifty and eight one-hundredths (250.08') feet northwesterly from the intersection of the northwesterly line of Kundes Street with the Northeasterly line of Washington Place, as said streets are shown and designated on a certain map filed in the Middlesex County Clerk's Office entitled "Map of North Brunswick Park, situate in North Brunswick Township, Middlesex Co. New Jersey, Scale 1" - 80' Nov. 1920 Raymond P. Wilson, Civil Engineer, 46 Paterson St., New Brunswick, N.J." thence running (1) along the said northeasterly line of Washington Place North thirty seven degrees Twenty two minutes West (N. 37 22' W) Seventy six and seventy two one-hundredths (76.72') feet; thence (2) along the rear line of lots 147, 148, 149, 150 and 151, as shown on the before mentioned map, North seventy eight degrees three minutes East (N. 78 03' E) one hundred three and one one-hundredths (103.01) feet; thence (3) along the rear line of Lot 156, South Thirty eight degrees Forty seven minutes East (S. 38 47' E) Thirty and two tenths (30.2') feet; thence (4) along the line dividing lots 174 and 175, South Fifty one degrees Thirteen minutes West (S 51 13' W) Ninety three and eighty two one-hundredths (93.82') feet, to the place of beginning.

Excepting from the above so much that was conveyed to the State of New Jersey by deed of Michael Thomas, et ux. dated September 22, 1949 and recorded in the Middlesex County Clerk's Office on October 1, 1949 in Book 1462 of Deeds, on Page 210.

SECOND TRACT: BEING lots numbers one hundred and forty six (146) and one hundred and forty seven (147) on a certain map entitled, North Brunswick Park, situate in North Brunswick Township, Middlesex County, New Jersey, Scale 1" - 80', Surveyed by Raymond P. Wilson, Civil Engineer, No. 46 Paterson Street, New Brunswick, New Jersey, dated Nov. 1st, 1920."

EXCEPTING so much as was conveyed prior hereto to the New Jersey State Highway Department for its use for State Highway Route No. 25.

THIRD TRACT: BEING known and designated as Block 226, Lots 11, 12, 27, 28 and 29 on the Assessment Map of the Township of North Brunswick, Middlesex County, New Jersey, and also being known as Block 266, Lots 156, 157, 172, 173 and 174, on Map of North Brunswick Park, Middlesex County, New Jersey.

FOURTH TRACT: BEING known as Lots One Hundred Forty-eight (148), One Hundred Forty-nine (149), One Hundred Fifty (150), One Hundred Fifty-one (151), One Hundred Fifty-two (152), One Hundred Fifty-three (153), One Hundred Fifty-four (154) and One Hundred Fifty-five (155) on the Official Tax Map of the Township of North Brunswick, Middlesex County, New Jersey.

EXCEPTING so much as was conveyed prior hereto to the State of New Jersey, New Jersey State Highway Department.

Together with all of any right title and interest in and to portion of Orchard Place, vacated, contiguous to the above premises. The designation of Orchard Place is in no way to be construed as a rededication of the same but is for identification purposes only.

Book K 1213 Page 451

BEING the same premises conveyed to the Grantors herein by Deed from Gulf Oil Corporation, a corporation existing under and by virtue of the laws of the State of Pennsylvania, successor by merger to Tremarco Corporation dated August 11, 1976 and recorded in the Middlesex County Clerk's Office on November 17, 1976 in Deed Book 2956 at Page 199.

By Articles of Merger dated August 3, 1973 effective August 31, 1973 and Certificates regarding Certificates of Merger filed December 19, 1973 with the Secretary of State, Trenton, New Jersey, Gulf Oil Corporation became successor to all right title and interest of Tremarco Corporation in the premises described herein.

SUBJECT to the following:

Any state of facts and conditions that an accurate survey and personal inspection of the premises would disclose; easements conditions, restrictions and reservations of record; existing tenancies, if any; zoning ordinances; if any; and taxes and assessments both general and special, if any, which shall fall due and payable to the date of closing.

Being also described in accordance with the description contained in Schedule "A" attached hereto and made a part hereof.

BK4213PG451A

SCHEDULE "A"

All that certain
tract or parcel of land and premises, hereinafter particularly described, situate, lying and being in the Township *of* North Brunswick *in the County of* Middlesex *and State of* New Jersey

BEGINNING at a point in the easterly line of Washington Place distant 175.056 feet northerly from the intersection formed by the easterly line of Washington Place and the northerly line of Kundes Street and from thence running (1) along the said easterly line of Washington Place North 37° 22' West 186.67 feet to a point in the southerly line of U S. Highway Route #130; thence running (2) along the said southerly line of U S Highway Route #130 northeasterly on a curve to the right with a radius of 11,399.19 feet an arc distance of 92.19 feet to a point of tangency; thence running (3) and still along said southerly line of U S State Highway #130 North 68° 23' 30" East 99.07 feet to a point; thence running (4) along lands conveyed to the State of New Jersey by deed book 1461 page 399, South 83° 19' 33" East 52.02 feet to a point in the westerly line of Orchard Place, vacated, thence running (5) North 78° 03' East 25.00 feet to a point in the former center line of Orchard Place, vacated; thence running (6) along said center line South 11° 57' East 56.63 feet to a point, thence running (7) and still along said center line, South 38° 47' East 31.59 feet to a point; thence running (8) South 51° 13' West 220.67 feet to the easterly line of Washington Place and the point and place of Beginning

Together with all or any right, title and interest in and to portion of Orchard Place, vacated, contiguous to the above premises. The designation of Orchard Place is in no way to be construed as a rededication of the same but is for identification purposes only.

Reference herein to Orchard Place, vacated, is in no wise to be construed a rededication of the said street but is for identification purposes only.

Known and designated as Lot No. 1 in Block 282 on the Official Tax and Assessment Map of the Township of North Brunswick.

Promises by Grantor. The Grantor promises that the Grantor has done no act to encumber the property. This promise is called a "covenant as to grantor's acts" (N.J.S.A. 46:4-6). This promise means that the Grantor has not allowed anyone else to obtain any legal rights which affect the property (such as by making a mortgage or allowing judgment to be entered against the Grantor).

Signatures. The Grantor signs this Deed as of the date at the top of the first page.

Witnessed by:

WALTER E. LAPP, SR. (Seal)

JATHINA K. LAPP (Seal)

STATE OF NEW JERSEY, COUNTY OF MIDDLESEX SS.:

I CERTIFY that on ~~December~~ JANUARY 11, 1985, WALTER E. LAPP, SR. and JATHINA K. LAPP, personally came before me and stated to my satisfaction that this person (or if more than one, each person):

(a) was the maker of the attached deed;

(b) executed this deed as his or her own act; and,

(c) made this Deed for $LESS THAN $100.00 as the full and actual consideration paid or to be paid for the transfer of title.

(Such consideration is defined in N.J.S.A. 46:15-5).

JEFFREY M. HYMAN, ESQ.
An Attorney of N.J.

BK4213PG452

NC 7845—AFFIDAVIT OF CONSIDERATION
RTF-1 (Rev. 1/1/88)

STATE OF NEW JERSEY
AFFIDAVIT OF CONSIDERATION OR EXEMPTION
(c. 49, P.L. 1968)
or
PARTIAL EXEMPTION
(c. 176, P. L. 1975)

ALL-STATE LEGAL SUPPLY CO.
One Commerce Drive, Cranford, N. J. 07016

VST-2

To Be Recorded With Deed Pursuant to c. 49, P.L. 1968, as amended by c. 225, P.L. 1985 (N.J.S.A. 46:15-5 et seq.)

STATE OF NEW JERSEY
COUNTY OF MIDDLESEX } ss.

FOR RECORDER'S USE ONLY
Consideration $
Realty Transfer Fee $ *
Date By

*Use symbol "C" to indicate that fee is exclusively for county use.

(1) PARTY OR LEGAL REPRESENTATIVE (See Instructions #3, 4 and 5 on reverse side)

Deponent, WALTER E. LAPP, SR. (Name), being duly sworn according to law upon his/her oath deposes and says that he/~~she~~ is the Grantor (State whether Grantor, Grantee, Legal Representative, Corporate Officer, Officer of Title Co. Lending Institution, etc.)

in a deed dated January 11, 1995, transferring real property identified as Block No. 282

Lot No. 1 located at 1696 Georges Road & Route 130, North Brunswick (Street Address, Municipality, County)

Township, Middlesex County, New Jersey, and annexed hereto.

(2) CONSIDERATION (See Instruction #6)

Deponent states that, with respect to deed hereto annexed, the actual amount of money and the monetary value of any other thing of value constituting the entire compensation paid or to be paid for the transfer of title to the lands, tenements or other realty, including the remaining amount of any prior mortgage to which the transfer is subject or which is to be assumed and agreed to be paid by the grantee and any other lien or encumbrance thereon not paid, satisfied or removed in connection with the transfer of title is $LESS THAN $100.00.

(3) FULL EXEMPTION FROM FEE Deponent claims that this deed transaction is fully exempt from the Realty Transfer Fee imposed by c.49, P.L. 1968, for the following reason(s): Explain in detail. (See Instruction #7.) Mere reference to exemption symbol is not sufficient.

Consideration is less than $100.00.

(4) PARTIAL EXEMPTION FROM FEE *NOTE: All boxes below apply to grantor(s) only. ALL BOXES IN APPROPRIATE CATEGORY MUST BE CHECKED. Failure to do so will void claim for partial exemption. (See Instructions #8 and #9)*

Deponent claims that this deed transaction is exempt from the increased portion of the Realty Transfer Fee imposed by c.176, P.L. 1975 for the following reason(s):

a) **SENIOR CITIZEN** (See Instruction #8)
- ☐ Grantor(s) 62 yrs. of age or over.*
- ☐ One or two-family residential premises
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ No joint owners other than spouse or other qualified exempt owners.

b) **BLIND** (See Instruction #8)
- ☐ Grantor(s) legally blind.*
- ☐ One or two-family residential premises.
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ No joint owners other than spouse or other qualified exempt owners.

DISABLED (See Instruction #8)
- ☐ Grantor(s) permanently and totally disabled.*
- ☐ One or two-family residential premises.
- ☐ Receiving disability payments.
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ Not gainfully employed.
- ☐ No joint owners other than spouse or other qualified exempt owners.

*IN THE CASE OF HUSBAND AND WIFE, ONLY ONE GRANTOR NEED QUALIFY.

c) **LOW AND MODERATE INCOME HOUSING** (See Instruction #8)
- ☐ Affordable According to H.U.D. Standards.
- ☐ Meets Income Requirements of Region.
- ☐ Reserved for Occupancy.
- ☐ Subject to Resale Controls.

d) **NEW CONSTRUCTION** (See Instruction #9)
- ☐ Entirely new improvement.
- ☐ Not previously used for any purpose.
- ☐ Not previously occupied.

Deponent makes this Affidavit to induce the County Clerk or Register of Deeds to record the deed and accept the fee submitted herewith in accordance with the provisions of c. 49, P.L. 1968.

Subscribed and Sworn to before me this 11 day of JANUARY, 1995

Notary Public of N.J.

WALTER E. LAPP, SR.
263 Edwards Place
North Brunswick, NJ 08902
Address of Deponent

WALTER E. LAPP, SR.
Name of Grantor (type above line)
263 Edwards Place
North Brunswick, NJ 08902
Address of Grantor at Time of Sale

FOR OFFICIAL USE ONLY This space for use of County Clerk or Register of Deeds.
Instrument Number County
Deed Number Book Page
Deed Dated Date Recorded

IMPORTANT - BEFORE COMPLETING THIS AFFIDAVIT, PLEASE READ THE INSTRUCTIONS ON THE REVERSE SIDE HEREOF.
This form is prescribed by the Director, Division of Taxation in the Department of the Treasury, as required by law, and may not be altered or amended without the approval of the Director.
ORIGINAL — White copy to be retained by County.
DUPLICATE — Yellow copy to be forwarded by County to Division of Taxation on partial exemption from fee (N.J.A.C. 18:16—6.12).
TRIPLICATE — Pink copy is your file copy.

BK4213PG453

WHITE AND YELLOW COPIES MUST BE SUBMITTED WITH DEED TO COUNTY RECORDING OFFICER

DEED

WALTER E. LAPP, SR. and JATHINA K. LAPP, Husband and Wife,

Grantor,

TO

WALTER E. LAPP, SR. and JATHINA K. LAPP, as Tenants in Common, Each Owning an Undivided 50% Interest,

Grantee.

RETURN TO

Dated: ~~December~~ JANUARY 11, 1995 ~~, 1994~~

Record and return to:

BORRUS, GOLDIN, FOLEY, VIGNUOLO, HYMAN & STAHL, P.C.
2875 US Hwy 1 & Finnegans Lane
P.O. Box 7463
North Brunswick, NJ 08902
(908) 422-1000

P:\USERS\JMH\WP51\DEEDS\LAPP.NOB

END OF DOCUMENT

APPENDIX E

EDR RADIUS MAP WITH GEOCHECK

Appendix E

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.2s
July 14, 2016

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	143
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-12
Physical Setting Source Map Findings	A-14
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1696 ROUTE 130
NORTH BRUNSWICK, NJ 08902

COORDINATES

Latitude (North):	40.4433250 - 40° 26' 35.97''
Longitude (West):	74.4711250 - 74° 28' 16.05''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	544852.6
UTM Y (Meters):	4476887.0
State Plane X (Feet):	500161.3
State Plane Y (Feet):	586403.7
Elevation:	108 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	6049404 NEW BRUNSWICK, NJ
Version Date:	2014

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20150731
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
1696 ROUTE 130
NORTH BRUNSWICK, NJ 08902

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	NO BRUNSWICK GULF	1696 GEORGES RD RT 1	NJ HIST LUST		TP
A2	GULF SERVICE STATION	1696 GEORGES RD	FINDS, ECHO		TP
A3		1696 US HIGHWAY 130	EDR Hist Auto		TP
A4	NORTH BRUNSWICK GULF	1696 GEORGES RD RT 1	NJ HIST HWS		TP
A5	GULF SERVICE STATION	1696 GEORGES RD	NJ NJEMS		TP
A6	NORTH BRUNSWICK GULF	1696 GEORGES RD	NJ LUST, NJ UST		TP
A7	NORTH BRUNSWICK GULF	1696 GEORGES RD	NJ SHWS, NJ SPILLS		TP
A8	BP #95672	1700 GEORGES RD	RCRA-SQG	Lower	47, 0.009, SW
A9	BP 95672	1700 GEORGES RD & RT	NJ HIST HWS, NJ UST	Lower	47, 0.009, SW
A10		1700 US HIGHWAY 130	EDR Hist Auto	Higher	123, 0.023, West
B11		1674 US HIGHWAY 130	EDR Hist Cleaner	Higher	184, 0.035, NE
B12	VALET DRY CLEANERS	1674 RT 130	NJ DRYCLEANERS	Higher	184, 0.035, NE
B13	VALET DRY CLEANING	1674 US RTE 130	RCRA NonGen / NLR, US AIRS, FINDS, ECHO	Higher	184, 0.035, NE
14	360 WASHINGTON PLACE	360 WASHINGTON PL	NJ SHWS, NJ VCP, NJ NJEMS, NJ Release	Lower	191, 0.036, South
C15	GETTY S/S #00254	1700 GEORGES RD & RT	NJ HIST LUST	Higher	224, 0.042, West
C16	BP SERVICE STATION #	1700 GEORGES RD	NJ INST CONTROL, NJ NJEMS	Lower	249, 0.047, SW
C17	G PETER PERNICE	1710 RT 130	NJ UST	Lower	269, 0.051, WSW
C18	PERNICE PROPERTY	1710 RTE 130	NJ HIST LUST	Lower	269, 0.051, WSW
D19	NORTH BRUNSWICK HIGH	1648 RT 130	NJ SHWS	Higher	452, 0.086, NE
D20	NORTH BRUNSWICK HIGH	1648 RT 130	NJ BROWNFIELDS	Higher	452, 0.086, NE
21		313 WASHINGTON PL	NJ SHWS, NJ Release	Lower	585, 0.111, SE
22	297 HARDING AVENUE	297 HARDING AVE	NJ VCP, NJ Release	Lower	825, 0.156, SSE
E23	FARRINGTON INN	1609 RT 130	NJ SHWS	Higher	840, 0.159, NE
E24	FARRINGTON INN	1609 RT 130	NJ UST	Higher	840, 0.159, NE
F25	366 WOOD AVENUE	366 WOOD AVE	NJ SHWS, NJ NJEMS, NJ Release	Lower	884, 0.167, SW
F26	366 WOOD AVENUE	366 WOOD AVE	NJ VCP	Lower	884, 0.167, SW
G27	347 WOOD AVENUE	347 WOOD AVE	NJ SHWS, NJ HIST HWS, NJ NJEMS	Lower	891, 0.169, SSW
G28	347 WOOD AVENUE	347 WOOD AVE	NJ VCP, NJ SPILLS	Lower	891, 0.169, SSW
29	EAGLE SPEED OIL & LU	1551 GEORGES RD	NJ SHWS, NJ NJEMS, FINDS, ECHO	Lower	1465, 0.277, NE
30	CORKEY'S QUICK LUBE	1551 RT 130	NJ HIST LUST, NJ Release	Lower	1626, 0.308, NE
31	PROJECT LEAL-NORTH B	1601 ROOSEVELT AVE	NJ SHWS, NJ Release	Higher	2032, 0.385, NNW
32	JUDD ELEMENTARY SCHO	ROOSEVELT AVE	NJ HIST LUST, NJ UST, NJ SPILLS, NJ Release	Higher	2070, 0.392, North
33	YARDVILLE NATIONAL B	401 ADAMS LN	NJ SHWS, NJ NJEMS	Higher	2289, 0.434, SW
34	EDLEY LANE PUMP STAT	EDLEY LANE	NJ HIST LUST	Lower	2441, 0.462, East
H35	1445 ROUTE 130	1445 RT 130	NJ SHWS, NJ HIST HWS, NJ Release	Lower	2448, 0.464, NE
H36	1445 ROUTE 130 S (OF	1445 RTE 130 S	NJ VCP	Lower	2448, 0.464, NE
37	2020 ROUTE 130	2020 RT 130	NJ SHWS, NJ VCP, NJ NJEMS	Higher	2801, 0.530, WSW
38	638 WOOD AVENUE	638 WOOD AVE	NJ SHWS	Higher	2861, 0.542, WNW
39	1630 HOLLY ROAD	1630 HOLLY RD	NJ SHWS, NJ Release	Higher	2950, 0.559, NNW

MAPPED SITES SUMMARY

Target Property Address:
1696 ROUTE 130
NORTH BRUNSWICK, NJ 08902

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
40	1655 HOLLY RD	1655 HOLLY RD	NJ SHWS	Higher	2959, 0.560, NW
41	THE LEARNING EXPERIE	347 OLD GEORGES ROAD	NJ SHWS, NJ VCP	Higher	3239, 0.613, SW
42	APCO SOUTH BRUNSWICK	2040 RT 130	NJ SHWS	Higher	3277, 0.621, SW
I43	2 JASON DRIVE	2 JASON DR	NJ SHWS, NJ NJEMS, NJ Release	Higher	3547, 0.672, WNW
I44	4 JASON DRIVE	4 JASON DR	NJ SHWS, NJ Release	Higher	3574, 0.677, WNW
45	383 OLD GEORGES ROAD	383 OLD GEORGES RD	NJ SHWS, NJ VCP, NJ Release	Higher	3583, 0.679, SW
46	10 JASON DR	10 JASON DR	NJ SHWS	Higher	3673, 0.696, WNW
J47	SAND AND HILL INCORP	2140 RT 130	NJ SHWS, NJ Release	Higher	4019, 0.761, SW
J48	ELY JOHN S	2085 RT 130	NJ SHWS, NJ NJEMS	Higher	4102, 0.777, SW
49	PARKER HANNIFIN CORP	1290 RT 130	NJ SHWS, NJ HIST HWS, NJ UST, NJ BROWNFIELDS, NJ...	Higher	4215, 0.798, NE
50	1960 8TH STREET	1960 8TH ST	NJ SHWS, NJ VCP, NJ NJEMS, NJ Release	Higher	4226, 0.800, West
K51		400 OLD GEORGES RD	NJ SHWS, NJ Release	Higher	4240, 0.803, SW
K52	405 OLD GEORGES ROAD	405 OLD GEORGES RD	NJ SHWS, NJ HIST HWS, NJ NJEMS, FINDS, ECHO	Higher	4282, 0.811, SW
L53	305 RIVA AVENUE	305 RIVA AVE	NJ SHWS, NJ NJEMS	Lower	4352, 0.824, SE
L54	WEBER SCHOOL	425 RIVA AVE	NJ SHWS	Lower	4352, 0.824, SE
L55	FOERTER FARM	245 RIVA AVE	NJ SHWS	Lower	4413, 0.836, SE
56	1935 5TH STREET	1935 5TH ST	NJ SHWS	Higher	4536, 0.859, WNW
57	NORTH BRUNSWICK MANO	CRANBURY CROSS RD	NJ SHWS, NJ UST	Higher	4604, 0.872, NNW
58	425 OLD GEORGES ROAD	425 OLD GEORGES RD	NJ SHWS	Higher	4932, 0.934, SW
59	18 PLEASANT VALLEY R	18 PLEASANT VALLEY R	NJ SHWS	Lower	4937, 0.935, SW
60	AMTRAK MAINTENANCE O	788 ADAMS LANE - ADA	RCRA-CESQG, NJ SHWS, NJ BROWNFIELDS, NJ Release,...	Higher	4951, 0.938, WNW
61	496 RIVA AVENUE	496 RIVA AVE	NJ SHWS, NJ NJEMS, FINDS, ECHO	Lower	5126, 0.971, South
62	330 FRANKLIN ROAD	330 FRANKLIN RD	NJ SHWS, NJ Release	Lower	5163, 0.978, NE
M63		1525 ROUTE 1 SOUTH	NJ SHWS, NJ Release	Higher	5212, 0.987, NNW
M64	NJDOT STATION 79 00	1525 RT 1	NJ SHWS, NJ NJEMS	Higher	5212, 0.987, NNW
65	ADAMS LANE GARAGE	800 ADAMS LN	NJ SHWS, NJ UST	Higher	5265, 0.997, WNW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
NO BRUNSWICK GULF 1696 GEORGES RD RT 1 NO BRUNSWICK, NJ	NJ HIST LUST Case Id: 01-08-30-1546-07 Facility Status: Assigned to a Program	N/A
GULF SERVICE STATION 1696 GEORGES RD NORTH BRUNSWICK TWP, NJ 08902	FINDS Registry ID:: 110015243486 ECHO	N/A
1696 US HIGHWAY 130 1696 US HIGHWAY 130 NORTH BRUNSWICK, NJ 08902	EDR Hist Auto	N/A
NORTH BRUNSWICK GULF 1696 GEORGES RD RT 1 NORTH BRUNSWICK TWP, NJ 08902	NJ HIST HWS Case Status: Active Case ID: 010180	N/A
GULF SERVICE STATION 1696 GEORGES RD NORTH BRUNSWICK TWP, NJ 08902	NJ NJEMS Site Id: 5560	N/A
NORTH BRUNSWICK GULF 1696 GEORGES RD NORTH BRUNSWICK TWP, NJ 08902	NJ LUST Case Id: 10180 NJ UST Facility Id: 010180 Tank Status: Removed Tank Status: In-use	N/A
NORTH BRUNSWICK GULF 1696 GEORGES RD NORTH BRUNSWICK TWP, NJ	NJ SHWS Site ID: 5560 Status: Active NJ SPILLS Case Number: 01-08-30-1546-07 Facility Id: 84055	N/A

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE ---------- Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG ---------- RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROL ---------- Sites with Institutional Controls

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State- and tribal - equivalent CERCLIS

NJ HWS RE-EVAL ---------- Site Re-Evaluation Report

State and tribal landfill and/or solid waste disposal site lists

NJ SWF/LF ---------- Solid Waste Facility Directory

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST ---------- Underground Storage Tank Listing
NJ MAJOR FACILITIES ---------- List of Major Facilities
INDIAN UST ---------- Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

NJ ENG CONTROLS ---------- Declaration Environmental Restriction/Deed Notice Sites

State and tribal voluntary cleanup sites

INDIAN VCP ---------- Voluntary Cleanup Priority Listing
NJ PF ---------- Publicly Funded Cleanups Site Status Report

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---------- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NJ SWRCY ---------- Approved Class B Recycling Facilities
NJ HIST LF ---------- Solid Waste Facility Directory
INDIAN ODI ---------- Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ---------- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---------- Open Dump Inventory

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---------- Delisted National Clandestine Laboratory Register
US CDL ---------- National Clandestine Laboratory Register

Local Land Records

NJ LIENS ---------- Environmental LIENS
LIENS 2 ---------- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---------- Hazardous Materials Information Reporting System
NJ SPILLS 90 ---------- SPILLS 90 data from FirstSearch
NJ SPILLS 80 ---------- SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS ---------- Formerly Used Defense Sites
DOD ---------- Department of Defense Sites

SCRD DRYCLEANERS State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR Financial Assurance Information
EPA WATCH LIST EPA WATCH LIST
2020 COR ACTION 2020 Corrective Action Program List
TSCA Toxic Substances Control Act
TRIS Toxic Chemical Release Inventory System
SSTS Section 7 Tracking Systems
ROD Records Of Decision
RMP Risk Management Plans
RAATS RCRA Administrative Action Tracking System
PRP Potentially Responsible Parties
PADS PCB Activity Database System
FTTS FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS Material Licensing Tracking System
COAL ASH DOE Steam-Electric Plant Operation Data
COAL ASH EPA Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER PCB Transformer Registration Database
RADINFO Radiation Information Database
HIST FTTS FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS Incident and Accident Data
CONSENT Superfund (CERCLA) Consent Decrees
INDIAN RESERV Indian Reservations
FUSRAP Formerly Utilized Sites Remedial Action Program
UMTRA Uranium Mill Tailings Sites
LEAD SMELTERS Lead Smelter Sites
US MINES Mines Master Index File
UXO Unexploded Ordnance Sites
DOCKET HWC Hazardous Waste Compliance Docket Listing
NJ AIRS Emissions Inventory Listing
NJ CHROME Chromate Chemical Production Waste Sites
NJ COAL ASH Coal Ash Listing
NJ GW CONTAM AREAS Groundwater Contamination Areas
NJ HIST MAJOR FACILITIES List of Major Facilities
NJ ISRA ISRA Database
NJ UIC Underground Injection Wells Database
FUELS PROGRAM EPA Fuels Program Registered Listing

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP EDR Proprietary Manufactured Gas Plants

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NJ RGA HWS Recovered Government Archive State Hazardous Waste Facilities List
NJ RGA LF Recovered Government Archive Solid Waste Facilities List
NJ RGA LUST Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/09/2015 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BP #95672	1700 GEORGES RD	SW 0 - 1/8 (0.009 mi.)	A8	15

State- and tribal - equivalent CERCLIS

NJ SHWS: Known contaminated sites in New Jersey except those associated with Bureau of Underground Storage Sites (BUST)

A review of the NJ SHWS list, as provided by EDR, and dated 03/04/2016 has revealed that there are 39 NJ SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NORTH BRUNSWICK HIGH Site ID: 49144 Status: Active	1648 RT 130	NE 0 - 1/8 (0.086 mi.)	D19	29
FARRINGTON INN Site ID: 392407 Status: Closed	1609 RT 130	NE 1/8 - 1/4 (0.159 mi.)	E23	36
PROJECT LEAL-NORTH B Site ID: 15284 Status: Active	***1601 ROOSEVELT AVE***	***NNW 1/4 - 1/2 (0.385 mi.)***	***31***	***48***
YARDVILLE NATIONAL B Site ID: 226823 Status: Closed	***401 ADAMS LN***	***SW 1/4 - 1/2 (0.434 mi.)***	***33***	***57***
2020 ROUTE 130 Site ID: 224550	***2020 RT 130***	***WSW 1/2 - 1 (0.530 mi.)***	***37***	***61***

Status: Closed				
638 WOOD AVENUE Site ID: 76949 Status: Closed	638 WOOD AVE	WNW 1/2 - 1 (0.542 mi.)	38	62
1630 HOLLY ROAD Site ID: 407168 Status: Closed	***1630 HOLLY RD***	***NNW 1/2 - 1 (0.559 mi.)***	***39***	***62***
1655 HOLLY RD Site ID: 87157 Status: Closed	1655 HOLLY RD	NW 1/2 - 1 (0.560 mi.)	40	64
THE LEARNING EXPERIE Site ID: 230082 Status: Closed	***347 OLD GEORGES ROAD***	***SW 1/2 - 1 (0.613 mi.)***	***41***	***65***
APCO SOUTH BRUNSWICK Site ID: 5141 Status: Active	2040 RT 130	SW 1/2 - 1 (0.621 mi.)	42	65
2 JASON DRIVE Site ID: 458535 Status: Closed	***2 JASON DR***	***WNW 1/2 - 1 (0.672 mi.)***	***I43***	***66***
4 JASON DRIVE Site ID: 392089 Status: Closed	***4 JASON DR***	***WNW 1/2 - 1 (0.677 mi.)***	***I44***	***68***
383 OLD GEORGES ROAD Site ID: 352677 Status: Closed	***383 OLD GEORGES RD***	***SW 1/2 - 1 (0.679 mi.)***	***45***	***70***
10 JASON DR Site ID: 89125 Status: Closed	10 JASON DR	WNW 1/2 - 1 (0.696 mi.)	46	73
SAND AND HILL INCORP Site ID: 145382 Status: Closed	***2140 RT 130***	***SW 1/2 - 1 (0.761 mi.)***	***J47***	***73***
ELY JOHN S Site ID: 54934 Status: Closed	***2085 RT 130***	***SW 1/2 - 1 (0.777 mi.)***	***J48***	***75***
PARKER HANNIFIN CORP Site ID: 38909 Status: Active	***1290 RT 130***	***NE 1/2 - 1 (0.798 mi.)***	***49***	***76***
1960 8TH STREET Site ID: 173777 Status: Closed	***1960 8TH ST***	***W 1/2 - 1 (0.800 mi.)***	***50***	***83***
Not reported Site ID: 448345 Status: Closed	***400 OLD GEORGES RD***	***SW 1/2 - 1 (0.803 mi.)***	***K51***	***86***
405 OLD GEORGES ROAD Site ID: 196644 Status: Closed	***405 OLD GEORGES RD***	***SW 1/2 - 1 (0.811 mi.)***	***K52***	***88***
1935 5TH STREET Site ID: 528629 Status: Closed	1935 5TH ST	WNW 1/2 - 1 (0.859 mi.)	56	91
NORTH BRUNSWICK MANO	***CRANBURY CROSS RD***	***NNW 1/2 - 1 (0.872 mi.)***	***57***	***91***

Site ID: 49749 Status: Closed				
425 OLD GEORGES ROAD Site ID: 398532 Status: Closed	425 OLD GEORGES RD	SW 1/2 - 1 (0.934 mi.)	58	93
AMTRAK MAINTENANCE O Site ID: 37363 Status: Active	***788 ADAMS LANE - ADA***	***WNW 1/2 - 1 (0.938 mi.)***	***60***	***94***
Not reported Site ID: 69069 Status: Closed	***1525 ROUTE 1 SOUTH***	***NNW 1/2 - 1 (0.987 mi.)***	***M63***	***137***
NJDOT STATION 79 00 Site ID: 500038 Status: Active	***1525 RT 1***	***NNW 1/2 - 1 (0.987 mi.)***	***M64***	***139***
ADAMS LANE GARAGE Site ID: 46815 Status: Closed	***800 ADAMS LN***	***WNW 1/2 - 1 (0.997 mi.)***	***65***	***140***

Lower Elevation	Address	Direction / Distance	Map ID	Page
360 WASHINGTON PLACE Site ID: 341092 Status: Closed	***360 WASHINGTON PL***	***S 0 - 1/8 (0.036 mi.)***	***14***	***24***
Not reported Site ID: 471099 Status: Closed	***313 WASHINGTON PL***	***SE 0 - 1/8 (0.111 mi.)***	***21***	***32***
366 WOOD AVENUE Site ID: 201724 Status: Closed	***366 WOOD AVE***	***SW 1/8 - 1/4 (0.167 mi.)***	***F25***	***39***
347 WOOD AVENUE Site ID: 91639 Status: Closed	***347 WOOD AVE***	***SSW 1/8 - 1/4 (0.169 mi.)***	***G27***	***42***
EAGLE SPEED OIL & LU Site ID: 52303 Status: Closed	***1551 GEORGES RD***	***NE 1/4 - 1/2 (0.277 mi.)***	***29***	***45***
1445 ROUTE 130 Site ID: 118592 Status: Closed	***1445 RT 130***	***NE 1/4 - 1/2 (0.464 mi.)***	***H35***	***58***
305 RIVA AVENUE Site ID: 412547 Status: Closed	***305 RIVA AVE***	***SE 1/2 - 1 (0.824 mi.)***	***L53***	***89***
WEBER SCHOOL Site ID: 341661 Status: Closed	425 RIVA AVE	SE 1/2 - 1 (0.824 mi.)	L54	90
FOERTER FARM Site ID: 500096 Status: Active	245 RIVA AVE	SE 1/2 - 1 (0.836 mi.)	L55	90
18 PLEASANT VALLEY R Site ID: 534713 Status: Closed	18 PLEASANT VALLEY R	SW 1/2 - 1 (0.935 mi.)	59	93
496 RIVA AVENUE	***496 RIVA AVE***	***S 1/2 - 1 (0.971 mi.)***	***61***	***134***

Site ID: 80194
Status: Closed

330 FRANKLIN ROAD	***330 FRANKLIN RD***	***NE 1/2 - 1 (0.978 mi.)***	***62***	***135***

Site ID: 521387
Status: Closed

State and tribal leaking storage tank lists

NJ HIST LUST: This listing is no longer updated or maintained by the DEP.

A review of the NJ HIST LUST list, as provided by EDR, and dated 09/17/2002 has revealed that there are 5 NJ HIST LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GETTY S/S #00254	1700 GEORGES RD & RT	W 0 - 1/8 (0.042 mi.)	C15	27
Case Id: 91-03-23-1153				
Facility Status: Site Issued Letter of No Further Action for Area(s) Of Concern				
JUDD ELEMENTARY SCHO	***ROOSEVELT AVE***	***N 1/4 - 1/2 (0.392 mi.)***	***32***	***52***
Case Id: 93-08-04-1510				
Facility Status: Site Issued Letter of No Further Action for Area(s) Of Concern				

Lower Elevation	Address	Direction / Distance	Map ID	Page
PERNICE PROPERTY	1710 RTE 130	WSW 0 - 1/8 (0.051 mi.)	C18	29
Case Id: 98-05-29-0857-45				
Facility Status: Site Issued Letter of No Further Action for Area(s) Of Concern				
CORKEY'S QUICK LUBE	***1551 RT 130***	***NE 1/4 - 1/2 (0.308 mi.)***	***30***	***46***
Case Id: 89-11-20-1343				
Facility Status: Site Issued Letter of No Further Action for Area(s) Of Concern				
EDLEY LANE PUMP STAT	EDLEY LANE	E 1/4 - 1/2 (0.462 mi.)	34	58
Facility Status: Site Issued Letter of No Further Action for Area(s) Of Concern				

State and tribal registered storage tank lists

NJ UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection & Energy's UST Data.

A review of the NJ UST list, as provided by EDR, and dated 02/25/2016 has revealed that there are 3 NJ UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FARRINGTON INN	1609 RT 130	NE 1/8 - 1/4 (0.159 mi.)	E24	37
Facility Id: 490881				
Tank Status: Removed				

Lower Elevation	Address	Direction / Distance	Map ID	Page
BP 95672	***1700 GEORGES RD & RT***	***SW 0 - 1/8 (0.009 mi.)***	***A9***	***16***

Facility Id: 001245 Tank Status: Removed Tank Status: In-use				
G PETER PERNICE Facility Id: 032466 Tank Status: Removed	1710 RT 130	WSW 0 - 1/8 (0.051 mi.)	C17	28

State and tribal institutional control / engineering control registries

NJ INST CONTROL: Sites where engineering and/or institutional controls remain in place as part of a remedial action to address soil and/or groundwater contamination. These restrictions ensure protection of human health and the environment as long as they are maintained.

A review of the NJ INST CONTROL list, as provided by EDR, and dated 03/14/2016 has revealed that there is 1 NJ INST CONTROL site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BP SERVICE STATION # Facility Id: 5561	***1700 GEORGES RD***	***SW 0 - 1/8 (0.047 mi.)***	***C16***	***27***

State and tribal voluntary cleanup sites

NJ VCP: Through the VCP, responsible parties, developers, local officials, or individuals may work with the department to remediate non-priority contaminated sites that pose no immediate threat to human health or the environment.

A review of the NJ VCP list, as provided by EDR, and dated 04/06/2016 has revealed that there are 5 NJ VCP sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
360 WASHINGTON PLACE Incident Number: 07-01-21-1418-53	***360 WASHINGTON PL***	***S 0 - 1/8 (0.036 mi.)***	***14***	***24***
297 HARDING AVENUE Incident Number: 03-01-15-1241-50	***297 HARDING AVE***	***SSE 1/8 - 1/4 (0.156 mi.)***	***22***	***34***
366 WOOD AVENUE Incident Number: 05-08-16-1550-34	366 WOOD AVE	SW 1/8 - 1/4 (0.167 mi.)	F26	41
347 WOOD AVENUE Incident Number: 01-08-13-1222-37	***347 WOOD AVE***	***SSW 1/8 - 1/4 (0.169 mi.)***	***G28***	***43***
1445 ROUTE 130 S (OF Incident Number: 04-10-28-1044-17	1445 RTE 130 S	NE 1/4 - 1/2 (0.464 mi.)	H36	61

State and tribal Brownfields sites

NJ BROWNFIELDS: Brownfields are identified as formter or current commmercial or industrial use sites that are presently vacant or underutilized, on which there is suspected to have been a discharge of a contamination to the soil or groundwater at concentra tions greater than applicable cleanup criteria.

A review of the NJ BROWNFIELDS list, as provided by EDR, and dated 01/28/2016 has revealed that there is 1 NJ BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NORTH BRUNSWICK HIGH PStatus: DEP Case	1648 RT 130	NE 0 - 1/8 (0.086 mi.)	D20	30

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/09/2015 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VALET DRY CLEANING	***1674 US RTE 130***	***NE 0 - 1/8 (0.035 mi.)***	***B13***	***22***

NJ DRYCLEANERS: A listing of registered drycleaners.

A review of the NJ DRYCLEANERS list, as provided by EDR, and dated 02/09/2016 has revealed that there is 1 NJ DRYCLEANERS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VALET DRY CLEANERS Facility Id: L1627	1674 RT 130	NE 0 - 1/8 (0.035 mi.)	B12	21

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR

researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported	1700 US HIGHWAY 130	W 0 - 1/8 (0.023 mi.)	A10	20

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.


Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported	1674 US HIGHWAY 130	NE 0 - 1/8 (0.035 mi.)	B11	21

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 30 records.

Site Name	Database(s)
K D ELECTRICAL CONTRACTORS INCORPO	NJ SHWS, NJ HIST HWS
BRITISH REALTY INCORPORATED	NJ VCP
OTKEN FARM (FORMER)	NJ VCP
K-D ELECTRICAL CONTRACTORS INC	NJ VCP
NJDOT RTE 1/130 INTERSEC IMPROVEME	NJ LUST, NJ UST
TRUMAN SALES	NJ SPILLS, NJ Release
IN AREA OF	NJ Release
RASTALL OIL CO	NJ Release
IN FRONT OF RENAISSANCE BLD	NJ Release
AREA OF	NJ Release
OIL WELL	NJ Release
MIDDLESEX CNTY CORRECTION	NJ Release
ON ROADWAY	NJ Release
LIONS PLAZA-REAR PARKING LOT	NJ Release
IN PARKING LOT	NJ Release
SHOPPING CENTER-RT 1 SOUTH	NJ Release
	NJ Release
MIDDLESEX ADULT CORRECTIO	NJ Release
PATCH OF WOODS	NJ Release
SANSONE AUTO NETWORK	NJ Release
AREA OF	NJ Release
AREA OF	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release
	NJ Release

OVERVIEW MAP - 4674141.2S




- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	North Brunswick Gulf	CLIENT:	On-Site Environmental
ADDRESS:	1696 Route 130 North Brunswick NJ 08902	CONTACT:	Frank Jasiulewicz
LAT/LONG:	40.443325 / 74.471125	INQUIRY #:	4674141.2s
		DATE:	July 14, 2016 7:11 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 4674141.2S



0 1/16 1/8 1/4 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: North Brunswick Gulf	CLIENT: On-Site Environmental
ADDRESS: 1696 Route 130 North Brunswick NJ 08902	CONTACT: Frank Jasiulewicz
LAT/LONG: 40.443325 / 74.471125	INQUIRY #: 4674141.2s DATE: July 14, 2016 7:11 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	0	NR	NR	NR	1
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
NJ SHWS	1.000	1	3	3	4	29	NR	40
NJ HWS RE-EVAL	1.000		0	0	0	0	NR	0
NJ HIST HWS	TP	1	NR	NR	NR	NR	NR	1
State and tribal landfill and/or solid waste disposal site lists								
NJ SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
NJ LUST	0.500	1	0	0	0	NR	NR	1
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NJ HIST LUST	0.500	1	2	0	3	NR	NR	6
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
NJ UST	0.250	1	2	1	NR	NR	NR	4
NJ MAJOR FACILITIES	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
NJ ENG CONTROLS	0.500		0	0	0	NR	NR	0
NJ INST CONTROL	0.500		1	0	0	NR	NR	1
State and tribal voluntary cleanup sites								
NJ VCP	0.500		1	3	1	NR	NR	5
INDIAN VCP	0.500		0	0	0	NR	NR	0
NJ PF	1.000		0	0	0	0	NR	0
State and tribal Brownfields sites								
NJ BROWNFIELDS	0.500		1	0	0	NR	NR	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
NJ SWRCY	0.500		0	0	0	NR	NR	0
NJ HIST LF	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
NJ NJEMS	TP	1	NR	NR	NR	NR	NR	1
US HIST CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NJ LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NJ SPILLS	TP	1	NR	NR	NR	NR	NR	1
NJ Release	TP		NR	NR	NR	NR	NR	0
NJ SPILLS 90	TP		NR	NR	NR	NR	NR	0
NJ SPILLS 80	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		1	0	NR	NR	NR	1
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
NJ AIRS	TP		NR	NR	NR	NR	NR	0
NJ CHROME	0.500		0	0	0	NR	NR	0
NJ COAL ASH	0.500		0	0	0	NR	NR	0
NJ DRYCLEANERS	0.250		1	0	NR	NR	NR	1
NJ Financial Assurance	TP		NR	NR	NR	NR	NR	0
NJ GW CONTAM AREAS	TP		NR	NR	NR	NR	NR	0
NJ HIST MAJOR FACILITIES	0.500		0	0	0	NR	NR	0
NJ ISRA	0.500		0	0	0	NR	NR	0
NJ MANIFEST	0.250		0	0	NR	NR	NR	0
NY MANIFEST	0.250		0	0	NR	NR	NR	0
NJ NPDES	TP		NR	NR	NR	NR	NR	0
NJ UIC	TP		NR	NR	NR	NR	NR	0
ECHO	TP	1	NR	NR	NR	NR	NR	1
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EDR Hist Auto	0.125	1	1	NR	NR	NR	NR	2
EDR Hist Cleaner	0.125		1	NR	NR	NR	NR	1
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NJ RGA HWS	TP		NR	NR	NR	NR	NR	0
NJ RGA LF	TP		NR	NR	NR	NR	NR	0
NJ RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals --		10	15	7	8	29	0	69

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **NO BRUNSWICK GULF** **NJ HIST LUST** **S104384698**
Target **1696 GEORGES RD RT 130** **N/A**
Property **NO BRUNSWICK, NJ**

Site 1 of 10 in cluster A

Actual:
108 ft.

LUST HIST:

Case ID:	01-08-30-1546-07
Lead Program Assigned:	Bureau of Underground Storage Tanks
Facility Status:	**Assigned to a Program**
UST ID:	0101800
TMS Number:	N98-2469
Remedial Level:	Site has confirmed soil and ground water contamination.
Case Manager:	Helen Capone
Facility Phone:	(609) 777-0979
No Further Action:	Not reported
RAW Approved:	Not reported
CEA:	Not reported
Date CEA Lifted:	Not reported
Dead Notice:	Not reported

A2 **GULF SERVICE STATION** **FINDS** **1007049541**
Target **1696 GEORGES RD** **ECHO** **N/A**
Property **NORTH BRUNSWICK TWP, NJ 08902**

Site 2 of 10 in cluster A

Actual:
108 ft.

FINDS:

Registry ID: 110015243486

Environmental Interest/Information System
NJ-NJEMS (New Jersey - New Jersey Environmental Management System).
The Department of Environmental Protection (NJDEP) manages large databases of environmental information in this integrated system.

ECHO:

Envid:	1007049541
Registry ID:	110015243486
DFR URL:	http://echo.epa.gov/detailed_facility_report?fid=110015243486

A3 **EDR Hist Auto** **1015264316**
Target **1696 US HIGHWAY 130** **N/A**
Property **NORTH BRUNSWICK, NJ 08902**

Site 3 of 10 in cluster A

Actual:
108 ft.

EDR Historical Auto Stations:

Name:	PRECISION AUTOMOTIVE SERVICE
Year:	2003
Address:	1696 US HIGHWAY 130
Name:	PRECISION AUTOMOTIVE SERVICES
Year:	2004
Address:	1696 US HIGHWAY 130
Name:	FAI FUEL INC

(Continued) **1015264316**

Year: 2005
Address: 1696 US HIGHWAY 130

Name: BRUNSWICK AUTOCRAFT LLC
Year: 2006
Address: 1696 US HIGHWAY 130

Name: SHREERAM GAS INC
Year: 2007
Address: 1696 US HIGHWAY 130

A4 **NORTH BRUNSWICK GULF** **NJ HIST HWS** **S107493953**
Target **1696 GEORGES RD RT 130** **N/A**
Property **NORTH BRUNSWICK TWP, NJ 08902**

Site 4 of 10 in cluster A

Actual:
108 ft.

HIST SHWS:

Case Status:	**Active**
Status Date:	3/12/2002
Case ID:	010180
Contact:	BSCM
Sub Section Label:	A: Sites with On-Site Sources of Contamination
Site Municipality:	1215
Remedial Level Code:	C2
Classification exception area dt:	None
Classification exception area dt:	Not reported
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	500169
Y Coordinate:	586434
Coordinate System:	NJ State Plane (NAD83) - USFEET

A5 **GULF SERVICE STATION** **NJ NJEMS** **S113634084**
Target **1696 GEORGES RD** **N/A**
Property **NORTH BRUNSWICK TWP, NJ 08902**

Site 5 of 10 in cluster A

Actual:
108 ft.

NJEMS:

Site Id:	5560
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	500169
Y Coord:	586434
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GPS
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported

GULF SERVICE STATION (Continued) **S113634084**

Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

A6 **NORTH BRUNSWICK GULF** **NJ LUST U000370530**
Target **1696 GEORGES RD** **NJ UST N/A**
Property **NORTH BRUNSWICK TWP, NJ 08902**

Site 6 of 10 in cluster A

Actual:
108 ft.

LUST:
Case ID: 10180
Activity Number: LSR100001

UST:
Facility ID: 010180

Contact:

Owner Name:	JATHINA LAPP SR
Organization:	JATHINA LA[[
Contact Type(UST Reg):	Facility Operator
Contact Address (UST Reg):	11220 SHANNONDELL
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	AUBOBON, PA 19403

Owner Name:	WALTER LAPP
Organization:	JATHINA LAPP
Contact Type(UST Reg):	Tank Owner
Contact Address (UST Reg):	11220 SHANNONDELL DR
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	AUDUBON, PA 19403

Tanks:

Tank Id:	TANK-1
Tank Number:	1
Tank Status:	**Removed**
Tank Status Date:	12/26/2001
Install Date:	04/12/1976
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Not reported
Tank/Pipe Monitor:	Not reported

NORTH BRUNSWICK GULF (Continued) **U000370530**

Tank Id:	TANK-2
Tank Number:	2
Tank Status:	**Removed**
Tank Status Date:	12/26/2001
Install Date:	04/12/1976
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Not reported
Tank/Pipe Monitor:	Not reported

Tank Id:	TANK-3
Tank Number:	3
Tank Status:	**Removed**
Tank Status Date:	12/27/2001
Install Date:	04/12/1976
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Not reported
Tank/Pipe Monitor:	Not reported

Tank Id:	TANK-4
Tank Number:	4
Tank Status:	**Removed**
Tank Status Date:	12/27/2001
Install Date:	04/12/1986
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Not reported
Tank/Pipe Monitor:	Not reported

Tank Id:	TANK-5
Tank Number:	5
Tank Status:	**In-use**
Tank Status Date:	06/15/2003
Install Date:	06/15/2003
Tank Contents:	Unleaded Gasoline

NORTH BRUNSWICK GULF (Continued) **U000370530**

Tank Size:	12000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Tank Internally lined
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Monitor:	Pipe Automatic line leak detector
Tank/Pipe Monitor:	Pipe Interstitial
Tank/Pipe Monitor:	Pipe Tightness Test
Tank/Pipe Monitor:	Tank In-tank(automatic)monitoring
Tank/Pipe Monitor:	Tank Interstitial

Tank Id:	TANK-6
Tank Number:	6
Tank Status:	**In-use**
Tank Status Date:	06/15/2003
Install Date:	06/15/2003
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Tank Internally lined
Tank/Pipe Monitor:	Pipe Automatic line leak detector
Tank/Pipe Monitor:	Pipe Interstitial
Tank/Pipe Monitor:	Pipe Tightness Test
Tank/Pipe Monitor:	Tank In-tank(automatic)monitoring
Tank/Pipe Monitor:	Tank Interstitial

Tank Id:	TANK-7
Tank Number:	7
Tank Status:	**In-use**
Tank Status Date:	06/15/2003
Install Date:	06/15/2003
Tank Contents:	Light Diesel Fuel (No. 1-D)
Tank Size:	6000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Internally lined
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Monitor:	Pipe Automatic line leak detector

NORTH BRUNSWICK GULF (Continued) **U000370530**

Tank/Pipe Monitor: Pipe Interstitial
Tank/Pipe Monitor: Pipe Tightness Test
Tank/Pipe Monitor: Tank In-tank(automatic)monitoring
Tank/Pipe Monitor: Tank Interstitial

A7 **NORTH BRUNSWICK GULF** **NJ SHWS** **S105130725**
Target **1696 GEORGES RD** **NJ SPILLS** **N/A**
Property **NORTH BRUNSWICK TWP, NJ**

Site 7 of 10 in cluster A

Actual: 108 ft.

SHWS:
Site ID: 5560
Status: Active
Home Owner: No
PI Number: 010180

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

NJ SPILL:
Facility ID: 84055
Case Number: 01-08-30-1546-07
Notify Type: Other
Date Received: 08/30/2001
Location: Other
Other Location: Not reported
Incident Date: 08/30/2001
Incident Time: Not reported
A310 Letter: True
Ref. Code: 101
COMU: 1215
CAS Number: Not reported
Hazardous: No
Incident Location: Not reported
Facility Type: Residential
Facility Phone: Not reported
Substance(s): Not reported
Substance Type: Not reported
Substance Identity: Not reported
TCPA Chemical: Not reported
Hazrds Material: Not reported
Amnt Released: Not reported
Release VE: Not reported
Contained: Not reported
Release Type: Not reported
Incident Desc: Not reported
Status at Spill: 1/6000 GAL UST LEAKING. TANK WILL BE PUMPED AND CLEAN UP WILL BE DONE.
NJ Spill Date: Not reported
NJ Spill Time: Not reported
NJ Spill Name: Not reported
NJ Spill Title: Not reported
NJ Spill Phone: Not reported
Other Date: Not reported
Other Time: Not reported

NORTH BRUNSWICK GULF (Continued) **S105130725**

Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	No
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Not reported
Wind Direction/Speed:	0
Assistance Requested:	No
Memo. Of Understanding:	No
Drill/trng Exercise:	No
Operator:	JON
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	NORTH BRUNSWICK GULF
Responsible Party Contact:	WALT LAPP
Responsible Party Title:	OWNER
Responsible Party Telphone:	732-297-1000
Responsible Party Street:	1696 GEORGES RD
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	No
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Phone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Phone:	Not reported
Incident Date:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported

NORTH BRUNSWICK GULF (Continued) **S105130725**

Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

A8 **BP #95672** **RCRA-SQG** **1000423239**
SW **1700 GEORGES RD** **NJD982720641**
< 1/8 **NORTH BRUNSWICK TWP, NJ 08902**
0.009 mi.
47 ft. **Site 8 of 10 in cluster A**

Relative:
Lower

Actual:
107 ft.

RCRA-SQG:

Date form received by agency:	02/20/2013
Facility name:	BP #95672
Facility address:	1700 GEORGES RD NORTH BRUNSWICK TWP, NJ 08902
EPA ID:	NJD982720641
Mailing address:	PO BOX 1099 NEWARK, NJ 07101
Contact:	JENNIFER MARINAS
Contact address:	PO BOX 6038 ARTESIA, CA 90702
Contact country:	US
Contact telephone:	(312) 594-7356
Contact email:	JENNIFER.MARINAS@BP.COM
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	BP PRODUCTS NA, INC
Owner/operator address:	PO BOX 6038 ARTESIA, CA 90702
Owner/operator country:	US
Owner/operator telephone:	(312) 594-7356
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/28/2013
Owner/Op end date:	Not reported
Owner/operator name:	BP PRODUCTS NA, INC
Owner/operator address:	PO BOX 6038 ARTESIA, CA 90702
Owner/operator country:	US

BP #95672 (Continued) **1000423239**

Owner/operator telephone: (312) 594-7356
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: 01/28/2013
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Historical Generators:
Date form received by agency: 01/01/2007
Site name: GETTY PETROLEUM CORP
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Site name: GETTY PETROLEUM CORP
Classification: Not a generator, verified

Date form received by agency: 01/06/1989
Site name: GETTY PETROLEUM CORP
Classification: Large Quantity Generator

. Waste code: X001
. Waste name: WASTE OILS

Violation Status: No violations found

A9 **BP 95672** **NJ HIST HWS U000353297**
SW **1700 GEORGES RD & RTE 130** **NJ UST N/A**
< 1/8 **NORTH BRUNSWICK TWP, NJ 08902**
0.009 mi.
47 ft. **Site 9 of 10 in cluster A**

Relative:
Lower

Actual:
107 ft.

HIST SHWS:
Case Status: **NFA-A (Limited Restricted Use)**
Status Date: 7/20/1999
Case ID: 001245
Contact: BSCM

BP 95672 (Continued) **U000353297**

Sub Section Label:	C: Closed Sites with Restrictions
Site Municipality:	1215
Remedial Level Code:	C2
Classification exception area dt:	Ongoing
Classification exception area dt:	7/20/1999
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	499966
Y Coordinate:	586250
Coordinate System:	NJ State Plane (NAD83) - USFEET

UST:

Facility ID:	001245

Contact:

Owner Name:	NAVAL PATEL
Organization:	NAVAL PATEL
Contact Type(UST Reg):	Facility Operator
Contact Address (UST Reg):	1700 GEORGES RD
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	North Brunswick, NJ 08902
Owner Name:	John Mahoney
Organization:	BP PRODUCTS NORTH AMERICA INC
Contact Type(UST Reg):	Tank Owner
Contact Address (UST Reg):	PO BOX 6038
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	ARTESIA, CA 90702

Tanks:

Tank Id:	TANK-1
Tank Number:	E1
Tank Status:	**Removed**
Tank Status Date:	01/01/1989
Install Date:	01/01/1957
Tank Contents:	Unleaded Gasoline
Tank Size:	8000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Cathodically protected steel
Tank/Pipe Construction Type:	Pipe CONVERSION (NON-NULLABLE)
Tank/Pipe Monitor:	Pipe Statistical Inventory Reconciliation
Tank/Pipe Monitor:	Tank Statistical Inventory Reconciliation
Tank Id:	TANK-2
Tank Number:	E2

BP 95672 (Continued) **U000353297**

Tank Status:	**Removed**
Tank Status Date:	01/01/1989
Install Date:	01/01/1957
Tank Contents:	Unleaded Gasoline
Tank Size:	6000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Cathodically protected steel
Tank/Pipe Construction Type:	Pipe CONVERSION (NON-NULLABLE)
Tank/Pipe Monitor:	Pipe Statistical Inventory Reconciliation
Tank/Pipe Monitor:	Tank Statistical Inventory Reconciliation

Tank Id:	TANK-3
Tank Number:	E3
Tank Status:	**Removed**
Tank Status Date:	01/01/1989
Install Date:	01/01/1957
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	3000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Cathodically protected steel
Tank/Pipe Construction Type:	Pipe CONVERSION (NON-NULLABLE)
Tank/Pipe Monitor:	Pipe Statistical Inventory Reconciliation
Tank/Pipe Monitor:	Tank Statistical Inventory Reconciliation

Tank Id:	TANK-4
Tank Number:	E4
Tank Status:	**Removed**
Tank Status Date:	04/03/1991
Install Date:	01/01/1957
Tank Contents:	Waste Oil
Tank Size:	550
Tank Compliance:	No
Overfill:	No
Compliance Monitoring?:	No
Overfill Protection:	No
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Cathodically protected steel
Tank/Pipe Construction Type:	Pipe CONVERSION (NON-NULLABLE)
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-5
Tank Number:	00E1

BP 95672 (Continued) **U000353297**

Tank Status:	**In-use**
Tank Status Date:	12/15/1988
Install Date:	12/15/1988
Tank Contents:	Unleaded Gasoline
Tank Size:	10000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	No
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Monitor:	Pipe Automatic line leak detector
Tank/Pipe Monitor:	Pipe Tightness Test
Tank/Pipe Monitor:	Tank In-tank(automatic)monitoring

Tank Id:	TANK-6
Tank Number:	00E2
Tank Status:	**In-use**
Tank Status Date:	12/15/1988
Install Date:	12/15/1988
Tank Contents:	Unleaded Gasoline
Tank Size:	8000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	No
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Monitor:	Pipe Automatic line leak detector
Tank/Pipe Monitor:	Pipe Tightness Test
Tank/Pipe Monitor:	Tank In-tank(automatic)monitoring

Tank Id:	TANK-7
Tank Number:	00E3
Tank Status:	**In-use**
Tank Status Date:	12/15/1988
Install Date:	12/15/1988
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	6000
Tank Compliance:	Yes
Overfill:	Yes
Compliance Monitoring?:	Yes
Overfill Protection:	Yes
Spill Containment:	Yes
Tank Wellhead Protection:	No
Tank/Pipe Construction Type:	Tank Fiberglass-reinforced plastic
Tank/Pipe Construction Type:	Pipe Fiberglass-reinforced plastic
Tank/Pipe Monitor:	Pipe Automatic line leak detector
Tank/Pipe Monitor:	Pipe Tightness Test
Tank/Pipe Monitor:	Tank In-tank(automatic)monitoring

A10
West
< 1/8
0.023 mi.
123 ft.

EDR Hist Auto **1015265557**
N/A

1700 US HIGHWAY 130
NORTH BRUNSWICK, NJ 08902

Site 10 of 10 in cluster A

Relative:
Higher

Actual:
108 ft.

EDR Historical Auto Stations:

Name:	ROUTE 130 GETTY AUTO SERVICE
Year:	2000
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE
Year:	2001
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE
Year:	2002
Address:	1700 US HIGHWAY 130
Name:	ROUTE 130 GETTY AUTO SERVICE
Year:	2003
Address:	1700 US HIGHWAY 130
Name:	JAYS ROUTE 130 GETTY AUTO SRVC
Year:	2004
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE INC
Year:	2007
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE INC
Year:	2008
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE INC
Year:	2009
Address:	1700 US HIGHWAY 130
Name:	JAYS ROUTE 130 GETTY AUTO SVC
Year:	2010
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE INC
Year:	2011
Address:	1700 US HIGHWAY 130
Name:	JAY AUTO SERVICE INC
Year:	2012
Address:	1700 US HIGHWAY 130

B11 **EDR Hist Cleaner** **1015002558**
NE **1674 US HIGHWAY 130** **N/A**
< 1/8 **NORTH BRUNSWICK, NJ 08902**
0.035 mi.
184 ft. **Site 1 of 3 in cluster B**

Relative:
Higher

Actual:
109 ft.

EDR Historical Cleaners:

Name:	VALET DRY CLEANERS
Year:	2003
Address:	1674 US HIGHWAY 130
Name:	VALET DRY CLEANERS
Year:	2004
Address:	1674 US HIGHWAY 130
Name:	VALET DRY CLEANERS
Year:	2005
Address:	1674 US HIGHWAY 130
Name:	VALET DRY CLEANERS
Year:	2006
Address:	1674 US HIGHWAY 130
Name:	VALET DRY CLEANERS
Year:	2010
Address:	1674 US HIGHWAY 130
Name:	VALET DRY CLEANERS
Year:	2011
Address:	1674 US HIGHWAY 130

B12 **VALET DRY CLEANERS** **NJ DRYCLEANERS** **S106481042**
NE **1674 RT 130** **N/A**
< 1/8 **NORTH BRUNSWICK TWP, NJ 08902**
0.035 mi.
184 ft. **Site 2 of 3 in cluster B**

Relative:
Higher

Actual:
109 ft.

NJ Drycleaners:

Facility Id:	L1627
Contact Title:	Not reported
Contact Name:	STORMS,DONALD
SIC Code:	7216
SIC Description:	Drycleaning Plants, Except Rug Cleaning
X Coordinate:	500369
Y Coordinate:	586527
Coordinate Units:	NJ State Plane (NAD83) - USFEET
Coordinate Type:	GPS
Contact Phone:	201821-0022
Active Flag:	Y

B13 **VALET DRY CLEANING** **RCRA NonGen / NLR** **1000223438**
NE **1674 US RTE 130** **US AIRS** **NJD981177371**
< 1/8 **NORTH BRUNSWICK, NJ 08902** **FINDS**
0.035 mi. **ECHO**
184 ft. **Site 3 of 3 in cluster B**

Relative:
Higher

Actual:
109 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	VALET DRY CLEANING
Facility address:	1674 US RTE 130 NORTH BRUNSWICK, NJ 08902
EPA ID:	NJD981177371
Mailing address:	US RTE 130 NORTH BRUNSWICK, NJ 08902
Contact:	Not reported
Contact address:	US RTE 130 NORTH BRUNSWICK, NJ 08902
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	VALET DRY CLNING
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	VALET DRY CLNING
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

VALET DRY CLEANING (Continued) **1000223438**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: VALET DRY CLEANING
Classification: Not a generator, verified

. Waste code: NONE
. Waste name: None

Date form received by agency: 01/31/1986
Site name: VALET DRY CLEANING
Classification: Small Quantity Generator

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 03/02/2010
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

US AIRS MINOR:
Envid: 1000223438
Region Code: 02
Programmatic ID: AIR 020000003402300476
Facility Registry ID: 110001541154
D and B Number: Not reported
Primary SIC Code: 7216
NAICS Code: 812320
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR 020000003402300476
Facility Registry ID: 110001541154
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)

VALET DRY CLEANING (Continued) **1000223438**

Activity Date: 1996-06-04 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

FINDS:

Registry ID: 110064181479

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ECHO:
Envid: 1000223438
Registry ID: 110064181479
DFR URL: http://echo.epa.gov/detailed_facility_report?fid=110064181479

14
South
< 1/8
0.036 mi.
191 ft.

Relative:
Lower

Actual:
103 ft.

360 WASHINGTON PLACE
360 WASHINGTON PL
NORTH BRUNSWICK TWP, NJ 08902

NJ SHWS **S108395638**
NJ VCP **N/A**
NJ NJEMS
NJ Release

SHWS:
Site ID: 341092
Status: Closed
Home Owner: Yes
PI Number: 421819

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

VCP:
Incident Number: 07-01-21-1418-53
MOA Execution Date: 04/05/2007
Type Of Vcp File: CURRENT
Pi Number: 421819
Case Type(Case Type): MOA
Case Contact: Department Not reported
Case Contact Name: JAMES M MCKINNEY
Case Contact: Organization Not reported
Case Contact: Address: Line1 360 WASHINGTON PL
Case Contact: Address: Line2 Not reported
Case Contact: Address: Line3 Not reported
Case Contact City,St,Zip: North Brunswick, NJ 089023044

360 WASHINGTON PLACE (Continued) **S108395638**

NJEMS:

Site Id:	341092
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	500211
Y Coord:	586148
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Approx. Addr. Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	01/21/2007
Incident Time:	Not reported
TD Log #:	219251
Case Number:	07-01-21-1418-53
Date Received:	01/21/2007
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESID
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No

360 WASHINGTON PLACE (Continued) **S108395638**

Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	01/21/2007
Reporter Type:	Citizen Complaint
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	JAMES MCKINNEY
Incident Address:	360 WASHINGTON PL
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported

360 WASHINGTON PLACE (Continued) **S108395638**

Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

C15 **GETTY S/S #00254** **NJ HIST LUST** **S104389115**
West **1700 GEORGES RD & RTE 130** **N/A**
< 1/8 **NORTH BRUNSWICK, NJ**
0.042 mi.
224 ft. **Site 1 of 4 in cluster C**

Relative:
Higher

Actual:
108 ft.

LUST HIST:

Case ID:	91-03-23-1153
Lead Program Assigned:	Bureau of Underground Storage Tanks
Facility Status:	**Site Issued Letter of No Further Action for Area(s) Of Concern**
UST ID:	0012458
TMS Number:	C91-0386
Remedial Level:	Site has confirmed soil and ground water contamination.
Case Manager:	Nick Eisenhauer
Facility Phone:	(609) 984-1733
No Further Action:	7/20/1999 0:00:00
RAW Approved:	Y
CEA:	Y
Date CEA Lifted:	Not reported
Dead Notice:	N

C16 **BP SERVICE STATION #95672** **NJ INST CONTROL** **S113634092**
SW **1700 GEORGES RD** **NJ NJEMS** **N/A**
< 1/8 **NORTH BRUNSWICK TWP, NJ 08902**
0.047 mi.
249 ft. **Site 2 of 4 in cluster C**

Relative:
Lower

Actual:
106 ft.

NJ INSTITUTIONAL CONTROL:

Facility ID:	5561
Date Established (SI):	07/20/1999
Date Closed/Lifted (SI):	02/16/2012
PI Number:	001245
PI Name:	BP 95672
CEA Description (SI):	Benzene
CEA Case Track #:	1529
CEA Duration:	12.10
Intermediate Durations:	No

Facility ID:	5561
Date Established (SI):	07/20/1999
Date Closed/Lifted (SI):	02/16/2012

BP SERVICE STATION #95672 (Continued) **S113634092**

PI Number: 001245
PI Name: BP 95672
CEA Description (SI): Benzene
CEA Case Track #: Not reported
CEA Duration: 12.10
Intermediate Durations: No

NJEMS:

Site Id:	5561
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	499966
Y Coord:	586250
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GPS
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

C17 **G PETER PERNICE** **NJ UST** **U003367351**
WSW **1710 RT 130** **N/A**
< 1/8 **NORTH BRUNSWICK TWP, NJ 08902**
0.051 mi.
269 ft. **Site 3 of 4 in cluster C**

Relative:
Lower

UST:
Facility ID: 032466

Actual:
107 ft.

Contact:
Owner Name: Not Identified Not Identified
Organization: G PETER PERNICE
Contact Type(UST Reg): Facility Operator
Contact Address (UST Reg): 12 PINE VALLEY LN
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): Jamesburg, NJ 08831

Owner Name: PETER PERNICE
Organization: PETER PERNICE
Contact Type(UST Reg): Tank Owner
Contact Address (UST Reg): 12 PINE VALLEY LN
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): Jamesburg, NJ 08831

Tanks:
Tank Id: TANK-1

G PETER PERNICE (Continued) **U003367351**

Tank Number:	0001
Tank Status:	**Removed**
Tank Status Date:	08/29/1998
Install Date:	01/01/1944
Tank Contents:	Heating Oil (No. 2)
Tank Size:	10000
Tank Compliance:	No
Overfill:	No
Compliance Monitoring?:	No
Overfill Protection:	No
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

C18 **PERNICE PROPERTY** **NJ HIST LUST** **S104393593**
WSW **1710 RTE 130** **N/A**
< 1/8 **NORTH BRUNSWICK, NJ**
0.051 mi.
269 ft. **Site 4 of 4 in cluster C**

Relative:
Lower

Actual:
107 ft.

LUST HIST:

Case ID:	98-05-29-0857-45
Lead Program Assigned:	Bureau of Field Operations - Initial Notice Section
Facility Status:	**Site Issued Letter of No Further Action for Area(s) Of Concern**
UST ID:	0324669
TMS Number:	C98-0908
Remedial Level:	Site has 1 area of concern with 1 media of concern.
Case Manager:	Robert Posey
Facility Phone:	(609) 777-1911
No Further Action:	2/24/1999 0:00:00
RAW Approved:	Not reported
CEA:	Not reported
Date CEA Lifted:	Not reported
Dead Notice:	Not reported

D19 **NORTH BRUNSWICK HIGH SCHOOL/VETERANS PARK** **NJ SHWS** **S109304009**
NE **1648 RT 130** **N/A**
< 1/8 **NORTH BRUNSWICK TWP, NJ**
0.086 mi.
452 ft. **Site 1 of 2 in cluster D**

Relative:
Higher

Actual:
108 ft.

SHWS:

Site ID:	49144
Status:	Active
Home Owner:	No
PI Number:	022977

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

D20 **NORTH BRUNSWICK HIGH SCHOOL/VETERANS PARK** **NJ BROWNFIELDS** **S108973665**
NE **1648 RT 130** **N/A**
< 1/8 **NORTH BRUNSWICK TOWNSHIP, NJ 08902**
0.086 mi.
452 ft. **Site 2 of 2 in cluster D**

Relative:
Higher

Actual:
108 ft.

BROWNFIELDS:

Price:	Not reported
Assessed Value:	Not reported
Property Size:	Unknown
Annual Taxes:	Not reported
Representative Address:	Not reported
Representative City/State/Zip:	Not reported
Submitter Name:	Not reported
Submitter Address1:	Not reported
Submitter Address2:	Not reported
Submitter City:	Not reported
Submitter State:	Not reported
Submitter Zip:	Not reported
Submitter Email:	Not reported
Submitter Phone:	Not reported
Transaction Type:	Not reported
Transfer Type:	Not reported
Site Number:	8048
X Coordinate:	501059
Y Coordinate:	590014
Coord:	501059:590014
AutoID:	6892
Ownership Type:	unknown
Ownership:	DEP Case
PStatus:	DEP Case
PI Number:	022977
CSL ID Number:	Not reported
Owner Name:	Not reported
Owner Address + Owner Street:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner County:	Not reported
Owner Phone:	9999999999
Owner Fax:	9999999999
Owner Email:	Not reported
Owner Organization:	Not reported
Authorized Representative:	Not reported
Auth Rep Relation to Owner:	Not reported
Municipal Contact Name:	Not reported
Municipal Contact Street:	Not reported
Municipal Contact City:	Not reported
Municipal Contact State:	Not reported
Municipal Contact Zip Code:	Not reported
Municipal Contact Phone:	9999999999
Municipal Contact Fax:	9999999999
Municipal Contact Email:	Not reported
Department:	Not reported
Municipal Contact Title:	Not reported
Contact Relation to Owner:	Not reported
Current Zoning:	Not reported
Proposed Zoning:	Not reported
Copy of Title Insurance:	Not reported

NORTH BRUNSWICK HIGH SCHOOL/VETERANS PARK (Continued) **S108973665**

Municode:	1215
Block:	Not reported
Lot:	Not reported
Development Plan Completed:	Unknown
Market Study Completed:	Unknown
Current Activity:	Not reported
Current Operations:	Not reported
Prior Operations:	Not reported
Deed Restrictions:	Unknown
Easements:	Unknown
Buildings:	Not reported
Condition of Buildings:	Not reported
Square Footage:	Not reported
Total Buildable Space:	Not reported
Lease Price:	Not reported
Tax Certificate:	Unknown
Tax Lien:	Unknown
Other Liens/Judgements:	No
Traffic Study:	Unknown
Road Access:	Not reported
Waterfront Access:	Unknown
Airport Access:	Unknown
Public Transportation Access:	Unknown
Major Highway Name:	Not reported
Major Highway Interchange:	Not reported
Major Highway Miles Away:	Not reported
Local Highway Name:	Not reported
Local Highway Interchange:	Not reported
Local Highway Miles Away:	Not reported
Rail Type:	Not reported
Rail Name:	Not reported
Rail Station:	Not reported
Rail Miles Away:	Not reported
Public Water:	Unknown
Electric:	Unknown
Gas:	Unknown
Public Sewer:	Unknown
Telephone:	Unknown
Cable:	Unknown
Fiber Optics:	Unknown
Wetlands:	No
Sensitive Ecosystems/Habitats:	No
Endangered Species:	No
Historic/Archeological Site:	No
100 Year Flood Plain:	No
500 Year Flood Plain:	No
Environmental Report Copies:	Yes
List Containing Site:	Not reported
Preliminary Assessment:	No
Site Investigation:	No
Remedial Investigation:	No
Remedial Action Workplan:	No
Voluntary Cleanup Program:	Yes
Environmental Litigation:	No
Remediation In Progress:	Yes
Remediation Estimated Complete Date:	Not reported
Regulatory sign-off:	No

NORTH BRUNSWICK HIGH SCHOOL/VETERANS PARK (Continued) **S108973665**

Regulatory Sign-Off Description:	Not reported
Other Incentives:	No
Low Interest Rates:	No
HDSRF Grants:	No
TIF:	No
HDSRF Loans:	No
USA Loans:	No
USA Grants:	No
Designated Redevelopment Area:	No
Environmental Opportunity Zone:	No
Tax Rebate or Abatement:	No
Empowerment Zone (Federal):	No
Urban Coordinating Council Neighborhood:	No
Enterprise Community (Federal):	No
Urban Enterprise Zone:	No
Additional Comments:	1) Assigned to Program,10/8/2003 2) C3: Multi-Phased RA - Unknown or Uncontrolled Discharge to Soil or GW established 10/8/2003
County_int_FK:	12
Municipality_int_FK:	311
Planning Area Designation:	Planning Area 1
Authorized Representative Email:	Not reported
Authorized Representative Phone:	9999999999
General Comments:	Not reported

21
SE
< 1/8
0.111 mi.
585 ft.

313 WASHINGTON PL **NJ SHWS S112403567**
NORTH BRUNSWICK TWP, NJ 08902 **NJ Release N/A**

Relative:
Lower

Actual:
92 ft.

SHWS:

Site ID:	471099
Status:	Closed
Home Owner:	Yes
PI Number:	594682

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	10/26/2012
Incident Time:	Not reported
TD Log #:	446287
Case Number:	12-11-01-1217-31
Date Received:	11/01/2012
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	JAMES GASSARO
Caller Name:	Not reported

(Continued) **S112403567**

Caller Title: Not reported
Caller Address: Not reported
Caller City,St,Zip: Not reported
Caller Telephone: Not reported
Substance(s): Not reported
Substance Type: Not reported
Substance Identity: Not reported
CAS Number: Not reported
A310 Letter: Not reported
TCPA Chemical: Not reported
Hazrds Material: Not reported
COMU: Not reported
Ref. Code: Not reported
Amt Released: Not reported
Contained: Not reported
Release Type: Not reported
Release VE: Not reported
Injuries: No
Public Exposure: No
Facility Evacuation: No
Police at Scene: No
Firemen at Scene: No
Contamination of: Not reported
Receiving Water: Not reported
Status at Spill: Not reported
NJ Spill Date: Not reported
NJ Spill Time: Not reported
NJ Spill Name: Not reported
NJ Spill Title: Not reported
NJ Spill Phone: Not reported
Other Date: Not reported
Other Time: Not reported
Other Name: Not reported
Other Title: Not reported
Other Telephone: Not reported
Public Evacuation: No
Assistance Requested: Not reported
Wind Direction/Speed: Not reported
Local Municipality Notified: Not reported
Local Municipality Name: Not reported
Local Municipality Title: Not reported
Local Municipality Telephone: Not reported
Local Municipality Date: Not reported
Local Municipality Time: Not reported
Incident Description: Not reported
Incident Name: Not reported
Incident Referred To: Not reported
Incident Region: Not reported
Incident Telephone: Not reported
Incident Date: Not reported
Incident time: Not reported
Incident ITM: Not reported
Comments: Not reported
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Updated: Not reported
Date Report Faxed to Local Authority: Not reported

(Continued) **S112403567**

Local Authority Notification Date:	Not reported
Rep Receive Date:	11/01/2012
Reporter Type:	Facility Rep.
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	Not reported
Incident Address:	313 WASHINGTON PL
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

22
SSE
1/8-1/4
0.156 mi.
825 ft.

297 HARDING AVENUE **NJ VCP** **S106211664**
297 HARDING AVE **NJ Release** **N/A**
NORTH BRUNSWICK, NJ 08902

Relative:
Lower

Actual:
102 ft.

VCP:

Incident Number:	03-01-15-1241-50
MOA Execution Date:	05/27/2003
Type Of Vcp File:	HISTORICAL
Pi Number:	Not reported
Case Type(Case Type):	Not reported
Case Contact: Department	Not reported
Case Contact Name:	Not reported
Case Contact: Organization	Not reported
Case Contact: Address: Line1	Not reported
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Not reported

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	01/15/2003

297 HARDING AVENUE (Continued) **S106211664**

Incident Time:	Not reported
TD Log #:	44844
Case Number:	03-01-15-1241-50
Date Received:	01/15/2003
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported

297 HARDING AVENUE (Continued) **S106211664**

Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	01/15/2003
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	LESTER GILLILAND
Incident Address:	297 HARDING AVE
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

E23 **FARRINGTON INN** **NJ SHWS** **S110034807**
NE **1609 RT 130** **N/A**
1/8-1/4 **NORTH BRUNSWICK TWP, NJ**
0.159 mi.
840 ft. **Site 1 of 2 in cluster E**

Relative:
Higher

Actual:
108 ft.

SHWS:

Site ID:	392407
Status:	Closed
Home Owner:	No
PI Number:	490881

Detail As Of April 2012:

FARRINGTON INN (Continued) **S110034807**

X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

E24 **FARRINGTON INN** **NJ UST** **U004131701**
NE **1609 RT 130** **N/A**
1/8-1/4 **NORTH BRUNSWICK TWP, NJ 08902**
0.159 mi.
840 ft. **Site 2 of 2 in cluster E**

Relative:
Higher

Actual:
108 ft.

UST:
Facility ID: 490881

Contact:
Owner Name: STANLEY NIZIOLEK
Organization: STANAN INC
Contact Type(UST Reg): Facility Operator
Contact Address (UST Reg): 1609 RTE 130 S
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): North Brunswick, NJ 08902

Owner Name: STANLEY NIZIOLEK
Organization: STANAN INC
Contact Type(UST Reg): Tank Owner
Contact Address (UST Reg): 1609 RTE 130 S
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): North Brunswick, NJ 08902

Tanks:
Tank Id: TANK-1
Tank Number: 0001
Tank Status: **Removed**
Tank Status Date: 02/12/2009
Install Date: 01/01/1944
Tank Contents: Heating Oil (No. 2)
Tank Size: 1000
Tank Compliance: No
Overfill: Not reported
Compliance Monitoring?: No
Overfill Protection: Not reported
Spill Containment: Not reported
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Tank Bare steel
Tank/Pipe Construction Type: Pipe Bare steel
Tank/Pipe Monitor: Pipe None
Tank/Pipe Monitor: Tank None

Tank Id: TANK-2
Tank Number: 0002
Tank Status: **Removed**
Tank Status Date: 02/12/2009
Install Date: 01/01/1944
Tank Contents: Heating Oil (No. 2)
Tank Size: 2000

FARRINGTON INN (Continued) **U004131701**

Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-3
Tank Number:	0003
Tank Status:	**Removed**
Tank Status Date:	02/12/2009
Install Date:	01/01/1944
Tank Contents:	Heating Oil (No. 2)
Tank Size:	3000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-4
Tank Number:	0004
Tank Status:	**Removed**
Tank Status Date:	03/05/2009
Install Date:	01/01/1944
Tank Contents:	Heating Oil (No. 2)
Tank Size:	1000
Tank Compliance:	No
Overfill:	Not reported
Compliance Monitoring?:	No
Overfill Protection:	Not reported
Spill Containment:	Not reported
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

F25 **366 WOOD AVENUE** **NJ SHWS** **S107437436**
SW **366 WOOD AVE** **NJ NJEMS** **N/A**
1/8-1/4 **NORTH BRUNSWICK TWP, NJ 08902** **NJ Release**
0.167 mi.
884 ft. **Site 1 of 2 in cluster F**

Relative:
Lower

Actual:
99 ft.

SHWS:

Site ID:	201724
Status:	Closed
Home Owner:	Yes
PI Number:	265314

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	201724
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	499728
Y Coord:	585638
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Approx. Addr. Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	08/16/2005
Incident Time:	Not reported
TD Log #:	154817
Case Number:	05-08-16-1550-34
Date Received:	08/16/2005
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	AT RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	LOU GRANDE
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported

366 WOOD AVENUE (Continued) **S107437436**

Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	08/16/2005
Reporter Type:	Other

366 WOOD AVENUE (Continued) **S107437436**

Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	HOMEOWNER
Incident Address:	366 WOOD AVE
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

F26 **366 WOOD AVENUE** **NJ VCP** **S108063423**
SW **366 WOOD AVE** **N/A**
1/8-1/4 **NORTH BRUNSWICK, NJ 08902**
0.167 mi.
884 ft. **Site 2 of 2 in cluster F**

Relative:
Lower

Actual:
99 ft.

VCP:

Incident Number:	05-08-16-1550-34
MOA Execution Date:	10/28/2005
Type Of Vcp File:	HISTORICAL
Pi Number:	Not reported
Case Type(Case Type):	Not reported
Case Contact: Department	Not reported
Case Contact Name:	Not reported
Case Contact: Organization	Not reported
Case Contact: Address: Line1	Not reported
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Not reported

G27 **347 WOOD AVENUE** **NJ SHWS** **1006992713**
SSW **347 WOOD AVE** **NJ HIST HWS** **N/A**
1/8-1/4 **NORTH BRUNSWICK TWP, NJ 08902** **NJ NJEMS**
0.169 mi.
891 ft. **Site 1 of 2 in cluster G**

Relative:
Lower

Actual:
97 ft.

SHWS:

Site ID:	91639
Status:	Closed
Home Owner:	Yes
PI Number:	129564

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

HIST SHWS:

Case Status:	**Active**
Status Date:	9/14/2001
Case ID:	129564
Contact:	Bureau of Field Operations - Southern
Sub Section Label:	A: Sites with On-Site Sources of Contamination
Site Municipality:	1215
Remedial Level Code:	C1
Classification exception area dt:	None
Classification exception area dt:	Not reported
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	499494
Y Coordinate:	585841
Coordinate System:	NJ State Plane (NAD83) - USFEET

NJEMS:

Site Id:	91639
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	499494
Y Coord:	585841
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Exact Address Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

G28
SSW
1/8-1/4
0.169 mi.
891 ft.

347 WOOD AVENUE
347 WOOD AVE
NORTH BRUNSWICK, NJ 08527

Site 2 of 2 in cluster G

NJ VCP **S105129577**
NJ SPILLS **N/A**

Relative:
Lower

Actual:
97 ft.

VCP:

Incident Number:	01-08-13-1222-37
MOA Execution Date:	09/14/2001
Type Of Vcp File:	HISTORICAL
Pi Number:	Not reported
Case Type(Case Type):	Not reported
Case Contact: Department	Not reported
Case Contact Name:	Not reported
Case Contact: Organization	Anne Rossi Estate
Case Contact: Address: Line1	Not reported
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Not reported

NJ SPILL:

Facility ID:	83142
Case Number:	01-08-13-1222-37
Notify Type:	Other
Date Received:	08/13/2001
Location:	Other
Other Location:	Not reported
Incident Date:	08/13/2001
Incident Time:	1000
A310 Letter:	True
Ref. Code:	101
COMU:	1215
CAS Number:	Not reported
Hazardous:	No
Incident Location:	Not reported
Facility Type:	Residential
Facility Phone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
Amnt Released:	Not reported
Release VE:	Not reported
Contained:	Not reported
Release Type:	Not reported
Incident Desc:	Not reported
Status at Spill:	REMOVAL OF 1/550 UST. CLEANUP IN PROGRESS.
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No

347 WOOD AVENUE (Continued) **S105129577**

Public Exposure:	No
Road Closed:	No
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Not reported
Wind Direction/Speed:	0
Assistance Requested:	No
Memo. Of Understanding:	No
Drill/trng Exercise:	No
Operator:	JOYCE
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	ESTATE OF ANNE ROSSI
Responsible Party Contact:	FRED SCHEER
Responsible Party Title:	EXECUITOR
Responsible Party Telphone:	Not reported
Responsible Party Street:	23 COTTONWOOD DR
Responsible Party Municipality:	JACKSON
Responsible Party State:	NJ
Responsible Party Zip:	08527
Responsible City,St,Zip:	JACKSON, NJ
Responsible Party County:	OCEAN
Local Municipality:	No
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Phone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Phone:	Not reported
Incident Date:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported

347 WOOD AVENUE (Continued) **S105129577**

Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

---

29 **EAGLE SPEED OIL & LUBE** **NJ SHWS** **1010516246**
NE **1551 GEORGES RD** **NJ NJEMS** **N/A**
1/4-1/2 **NORTH BRUNSWICK TWP, NJ 08902** **FINDS**
0.277 mi. **ECHO**
1465 ft.

Relative:
Lower

Actual:
104 ft.

SHWS:

Site ID:	52303
Status:	Closed
Home Owner:	No
PI Number:	018967

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	52303
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	501265
Y Coord:	587367
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GPS
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

FINDS:

Registry ID: 110032169579

Environmental Interest/Information System
NJ-NJEMS (New Jersey - New Jersey Environmental Management System).
The Department of Environmental Protection (NJDEP) manages large

EAGLE SPEED OIL & LUBE (Continued) **1010516246**

databases of environmental information in this integrated system.

ECHO:
Envid: 1010516246
Registry ID: 110032169579
DFR URL: http://echo.epa.gov/detailed_facility_report?fid=110032169579

30
NE
1/4-1/2
0.308 mi.
1626 ft.

CORKEY'S QUICK LUBE **NJ HIST LUST** **S104588192**
1551 RT 130 **NJ Release** **N/A**
NORTH BRUNSWICK, NJ

Relative:
Lower

Actual:
101 ft.

LUST HIST:
Case ID: 89-11-20-1343
Lead Program Assigned: Bureau of Underground Storage Tanks
Facility Status: **Site Issued Letter of No Further Action for Area(s) Of Concern**
UST ID: 0189679
TMS Number: Not reported
Remedial Level: Not reported
Case Manager: Not reported
Facility Phone: Not reported
No Further Action: 12/3/1991 0:00:00
RAW Approved: Not reported
CEA: Not reported
Date CEA Lifted: Not reported
Dead Notice: Not reported

NJ Release:
Facility Type: Municipal
Facility Phone: Not reported
Incident Date: 11/20/1989
Incident Time: 0900
TD Log #: 13277
Case Number: 89-11-20-1343
Date Received: 11/20/1989
Nature of Incident: Facility
Operator: JIMH
Incident Type: Not reported
Incident Location: Not reported
Location: Facility
Other Location: Not reported
Contact Name: Not reported
Caller Name: REDACTED
Caller Title: Not reported
Caller Address: Not reported
Caller City,St,Zip: Not reported
Caller Telephone: Not reported
Substance(s): OIL, OTHER
Substance Type: Liquid
Substance Identity: Known
CAS Number: Not reported
A310 Letter: Yes
TCPA Chemical: No
Hazrds Material: Yes
COMU: 1215

CORKEY'S QUICK LUBE (Continued) **S104588192**

Ref. Code:	001
Amt Released:	UNK
Contained:	Yes
Release Type:	Terminated
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	NONE
Status at Spill:	Not reported
NJ Spill Date:	1989-11-20 00:00:00
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	OEM
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	No
Wind Direction/Speed:	0
Local Municipality Notified:	Not reported
Local Municipality Name:	BERNATH
Local Municipality Title:	N BRUNSWICK TWP
Local Municipality Telephone:	545-3200
Local Municipality Date:	11/20/1989
Local Municipality Time:	1400
Incident Description:	L.U.S.T.
Incident Name:	Not reported
Incident Referred To:	DEQ
Incident Region:	HQ1
Incident Telephone:	Not reported
Incident Date:	11/20/1989
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	Not reported
Reporter Type:	Not reported
Reporter Name:	Not reported
Reporter Title:	Not reported
Reporter Org:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported

CORKEY'S QUICK LUBE (Continued) **S104588192**

Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Known
Responsible Party Name:	CORKY'S QUICK LUBE
Responsible Party Contact:	MRS KONGISBERGER
Responsible Party Title:	OWNER
Responsible Party Phone:	201-821-6807
Responsible Party Street:	1551 RT 130
Responsible Party County:	MIDDLESEX
Responsible Party City,St,Zip:	NORTH BRUNSWICK, NJ
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

31
NNW
1/4-1/2
0.385 mi.
2032 ft.

PROJECT LEAL-NORTH BRUNSWICK TWP DEPT OF PARKS, REC & COMMUN **NJ SHWS** **S109223515**
1601 ROOSEVELT AVE **NJ Release** **N/A**
NORTH BRUNSWICK, NJ 08902

Relative:
Higher

Actual:
117 ft.

SHWS:

Site ID:	15284
Status:	Active
Home Owner:	No
PI Number:	022973

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Sensitive Population
Facility Phone:	Not reported
Incident Date:	09/19/2013
Incident Time:	Not reported
TD Log #:	492693
Case Number:	13-09-20-1256-30
Date Received:	09/20/2013
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Fish & Wildlife
Incident Location:	JUDD SCHOOL
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported

PROJECT LEAL-NORTH BRUNSWICK TWP DEPT OF PARKS, REC & COMMUN (Continued) **S109223515**

Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	09/20/2013
Reporter Type:	Confidential

PROJECT LEAL-NORTH BRUNSWICK TWP DEPT OF PARKS, REC & COMMUN (Continued) **S109223515**

Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Continuous
Incident Category:	Other
Incident Source:	NONE
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	NJ
Incident County:	Not reported
DEP Requested:	Yes
Confidential:	Yes
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

Facility Type:	Sensitive Population
Facility Phone:	Not reported
Incident Date:	07/21/2008
Incident Time:	Not reported
TD Log #:	282159
Case Number:	08-07-21-1230-39
Date Received:	07/21/2008
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Air Release
Incident Location:	JUDD SCHOOL
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported

PROJECT LEAL-NORTH BRUNSWICK TWP DEPT OF PARKS, REC & COMMUN (Continued) **S109223515**

Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	Yes
Firemen at Scene:	Yes
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	07/21/2008
Reporter Type:	Facility Rep.
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	UNKNOWN

PROJECT LEAL-NORTH BRUNSWICK TWP DEPT OF PARKS, REC & COMMUN (Continued) **S109223515**

Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	NJ
Incident County:	Not reported
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

32
North
1/4-1/2
0.392 mi.
2070 ft.

JUDD ELEMENTARY SCHOOL
ROOSEVELT AVE
NORTH BRUNSWICK TWP, NJ 08902

NJ HIST LUST **U000367401**
NJ UST **N/A**
NJ SPILLS
NJ Release

Relative:
Higher

Actual:
117 ft.

LUST HIST:

Case ID:	93-08-04-1510
Lead Program Assigned:	Bureau of Underground Storage Tanks
Facility Status:	**Site Issued Letter of No Further Action for Area(s) Of Concern**
UST ID:	0229737
TMS Number:	C93-2674
Remedial Level:	Site has more than 1 area of concern or more than 1 media of concern.
Case Manager:	Not reported
Facility Phone:	Not reported
No Further Action:	6/23/1994 0:00:00
RAW Approved:	Not reported
CEA:	Not reported
Date CEA Lifted:	Not reported
Dead Notice:	Not reported

UST:

Facility ID:	022973

Contact:

Owner Name:	Not Identified Not Identified
Organization:	Not Identified
Contact Type(UST Reg):	Facility Operator
Contact Address (UST Reg):	Not reported
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	Not reported
Owner Name:	WILLIAM J O'CONNOR
Organization:	NORTH BRUNSWICK BD OF ED
Contact Type(UST Reg):	Tank Owner
Contact Address (UST Reg):	OLD GEORGES RD

JUDD ELEMENTARY SCHOOL (Continued) **U000367401**

Contact Address 2 (UST Reg): PO BOX 1807
Conact City,St,Zip (UST Reg): North Brunswick Twp, NJ 08902

Tanks:

Tank Id:	TANK-1
Tank Number:	00E3
Tank Status:	**Abandoned in Place**
Tank Status Date:	08/19/1993
Install Date:	01/01/1968
Tank Contents:	Heating Oil (No. 4)
Tank Size:	10000
Tank Compliance:	No
Overfill:	No
Compliance Monitoring?:	No
Overfill Protection:	No
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Cathodically protected steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

NJ SPILL:

Facility ID:	73292
Case Number:	01-01-18-1247-04
Notify Type:	Other
Date Received:	01/18/2001
Location:	Facility
Other Location:	Not reported
Incident Date:	01/18/2001
Incident Time:	1241
A310 Letter:	True
Ref. Code:	101
COMU:	1215
CAS Number:	Not reported
Hazardous:	No
Incident Location:	Not reported
Facility Type:	Sensitive
Facility Phone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
Amnt Released:	Not reported
Release VE:	Not reported
Contained:	Not reported
Release Type:	Not reported
Incident Desc:	Not reported
Status at Spill:	SPILL DUE TO BROKEN THERMOMETER.CLEANUP UNDERWAY
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported

JUDD ELEMENTARY SCHOOL (Continued) **U000367401**

Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	No
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Not reported
Wind Direction/Speed:	0
Assistance Requested:	No
Memo. Of Understanding:	No
Drill/trng Exercise:	No
Operator:	JIMH
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Unknown
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Telphone:	Not reported
Responsible Party Street:	Not reported
Responsible Party Municipality:	Not reported
Responsible Party State:	Not reported
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	Not reported
Responsible Party County:	Not reported
Local Municipality:	No
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Phone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Phone:	Not reported
Incident Date:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported

JUDD ELEMENTARY SCHOOL (Continued) **U000367401**

Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

NJ Release:

Facility Type:	Snstve Pop
Facility Phone:	Not reported
Incident Date:	08/03/1993
Incident Time:	1100
TD Log #:	13160
Case Number:	93-8-4-1510-37
Date Received:	08/04/1993
Nature of Incident:	Other
Operator:	RICH
Incident Type:	Not reported
Incident Location:	Not reported
Location:	Facility
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	SOIL CONTAMINATED WITH OIL FUEL
Substance Type:	Solid
Substance Identity:	Known
CAS Number:	Not reported
A310 Letter:	Yes
TCPA Chemical:	No
Hazrds Material:	Yes
COMU:	1215
Ref. Code:	101
Amt Released:	UNKNOWN
Contained:	No
Release Type:	Terminated
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Receiving Water:	Not reported
Status at Spill:	1-10,000 GAL TANK PUMPED OUT, TANK TO BE ABANDONED IN PLACE, SOIL

JUDD ELEMENTARY SCHOOL (Continued) **U000367401**

BORINGS SHOW CONTAMINATION

NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	No
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	OPER 208
Local Municipality Telephone:	908-545-3200
Local Municipality Date:	08/04/1993
Local Municipality Time:	1516
Incident Description:	SOIL CONTAMINATION
Incident Name:	Not reported
Incident Referred To:	DRPSR
Incident Region:	BFO-SA
Incident Telephone:	Faxed,Mailed
Incident Date:	08/04/1993
Incident time:	Not reported
Incident ITM:	B

Comments: Not reported

Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	Not reported
Reporter Type:	Not reported
Reporter Name:	Not reported
Reporter Title:	Not reported
Reporter Org:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Known
Responsible Party Name:	NO BRUNSWICK BD OF E
Responsible Party Contact:	BILL O'CONNER

JUDD ELEMENTARY SCHOOL (Continued) **U000367401**

Responsible Party Title:	ENGNR
Responsible Party Phone:	Not reported
Responsible Party Street:	HERMANN RD
Responsible Party County:	MIDDLESEX
Responsible Party City,St,Zip:	NORTH BRUNSWICK, NJ
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

---

33 **YARDVILLE NATIONAL BANK NA** **NJ SHWS S113556175**
SW **401 ADAMS LN** **NJ NJEMS N/A**
1/4-1/2 **NORTH BRUNSWICK TWP, NJ 08902**
0.434 mi.
2289 ft.

Relative:
Higher

Actual:
113 ft.

SHWS:

Site ID:	226823
Status:	Closed
Home Owner:	Yes
PI Number:	606070

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	226823
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	498406
Y Coord:	584890
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Approx. Addr. Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

34
East
1/4-1/2
0.462 mi.
2441 ft.

EDLEY LANE PUMP STATION
EDLEY LANE
NORTH BRUNSWICK, NJ

NJ HIST LUST **S104386967**
N/A

Relative:
Lower

Actual:
73 ft.

LUST HIST:

Case ID:	Not reported
Lead Program Assigned:	Bureau of Field Operations - Initial Notice Section
Facility Status:	**Site Issued Letter of No Further Action for Area(s) Of Concern**
UST ID:	0319043
TMS Number:	N99-0454
Remedial Level:	Not reported
Case Manager:	Hasmukh Patel
Facility Phone:	(609) 633-0735
No Further Action:	6/4/2002 0:00:00
RAW Approved:	Not reported
CEA:	Not reported
Date CEA Lifted:	Not reported
Dead Notice:	Not reported

H35
NE
1/4-1/2
0.464 mi.
2448 ft.

1445 ROUTE 130
1445 RT 130
NORTH BRUNSWICK TWP, NJ 08902

Site 1 of 2 in cluster H

NJ SHWS **S107915920**
NJ HIST HWS **N/A**
NJ Release

Relative:
Lower

Actual:
105 ft.

SHWS:

Site ID:	118592
Status:	Closed
Home Owner:	No
PI Number:	263605

Detail As Of April 2012:

X Coord Site:	501550
X Coord PI:	501550
Y Coord Site:	588843
Y Coord PI:	588843

HIST SHWS:

Case Status:	**Active**
Status Date:	9/28/2005
Case ID:	263605
Contact:	Bureau of Field Operations - Southern
Sub Section Label:	A: Sites with On-Site Sources of Contamination
Site Municipality:	1215
Remedial Level Code:	C1
Classification exception area dt:	None
Classification exception area dt:	Not reported
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	501550
Y Coordinate:	588843
Coordinate System:	NJ State Plane (NAD83) - USFEET

1445 ROUTE 130 (Continued) **S107915920**

NJ Release:

Facility Type:	Commercial
Facility Phone:	Not reported
Incident Date:	12/01/2012
Incident Time:	Not reported
TD Log #:	465843
Case Number:	13-03-27-1441-34
Date Received:	03/27/2013
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Groundwater Cont
Incident Location:	COMMERCIAL PROPERTY AT
Location:	Not reported
Other Location:	Not reported
Contact Name:	KLEINFELDER
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported

1445 ROUTE 130 (Continued) **S107915920**

Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	03/27/2013
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Continuous
Incident Category:	Other
Incident Source:	SUSPECT-NORTH BRUNSWICK H.S
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	NJ
Incident County:	Not reported
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

H36 **1445 ROUTE 130 S (OFFICE BUILDING)** **NJ VCP** **S108061937**
NE **1445 RTE 130 S** **N/A**
1/4-1/2 **NORTH BRUNSWICK, NJ 08902**
0.464 mi.
2448 ft. **Site 2 of 2 in cluster H**

Relative:
Lower

Actual:
105 ft.

VCP:

Incident Number:	04-10-28-1044-17
MOA Execution Date:	09/28/2005
Type Of Vcp File:	HISTORICAL
Pi Number:	Not reported
Case Type(Case Type):	Not reported
Case Contact: Department	Not reported
Case Contact Name:	Not reported
Case Contact: Organization	Not reported
Case Contact: Address: Line1	Not reported
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Not reported

---

37 **2020 ROUTE 130** **NJ SHWS** **S108254152**
WSW **2020 RT 130** **NJ VCP** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902** **NJ NJEMS**
0.530 mi.
2801 ft.

Relative:
Higher

Actual:
111 ft.

SHWS:

Site ID:	224550
Status:	Closed
Home Owner:	Yes
PI Number:	293121

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

VCP:

Incident Number:	05-09-27-1102-08
MOA Execution Date:	08/04/2006
Type Of Vcp File:	CURRENT
Pi Number:	293121
Case Type(Case Type):	MOA
Case Contact: Department	Not reported
Case Contact Name:	ANTHONY BIRONI
Case Contact: Organization	Not reported
Case Contact: Address: Line1	26 PRIMROSE LN
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Brick Twp, NJ 08724

NJEMS:

Site Id:	224550
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	497855

2020 ROUTE 130 (Continued) **S108254152**

Y Coord:	584853
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Approx. Addr. Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

38
WNW
1/2-1
0.542 mi.
2861 ft.

638 WOOD AVENUE **NJ SHWS** **S109309645**
638 WOOD AVE **N/A**
NORTH BRUNSWICK TWP, NJ

Relative:
Higher

Actual:
116 ft.

SHWS:

Site ID:	76949
Status:	Closed
Home Owner:	No
PI Number:	G000009844

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

39
NNW
1/2-1
0.559 mi.
2950 ft.

1630 HOLLY ROAD **NJ SHWS** **S109839323**
1630 HOLLY RD **NJ Release** **N/A**
NORTH BRUNSWICK TWP, NJ

Relative:
Higher

Actual:
118 ft.

SHWS:

Site ID:	407168
Status:	Closed
Home Owner:	Yes
PI Number:	509651

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	05/14/2009
Incident Time:	Not reported
TD Log #:	311915

1630 HOLLY ROAD (Continued) **S109839323**

Case Number:	09-05-14-1142-57
Date Received:	05/14/2009
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESID
Location:	Not reported
Other Location:	Not reported
Contact Name:	ANDREAS THEOPHANOUS
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported

1630 HOLLY ROAD (Continued) **S109839323**

Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	05/14/2009
Reporter Type:	Citizen Complaint
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	Not reported
Incident Address:	1630 HOLLY RD
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

40
NW
1/2-1
0.560 mi.
2959 ft.

1655 HOLLY RD **NJ SHWS** **S109313532**
1655 HOLLY RD **N/A**
NORTH BRUNSWICK TWP, NJ

Relative:
Higher

Actual:
119 ft.

SHWS:

Site ID:	87157
Status:	Closed
Home Owner:	No
PI Number:	G000060752

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported

1655 HOLLY RD (Continued) **S109313532**

Y Coord Site: Not reported
Y Coord PI: Not reported

41
SW
1/2-1
0.613 mi.
3239 ft.

THE LEARNING EXPERIENCE **NJ SHWS** **S110141819**
347 OLD GEORGES ROAD **NJ VCP** **N/A**
NORTH BRUNSWICK, NJ 08902

Relative:
Higher

Actual:
114 ft.

SHWS:
Site ID: 230082
Status: Closed
Home Owner: Yes
PI Number: 301088

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

VCP:
Incident Number: 06-09-25-1457-02
MOA Execution Date: 11/14/2006
Type Of Vcp File: CURRENT
Pi Number: 301088
Case Type(Case Type): MOA
Case Contact: Department Not reported
Case Contact Name: NANCY A HUMES
Case Contact: Organization THE ESTATE OF HELEN CREIGHTON
Case Contact: Address: Line1 7 CONGRESSIONAL CT
Case Contact: Address: Line2 Not reported
Case Contact: Address: Line3 Not reported
Case Contact City,St,Zip: Skillman, NJ 08558

42
SW
1/2-1
0.621 mi.
3277 ft.

APCO SOUTH BRUNSWICK GEORGES RD **NJ SHWS** **S109304283**
2040 RT 130 **N/A**
SOUTH BRUNSWICK TWP, NJ

Relative:
Higher

Actual:
114 ft.

SHWS:
Site ID: 5141
Status: Active
Home Owner: No
PI Number: 009834

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

I43 **2 JASON DRIVE** **NJ SHWS** **S111263410**
WNW **2 JASON DR** **NJ NJEMS** **N/A**
1/2-1 **NORTH BRUNSWICK, NJ 08902** **NJ Release**
0.672 mi.
3547 ft. **Site 1 of 2 in cluster I**

Relative:
Higher

Actual:
120 ft.

SHWS:

Site ID:	458535
Status:	Closed
Home Owner:	Yes
PI Number:	578447

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	458535
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	496979
Y Coord:	587901
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GIS Parcel Centroid
Coord Orign:	DEP-SRP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130050
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Church Lane to Deans Pond)
Watershed Name From Spatial Overlay:	Lawrence Brook

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	08/11/2011
Incident Time:	Not reported
TD Log #:	397476
Case Number:	11-08-11-1057-22
Date Received:	08/11/2011
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported

2 JASON DRIVE (Continued) **S111263410**

Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	08/11/2011
Reporter Type:	Other

2 JASON DRIVE (Continued) **S111263410**

Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	CHARLES WILKET
Incident Address:	2 JASON DR
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

I44 **4 JASON DRIVE** **NJ SHWS** **S109219695**
WNW **4 JASON DR** **NJ Release** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ**
0.677 mi.
3574 ft. **Site 2 of 2 in cluster I**

Relative:
Higher

Actual:
120 ft.

SHWS:

Site ID:	392089
Status:	Closed
Home Owner:	Yes
PI Number:	490428

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	04/30/2008
Incident Time:	Not reported
TD Log #:	271349
Case Number:	08-04-30-1726-44
Date Received:	04/30/2008
Nature of Incident:	Not reported
Operator:	Not reported

4 JASON DRIVE (Continued) **S109219695**

Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE AT
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported

4 JASON DRIVE (Continued) **S109219695**

Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	04/30/2008
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Operator
Incident Source:	RICH RITTER
Incident Address:	4 JASON DR
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

---

45 **383 OLD GEORGES ROAD** **NJ SHWS** **S108394034**
SW **383 OLD GEORGES RD** **NJ VCP** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902** **NJ Release**
0.679 mi.
3583 ft.

Relative:
Higher

Actual:
116 ft.

SHWS:

Site ID:	352677
Status:	Closed
Home Owner:	Yes
PI Number:	435287

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

383 OLD GEORGES ROAD (Continued) **S108394034**

VCP:

Incident Number:	06-12-05-1105-51
MOA Execution Date:	05/02/2007
Type Of Vcp File:	CURRENT
Pi Number:	435287
Case Type(Case Type):	MOA
Case Contact: Department	Not reported
Case Contact Name:	PETER HOBOR
Case Contact: Organization	Not reported
Case Contact: Address: Line1	383 OLD GEORGES RD
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	North Brunswick, NJ 08902

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	12/05/2006
Incident Time:	Not reported
TD Log #:	214407
Case Number:	06-12-05-1105-51
Date Received:	12/05/2006
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESID
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported

383 OLD GEORGES ROAD (Continued) **S108394034**

NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	12/05/2006
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	PETER HOBOR
Incident Address:	383 OLD GEORGES RD
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported

383 OLD GEORGES ROAD (Continued) **S108394034**

Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

---

46 **10 JASON DR** **NJ SHWS** **S109314209**
WNW **10 JASON DR** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ**
0.696 mi.
3673 ft.

Relative:
Higher

Actual:
120 ft.

SHWS:

Site ID:	89125
Status:	Closed
Home Owner:	Yes
PI Number:	G000063110

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

J47 **SAND AND HILL INCORPORATED** **NJ SHWS** **1007034356**
SW **2140 RT 130** **NJ Release** **N/A**
1/2-1 **SOUTH BRUNSWICK TWP, NJ**
0.761 mi.
4019 ft. **Site 1 of 2 in cluster J**

Relative:
Higher

Actual:
116 ft.

SHWS:

Site ID:	145382
Status:	Closed
Home Owner:	No
PI Number:	192404

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Commercial
Facility Phone:	Not reported
Incident Date:	03/13/2003
Incident Time:	Not reported
TD Log #:	50068
Case Number:	03-03-13-1048-11
Date Received:	03/13/2003
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	SAND & HILL INC
Location:	Not reported
Other Location:	Not reported

SAND AND HILL INCORPORATED (Continued) **1007034356**

Contact Name:	SAM CICERO
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported

SAND AND HILL INCORPORATED (Continued) **1007034356**

Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	03/13/2003
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	SAND & HILL INC
Incident Address:	2140 RT 130
Incident Address 2:	Not reported
Incident City,St,Zip:	South Brunswick Twp, NJ
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

J48 **ELY JOHN S** **NJ SHWS S113633558**
SW **2085 RT 130** **NJ NJEMS N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902**
0.777 mi.
4102 ft. **Site 2 of 2 in cluster J**

Relative:
Higher

Actual:
115 ft.

SHWS:

Site ID:	54934
Status:	Closed
Home Owner:	No
PI Number:	024754

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	54934
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164

ELY JOHN S (Continued) **S113633558**

Municipal Code (NJ-1040):	1214
X Coord:	496940
Y Coord:	584229
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Digital Image
Coord Orign:	DEP-Program
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

49
NE
1/2-1
0.798 mi.
4215 ft.

Relative:
Higher

Actual:
109 ft.

PARKER HANNIFIN CORP **NJ SHWS** **U000368319**
1290 RT 130 **NJ HIST HWS** **N/A**
SOUTH BRUNSWICK TWP, NJ 08810 **NJ UST**
NJ BROWNFIELDS
NJ NJEMS
NJ Financial Assurance
NJ MANIFEST
NJ NPDES

SHWS:

Site ID:	38909
Status:	Active
Home Owner:	No
PI Number:	026428

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

HIST SHWS:

Case Status:	**Active**
Status Date:	2/22/1990
Case ID:	026428
Contact:	BNCM
Sub Section Label:	A: Sites with On-Site Sources of Contamination
Site Municipality:	1221
Remedial Level Code:	D
Classification exception area dt:	None
Classification exception area dt:	Not reported
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	491823
Y Coordinate:	563870
Coordinate System:	NJ State Plane (NAD83) - USFEET

PARKER HANNIFIN CORP (Continued) **U000368319**

UST:
Facility ID: 026428

Contact:
Owner Name: Not Identified Not Identified
Organization: Not Identified
Contact Type(UST Reg): Facility Operator
Contact Address (UST Reg): Not reported
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): Not reported

Owner Name: RICK TAYLOR
Organization: PARKER HANIFIN CORP
Contact Type(UST Reg): Tank Owner
Contact Address (UST Reg): 17325 EUCLID AVE
Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): CLEVELAND, OH 44112

Tanks:
Tank Id: TANK-1
Tank Number: A1
Tank Status: **Removed**
Tank Status Date: 11/01/1985
Install Date: 01/01/1982
Tank Contents: Heating Oil (No. 2)
Tank Size: 10000
Tank Compliance: No
Overfill: No
Compliance Monitoring?: No
Overfill Protection: No
Spill Containment: No
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Pipe Bare steel
Tank/Pipe Construction Type: Tank Bare steel
Tank/Pipe Monitor: Pipe None
Tank/Pipe Monitor: Tank None

Tank Id: TANK-2
Tank Number: A2
Tank Status: **Abandoned in Place**
Tank Status Date: 01/01/1970
Install Date: 01/01/1982
Tank Contents: Heating Oil (No. 2)
Tank Size: 5000
Tank Compliance: No
Overfill: No
Compliance Monitoring?: No
Overfill Protection: No
Spill Containment: No
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Tank Bare steel
Tank/Pipe Construction Type: Pipe Bare steel
Tank/Pipe Monitor: Pipe None
Tank/Pipe Monitor: Tank None

PARKER HANNIFIN CORP (Continued) **U000368319**

BROWNFIELDS:

Price:	Not reported
Assessed Value:	Not reported
Property Size:	Unknown
Annual Taxes:	Not reported
Representative Address:	Not reported
Representative City/State/Zip:	Not reported
Submitter Name:	Not reported
Submitter Address1:	Not reported
Submitter Address2:	Not reported
Submitter City:	Not reported
Submitter State:	Not reported
Submitter Zip:	Not reported
Submitter Email:	Not reported
Submitter Phone:	Not reported
Transaction Type:	Not reported
Transfer Type:	Not reported
Site Number:	8249
X Coordinate:	491823
Y Coordinate:	563870
Coord:	491823:563870
AutoID:	7093
Ownership Type:	unknown
Ownership:	DEP Case
PStatus:	No Longer Brownfield
PI Number:	026428
CSL ID Number:	Not reported
Owner Name:	Not reported
Owner Address + Owner Street:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner County:	Not reported
Owner Phone:	9999999999
Owner Fax:	9999999999
Owner Email:	Not reported
Owner Organization:	Not reported
Authorized Representative:	Not reported
Auth Rep Relation to Owner:	Not reported
Municipal Contact Name:	Not reported
Municipal Contact Street:	Not reported
Municipal Contact City:	Not reported
Municipal Contact State:	Not reported
Municipal Contact Zip Code:	Not reported
Municipal Contact Phone:	9999999999
Municipal Contact Fax:	9999999999
Municipal Contact Email:	Not reported
Department:	Not reported
Municipal Contact Title:	Not reported
Contact Relation to Owner:	Not reported
Current Zoning:	Not reported
Proposed Zoning:	Not reported
Copy of Title Insurance:	Not reported
Municode:	1221
Block:	Not reported
Lot:	Not reported
Development Plan Completed:	Unknown

PARKER HANNIFIN CORP (Continued) **U000368319**

Market Study Completed:	Unknown
Current Activity:	Not reported
Current Operations:	Not reported
Prior Operations:	Not reported
Deed Restrictions:	Unknown
Easements:	Unknown
Buildings:	Not reported
Condition of Buildings:	Not reported
Square Footage:	Not reported
Total Buildable Space:	Not reported
Lease Price:	Not reported
Tax Certificate:	Unknown
Tax Lien:	Unknown
Other Liens/Judgements:	No
Traffic Study:	Unknown
Road Access:	Not reported
Waterfront Access:	Unknown
Airport Access:	Unknown
Public Transportation Access:	Unknown
Major Highway Name:	Not reported
Major Highway Interchange:	Not reported
Major Highway Miles Away:	Not reported
Local Highway Name:	Not reported
Local Highway Interchange:	Not reported
Local Highway Miles Away:	Not reported
Rail Type:	Not reported
Rail Name:	Not reported
Rail Station:	Not reported
Rail Miles Away:	Not reported
Public Water:	Unknown
Electric:	Unknown
Gas:	Unknown
Public Sewer:	Unknown
Telephone:	Unknown
Cable:	Unknown
Fiber Optics:	Unknown
Wetlands:	No
Sensitive Ecosystems/Habitats:	No
Endangered Species:	No
Historic/Archeological Site:	No
100 Year Flood Plain:	No
500 Year Flood Plain:	No
Environmental Report Copies:	Yes
List Containing Site:	Not reported
Preliminary Assessment:	No
Site Investigation:	No
Remedial Investigation:	No
Remedial Action Workplan:	No
Voluntary Cleanup Program:	No
Environmental Litigation:	No
Remediation In Progress:	Yes
Remediation Estimated Complete Date:	Not reported
Regulatory sign-off:	No
Regulatory Sign-Off Description:	Not reported
Other Incentives:	No
Low Interest Rates:	No
HDSRF Grants:	No

PARKER HANNIFIN CORP (Continued) **U000368319**

TIF:	No
HDSRF Loans:	No
USA Loans:	No
USA Grants:	No
Designated Redevelopment Area:	No
Environmental Opportunity Zone:	No
Tax Rebate or Abatement:	No
Empowerment Zone (Federal):	No
Urban Coordinating Council Neighborhood:	No
Enterprise Community (Federal):	No
Urban Enterprise Zone:	No
Additional Comments:	1) Assigned to Program,2/22/1990 2) D: Multi-Phased RA - Multiple Source/Release to Multi-Media Including GW established 7/15/1985
County_int_FK:	12
Municipality_int_FK:	318
Planning Area Designation:	Planning Area 2
Authorized Representative Email:	Not reported
Authorized Representative Phone:	9999999999
General Comments:	Site is a tile distribution company. Case status listed as Transferred.

NJEMS:

Site Id:	38909
Municipality:	SOUTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	SOUTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882162
Municipal Code (NJ-1040):	1221
X Coord:	491677
Y Coord:	564362
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Digital Image
Coord Orign:	DEP-SRP-GIS
State Standard Numeric Code From Spatial Overlay:	1221
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130010
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Great Ditch / Pigeon Swamp
Watershed Name From Spatial Overlay:	Lawrence Brook

NJ Financial Assurance:

Dispositon Date:	11/03/2011
RFS Disposition Description:	APPROVED
Institution:	Parker Hannifin Corporation
RFS Type Description:	Self Guarantee
PI Number:	026428
Activity Class Code:	LSR
Act Class Decode:	Licensed Site Professional Program
Document Title:	E85214 Parker-Hannifin Corpora

Dispositon Date:	11/03/2011
RFS Disposition Description:	APPROVED
Institution:	Parker Hannifin Corporation

PARKER HANNIFIN CORP (Continued) **U000368319**

RFS Type Description: Self Guarantee
PI Number: 026428
Activity Class Code: OSA
Act Class Decode: SRP Oversight
Document Title: PARKERHANNIFIN VI

Dispositon Date: 11/03/2011
RFS Disposition Description: APPROVED
Institution: PARKER HANNIFIN CORPORATION
RFS Type Description: Self Guarantee
PI Number: 573288
Activity Class Code: RFS
Act Class Decode: Remediation Funding Source
Document Title: E85214 Parker-Hannifin Corp

Dispositon Date: 09/17/2014
RFS Disposition Description: REDUCED
Institution: Parker Hannifin
RFS Type Description: Self Guarantee
PI Number: 573288
Activity Class Code: RFS
Act Class Decode: Remediation Funding Source
Document Title: E85214 Parker-Hannifin Corp

Dispositon Date: 03/17/2015
RFS Disposition Description: INCREASED
Institution: Parker Hannifin Corporation
RFS Type Description: Self Guarantee
PI Number: 573288
Activity Class Code: RFS
Act Class Decode: Remediation Funding Source
Document Title: E85214 Parker-Hannifin Corp

NJ MANIFEST:
EPA Id: NJD980642664
Mail Address: 6035 PARKLAND BLVD
Mail City/State/Zip: CLEVELAND 44124
Facility Phone: 2168962710
Emergency Phone: Not reported
Contact: MARTHA CONNELL
Comments: Not reported
SIC Code: 3494
County: 12
Municipal: 21
Previous EPA Id: Not reported
Gen Flag: D
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 008922731JJK
EPA ID: NJD980642664
Date Shipped: 3/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193

PARKER HANNIFIN CORP (Continued) **U000368319**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	CLEVELAND 44124
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	U210
Hand Code:	Not reported
Quantity:	110.00 gallons

NJPDES:

NJPDES Permit Number:	NJG0129526
Facility Telephone:	Not reported
Facility Contact:	Bela Mankad
Facility Municipality:	South Brunswick Twp
Facility Enforcement region:	Not reported
Discharger Classification:	Not reported
Discharger Category Code:	BGR
Document Status:	Approved
Facility Primary SIC code:	Not reported
Facility Ownership:	Not reported
Facility Discharge Basin code:	Not reported

PARKER HANNIFIN CORP (Continued) **U000368319**

Facility Discharge Basin name:	Not reported
Facility Lat/Long:	Not reported
Site X Coordinate:	491677
Site X Coordinate:	564362
Facility Lot number:	Not reported
Facility Block number:	Not reported
Permittee Name:	Not reported
Permittee Address:	Not reported
Permittee PO Box:	Not reported
Permittee City,St,Zip:	Not reported
Category Description:	General Remediation Clean-up (GP)
Date Permit Application Received:	Not reported
Date Draft Permit Issued:	Not reported
Date Final Permit Issued:	Not reported
Date Final Permit Effective:	07/01/2015
Date Final Permit Expires:	06/30/2020
PI Number:	49377
Regional Office:	Central
Permit Category:	Not reported

50
West
1/2-1
0.800 mi.
4226 ft.

1960 8TH STREET
1960 8TH ST
NORTH BRUNSWICK, NJ 08902

NJ SHWS **S106218486**
NJ VCP **N/A**
NJ NJEMS
NJ Release

Relative:
Higher

Actual:
109 ft.

SHWS:

Site ID:	173777
Status:	Closed
Home Owner:	Yes
PI Number:	227963

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

VCP:

Incident Number:	04-03-11-1133-40
MOA Execution Date:	05/03/2004
Type Of Vcp File:	HISTORICAL
Pi Number:	Not reported
Case Type(Case Type):	Not reported
Case Contact: Department	Not reported
Case Contact Name:	Not reported
Case Contact: Organization	Not reported
Case Contact: Address: Line1	Not reported
Case Contact: Address: Line2	Not reported
Case Contact: Address: Line3	Not reported
Case Contact City,St,Zip:	Not reported

NJEMS:

Site Id:	173777
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164

1960 8TH STREET (Continued) **S106218486**

Municipal Code (NJ-1040):	1214
X Coord:	495896
Y Coord:	586516
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Exact Address Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130050
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Church Lane to Deans Pond)
Watershed Name From Spatial Overlay:	Lawrence Brook

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	03/11/2004
Incident Time:	Not reported
TD Log #:	90057
Case Number:	04-03-11-1133-40
Date Received:	03/11/2004
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported

1960 8TH STREET (Continued) **S106218486**

Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	03/11/2004
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	JOHN HAWK
Incident Address:	1960 8TH ST
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	No
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported

1960 8TH STREET (Continued) **S106218486**

Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

K51 **NJ SHWS** **S111261741**
SW **400 OLD GEORGES RD** **NJ Release** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902**
0.803 mi.
4240 ft. **Site 1 of 2 in cluster K**

Relative:
Higher

Actual:
115 ft.

SHWS:

Site ID:	448345
Status:	Closed
Home Owner:	Yes
PI Number:	563690

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Residential
Facility Phone:	Not reported
Incident Date:	06/16/2011
Incident Time:	Not reported
TD Log #:	390358
Case Number:	11-06-16-1201-55
Date Received:	06/16/2011
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Underground Storage Tank
Incident Location:	RESIDENCE
Location:	Not reported
Other Location:	Not reported
Contact Name:	KEN SCHWARZ
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported
Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported

(Continued) **S111261741**

Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	06/16/2011
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	KEN SCHWARZ
Incident Address:	400 OLD GEORGES RD
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902

(Continued) **S111261741**

Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

K52 **405 OLD GEORGES ROAD** **NJ SHWS** **1008925462**
SW **405 OLD GEORGES RD** **NJ HIST HWS** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902** **NJ NJEMS**
0.811 mi. **FINDS**
4282 ft. **Site 2 of 2 in cluster K** **ECHO**

Relative:
Higher

Actual:
115 ft.

SHWS:

Site ID:	196644
Status:	Closed
Home Owner:	Yes
PI Number:	258162

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

HIST SHWS:

Case Status:	**Active**
Status Date:	11/17/2005
Case ID:	258162
Contact:	Bureau of Field Operations - Southern
Sub Section Label:	A: Sites with On-Site Sources of Contamination
Site Municipality:	1215
Remedial Level Code:	C1
Classification exception area dt:	None
Classification exception area dt:	Not reported
Deed Notice Status:	None
Deed Notice Date:	Not reported
Engineering Control Status:	None
Engineering Control Date:	Not reported
National Priorities List Status:	Not reported
National Priorities List Date:	Not reported
X Coordinate:	Not reported
Y Coordinate:	Not reported
Coordinate System:	Not reported

NJEMS:

405 OLD GEORGES ROAD (Continued) **1008925462**

Site Id:	196644
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	496778
Y Coord:	583632
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	Approx. Addr. Match
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

FINDS:

Registry ID: 110030642268

Environmental Interest/Information System
NJ-NJEMS (New Jersey - New Jersey Environmental Management System).
The Department of Environmental Protection (NJDEP) manages large databases of environmental information in this integrated system.

ECHO:

Envid:	1008925462
Registry ID:	110030642268
DFR URL:	http://echo.epa.gov/detailed_facility_report?fid=110030642268

L53 **305 RIVA AVENUE** **NJ SHWS** **S113613354**
SE **305 RIVA AVE** **NJ NJEMS** **N/A**
1/2-1 **EAST BRUNSWICK TWP, NJ 08816**
0.824 mi.
4352 ft. **Site 1 of 3 in cluster L**

Relative:
Lower

Actual:
81 ft.

SHWS:

Site ID:	412547
Status:	Closed
Home Owner:	Yes
PI Number:	516796

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	412547
Municipality:	EAST BRUNSWICK TWP

305 RIVA AVENUE (Continued) **S113613354**

Municipality Name From Spatial Overlay:	EAST BRUNSWICK TWP
GNIS Civil Code For Municipality:	882163
Municipal Code (NJ-1040):	1204
X Coord:	506068
Y Coord:	586154
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GIS Parcel Centroid
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1204
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

L54 **WEBER SCHOOL** **NJ SHWS** **S109301228**
SE **425 RIVA AVE** **N/A**
1/2-1 **EAST BRUNSWICK TWP, NJ**
0.824 mi.
4352 ft. **Site 2 of 3 in cluster L**

Relative:
Lower

Actual:
81 ft.

SHWS:

Site ID:	341661
Status:	Closed
Home Owner:	No
PI Number:	422559

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

L55 **FOERTER FARM** **NJ SHWS** **S116566091**
SE **245 RIVA AVE** **N/A**
1/2-1 **EAST BRUNSWICK TWP, NJ**
0.836 mi.
4413 ft. **Site 3 of 3 in cluster L**

Relative:
Lower

Actual:
80 ft.

SHWS:

Site ID:	500096
Status:	Active
Home Owner:	No
PI Number:	630227

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

56
WNW
1/2-1
0.859 mi.
4536 ft.

1935 5TH STREET — **NJ SHWS** — **S117387918**
1935 5TH ST — **N/A**
NORTH BRUNSWICK TWP, NJ

Relative: Higher

Actual: 116 ft.

SHWS:

Site ID:	528629
Status:	Closed
Home Owner:	Yes
PI Number:	663720

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

57
NNW
1/2-1
0.872 mi.
4604 ft.

NORTH BRUNSWICK MANOR — **NJ SHWS** — **U000368462**
CRANBURY CROSS RD — **NJ UST** — **N/A**
NORTH BRUNSWICK TWP, NJ 08902

Relative: Higher

Actual: 119 ft.

SHWS:

Site ID:	49749
Status:	Closed
Home Owner:	No
PI Number:	026684

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

UST:

Facility ID:	026684

Contact:

Owner Name:	Not Identified Not Identified
Organization:	Not Identified
Contact Type(UST Reg):	Facility Operator
Contact Address (UST Reg):	Not reported
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	Not reported
Owner Name:	JACK SIEKERKI
Organization:	GARDEN APARTMENT MANAGEMENT
Contact Type(UST Reg):	Tank Owner
Contact Address (UST Reg):	900 WOODBRIDGE CENTER DR
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	Woodbridge, NJ 07095

Tanks:

Tank Id:	TANK-1
Tank Number:	E1
Tank Status:	**Removed**

NORTH BRUNSWICK MANOR (Continued) **U000368462**

Tank Status Date:	01/01/1989
Install Date:	01/01/1977
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	2000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-2
Tank Number:	E2
Tank Status:	**Removed**
Tank Status Date:	01/01/1989
Install Date:	01/01/1977
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	2000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-3
Tank Number:	E4
Tank Status:	**Removed**
Tank Status Date:	01/01/1989
Install Date:	01/01/1977
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	2000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-4
Tank Number:	E5
Tank Status:	**Removed**

NORTH BRUNSWICK MANOR (Continued) **U000368462**

Tank Status Date:	01/01/1989
Install Date:	01/01/1977
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	2000
Tank Compliance:	No
Overfill:	Yes
Compliance Monitoring?:	No
Overfill Protection:	Yes
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

58
SW
1/2-1
0.934 mi.
4932 ft.

425 OLD GEORGES ROAD **NJ SHWS** **S109838400**
425 OLD GEORGES RD **N/A**
NORTH BRUNSWICK TWP, NJ

Relative:
Higher

Actual:
112 ft.

SHWS:

Site ID:	398532
Status:	Closed
Home Owner:	Yes
PI Number:	498602

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

59
SW
1/2-1
0.935 mi.
4937 ft.

18 PLEASANT VALLEY ROAD **NJ SHWS** **S117577618**
18 PLEASANT VALLEY RD **N/A**
EAST BRUNSWICK TWP, NJ

Relative:
Lower

Actual:
107 ft.

SHWS:

Site ID:	534713
Status:	Closed
Home Owner:	Yes
PI Number:	671186

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

60
WNW
1/2-1
0.938 mi.
4951 ft.

Relative:
Higher

Actual:
114 ft.

AMTRAK MAINTENANCE OF WAY BASE
788 ADAMS LANE - ADAMS BASE
NORTH BRUNSWICK, NJ 08902

Database(s): RCRA-CESQG, NJ SHWS, NJ BROWNFIELDS, NJ Release, NJ SPILLS, ICIS, NY MANIFEST, NJ MANIFEST, NJ NPDES

EDR ID Number: 1000543026
EPA ID Number: NJD986615276

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	AMTRAK MAINTENANCE OF WAY BASE
Facility address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902
EPA ID:	NJD986615276
Mailing address:	ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902
Contact:	Not reported
Contact address:	ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	AMTRAK NATL RR PASSENGER CORP
Owner/operator address:	788 ADAMS LANE MAINT WAY BASE NORTH BRUNSWICK, NJ 08902
Owner/operator country:	US
Owner/operator telephone:	(732) 989-1847
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	AMTRAK NATL RR PASSENGER CORP
Owner/operator address:	788 ADAMS LANE MAINT WAY BASE NORTH BRUNSWICK, NJ 08902
Owner/operator country:	US
Owner/operator telephone:	(732) 989-1847
Legal status:	Private

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: AMTRAK MAINTENANCE OF WAY BASE
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 02/28/1994
Site name: AMTRAK-ADAMS BASE
Classification: Large Quantity Generator

Date form received by agency: 09/09/1991
Site name: AMTRAK MAINTENANCE OF WAY BASE
Classification: Large Quantity Generator

. Waste code: X001
. Waste name: WASTE OILS

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 07/07/1994
Date achieved compliance: 08/06/1994
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/07/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 08/02/2012
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 10/02/1995
Evaluation: CASE DEVELOPMENT INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/07/1994
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 08/06/1994
Evaluation lead agency: State

SHWS:
Site ID: 37363
Status: Active
Home Owner: No
PI Number: 018796

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

BROWNFIELDS:
Price: Not reported
Assessed Value: Not reported
Property Size: Unknown
Annual Taxes: Not reported
Representative Address: Not reported
Representative City/State/Zip: Not reported
Submitter Name: Not reported
Submitter Address1: Not reported
Submitter Address2: Not reported
Submitter City: Not reported
Submitter State: Not reported
Submitter Zip: Not reported
Submitter Email: Not reported
Submitter Phone: Not reported
Transaction Type: Not reported
Transfer Type: Not reported
Site Number: 8044
X Coordinate: 493523
Y Coordinate: 584882
Coord: 493523:584882
AutoID: 6888
Ownership Type: unknown
Ownership: DEP Case
PStatus: DEP Case
PI Number: 018796
CSL ID Number: Not reported
Owner Name: Not reported
Owner Address + Owner Street: Not reported
Owner City: Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Owner State:	Not reported
Owner Zip Code:	Not reported
Owner County:	Not reported
Owner Phone:	9999999999
Owner Fax:	9999999999
Owner Email:	Not reported
Owner Organization:	Not reported
Authorized Representative:	Not reported
Auth Rep Relation to Owner:	Not reported
Municipal Contact Name:	Not reported
Municipal Contact Street:	Not reported
Municipal Contact City:	Not reported
Municipal Contact State:	Not reported
Municipal Contact Zip Code:	Not reported
Municipal Contact Phone:	9999999999
Municipal Contact Fax:	9999999999
Municipal Contact Email:	Not reported
Department:	Not reported
Municipal Contact Title:	Not reported
Contact Relation to Owner:	Not reported
Current Zoning:	Not reported
Proposed Zoning:	Not reported
Copy of Title Insurance:	Not reported
Municode:	1215
Block:	Not reported
Lot:	Not reported
Development Plan Completed:	Unknown
Market Study Completed:	Unknown
Current Activity:	Not reported
Current Operations:	Not reported
Prior Operations:	Not reported
Deed Restrictions:	Unknown
Easements:	Unknown
Buildings:	Not reported
Condition of Buildings:	Not reported
Square Footage:	Not reported
Total Buildable Space:	Not reported
Lease Price:	Not reported
Tax Certificate:	Unknown
Tax Lien:	Unknown
Other Liens/Judgements:	No
Traffic Study:	Unknown
Road Access:	Not reported
Waterfront Access:	Unknown
Airport Access:	Unknown
Public Transportation Access:	Unknown
Major Highway Name:	Not reported
Major Highway Interchange:	Not reported
Major Highway Miles Away:	Not reported
Local Highway Name:	Not reported
Local Highway Interchange:	Not reported
Local Highway Miles Away:	Not reported
Rail Type:	Not reported
Rail Name:	Not reported
Rail Station:	Not reported
Rail Miles Away:	Not reported
Public Water:	Unknown

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Electric:	Unknown
Gas:	Unknown
Public Sewer:	Unknown
Telephone:	Unknown
Cable:	Unknown
Fiber Optics:	Unknown
Wetlands:	No
Sensitive Ecosystems/Habitats:	No
Endangered Species:	No
Historic/Archeological Site:	No
100 Year Flood Plain:	No
500 Year Flood Plain:	No
Environmental Report Copies:	Yes
List Containing Site:	Not reported
Preliminary Assessment:	No
Site Investigation:	No
Remedial Investigation:	No
Remedial Action Workplan:	No
Voluntary Cleanup Program:	No
Environmental Litigation:	No
Remediation In Progress:	Yes
Remediation Estimated Complete Date:	Not reported
Regulatory sign-off:	No
Regulatory Sign-Off Description:	Not reported
Other Incentives:	No
Low Interest Rates:	No
HDSRF Grants:	No
TIF:	No
HDSRF Loans:	No
USA Loans:	No
USA Grants:	No
Designated Redevelopment Area:	No
Environmental Opportunity Zone:	No
Tax Rebate or Abatement:	No
Empowerment Zone (Federal):	No
Urban Coordinating Council Neighborhood:	No
Enterprise Community (Federal):	No
Urban Enterprise Zone:	No
Additional Comments:	1) Assigned to Program,6/13/1997 2) C2: Formal Design - Known Source or Release with GW Contamination established 6/23/1993
County_int_FK:	12
Municipality_int_FK:	311
Planning Area Designation:	Planning Area 1
Authorized Representative Email:	Not reported
Authorized Representative Phone:	9999999999
General Comments:	Not reported

NJ Release:

Facility Type:	Commercial
Facility Phone:	609-989-1847
Incident Date:	08/14/1992
Incident Time:	1242
TD Log #:	13383
Case Number:	92-8-14-1435-26
Date Received:	08/14/1992
Nature of Incident:	Facility
Operator:	RICH

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Incident Type:	Not reported
Incident Location:	Not reported
Location:	Facility
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	OIL HEATING #2
Substance Type:	Liquid
Substance Identity:	Known
CAS Number:	Not reported
A310 Letter:	Yes
TCPA Chemical:	No
Hazrds Material:	Yes
COMU:	1215
Ref. Code:	101
Amt Released:	UNKNOWN
Contained:	No
Release Type:	Continuous
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Receiving Water:	NONE
Status at Spill:	1-550 UG EMERG GENERATOR FUEL TANK FAILED TANK TEST, REMEDIAL WORK TO BE DONE
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	No
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	OPER 20
Local Municipality Telephone:	908-545-3200
Local Municipality Date:	08/14/1992
Local Municipality Time:	1437
Incident Description:	LUST, TANK TST
Incident Name:	Not reported
Incident Referred To:	DRPSR
Incident Region:	BFO-SA
Incident Telephone:	Faxed,Mailed
Incident Date:	08/14/1992

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Incident time:	1437
Incident ITM:	B
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	Not reported
Reporter Type:	Not reported
Reporter Name:	Not reported
Reporter Title:	Not reported
Reporter Org:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK YARD
Responsible Party Contact:	JIM WHITE
Responsible Party Title:	EQUIP ENGNR
Responsible Party Phone:	609-989-1847
Responsible Party Street:	788 ADAMS LA
Responsible Party County:	MIDDLESEX
Responsible Party City,St,Zip:	NORTH BRUNSWICK, NJ
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

NJ SPILL:

Facility ID:	67673
Case Number:	00-09-14-0908-30
Notify Type:	Other
Date Received:	09/14/2000
Location:	Other
Other Location:	Not reported
Incident Date:	08/15/2000
Incident Time:	Not reported
A310 Letter:	True
Ref. Code:	011
COMU:	1215
CAS Number:	Not reported
Hazardous:	No
Incident Location:	Not reported
Facility Type:	Industrial
Facility Phone:	732-940-5859

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
Amnt Released:	Not reported
Release VE:	Not reported
Contained:	Not reported
Release Type:	Not reported
Incident Desc:	Not reported
Status at Spill:	Information REDACTED due to data corrutpion causing status reporting errors
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	No
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Not reported
Wind Direction/Speed:	0
Assistance Requested:	No
Memo. Of Understanding:	No
Drill/trng Exercise:	No
Operator:	JOYCE
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK
Responsible Party Contact:	PAT TEETER
Responsible Party Title:	FIELD ENV.SPEC.
Responsible Party Telphone:	732-940-5859
Responsible Party Street:	788 ADAMS LANE
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	08902
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	No
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Local Municipality Phone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Phone:	Not reported
Incident Date:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

Facility ID:	10119
Case Number:	92-6-23-1006-50
Notify Type:	Not reported
Date Received:	06/23/1992
Location:	Facility
Other Location:	Not reported
Incident Date:	06/12/1992
Incident Time:	Not reported
A310 Letter:	Yes
Ref. Code:	016
COMU:	1215
CAS Number:	Not reported
Hazardous:	Not reported
Incident Location:	Not reported
Facility Type:	Commercial
Facility Phone:	609-989-1847
Substance(s):	OIL LUBE
Substance Type:	Liquid
Substance Identity:	Known
TCPA Chemical:	No
Hazrds Material:	Yes
Amnt Released:	99 GAL
Release VE:	Estimate
Contained:	Yes

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Release Type:	Terminated
Incident Desc:	Spill
Status at Spill:	SPILL DUE TO 2 DRUMS BEING PUNCHERED BY FORKLIFT, NOT ALL MATERIAL LEAKED OUT, SPILL CONTAINED ON GRAVEL AREA, CLEANUP BY D & M TANK CLEANING
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	Not reported
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Facility
Wind Direction/Speed:	Not reported
Assistance Requested:	No
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Operator:	RICH
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK YARD
Responsible Party Contact:	TONY ARGENTI
Responsible Party Title:	FACIL SUPER
Responsible Party Telphone:	609-989-1847
Responsible Party Street:	788 ADAMS LA
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	OPER 204
Local Municipality Phone:	908-545-3200
Local Municipality Date:	06/23/1992
Local Municipality Time:	1012
Incident Name:	Not reported
Incident Referred To:	DRPSR
Incident Region:	Central
Incident Phone:	Faxed,Mailed

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Incident Date:	06/23/1992
Comments:	Not reported
Date A310 Letter Printed:	1992-06-23 00:00:00
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

Facility ID:	12555
Case Number:	92-8-1-1332-20
Notify Type:	Not reported
Date Received:	08/01/1992
Location:	Facility
Other Location:	Not reported
Incident Date:	08/01/1992
Incident Time:	ONGOI
A310 Letter:	Yes
Ref. Code:	002
COMU:	1215
CAS Number:	Not reported
Hazardous:	Not reported
Incident Location:	Not reported
Facility Type:	Commercial
Facility Phone:	Not reported
Substance(s):	DIESEL FUEL
Substance Type:	Liquid
Substance Identity:	Known
TCPA Chemical:	No
Hazrds Material:	Yes
Amnt Released:	UNK
Release VE:	Not reported
Contained:	No
Release Type:	Continuous
Incident Desc:	Spill
Status at Spill:	LEAK COMING INTO POND AND INTO LAKE.
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	Yes
Road Closed:	Not reported
Facility Evacuation:	No
Receiving Water:	UNK
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Water,Land
Nature of Incident:	Other
Wind Direction/Speed:	Not reported
Assistance Requested:	Yes
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Operator:	JIMH
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Telphone:	Not reported
Responsible Party Street:	788 ADAMS AVE
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	DISP. BERNATH
Local Municipality Phone:	908-545-3200
Local Municipality Date:	08/01/1992
Local Municipality Time:	1345
Incident Name:	P.DIGANGI
Incident Referred To:	DRPSR
Incident Region:	ER2
Incident Phone:	Paged
Incident Date:	08/01/1992
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

Facility ID:	1757
Case Number:	93-2-4-0943-33
Notify Type:	Not reported
Date Received:	02/04/1993
Location:	Facility
Other Location:	Not reported
Incident Date:	02/04/1993
Incident Time:	0900
A310 Letter:	Yes
Ref. Code:	101
COMU:	1215
CAS Number:	Not reported
Hazardous:	Not reported
Incident Location:	Not reported
Facility Type:	Industrial
Facility Phone:	908-989-1823
Substance(s):	OIL HYDRAULIC
Substance Type:	Liquid
Substance Identity:	Known
TCPA Chemical:	No
Hazrds Material:	Yes
Amnt Released:	55 GAL
Release VE:	Estimate
Contained:	Yes
Release Type:	Terminated
Incident Desc:	Spill
Status at Spill:	LINE BROKE ON TRUCK CAUSING SPILL. CLEANUP IN PROGRESS.
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Facility Evacuation:	No
Receiving Water:	NONE
Public Evacuation:	No
Police at Scene:	Unknown
Firemen at Scene:	Unknown
Contamination of:	Land
Nature of Incident:	Facility
Wind Direction/Speed:	Not reported
Assistance Requested:	No
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Operator:	PAT
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK
Responsible Party Contact:	JIM KROTZ
Responsible Party Title:	CTRL MGR
Responsible Party Telphone:	908-989-1823
Responsible Party Street:	788 ADAMS LANE
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	DISP 201
Local Municipality Phone:	908-545-3200
Local Municipality Date:	02/04/1993
Local Municipality Time:	0947
Incident Name:	Not reported
Incident Referred To:	DRPSR
Incident Region:	BFO-SA
Incident Phone:	Faxed,Mailed
Incident Date:	02/04/1993
Comments:	Not reported
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

Facility ID:	15512
Case Number:	93-9-11-0929-27
Notify Type:	Not reported
Date Received:	09/11/1993
Location:	Facility
Other Location:	Not reported
Incident Date:	09/11/1993
Incident Time:	0500
A310 Letter:	Yes
Ref. Code:	101
COMU:	1215
CAS Number:	Not reported
Hazardous:	Not reported
Incident Location:	Not reported
Facility Type:	Commercial
Facility Phone:	908-940-5810
Substance(s):	DIESEL FUEL
Substance Type:	Liquid
Substance Identity:	Known
TCPA Chemical:	No
Hazrds Material:	Yes
Amnt Released:	50 GAL
Release VE:	Estimate
Contained:	Yes
Release Type:	Terminated
Incident Desc:	Spill
Status at Spill:	FUEL LEAKED FROM LOCOMOTIVE OVERNIGHT,SPILL IS CONTAINED,CLEANUP WILL BE DONE.
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Phone:	Not reported
Injuries:	No
Public Exposure:	No
Road Closed:	Not reported
Facility Evacuation:	No
Receiving Water:	Not reported
Public Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Land
Nature of Incident:	Facility
Wind Direction/Speed:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Assistance Requested:	No
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Operator:	JOES
Contact Name:	Not reported
Caller Name:	REDACTED
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Phone:	Not reported
Responsible Party:	Known
Responsible Party Name:	AMTRAK RAIL YARD
Responsible Party Contact:	JOHN CALLAHAN
Responsible Party Title:	ATTENDENT
Responsible Party Telphone:	908-940-5810
Responsible Party Street:	788 ADAMS LANE
Responsible Party Municipality:	NORTH BRUNSWICK
Responsible Party State:	NJ
Responsible Party Zip:	Not reported
Responsible City,St,Zip:	NORTH BRUNSWICK, NJ
Responsible Party County:	MIDDLESEX
Local Municipality:	Not reported
Local Municipality Name:	NORTH BRUNSWICK TW
Local Municipality Title:	DISP 201
Local Municipality Phone:	908-545-3200
Local Municipality Date:	09/11/1993
Local Municipality Time:	0933
Incident Name:	Not reported
Incident Referred To:	DRPSR
Incident Region:	BFO-SA
Incident Phone:	Faxed,Mailed
Incident Date:	09/11/1993
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Reporter Name:	Not reported
Reporter Type:	Not reported
Rep Received Date:	Not reported
Reporter Title:	Not reported
Reporter Orgzn:	Not reported
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Type:	Not reported
Incident Status:	Not reported
Incident Category:	Not reported
Incident Source:	Not reported
Incident Address:	Not reported
Incident Address 2:	Not reported
Incident City,St,Zip:	Not reported
Incident County:	Not reported
DEP Requested:	Not reported
Confidential:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Click this hyperlink while viewing on your computer to access
1 additional NJ SPILLS: record(s) in the EDR Site Report.

ICIS:

Enforcement Action ID:	02-2004-0818
FRS ID:	110004228201
Program ID:	E-PLAN FATR2012LDSTC475062S
Action Name:	AMTRAK ADAMS MAINTENANCE OF WAY ENGINEERING BASE
Full Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK NJ 08902-4514
State:	New Jersey
Facility Name:	AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Facility Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902-4514
Enforcement Action Type:	CWA 311B6B1 AO For Class I Penalty
Facility County:	MIDDLESEX
EPA Region #:	2

Enforcement Action ID:	02-2004-0818
FRS ID:	110004228201
Program ID:	RCRAINFO NJD986615276
Action Name:	AMTRAK ADAMS MAINTENANCE OF WAY ENGINEERING BASE
Full Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK NJ 08902-4514
State:	New Jersey
Facility Name:	AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Facility Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902-4514
Enforcement Action Type:	CWA 311B6B1 AO For Class I Penalty
Facility County:	MIDDLESEX
EPA Region #:	2

Enforcement Action ID:	02-2004-0818
FRS ID:	110004228201
Program ID:	NJ-NJEMS 37363
Action Name:	AMTRAK ADAMS MAINTENANCE OF WAY ENGINEERING BASE
Full Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK NJ 08902-4514
State:	New Jersey
Facility Name:	AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Facility Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902-4514
Enforcement Action Type:	CWA 311B6B1 AO For Class I Penalty
Facility County:	MIDDLESEX
EPA Region #:	2

Enforcement Action ID:	02-2004-0818
FRS ID:	110004228201
Program ID:	FRS 110004228201
Action Name:	AMTRAK ADAMS MAINTENANCE OF WAY ENGINEERING BASE
Full Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK NJ 08902-4514
State:	New Jersey
Facility Name:	AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Facility Address:	788 ADAMS LANE - ADAMS BASE NORTH BRUNSWICK, NJ 08902-4514
Enforcement Action Type:	CWA 311B6B1 AO For Class I Penalty
Facility County:	MIDDLESEX
EPA Region #:	2

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Program ID: E-PLAN FATR2012LDSTC475062S
Facility Name: AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Address: 788 ADAMS LANE - ADAMS BASE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 4011

Program ID: FRS 110004228201
Facility Name: AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Address: 788 ADAMS LANE - ADAMS BASE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 4011

Program ID: NJ-NJEMS 37363
Facility Name: AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Address: 788 ADAMS LANE - ADAMS BASE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 4011

Program ID: RCRAINFO NJD986615276
Facility Name: AMTRAK CORP ADAMS MAINTENANCE OF WAY BASE
Address: 788 ADAMS LANE - ADAMS BASE
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 4011

NY MANIFEST:
Country: USA
EPA ID: NJD986615276
Facility Status: Not reported
Location Address 1: 788 ADAMS LANE - ADAMS BASE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NORTH BRUNSWICK
Location State: NJ
Location Zip: 08902
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NJD986615276
Mailing Name: AMTRAK MAINTENANCE OF WAY BASE
Mailing Contact: AMTRAK MAINTENANCE OF WAY BASE
Mailing Address 1: 788 ADAMS LANE - ADAMS BASE
Mailing Address 2: Not reported
Mailing City: NORTH BRUNSWICK
Mailing State: NJ
Mailing Zip: 08902
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2013
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	11/22/2013
Trans1 Recv Date:	11/22/2013
Trans2 Recv Date:	11/25/2013
TSD Site Recv Date:	12/06/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NJD986615276
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ARD069748192
TSDF ID 2:	Not reported
Manifest Tracking Number:	007021271FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	MAD039322250
Trans2 State ID:	NJD986607380
Generator Ship Date:	06/06/2014
Trans1 Recv Date:	06/06/2014

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Trans2 Recv Date:	06/10/2014
TSD Site Recv Date:	06/30/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NJD986615276
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ARD069748192
TSDF ID 2:	Not reported
Manifest Tracking Number:	007021773FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	85
Units:	P - Pounds
Number of Containers:	3
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001
Waste Code 1_2:	D018
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	MAD039322250
Trans2 State ID:	NJD986607380
Generator Ship Date:	06/06/2014
Trans1 Recv Date:	06/06/2014
Trans2 Recv Date:	06/10/2014
TSD Site Recv Date:	06/30/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NJD986615276
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ARD069748192
TSDF ID 2:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Manifest Tracking Number:	007021773FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	200
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	MAD039322250
Trans2 State ID:	NJD986607380
Generator Ship Date:	06/06/2014
Trans1 Recv Date:	06/06/2014
Trans2 Recv Date:	06/10/2014
TSD Site Recv Date:	06/30/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NJD986615276
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ARD069748192
TSDF ID 2:	Not reported
Manifest Tracking Number:	007021773FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	150
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	F005
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	MAD039322250
Trans2 State ID:	Not reported
Generator Ship Date:	06/11/2014
Trans1 Recv Date:	06/11/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/20/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NJD986615276
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD000816629
TSDF ID 2:	Not reported
Manifest Tracking Number:	007021787FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Quantity:	20
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	D009
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

NJ MANIFEST:

EPA Id:	NJD986615276
Mail Address:	Not reported
Mail City/State/Zip:	Not reported
Facility Phone:	6099891847
Emergency Phone:	6099891847
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	12
Municipal:	15
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	000000

Manifest:

Manifest Number:	PAH0252325
EPA ID:	NJD986615276
Date Shipped:	08/09/2005
TSDF EPA ID:	PAD085690592
Transporter EPA ID:	PAD982661381
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/09/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date TSDF Received Waste:	08/10/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	09280525
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	004817151FLE
EPA ID:	NJD986615276
Date Shipped:	12/7/2012
TSDF EPA ID:	NCD000648451
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Waste:
Manifest Year: Not reported
Waste Code: D002 D008
Hand Code: Not reported
Quantity: 150.00 Pounds

Manifest Number: 002617239FLE
EPA ID: NJD986615276
Date Shipped: 04/13/2010
TSDF EPA ID: ARD069748192
Transporter EPA ID: MAD039322250
Transporter 2 EPA ID: MAD039322250
Transporter 3 EPA ID: MAD039322250
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/13/2010
Date Trans2 Transported Waste: 04/22/2010
Date Trans3 Transported Waste: 04/24/2010
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 04/26/2010
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: No
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D002
Hand Code: H141
Quantity: 4800 P

Manifest Number: 006072867FLE
EPA ID: NJD986615276

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Shipped:	7/18/2013
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Generator EPA Facility Name:	AMTRAK
Transporter-1 EPA Facility Name:	CLEAN HARBORS ENVIRONMENTAL SRVS INC
TSDF EPA Facility Name:	CLEAN HARBORS EL DORADO LLC
QTY Units:	Pounds
Transporter SEQ ID:	Not reported
Transporter-1 Date:	7/18/2013
Waste SEQ ID:	2.00
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	8/7/2013
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	F005
Hand Code:	Not reported
Quantity:	200.00 Pounds

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D001
Hand Code:	Not reported
Quantity:	55.00 Pounds

Manifest Number:	NJA3300851
EPA ID:	NJD986615276
Date Shipped:	08/25/2006
TSDF EPA ID:	OHD000816629
Transporter EPA ID:	MAD039322250

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Transporter 2 EPA ID:	OHD009865825
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/25/2006
Date Trans2 Transported Waste:	08/28/2006
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/05/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	11170625
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	001756803FLE
EPA ID:	NJD986615276
Date Shipped:	04/20/2009
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/20/2009
Date Trans2 Transported Waste:	04/22/2009
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/24/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D002
Hand Code:	H141
Quantity:	600 P

Manifest Number:	002617240FLE
EPA ID:	NJD986615276
Date Shipped:	04/14/2010
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	ARD069748192
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/14/2010
Date Trans2 Transported Waste:	04/22/2010
Date Trans3 Transported Waste:	04/24/2010
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/26/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D002
Hand Code:	H141
Quantity:	4800 P

Manifest Number:	000413401SKS
EPA ID:	NJD986615276
Date Shipped:	03/30/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/30/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/30/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	15 G

Manifest Number:	002617018FLE
EPA ID:	NJD986615276
Date Shipped:	09/18/2009
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	OHD009865825
Transporter 3 EPA ID:	MAD039322250
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/18/2009
Date Trans2 Transported Waste:	09/21/2009
Date Trans3 Transported Waste:	09/24/2009
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/30/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H040
Quantity:	1300 P

Manifest Number:	004815634FLE
EPA ID:	NJD986615276

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Shipped:	4/12/2012
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D002 D008
Hand Code:	Not reported
Quantity:	25.00 Pounds

Manifest Number:	003416093FLE
EPA ID:	NJD986615276
Date Shipped:	11/19/2010
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	MAD039322250
Transporter 4 EPA ID:	MAD039322250
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/19/2010
Date Trans2 Transported Waste:	11/24/2010
Date Trans3 Transported Waste:	12/01/2010
Date Trans4 Transported Waste:	12/08/2010
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/08/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D002
Hand Code:	H141
Quantity:	1400 P

Manifest Number:	004817152FLE
EPA ID:	NJD986615276
Date Shipped:	12/7/2012
TSDF EPA ID:	MDD980555189
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001 D018
Hand Code:	Not reported
Quantity:	700.00 gallons

Manifest Number:	006072867FLE
EPA ID:	NJD986615276
Date Shipped:	7/18/2013
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Generator EPA Facility Name:	AMTRAK
Transporter-1 EPA Facility Name:	CLEAN HARBORS ENVIRONMENTAL SRVS INC
TSDF EPA Facility Name:	CLEAN HARBORS EL DORADO LLC
QTY Units:	Pounds
Transporter SEQ ID:	Not reported
Transporter-1 Date:	7/18/2013
Waste SEQ ID:	1.00

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	8/7/2013
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	F005
Hand Code:	Not reported
Quantity:	200.00 Pounds

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D001
Hand Code:	Not reported
Quantity:	55.00 Pounds

Manifest Number:	002958502FLE
EPA ID:	NJD986615276
Date Shipped:	06/30/2010
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	MAD039322250
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/30/2010
Date Trans2 Transported Waste:	07/06/2010
Date Trans3 Transported Waste:	07/08/2010
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/15/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H040
Quantity:	60 P

Manifest Year:	Not reported
Waste Code:	D020
Hand Code:	H040
Quantity:	15 P

Manifest Number:	003416443FLE
EPA ID:	NJD986615276
Date Shipped:	5/4/2011
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	MAD039322250
Transporter 4 EPA ID:	MAD039322250
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Waste:
Manifest Year: Not reported
Waste Code: D009
Hand Code: H141
Quantity: 15.00 Pounds

Manifest Number: 004148752FLE
EPA ID: NJD986615276
Date Shipped: 1/11/2011
TSDF EPA ID: PAD085690592
Transporter EPA ID: PAD982661381
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: Not reported
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: H141
Quantity: 1,500.00 Pounds

Manifest Number: 004817346FLE
EPA ID: NJD986615276

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Shipped:	3/29/2013
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Generator EPA Facility Name:	AMTRAK
Transporter-1 EPA Facility Name:	CLEAN HARBORS ENVIRONMENTAL SRVS INC
TSDF EPA Facility Name:	CLEAN HARBORS EL DORADO LLC
QTY Units:	Pounds
Transporter SEQ ID:	Not reported
Transporter-1 Date:	3/29/2013
Waste SEQ ID:	1.00
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	4/18/2013
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D009
Hand Code:	Not reported
Quantity:	10.00 Pounds

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D001
Hand Code:	Not reported
Quantity:	10.00 Pounds

Manifest Number:	004817346FLE
EPA ID:	NJD986615276
Date Shipped:	3/29/2013
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Generator EPA Facility Name:	AMTRAK
Transporter-1 EPA Facility Name:	CLEAN HARBORS ENVIRONMENTAL SRVS INC
TSDF EPA Facility Name:	CLEAN HARBORS EL DORADO LLC
QTY Units:	Pounds
Transporter SEQ ID:	Not reported
Transporter-1 Date:	3/29/2013
Waste SEQ ID:	2.00
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	4/18/2013
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D009
Hand Code:	Not reported
Quantity:	10.00 Pounds
Manifest Year:	2013 New Jersey Manifest Data
Waste Code:	D001
Hand Code:	Not reported
Quantity:	10.00 Pounds
Manifest Number:	NJA3300849
EPA ID:	NJD986615276
Date Shipped:	08/14/2006
TSDF EPA ID:	OHD000816629
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	OHD009865825
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/14/2006
Date Trans2 Transported Waste:	08/16/2006
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/17/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	09290621
Was Load Rejected:	No
Reason Load Was Rejected:	Not reported

Manifest Number:	003949178FLE
EPA ID:	NJD986615276
Date Shipped:	8/9/2011
TSDF EPA ID:	ARD069748192
Transporter EPA ID:	MAD039322250
Transporter 2 EPA ID:	MAD039322250
Transporter 3 EPA ID:	MAD039322250
Transporter 4 EPA ID:	MAD039322250
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H040
Quantity:	120.00 Pounds

Manifest Year:	Not reported
Waste Code:	D002
Hand Code:	H141
Quantity:	50.00 Pounds

NJPDES:

NJPDES Permit Number:	NJ0033499
Facility Telephone:	Not reported
Facility Contact:	Daniel Kuti
Facility Municipality:	North Brunswick Twp
Facility Enforcement region:	Not reported
Discharger Classification:	Not reported
Discharger Category Code:	RF
Document Status:	Approved
Facility Primary SIC code:	Not reported
Facility Ownership:	Not reported
Facility Discharge Basin code:	Not reported
Facility Discharge Basin name:	Not reported
Facility Lat/Long:	Not reported
Site X Coordinate:	493523
Site X Coordinate:	584882
Facility Lot number:	Not reported
Facility Block number:	Not reported
Permittee Name:	Not reported
Permittee Address:	Not reported
Permittee PO Box:	Not reported
Permittee City,St,Zip:	Not reported
Category Description:	Stormwater
Date Permit Application Received:	Not reported
Date Draft Permit Issued:	Not reported
Date Final Permit Issued:	Not reported
Date Final Permit Effective:	11/01/2014

AMTRAK MAINTENANCE OF WAY BASE (Continued) **1000543026**

Date Final Permit Expires: 10/31/2019
PI Number: 46067
Regional Office: Central
Permit Category: Not reported

61
South
1/2-1
0.971 mi.
5126 ft.

496 RIVA AVENUE
496 RIVA AVE
EAST BRUNSWICK TWP, NJ 08816

NJ SHWS **1010525072**
NJ NJEMS **N/A**
FINDS
ECHO

Relative:
Lower

Actual:
63 ft.

SHWS:
Site ID: 80194
Status: Closed
Home Owner: No
PI Number: G000041982

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

NJEMS:

Site Id:	80194
Municipality:	EAST BRUNSWICK TWP
Municipality Name From Spatial Overlay:	EAST BRUNSWICK TWP
GNIS Civil Code For Municipality:	882163
Municipal Code (NJ-1040):	1204
X Coord:	500668
Y Coord:	581232
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GIS Parcel Centroid
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1204
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105130
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105130060
Watershed Management Area Number From Spatial Overlay:	09
Watershed Management Area Name From Spatial Overlay:	Lower Raritan, South River, and Lawrence
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Lawrence Bk (Milltown to Church Lane)
Watershed Name From Spatial Overlay:	Lawrence Brook

FINDS:

Registry ID: 110032260531

Environmental Interest/Information System
NJ-NJEMS (New Jersey - New Jersey Environmental Management System).
The Department of Environmental Protection (NJDEP) manages large databases of environmental information in this integrated system.

ECHO:
Envid: 1010525072

496 RIVA AVENUE (Continued) **1010525072**

Registry ID: 110032260531
DFR URL: http://echo.epa.gov/detailed_facility_report?fid=110032260531

62
NE
1/2-1
0.978 mi.
5163 ft.

330 FRANKLIN ROAD
330 FRANKLIN RD
NORTH BRUNSWICK TWP, NJ

NJ SHWS **S113923104**
NJ Release **N/A**

Relative:
Lower

Actual:
106 ft.

SHWS:
Site ID: 521387
Status: Closed
Home Owner: Yes
PI Number: 654797

Detail As Of April 2012:
X Coord Site: Not reported
X Coord PI: Not reported
Y Coord Site: Not reported
Y Coord PI: Not reported

NJ Release:
Facility Type: Residential
Facility Phone: Not reported
Incident Date: 07/12/2013
Incident Time: Not reported
TD Log #: 482289
Case Number: 13-07-12-1131-10
Date Received: 07/12/2013
Nature of Incident: Not reported
Operator: Not reported
Incident Type: Underground Storage Tank
Incident Location: RESIDENTIAL
Location: Not reported
Other Location: Not reported
Contact Name: OWNER
Caller Name: Not reported
Caller Title: Not reported
Caller Address: Not reported
Caller City,St,Zip: Not reported
Caller Telephone: Not reported
Substance(s): Not reported
Substance Type: Not reported
Substance Identity: Not reported
CAS Number: Not reported
A310 Letter: Not reported
TCPA Chemical: Not reported
Hazrds Material: Not reported
COMU: Not reported
Ref. Code: Not reported
Amt Released: Not reported
Contained: Not reported
Release Type: Not reported
Release VE: Not reported
Injuries: No
Public Exposure: No
Facility Evacuation: No
Police at Scene: No

330 FRANKLIN ROAD (Continued) **S113923104**

Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	07/12/2013
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	BARBARA LOUIS
Incident Address:	330 FRANKLIN ROAD
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported

330 FRANKLIN ROAD (Continued) **S113923104**

Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

M63 **NJ SHWS** **S109306706**
NNW **1525 ROUTE 1 SOUTH** **NJ Release** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902**
0.987 mi.
5212 ft. **Site 1 of 2 in cluster M**

Relative:
Higher

Actual:
118 ft.

SHWS:

Site ID:	69069
Status:	Closed
Home Owner:	No
PI Number:	G000028409

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJ Release:

Facility Type:	Other
Facility Phone:	Not reported
Incident Date:	06/10/2015
Incident Time:	Not reported
TD Log #:	560646
Case Number:	15-06-10-0902-37
Date Received:	06/10/2015
Nature of Incident:	Not reported
Operator:	Not reported
Incident Type:	Soil Contamination
Incident Location:	ROUTE 1 AUTO SALES
Location:	Not reported
Other Location:	Not reported
Contact Name:	Not reported
Caller Name:	Not reported
Caller Title:	Not reported
Caller Address:	Not reported
Caller City,St,Zip:	Not reported
Caller Telephone:	Not reported
Substance(s):	Not reported
Substance Type:	Not reported
Substance Identity:	Not reported
CAS Number:	Not reported
A310 Letter:	Not reported
TCPA Chemical:	Not reported
Hazrds Material:	Not reported
COMU:	Not reported

(Continued) **S109306706**

Ref. Code:	Not reported
Amt Released:	Not reported
Contained:	Not reported
Release Type:	Not reported
Release VE:	Not reported
Injuries:	No
Public Exposure:	No
Facility Evacuation:	No
Police at Scene:	No
Firemen at Scene:	No
Contamination of:	Not reported
Receiving Water:	Not reported
Status at Spill:	Not reported
NJ Spill Date:	Not reported
NJ Spill Time:	Not reported
NJ Spill Name:	Not reported
NJ Spill Title:	Not reported
NJ Spill Phone:	Not reported
Other Date:	Not reported
Other Time:	Not reported
Other Name:	Not reported
Other Title:	Not reported
Other Telephone:	Not reported
Public Evacuation:	No
Assistance Requested:	Not reported
Wind Direction/Speed:	Not reported
Local Municipality Notified:	Not reported
Local Municipality Name:	Not reported
Local Municipality Title:	Not reported
Local Municipality Telephone:	Not reported
Local Municipality Date:	Not reported
Local Municipality Time:	Not reported
Incident Description:	Not reported
Incident Name:	Not reported
Incident Referred To:	Not reported
Incident Region:	Not reported
Incident Telephone:	Not reported
Incident Date:	Not reported
Incident time:	Not reported
Incident ITM:	Not reported
Comments: Not reported	
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Updated:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date:	Not reported
Rep Receive Date:	06/10/2015
Reporter Type:	Other
Reporter Name:	REDACTED
Reporter Title:	REDACTED
Reporter Org:	REDATED
Reporter Address:	Not reported
Reporter City,St,Zip:	Not reported
Reporter County:	Not reported
Incident Status:	Terminated
Incident Category:	Other
Incident Source:	ANDREW MONTI

(Continued) **S109306706**

Incident Address:	1525 ROUTE 1 SOUTH
Incident Address 2:	Not reported
Incident City,St,Zip:	North Brunswick Twp, NJ 08902
Incident County:	Middlesex
DEP Requested:	No
Confidential:	Not reported
Notify Type:	Not reported
Road Closed:	Not reported
Direction:	Not reported
Responsible Party:	Not reported
Responsible Party Name:	Not reported
Responsible Party Contact:	Not reported
Responsible Party Title:	Not reported
Responsible Party Phone:	Not reported
Responsible Party Street:	Not reported
Responsible Party County:	Not reported
Responsible Party City,St,Zip:	Not reported
Memo. Of Understanding:	Not reported
Drill/trng Exercise:	Not reported
Hazardous:	Not reported

M64 **NJDOT STATION 79 00** **NJ SHWS** **S113642813**
NNW **1525 RT 1** **NJ NJEMS** **N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902**
0.987 mi.
5212 ft. **Site 2 of 2 in cluster M**

Relative:
Higher

Actual:
118 ft.

SHWS:

Site ID:	500038
Status:	Active
Home Owner:	No
PI Number:	630170

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

NJEMS:

Site Id:	69069
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	497764
Y Coord:	591176
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GPS
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105110
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105110120
Watershed Management Area Number From Spatial Overlay:	10
Watershed Management Area Name From Spatial Overlay:	Millstone
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan

NJDOT STATION 79 00 (Continued) **S113642813**

Sub Watershed Name From Overlay:	Sixmile Run (above Middlebush Rd)
Watershed Name From Spatial Overlay:	Millstone River (below/incl Carnegie Lk)
Site Id:	500038
Municipality:	NORTH BRUNSWICK TWP
Municipality Name From Spatial Overlay:	NORTH BRUNSWICK TWP
GNIS Civil Code For Municipality:	882164
Municipal Code (NJ-1040):	1214
X Coord:	497804
Y Coord:	591221
Coord System:	NJ STATE PLANE (NAD83) - USFEET
Coord Type:	GPS
Coord Orign:	DEP-GIS
State Standard Numeric Code From Spatial Overlay:	1215
Unique Feature Number For Municipality From Spatial Overlay:	Not reported
Eleven Digit Hydrologic Unit Code From Spatial Overlay):	02030105110
Fourteen Digit Hydrologic Unit Code From Spatial Overlay:	02030105110120
Watershed Management Area Number From Spatial Overlay:	10
Watershed Management Area Name From Spatial Overlay:	Millstone
Water Region Code From Spatial Overlay:	2
Water Region Name From Spatial Overlay:	Raritan
Sub Watershed Name From Overlay:	Sixmile Run (above Middlebush Rd)
Watershed Name From Spatial Overlay:	Millstone River (below/incl Carnegie Lk)

---

65 **ADAMS LANE GARAGE** **NJ SHWS U000360065**
WNW **800 ADAMS LN** **NJ UST N/A**
1/2-1 **NORTH BRUNSWICK TWP, NJ 08902**
0.997 mi.
5265 ft.

Relative:
Higher

Actual:
113 ft.

SHWS:

Site ID:	46815
Status:	Closed
Home Owner:	No
PI Number:	010172

Detail As Of April 2012:

X Coord Site:	Not reported
X Coord PI:	Not reported
Y Coord Site:	Not reported
Y Coord PI:	Not reported

UST:

Facility ID:	010172

Contact:

Owner Name:	DOUG ROBERTSON
Organization:	NORTH BRUNSWICK TWP
Contact Type(UST Reg):	Facility Operator
Contact Address (UST Reg):	710 HERMANN RD
Contact Address 2 (UST Reg):	Not reported
Conact City,St,Zip (UST Reg):	North Brunswick Twp, NJ 08902
Owner Name:	ERIC CHASZAR
Organization:	NORTH BRUNSWICK TWP
Contact Type(UST Reg):	Tank Owner
Contact Address (UST Reg):	710 HERMANN RD

ADAMS LANE GARAGE (Continued) **U000360065**

Contact Address 2 (UST Reg): Not reported
Conact City,St,Zip (UST Reg): North Brunswick Twp, NJ 08902

Tanks:

Tank Id: TANK-1
Tank Number: E1
Tank Status: **Removed**
Tank Status Date: 04/13/1995
Install Date: 01/01/1987
Tank Contents: Medium Diesel Fuel (No. 2-D)
Tank Size: 10000
Tank Compliance: No
Overfill: No
Compliance Monitoring?: No
Overfill Protection: No
Spill Containment: No
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Tank Other
Tank/Pipe Construction Type: Pipe Other
Tank/Pipe Monitor: Pipe None
Tank/Pipe Monitor: Tank None

Tank Id: TANK-2
Tank Number: E2
Tank Status: **Removed**
Tank Status Date: 04/05/1995
Install Date: 01/01/1987
Tank Contents: Unleaded Gasoline
Tank Size: 10000
Tank Compliance: No
Overfill: No
Compliance Monitoring?: No
Overfill Protection: No
Spill Containment: No
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Pipe Other
Tank/Pipe Construction Type: Tank Other
Tank/Pipe Monitor: Pipe None
Tank/Pipe Monitor: Tank None

Tank Id: TANK-3
Tank Number: E3
Tank Status: **Removed**
Tank Status Date: 04/10/1995
Install Date: 01/01/1987
Tank Contents: Leaded Gasoline
Tank Size: 4000
Tank Compliance: No
Overfill: No
Compliance Monitoring?: No
Overfill Protection: No
Spill Containment: No
Tank Wellhead Protection: Not reported
Tank/Pipe Construction Type: Pipe Other

ADAMS LANE GARAGE (Continued) **U000360065**

Tank/Pipe Construction Type:	Tank Other
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-4
Tank Number:	E4
Tank Status:	**Removed**
Tank Status Date:	04/10/1995
Install Date:	01/01/1944
Tank Contents:	Medium Diesel Fuel (No. 2-D)
Tank Size:	2000
Tank Compliance:	No
Overfill:	No
Compliance Monitoring?:	No
Overfill Protection:	No
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Other
Tank/Pipe Construction Type:	Tank Other
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Tank Id:	TANK-5
Tank Number:	0005
Tank Status:	**Removed**
Tank Status Date:	04/25/1995
Install Date:	01/01/1944
Tank Contents:	Light Diesel Fuel (No. 1-D)
Tank Size:	4000
Tank Compliance:	No
Overfill:	No
Compliance Monitoring?:	No
Overfill Protection:	No
Spill Containment:	No
Tank Wellhead Protection:	Not reported
Tank/Pipe Construction Type:	Pipe Bare steel
Tank/Pipe Construction Type:	Tank Bare steel
Tank/Pipe Monitor:	Pipe None
Tank/Pipe Monitor:	Tank None

Count: 30 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
EAST BRUNSWICK	S106762529	BRITISH REALTY INCORPORATED	HARDENBURG RD	08816	NJ VCP
NEW BRUNSWICK	S112104550	IN AREA OF	RT 130 & RT 1		NJ Release
NORTH BRUNSWICK	S104725526	RASTALL OIL CO	RT 130 NORTH BOUND		NJ Release
NORTH BRUNSWICK	S104420041	IN FRONT OF RENAISSANCE BLD	RT 130		NJ Release
NORTH BRUNSWICK	S112129763	AREA OF	RT 130 S/B QUARRY LA		NJ Release
NORTH BRUNSWICK	S107114910	OIL WELL	RT 130 SOUTH		NJ Release
NORTH BRUNSWICK	S105351720	MIDDLESEX CNTY CORRECTION	RT 130		NJ Release
NORTH BRUNSWICK	S102193600	TRUMAN SALES	RT 130		NJ SPILLS, NJ Release
NORTH BRUNSWICK	S107114803	ON ROADWAY	RT 130/FARRINGTON BL		NJ Release
NORTH BRUNSWICK	S107131458	LIONS PLAZA-REAR PARKING LOT	RT 130/WASHINGTON		NJ Release
NORTH BRUNSWICK	S107123332	IN PARKING LOT	RT 1N & RT 130		NJ Release
NORTH BRUNSWICK	S108065279	OTKEN FARM (FORMER)	2051 & 2053 RTE 130	08902	NJ VCP
NORTH BRUNSWICK	S105317259	SHOPPING CENTER-RT 1 SOUTH	BEFORE RT 130 CIRCLE		NJ Release
NORTH BRUNSWICK	S107097785		NEAR ROUTE 130		NJ Release
NORTH BRUNSWICK	S107099105	MIDDLESEX ADULT CORRECTIO	OFF RT. 130		NJ Release
NORTH BRUNSWICK	S104437819	PATCH OF WOODS	OFF RT 130		NJ Release
NORTH BRUNSWICK	S107064637	K-D ELECTRICAL CONTRACTORS INC	2275 OLD GEORGES RD	08902	NJ VCP
NORTH BRUNSWICK	S107123823	SANSONE AUTO NETWORK	RT#1+RT#130		NJ Release
NORTH BRUNSWICK	S112129654	AREA OF	RT.130 SOUTHBOUND AT		NJ Release
NORTH BRUNSWICK	S112104416	AREA OF	WASHINGTON PL& RT 130		NJ Release
NORTH BRUNSWICK TWP	S109369032		RT 1 SB NEAR RT 130	08902	NJ Release
NORTH BRUNSWICK TWP	U003948032	NJDOT RTE 1/130 INTERSEC IMPROVEME	880 RT 130 NB	08902	NJ LUST, NJ UST
NORTH BRUNSWICK TWP	S113661275		ROUTE 130 SOUTH	08902	NJ Release
NORTH BRUNSWICK TWP	S113661263		RT 130 S.B. AND ADAMS LANE	08902	NJ Release
NORTH BRUNSWICK TWP	S118132503		RT 130 & INDEPENDANCE BLVD	08902	NJ Release
NORTH BRUNSWICK TWP	S118454266		ROUTE 130 NORTH	08902	NJ Release
NORTH BRUNSWICK TWP	S113661266		ROUTE 130 SB	08902	NJ Release
NORTH BRUNSWICK TWP	S116167469		RT 130 SB MM 80.33	08902	NJ Release
NORTH BRUNSWICK TWP	S113922915		OFF ROUTE 130 / RIVA PLACE	08902	NJ Release
NORTH BRUNSWICK TWP	S107915923	K D ELECTRICAL CONTRACTORS INCORPO	2275 OLD GEORGES RD	08902	NJ SHWS, NJ HIST HWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/13/2015
Date Data Arrived at EDR: 01/06/2016
Date Made Active in Reports: 05/20/2016
Number of Days to Update: 135

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 07/06/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015
Date Data Arrived at EDR: 05/29/2015
Date Made Active in Reports: 06/11/2015
Number of Days to Update: 13

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 05/16/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/10/2015
Date Data Arrived at EDR: 09/11/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 53

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/25/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/10/2015
Date Data Arrived at EDR: 09/11/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 53

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/25/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/28/2016
Date Data Arrived at EDR: 03/30/2016
Date Made Active in Reports: 05/20/2016
Number of Days to Update: 51

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 06/28/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Known Contaminated Sites in New Jersey

The Known Contaminated Sites in New Jersey includes sites under the purview of the Site Remediation Program which have contamination present at levels greater than the applicable cleanup criteria for soil and/or groundwater standards. The sites appearing in Known Contaminated Sites in New Jersey are classified as either active, where the site is assigned to a specific remedial program area, or pending, where the site is awaiting assignment to a specific remedial program area. Sites where no further action (NFA) designation has been given are not included in this report unless there are other areas of identified contamination which have not been remediated. This report includes sites being remediated under all of the various regulatory programs administered by the Site Remediation Program such as: Federal Superfund Program, Federal Resource Conservation and Recovery Act (RCRA), New Jersey's Industrial Site Recovery Act (ISRA), New Jersey's Underground Storage of Hazardous Substances Act, New Jersey's Spill Compensation and Control Act, New Jersey's Solid Waste Management Act, New Jersey's Water Pollution Control Act.

Date of Government Version: 03/04/2016
Date Data Arrived at EDR: 03/07/2016
Date Made Active in Reports: 04/13/2016
Number of Days to Update: 37

Source: New Jersey Department of Environmental Protection
Telephone: 609-292-8761
Last EDR Contact: 05/24/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

HWS RE-EVAL: Site Re-Evaluation Report

The locations were removed from the Known Contaminated Sites list for a variety of reasons. Some of the sites were taken off the list because they were inactive, some were not assigned a case worker and some were no longer contaminated. Inspectors from the DEP are now undertaking a full re-evaluation of each of the locations statewide. That includes visual and environmental tests to see whether contamination still exists.

Date of Government Version: 09/20/2007
Date Data Arrived at EDR: 10/12/2007
Date Made Active in Reports: 12/03/2007
Number of Days to Update: 52

Source: Department of Environmental Protection
Telephone: 609-984-3081
Last EDR Contact: 05/20/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: No Update Planned

HIST HWS: Known Contaminated Sites Listing

The Known Contaminated Sites in New Jersey report is a municipal listing of sites where contamination of soil and/or ground water is confirmed at levels greater than the applicable cleanup criteria or standards. Remedial activities are underway or required at the sites with an on-site source(s) of contamination and at locations where the source(s) of contamination is unknown. Sites with completed remedial work that require engineering and/or institutional controls have reporting measures in place to ensure the effectiveness of past actions, and some include maintenance and/or monitoring

Date of Government Version: 05/09/2008
Date Data Arrived at EDR: 11/14/2008
Date Made Active in Reports: 11/26/2008
Number of Days to Update: 12

Source: Department of Environmental Protection
Telephone: 209-292-2943
Last EDR Contact: 03/16/2009
Next Scheduled EDR Contact: 06/15/2009
Data Release Frequency: No Update Planned

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Facility Directory

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/01/2015
Date Data Arrived at EDR: 05/06/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 41

Source: Department of Environmental Protection
Telephone: 609-984-6741
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST: UST Active Remediation Sites Listing

A listing of regulated Underground Storage Tanks that have a cleanup underway.

Date of Government Version: 02/23/2016
Date Data Arrived at EDR: 02/25/2016
Date Made Active in Reports: 04/13/2016
Number of Days to Update: 48

Source: New Jersey Department of Environmental Protection
Telephone: 609-292-8761
Last EDR Contact: 05/25/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015
Date Data Arrived at EDR: 10/29/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 67

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 02/17/2016
Date Data Arrived at EDR: 04/27/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 37

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 01/07/2016
Date Data Arrived at EDR: 01/08/2016
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 41

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/25/2016
Date Data Arrived at EDR: 04/27/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 37

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/09/2015
Date Data Arrived at EDR: 02/12/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 112

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/13/2015
Date Data Arrived at EDR: 10/23/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 118

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 12/11/2015
Date Data Arrived at EDR: 02/19/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 105

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 02/05/2016
Date Data Arrived at EDR: 04/29/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 35

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

HIST LUST: Historical Leaking USTs
This listing is no longer updated or maintained by the DEP.

Date of Government Version: 09/17/2002
Date Data Arrived at EDR: 01/27/2006
Date Made Active in Reports: 02/08/2006
Number of Days to Update: 12

Source: Department of Environment Protection
Telephone: 609-292-8761
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/24/2016
Data Release Frequency: Varies

UST: Underground Storage Tank Data
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 02/25/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

MAJOR FACILITIES: List of Major Facilities

Major facilities means all facilities, located on one or more contiguous or adjacent properties owned or operated by the same person, having total combined storage capacity of 20,000 gallons or more for hazardous substances other than petroleum or petroleum products, or 200,000 gallons or more for hazardous substances of all kinds.

Date of Government Version: 05/04/2016
Date Data Arrived at EDR: 05/10/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 37

Source: Department of Environmental Protection
Telephone: 609-292-1690
Last EDR Contact: 07/11/2016
Next Scheduled EDR Contact: 10/24/2016
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 01/07/2016
Date Data Arrived at EDR: 01/08/2016
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 41

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/25/2016
Date Data Arrived at EDR: 04/27/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 37

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/29/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 67

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 02/05/2016
Date Data Arrived at EDR: 04/29/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 35

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015
Date Data Arrived at EDR: 11/13/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 52

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 12/03/2015
Date Data Arrived at EDR: 02/04/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 120

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 65

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 01/26/2016
Date Data Arrived at EDR: 02/05/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 119

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

ENG CONTROLS: Declaration Environmental Restriction/Deed Notice Sites

Legal Document that restricts the use of contaminated property; holds owner(s) to the regulatory/statutory requirements for cleanup.

Date of Government Version: 03/14/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

INST CONTROL: Classification Exception Area Sites

A Classification Exception Area is an institutional control providing notice that ground water contamination exists in a particular location above State standards.

Date of Government Version: 03/14/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Sites

Through the VCP, responsible parties, developers, local officials, or individuals may work with the department to remediate non-priority contaminated sites that pose no immediate threat to human health or the environment.

Date of Government Version: 04/06/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 07/01/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 07/01/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Varies

PF: Publicly Funded Cleanups Site Status Report

The report focuses on publicly funded cleanups and features progress achieved and underway at all sites that are being addressed by the NJDEP with public funds.

Date of Government Version: 12/31/2003
Date Data Arrived at EDR: 04/25/2005
Date Made Active in Reports: 05/06/2005
Number of Days to Update: 11

Source: Department of Environmental Protection
Telephone: 609-292-9418
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Database

Brownfields are identified as former or current commercial or industrial use sites that are presently vacant or underutilized, on which there is suspected to have been a discharge of a contamination to the soil or groundwater at concentrations greater than applicable cleanup criteria.

Date of Government Version: 01/28/2016
Date Data Arrived at EDR: 01/29/2016
Date Made Active in Reports: 03/14/2016
Number of Days to Update: 45

Source: Department of Environmental Protection
Telephone: 609-292-1251
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 03/21/2016
Date Data Arrived at EDR: 03/22/2016
Date Made Active in Reports: 07/13/2016
Number of Days to Update: 113

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/22/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

NON OP LF: Non-Operating Landfills

The landfills described in this document are non-operating and historic landfills identified by, or reported to, the Department. Working with local and regional environmental agencies, community representatives, and through review of historic materials the Site Remediation Program is developing this inventory to prevent injury to human and ecological resources.

Date of Government Version: 06/26/2008
Date Data Arrived at EDR: 09/30/2010
Date Made Active in Reports: 10/15/2010
Number of Days to Update: 15

Source: Department of Environmental Protection
Telephone: 609-984-6650
Last EDR Contact: 06/16/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Varies

SWRCY: Approved Class B Recycling Facilities

"Class B recyclable material" means a source separated recyclable material which is subject to Department approval prior to receipt, storage, processing or transfer at a recycling center in accordance with N.J.S.A. 13:1E-99.34b.

Date of Government Version: 11/02/2015
Date Data Arrived at EDR: 11/08/2015
Date Made Active in Reports: 12/16/2015
Number of Days to Update: 38

Source: Department of Environmental Protection
Telephone: 609-984-6650
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

HIST LF: Solid Waste Facility Directory

Old or non-permitted solid waste facilities/landfills that are not included in the current solid waste facilities/landfills database.

Date of Government Version: 06/10/2003
Date Data Arrived at EDR: 02/19/2004
Date Made Active in Reports: 03/09/2004
Number of Days to Update: 19

Source: Department of Environmental Protection
Telephone: 609-984-6880
Last EDR Contact: 02/19/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: No Update Planned

Local Lists of Hazardous waste / Contaminated Sites

NJEMS: New Jersey Environmental Management System

NJEMS Sites are points representing sites regulated by NJDEP under one or more regulatory permitting or enforcement programs, or sites that are otherwise of some interest to a NJDEP program. Program interests included in NJEMS are: Air, Communications Center, Discharge Prevention, Exams and Licensing, Fish Game and Wildlife, Green Acres, Hazardous Waste, Lab Certification, Land Use, Landscape Irrigation, Parks and Forestry, Pesticides, Pinelands, Planning, Radiation, Right-to-Know, Site Remediation, Soil Conservation, Solid Waste, TCPA, Water Quality, Water Supply, and Watershed Management.

Date of Government Version: 02/13/2016
Date Data Arrived at EDR: 04/14/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 63

Source: Department of Environmental Protection
Telephone: 609-633-1208
Last EDR Contact: 05/20/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/04/2016
Date Data Arrived at EDR: 06/03/2016
Date Made Active in Reports: 07/13/2016
Number of Days to Update: 40

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/31/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/04/2016
Date Data Arrived at EDR: 06/03/2016
Date Made Active in Reports: 07/13/2016
Number of Days to Update: 40

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/31/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Quarterly

Local Land Records

LIENS: Environmental LIENS

A listing of properties with environmental liens. The listing includes sites from the Site Remediation & Waste Management Program Sites where the Department has placed either a 1st Priority or Regular Spill Fund Lien against. 1st Priority Type Lien - a lien placed against the property where the discharged occurred providing that the owners of the property have some responsibility towards the discharge. First Priority Lien is superior to other types of liens. Non-Priority (Regular) Type Lien - a lien placed against the Responsible Party & their revenues and all real and personal property, other than the real property comprising the location of the discharge.

Date of Government Version: 03/14/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/16/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014
Date Data Arrived at EDR: 03/18/2014
Date Made Active in Reports: 04/24/2014
Number of Days to Update: 37
Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2015
Date Data Arrived at EDR: 06/26/2015
Date Made Active in Reports: 09/02/2015
Number of Days to Update: 68
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 06/28/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Annually

NJ Release: Hazardous Material Incident Database

Hazardous material release. Initial notification information reported to the Department of Environmental Protection's Environmental Action Line and the office has not conducted any investigations to determine its validity or accuracy.

Date of Government Version: 02/25/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Semi-Annually

NJ Spills: Spills

Initial notification information of hazardous material incidents, where there is land contamination, reported to the Department of Environmental Protection's Environmental Action Line. The DEP has not conducted any investigation to determine its validity or accuracy.

Date of Government Version: 02/25/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62
Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Annually

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/15/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/11/2013
Number of Days to Update: 39
Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 09/02/1997
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/06/2013
Number of Days to Update: 62

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 06/30/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Varies

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 06/10/2016
Next Scheduled EDR Contact: 09/19/2016
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 05/20/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/01/2015
Date Data Arrived at EDR: 09/03/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 05/18/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/12/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 01/15/2015
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 14

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/24/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 133
Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 05/24/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77
Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74
Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 06/07/2016
Next Scheduled EDR Contact: 09/19/2016
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2015
Date Data Arrived at EDR: 08/26/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 69
Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35
Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013
Date Data Arrived at EDR: 10/17/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 3
Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 05/12/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 10/15/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 33
Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/12/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015
Date Data Arrived at EDR: 02/06/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 31
Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/24/2016
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 05/20/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 05/20/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 03/18/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 28
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 06/09/2016
Next Scheduled EDR Contact: 09/19/2016
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/10/2016
Next Scheduled EDR Contact: 09/19/2016
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/07/2015
Date Data Arrived at EDR: 07/09/2015
Date Made Active in Reports: 09/16/2015
Number of Days to Update: 69
Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 07/07/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 04/17/2015
Date Made Active in Reports: 06/02/2015
Number of Days to Update: 46

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/24/2015
Date Made Active in Reports: 09/30/2015
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 05/27/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/11/2016
Date Data Arrived at EDR: 03/15/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 80

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 07/08/2016
Next Scheduled EDR Contact: 10/17/2016
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 06/22/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 06/22/2016
Next Scheduled EDR Contact: 10/10/2016
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 44

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 06/02/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 06/03/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 06/03/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/20/2015
Date Data Arrived at EDR: 09/09/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 55

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 06/08/2016
Next Scheduled EDR Contact: 09/19/2016
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 10/25/2015
Date Data Arrived at EDR: 01/29/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 67

Source: Department of Defense
Telephone: 571-373-0407
Last EDR Contact: 06/20/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 03/01/2016
Date Data Arrived at EDR: 03/03/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 05/25/2016
Next Scheduled EDR Contact: 09/12/2016
Data Release Frequency: Varies

AIRS: Emissions Inventory Listing

An emission inventory is an estimate of air pollutant emissions in a given area. Emission inventories are fundamental building blocks used to develop air quality control strategies on a local, regional and national level. Emission inventories are also used to estimate the progress of an air quality program.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 08/07/2015
Date Made Active in Reports: 09/15/2015
Number of Days to Update: 39

Source: Department of Environmental Protection
Telephone: 609-984-5483
Last EDR Contact: 05/02/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

CHROME: Chromate Chemical Production Waste Sites
Known chromate chemical production waste sites.

Date of Government Version: 09/17/2009
Date Data Arrived at EDR: 11/23/2009
Date Made Active in Reports: 12/16/2009
Number of Days to Update: 23

Source: Department of Environmental Protection
Telephone: 609-984-4071
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

COAL ASH: Coal Ash Listing
Coal combustion survey ash listing.

Date of Government Version: 05/10/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/28/2010
Number of Days to Update: 47

Source: Department of Environmental Protection
Telephone: 609-984-6985
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner List
A listing of registered drycleaners.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 02/12/2016
Date Made Active in Reports: 04/13/2016
Number of Days to Update: 61

Source: Department of Environmental Protection
Telephone: 609-292-2795
Last EDR Contact: 06/06/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

Financial Assurance: Financial Assurance Information Listing
Financial Assurance information.

Date of Government Version: 03/14/2016
Date Data Arrived at EDR: 04/15/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 62

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 05/23/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Semi-Annually

GW CONTAM AREAS: Groundwater Contamination Areas
This data identifies those sites where groundwater contamination has been identified and, where appropriate, the NJDEP has established a Classification Exception Area (CEA). CEAs are institutional controls in geographically defined areas within which the New Jersey Ground Water Quality Standards (NJGWQS) for specific contaminants have been exceeded. When a CEA is designated for an area, the constituent standards and designated aquifer uses are suspended for the term of the CEA. This data layer contains information about areas in the state which are specified as the Currently Known Extent (CKE) of ground water pollution. CKE areas are geographically defined areas within which the local ground water resources are known to be compromised because the water quality exceeds drinking water and ground water quality standards for specific contaminants.

Date of Government Version: 11/27/2015
Date Data Arrived at EDR: 12/22/2015
Date Made Active in Reports: 03/14/2016
Number of Days to Update: 83

Source: Department of Environmental Protection
Telephone: 609-777-0672
Last EDR Contact: 06/21/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Varies

HIST MAJOR FACILITIES: List of Major Facilities
Major facilities means all facilities, located on one or more contiguous or adjacent properties owned or operated by the same person, having total combined storage capacity of 20,000 gallons or more for hazardous substances other than petroleum or petroleum products, or 200,000 gallons or more for hazardous substances of all kinds. This file contains detail information that is no longer available by the Department of Environmental Protection due to security concerns.

Date of Government Version: 01/02/2002
Date Data Arrived at EDR: 01/11/2006
Date Made Active in Reports: 01/11/2006
Number of Days to Update: 0

Source: Department of Environmental Protection
Telephone: 609-633-7476
Last EDR Contact: 02/02/2009
Next Scheduled EDR Contact: 05/04/2009
Data Release Frequency: No Update Planned

ISRA: ISRA Database

The ISRA process begins with determining if the Act applies to your type of business and transaction. The provisions of ISRA only apply to industrial establishments. What is an industrial establishment? The term "industrial establishment" refers to the type of business operations and transactions that would subject a facility to review under ISRA. An industrial establishment must meet each of the following three criteria: The place of business or real property at which such business is conducted, having a North American Industry Classification System (NAICS) code listed in N.J.A.C. 7:26 B - Appendix C subject to the specified exceptions and limitations. The place of business must have been engaged in operations on or after December 31, 1983; and The place of business must involve the generation, manufacture, refining, transportation, treatment, storage, handling, or disposal of hazardous substances or hazardous wastes.

Date of Government Version: 03/23/2016
Date Data Arrived at EDR: 04/29/2016
Date Made Active in Reports: 06/16/2016
Number of Days to Update: 48

Source: Department of Environmental Protection
Telephone: 609-984-3081
Last EDR Contact: 06/20/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Quarterly

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/17/2015
Date Made Active in Reports: 08/12/2015
Number of Days to Update: 26

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/11/2016
Next Scheduled EDR Contact: 10/24/2016
Data Release Frequency: Annually

NJPDES: New Jersey Pollutant Discharge Elimination System Dischargers

The NJPDES contains the names, addresses and other information of all permitted New Jersey Pollutant Discharge Elimination Sytem dischargers.

Date of Government Version: 02/17/2016
Date Data Arrived at EDR: 02/18/2016
Date Made Active in Reports: 04/13/2016
Number of Days to Update: 55

Source: Department of Environmental Protection
Telephone: 609-984-4428
Last EDR Contact: 05/19/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: Varies

UIC: Underground Injection Wells Database

A listing of underground injection well locations. The UIC Program is responsible for regulating the construction, operation, permitting, and closure of injection wells that place fluids underground for storage or disposal.

Date of Government Version: 01/09/2009
Date Data Arrived at EDR: 02/25/2009
Date Made Active in Reports: 03/11/2009
Number of Days to Update: 14

Source: Department of Environmental Protection
Telephone: 609-292-0407
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/24/2016
Date Data Arrived at EDR: 05/25/2016
Date Made Active in Reports: 07/13/2016
Number of Days to Update: 49

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 05/25/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/20/2015
Date Data Arrived at EDR: 09/23/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 103

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 06/22/2016
Next Scheduled EDR Contact: 10/03/2016
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: New Jersey Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: New Jersey Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: New Jersey Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 05/13/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/01/2016
Date Data Arrived at EDR: 05/06/2016
Date Made Active in Reports: 06/17/2016
Number of Days to Update: 42

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/24/2015
Date Made Active in Reports: 08/18/2015
Number of Days to Update: 25

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/06/2016
Next Scheduled EDR Contact: 09/05/2016
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 05/02/2016
Date Data Arrived at EDR: 05/24/2016
Date Made Active in Reports: 07/13/2016
Number of Days to Update: 50

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 04/14/2016
Date Made Active in Reports: 06/03/2016
Number of Days to Update: 50

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/13/2016
Next Scheduled EDR Contact: 09/26/2016
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Center Listings
Source: Department of Human Services
Telephone: 609-292-1018

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory
Source: Department of Environmental Protection
Telephone: 609-984-2243

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

NORTH BRUNSWICK GULF
1696 ROUTE 130
NORTH BRUNSWICK, NJ 08902

TARGET PROPERTY COORDINATES

Latitude (North):	40.443325 - 40° 26' 35.97''
Longitude (West):	74.471125 - 74° 28' 16.05''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	544852.6
UTM Y (Meters):	4476887.0
State Plane X (Feet):	500161.3
State Plane Y (Feet):	586403.7
Elevation:	108 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	6049404 NEW BRUNSWICK, NJ
Version Date:	2014

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 108 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County	FEMA Flood Electronic Data
MIDDLESEX, NJ	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 34023C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
NEW BRUNSWICK	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1 - 2 Miles NW
Site Name:	Okonite Co.
Site EPA ID Number:	NJD002152205
Groundwater Flow Direction:	South-Southwest
Inferred Depth to Water:	1.5 feet.
Hydraulic Connection:	Information is not available about the hydraulic connection between the surficial and lower aquifer(s).
Sole Source Aquifer:	A sole source aquifer is not persent at or near the site
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Mesozoic
System:	Triassic
Series:	Triassic
Code:	Tr *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 4674141.2s



SITE NAME:	North Brunswick Gulf	CLIENT:	On-Site Environmental
ADDRESS:	1696 Route 130 North Brunswick NJ 08902	CONTACT:	Frank Jasiulewicz
LAT/LONG:	40.443325 / 74.471125	INQUIRY #:	4674141.2s
		DATE:	July 14, 2016 7:12 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Nixon variant

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 76 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
2	7 inches	16 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
3	16 inches	29 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
4	29 inches	37 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
5	37 inches	59 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42.34 Min: 14.11	Max: 5.5 Min: 3.6

Soil Map ID: 2

Soil Component Name: Fallsington variant

Soil Surface Texture: loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	5 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
2	5 inches	25 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 1.41 Min: 0.42	Max: 5.5 Min: 3.6
3	25 inches	29 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
4	29 inches	59 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 141.14 Min: 14.11	Max: 5.5 Min: 3.6

Soil Map ID: 3

Soil Component Name: Nixon

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
2	7 inches	11 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
3	11 inches	29 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
4	29 inches	40 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42.34 Min: 14.11	Max: 5.5 Min: 3.6
5	40 inches	59 inches	stratified loamy sand to gravelly sandy loam to sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42.34 Min: 14.11	Max: 5.5 Min: 3.6

Soil Map ID: 4

Soil Component Name: Sassafras

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	11 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42.34 Min: 4.23	Max: 7 Min: 3.6
2	11 inches	18 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42.34 Min: 4.23	Max: 6.5 Min: 3.6
3	18 inches	27 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 1.41	Max: 6.5 Min: 3.6
4	27 inches	40 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 14.11	Max: 6 Min: 3.6
5	40 inches	57 inches	sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 14.11	Max: 5.5 Min: 3.6
6	57 inches	79 inches	sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141.14 Min: 14.11	Max: 5.5 Min: 3.6

Soil Map ID: 5

Soil Component Name: Nixon variant

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 76 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	29 inches	37 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
2	37 inches	59 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42.34 Min: 14.11	Max: 5.5 Min: 3.6
3	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
4	7 inches	16 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
5	16 inches	29 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 4674141.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data

SITE NAME:	North Brunswick Gulf	CLIENT:	On-Site Environmental
ADDRESS:	1696 Route 130 North Brunswick NJ 08902	CONTACT:	Frank Jasiulewicz
LAT/LONG:	40.443325 / 74.471125	INQUIRY #:	4674141.2s
		DATE:	July 14, 2016 7:12 pm

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NJ Radon

Radon Test Results

City	Num Tests	# > 4 pCi/L	% > pCi/L
CARTERET BORO	939	20	2.000
CRANBURY TWP	987	124	13.000
DUNELLEN BORO	720	10	1.000
EAST BRUNSWICK TWP	7722	445	6.000
EDISON TWP	5549	705	13.000
HELMETTA BORO	142	13	9.000
HIGHLAND PARK BORO	1757	677	39.000
JAMESBURG BORO	988	161	16.000
METUCHEN BORO	2006	265	13.000
MIDDLESEX BORO	1626	158	10.000
MILLTOWN BORO	912	57	6.000
MONROE TWP	1513	219	14.000
NEW BRUNSWICK CITY	1811	348	19.000
NORTH BRUNSWICK TWP	4154	903	22.000
OLD BRIDGE TWP	2122	61	3.000
PERTH AMBOY CITY	713	10	1.000
PISCATAWAY TWP	4405	1177	27.000
PLAINSBORO TWP	1893	283	15.000
SAYREVILLE BORO	2562	82	3.000
SOUTH AMBOY CITY	503	14	3.000
SOUTH BRUNSWICK TWP	4256	852	20.000
SOUTH PLAINFIELD BOR	1387	152	11.000
SOUTH RIVER BORO	1162	38	3.000
SPOTSWOOD BORO	840	20	2.000
WOODBRIDGE TWP	3945	267	7.000

Federal EPA Radon Zone for MIDDLESEX County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for MIDDLESEX COUNTY, NJ

Number of sites tested: 735

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.850 pCi/L	95%	5%	0%
Basement	1.680 pCi/L	84%	16%	1%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory
Source: Department of Environmental Protection
Telephone: 609-984-2243

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New Jersey Public-Community Water-Supply Wells
Source: Department of Environmental Protection, Geological Survey
Telephone: 609-984-6587

New Jersey Monitoring Wells
Source: Department of Environmental Quality
Telephone: 609-984-6587
Ambient Groundwater Quality of the New Jersey Part of the Newark Basin. Natural groundwater quality in the Newark Basin summarize natural groundwater quality in sedimentary bedrock formations of the Newark basin part of the Piedmont physiographic province of New Jersey.

OTHER STATE DATABASE INFORMATION

RADON

State Database: NJ Radon
Source: Department of Environmental Protection
Telephone: 609-984-5425
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX F

CITY DIRECTORY ABSTRACT

Appendix F

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.14
July 15, 2016

The EDR-City Directory Image Report

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

Year	Target Street	Cross Street	Source
2013	☑	☐	Cole Information Services
2008	☑	☐	Cole Information Services
2003	☑	☐	Cole Information Services
1999	☑	☐	Cole Information Services
1995	☑	☐	Cole Information Services
1992	☑	☐	Cole Information Services
1986	☑	☐	City's City Directory
1981	☑	☐	City's City Directory
1976	☑	☐	City's City Directory
1971	☑	☐	City's City Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

1696 Route 130
North Brunswick, NJ 08902

Year	*CD Image*	*Source*
US HIGHWAY 130		
2013	pg A2	Cole Information Services
2008	pg A4	Cole Information Services
2003	pg A6	Cole Information Services
1999	pg A8	Cole Information Services
1995	pg A9	Cole Information Services
1992	pg A11	Cole Information Services
1986	pg A13	City's City Directory
1986	pg A14	City's City Directory
1981	pg A15	City's City Directory
1976	pg A16	City's City Directory
1976	pg A17	City's City Directory
1971	pg A18	City's City Directory

FINDINGS

CROSS STREETS

No Cross Streets Identified

City Directory Images

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 2013

1520	BRUNSWICK PRIMARY CARE NORTH
	C Y KAMATH MD
	MEADOWBROOK INC
	NUMBERS ONLY
	SARODE SATYESWARA MD
	SPECIALTY SURGICAL CENTER
	WOLF ANDREW R
	WOLF LAW FIRM LLC THE
1551	KINGS BARN
	KINGSBORN AUTO REPAIR
	LOCKSMITH
1562	DIKSIES DIMIAN ATTORNEY
	DIMIAN DIKSIES
	N A M I NEW JERSEY NATIONAL ALLIANCE
	SHERIF F KHALIL ATTORNEY AT LAW
1564	BERKE TSIPPORA DMD
	BRUNSWICK REGIONAL DENTAL GROUP
	FRANTA DANIEL DMD
1566	BACH MATTHEW T LAW OFFICES OF
1570	CUSTOM CARE SERVICES INC
1572	BRATEK RONALD F CPA
	OCCUPANT UNKNOWN
1574	BAGEL ONE
	JM NAILS PLA LETTER POSITION
	NAQUI MEHDI MD
1576	FRIED STEPHANI MA
	LIFTMAN BEVERLY E
	TARELLA & LIFTMAN ATTORNEY
1582	GLORIA ZASTKO REALTORS
1584	HAHN FREDERICK B
1588	BRADSTREET CLINICAL RESEARCH ASSOCIA
	NORTHEAST SOLUTIONS
1594	DIGITAL DATA RESOURCES LLC
	SELLARI CHIROPRACTIC CENTER DC
1598	NORTH BRUNSWICK PEDIATRICS
	OCCUPANT UNKNOWN
1600	EXCEL BERGER DENTAL LABORATORY
1609	FARRINGTON INN
	RUSTY NAIL THE
1610	CHINA SEA BISTRO
	TRULY LAUNDROMAT
1626	DEES FLOWERS & GIFTS
	DELHAYE FREDERIQUE MD
	H & S DENTAL LABORATORY
	INNER LIGHT YOGA CENTER LLC
	LEONES ITALIAN RESTAURANT & PIZZERI
	MOSAIC SALON & DAY SPA
	PAPA JOHNS PIZZA
	PNF ACCOUNTING LLC
	PRUDENTIAL

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 2013 (Cont'd)

1626	SHAPIRO MARSHA LCSW BCD
	THEODORE DRAGICH
	VIEW A MIRACLE
	ZIEMBA ARACELI E DMD
1648	BRUNSWICK FOOT & ANKLE GROUP
	CHIROPRACTIC CLINIC OF NORTH BRUNSWI
	DUBIN BRIAN C DMD
	EXCALIBUR BROKERAGE AGENCY
	FINK ROBERT L DPM
	FROMKIN WILLIAM D DDS
	LAWRENCE BRENT
	MOLESKI DAVID G DR
	NORTH BRUNSWICK TOWNSHIP HIGH SCHOOL
	OMAN K W DR CHIR
1660	ULYSSES GONZALEZ
1670	OCCUPANT UNKNOWN
1674	ASHESH VAGHANI
	QUICK OUT FOOD STORE
1696	BRUNSWICK AUTO CRAFT LLC
	HARE KRISHNA FUEL INC
1700	JAY AUTO SERVICE INC
1709	CHILD CARE
	COMMITTED HANDS CHILD CARE
	FRIENDLY RENTAL CENTERS
	RESTORATION CHRISTIAN MINISTRIES
1710	ALL COUNTY GLASS
	AUTO & PLATE GLASS PROFESSIONALS
	ENTERPRISE RENTACAR
	RAPID BAIL BONDS
	SPOTLESS CAR WASH
1727	AUTHORIZED INSINKERATOR SALES & SE
	BOSS TUXEDOS & BRIDAL WEDDING CENTER
	GALLERY SALON FOR HAIR SKIN & NAILS
	ORIENTAL THERAPY SPA
	REDMONDS APPLIANCE SALES & SERVICE
	SAMUEL M SILVER LLC
1740	OUR LADY OF PEACE CHURCH PARISH CENT
1760	OCCUPANT UNKNOWN

US HIGHWAY 130 2008

1520	GALEX & WOLF LLC
	KSOFT SYSTEM INC
	NORTH BRUNSWICK PRIMARY CARE PC
	NUMBERS ONLY INC
	RENAISSANCE DENTAL CARE LLC
	V VEETTIL KRIPA MD
1551	KINGSBORN AUTO LLC
	OIL WELL INC
	OIL XPRESS LLC
1562	MINA F DIKSIES ATTORNEY AT LAW LLC
	N A M I NATIONAL ALLIANCE ON MENTAL
	NAMI NEW JERSEY
1564	BRUNSWICK REGIONAL DENTAL GROUP
1566	LAW OFFICES OF MATTHEW T BACH
1572	PRISON FELLOWSHIP MINISTRIES
	RONALD BRATEK CPA
	YAN LIN
1574	BAGEL 1
	NASREEN NAQUI MD
1576	FRIED STEPHANI MA
	TARELLA & LIFTMAN
1580	NAIL PARLOR
1582	GLORIA ZASTKO REALTORS
1584	PARK PHYSICAL THERAPY
1588	BRADSTREET CLINICAL RESEARCH
1592	SOFTWARE QUALITY SOLUTIONS INC
	STEVEN WEINSTEIN
1594	DIGITAL DATA RESOURCES LTD LIABILITY
	EITE PROVIDERS LIMITED LIABILITY CO
	SELLARI CHIROPRACTIC CENTER LLC
1598	KATZ MELVIN MD
	NORTH BRUNSWICK PEDIATRIC
	RICHARD COHEN MELVIN KATZ MICHAEL SE
1600	EXCEL BERGER DENTAL LAB INC
1609	FARMINGTON INN
1610	JM NAILS
1626	ARACELI E ZIEMBA DMD
	ARACELI ZIEMBA
	BOCA SALONS & DAY SPA
	DEES FLOWERS & GIFTS
	DIRECT NETWORK INC
	FREDERIQUE DELHAYE
	INNER LIGHT YOGA CENTER LLC
	LA BONBONNIERE BAKE SHOPPE
	LIONS LIQUOR INC
	MARGIOLI INC
	MARSHA SHAPIRO
	MDPC DELHAYE FREDERIQUE
	MERAMID MORTGAGE LLC
	NATIONAL SENIOR ADVISORY COUNS

US HIGHWAY 130 2008 (Cont'd)

1626	PNF ACCOUNTING LLC
	SHAPIRO MARSHA LCSW
	SUNG DENTAL LABORATORY
	THREE PHASE ELECTRIC INC
	VIEW A MIRACLE
1648	BRIAN C DUBIN DDS
	BRIAN DUBIN
	BRUNSWICK FOOT & ANKLE GROUP
	EXCALIBUR BROKERAGE AGENGY
	FINK ROBERT L DPM
	FROMKIN WILLIAM D DDS
	THOMAS F COLLINS
	WILLIAM FROMKIN
1660	MILAGROS SORIANOS
1670	ALFRED ALZHEIMER
1674	NEBA INC
	QUICK OUT FOOD STORE
	VALET DRY CLEANERS
1696	AVIS
	AVIS RENT A CAR
	SHREERAM GAS INC
1700	JAY AUTO SERVICE INC
1709	CURLY B CORP
	FRIENDLY RENTAL CENTER
	PARTY PLACE
1710	ENTERPRISE RENT A CAR
1727	ALL AMERICAN APPLIANCE PARTS WHSE
	BOSS TUXEDO II INC
	MODERN APPLIANCE REPAIR INC
	REDMONDS APPLIANCES SALES & SERVICE
	SAMUAL SILVER LLC
	SYNERGY BANK
1760	ALBERT TONKENS
1777	CLIFFORD PROCTOR

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 2003

1520	DAROUICHE EL-GHOUL
1551	AMERICAN EAGLE AUTO SERVICE INC
	EAGLE AUTO REPAIR INC
	OIL WELL INC
1562	NAMI NEW JERSEY
	NEW JERSEY ALLIANCE
	TRICORE TECHNOLOGIES INC
1564	BRUNSWICK REGIONAL DNTL GROUP
1566	SUNG BACH
1570	STEVEN WEINSTEIN
1572	BRATEK WEALTH MNGMNT LMTD LIA
	RONALD BRATEK CPA
1574	MEHDI NAQUI
	NAQUI MEHDI MD
1576	BEVERLY LIFTMAN
	FRIED STEPHANI MA
1588	BRADSTREET CLINICAL RESEARCH
	BRADSTREET CLNCL RSRCH ASSOC
1592	SOFTWARE QUALITY SOLTNS INC
1594	PHILIPSON BRIAN DC
	SELLARI CHIROPRACTIC CTR INC
	SELLARI ROBERT DC
1598	RICHARD COHEN
1600	EXCEL BERGER DENTAL LAB
1609	RUSTY NAIL
	SILVERCREST MOTOR LODGE
1625	LEONES RESTAURANT
1626	ARACELI ZIEMBA
	BOCA SALONS CORP
	EVERYDAY GOURMET
	EXEC CELLULAR PHONES
	H & S DENTAL LAB
	INTELLIPRENEUR SOFTWARE GROUP
	LIONS LIQUORS
	THREE PHASE ELECTRIC INC
1648	BRUNSWICK FOOT & ANKLE
	EXCALIBUR BRKRG AGNCY I N C
	PRO BUILDING MAINTENANCE INC
	ROBERT FINK
1660	DAVID BRENDEL
1670	ALFRED ALZHEIMER
1674	QUICK OUT FOOD STORE INC
	VALET DRY CLEANERS
1696	NORTH BRUNSWICK GULF INC
	PRECISION AUTOMOTIVE SERVICE
1700	ROUTE 130 GETTY AUTO SERVICE
1709	SOMERSET GLASS CO
1710	JAMES LARKIN DBA
1727	ALL AMERICAN APLNC PARTS WHSE
	FIRST BANK OF CENTRAL JERSEY

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 2003 (Cont'd)

1727 REDMONDS APLNC SALES & SRVC
STRATUS SERVICES GROUP INC
1760 A TONKENS
1777 BECKY ELAND
COLLIN BAPTISTE

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 1999

1551	L KONIGSBERGER
1570	PERSONAL TOUCH CLEANERS
1574	NAQUI MEHDI MD
1594	PHILIPSON BRIAN DC
	SELLARI ROBERT DC
1609	FARRINGTON INN
	RUSTY NAIL THE
	SILVERCREST MOTOR LODGE
1626	ALLSTATE INSURANCE COMPANIES
	H & S DENTAL LABORATORY
	LIONS LIQUORS
	RODRIGUEZ HECTOR INSURANCE
	VERSATILE METALS INCORPORATED
1648	PRO BUILDING MAINTENANCE INCORPORATED
1696	NORTH BRUNSWICK GULF
1700	ROUTE 130 GETTY AUTO SERVICE
1760	A TONKENS
1777	BARRY GIOTTA

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 1995

1500	FARRINGTON FARM MARKET
1550	NEW JERSEY NATIONAL BANK
1551	ESP AUTO REPAIR
	OIL WELL
1566	WILLIAM R WHITE INC
1568	JEWELRY BOX CORP
	MADONNA & CO CPA
1572	RONALD F BRATEK CPA
1576	BEVERLY E LIFTMAN
	JAMES A TARELLA
	STEPHANI FRIED MD
1578	CERTIFIED MANAGEMENT INC
	PRISON FELLOWSHIP MINISTRIES
	VANTAGE GROUP
1580	NAIL PARLOR
1582	GLORIA ZASTKO REALTORS
1584	PARK PHYSICAL THERAPY ASSOC
1588	BRADSTREET CLINICAL RESEARCH
1592	JOSEPH NITA INSURANCE INC
1594	SELLARI CHIROPRACTIC CTR
1596	SHERWOOD MEDICAL INDUSTRIES INC
1598	MELVIN KATZ MD
	MICHAEL SEGARRA MD
	NORTH BRUNSWICK PEDIATRICS
1600	EXCEL BERGER DENTAL LABORATORY
	EXCEL DENTAL LABORATORIES INC
1609	RUSTY NAIL
1626	ADAMSON CO
	AN CAR FINANCIAL
	ANDREAS FLOWERS & GIFTS
	BEST ROUTE LEASING INC
	CAMBRIDGE MORTGAGE
	CHANCELLOR CONSULTANTS INC
	DELICIOUS DECISIONS
	DIRECT NETWORK INC
	EAST WINDS TRAVEL
	EQUAL WATS
	EXERCISE WITH SANDY
	HAIMER REAL ESTATE
	INDUSTRIAL DYNAMICS INC
	KLASSY KIDS OF NJ INC
	LA BONBONNIERE BAKE SHOPPE
	TEXAS WEINERS
1648	ANDERSON AGENCY
	BRIAN C DUBIN DDS
	BRUNSWICK FOOT & ANKLE GROUP
	EASTERN ADVERTISING SALES
	GLOBAL IMPEX INC
	LISA M NEEDELMEN DPM
	NORTH BRUNSWICK EDUCATION ASSN

Target Street	Cross Street	Source
✓	-	Cole Information Services

US HIGHWAY 130 1995 (Cont'd)

1648	VIREN SANGHVI CPA
	WILLIAM D FROMKIN DDS
1670	ACA REALTY
1674	QUICK OUT FOOD STORE INC
	VALET DRY CLEANERS
1709	FRIENDLY RENTAL CTR
1710	A 1 TRANSMISSION TECH
	BRUNCHBOX
1825	AMERICAN VIDEO CO
	FARRINGTON LAKE PHARMACY
	KRAUSZERS FOOD STORE
	NINOS PIZZA & SUBS
	RAVENS

US HIGHWAY 130 1992


1445	BIRO JOSEPH E & ASSOCIATES
	GENTLE HEALING
	INTERGRATED ENERGY SYSTEMS
	IRC IMAGES CORP
	T A FITZPATRICK ASSOCIATES PROF
	UDESHI HANSA MD MRS
1550	NEW BRUNSWICK NORTH BRUNSWICK
1551	EAGLESPEED OIL & LUBE
	ESP AUTO REPAIR
1564	BERKE TSIPPORA DMD
	BERKE, T
	BRUNSWICK REGIONAL DENTAL GROUP
	FRANTA DANIEL DMD
1566	WHITE WM R AGENCY
1570	PERSONAL TOUCH CLEANERS
1572	BRATEK RONALD F CPA
	PHILPITT S R ATTY
1574	NAQUI MEHDI MD
	NAQUI NASREEN MD
	NAQUI, NASREEN
1576	LIFTMAN BEVERLY E ATTORNEY
	TARELLA & LIFTMAN
	TARELLA JAS A ATTY
1580	NAIL PARLOR THE
1584	PARK PHYSICAL THERAPY ASSOCS
1588	BRADSTREET CLINICAL RESEARCH
1592	PENSION & PROFIT SHARING SERVICES
	TRIBUS FINANCIAL GROUP
	VANTAGE GROUP
1594	SELLARI CHIROPRACTIC CTR
	SELLARI ROBERT DC
1598	COHEN RICHARD I MD
	KATZ MELVIN MD
	NORTH BRUNSWICK PEDIATRICS
	SEGARRA MICHAEL MD
1600	EXCEL BERGER DENTAL LAB
1626	ADAMSON CO INC
	AMERICAN POSTAL & SHIPPING PLUS INC
	ANDREA'S FLOWERS & GIFTS
	CHANCELLOR CONSULTANTS INC
	CHERRY L W JR INSURANCE
	CHICKEN N RIBS
	DELICIOUS DECISIONS
	EJS GENERAL CONTRACTING CO
	EXERCISE WITH SANDY
	INDUSTRIAL DYNAMICS INC
	LA BONBONNIERE BAKE SHOPPE
1648	ANDERSON AGENCY
	ANDERSON JAMES
	BRUNSWICK FOOT & ANKLE GROUP

US HIGHWAY 130 1992 (Cont'd)

1648	DUBIN BRIAN C DMD
	EASTERN ADV SALES
	FINK ROBERT L DPM
	FROMKIN WM D DDS
	H F STORAGE SYS
	NEEDELMAN LISA DPM
	NORTH BRUNSWICK TWP EDUC ASSN OFC
1670	A C A REALTY
1674	AUTO-RITE AUTO STORES
	VALET DRY CLNRS
1709	FRIENDLY RNTL CTR
	J R REPAIRS
1710	BRUNCHBOX
1825	FARRINGTON LAKE PHARMACY
	KRAUSZER'S FOOD STORES
	NATIONAL VIDEO
	NINO'S PIZZA & SUBS
	RAVENS

Target Street	Cross Street	Source
✓	-	City's City Directory


US HIGHWAY 130 1986



	--	Urban Edw V	297-0884	00
	--	#Virgo's	297-7550	85
86	--	#Volks Shop	297-5266	81
80	--	Yager J	297-2625	78
00	430	Carter A L	297-6878	84
78	436	#Dennis & Don's Truck & Auto Rpr	297-7933	85
00	436	#Hertz Rent A Car	297-1960	85
00	436	#Hertz Rent A Truck	297-1960	85
83	491	Silva L	□821-4270	86
86		*HERMANN RD*		
84	1006	Brown T	297-0436	83
	1076	Petruzzi J P	297-8199	81
85	1086	Rusciano Sylvester	821-6999	83
	1119	Occupant	NA	00
		FRANKLACH AVE		
	1412	Silverman Leon MD	297-2180	00
80	1445	#Cafferty T J lwyr	297-8300	83
	1445	#Campbell Supply Co Sales	297-6800	83
81				
00	1445	#Friedman Mark MD Professional Assn	821-6233	84
86				
00	1445	#McGimpsey & Cafferty lwyrs	297-8300	85
80				
79	1445	#McGimpsey A F lawyer	297-8300	84
78				
00	1445	#McGuigan J V lwyr	297-8300	85
	1445	#Nack David S lwyr	+297-8300	86
	1445	#Stephens George MD	+821-6233	86
81	1445	Tiedrich A D MD	+821-6233	86
	1445	#Udeshi Hansa MD Mrs	821-8550	83
81		*VICTORY AVE*		
00	1550	#New Brunswick Savings Bank	+297-8822	86
80	1648	Cohen Richard I MD	297-0603	00
	1648	#Fromkin Wm D DDS	821-8183	83
00	1648	Katz Melvin I MD	297-0603	00
83	1648	Katz Melvin MD	297-0603	84
	1648	#Nail Parlor The	+297-7934	86
81	1648	#North Brunswick Pediatrics	297-0603	83
00	1648	Segarra Michael MD	297-0603	82
	1670	#A C A Realty	297-1944	84
	1670	Davison L	+297-0984	86
86	1674	#Farrington Lake Pharmacy	297-7373	80
83	1674	#Valet Dry Clnrs	+821-0022	86
00		*ORCHARD PL*		
	1710	#Friendly Rental Center	297-6100	79
81	1710	#J R Repairs	297-6254	84
	1775	Eckardt B	821-8448	85
83	1825	#National Video	+821-6610	86
	1825	#Nino's Pizza & Subs	297-2235	00
86				
	1825	#Somerset Farm Food Stores	+297-9833	86
86	1835	Arbeiter Susan K Psy D	297-7946	83
81	1835	Berke Tsippora DMD	821-5350	84
	1835	Bode Douglas DMD	821-5350	84
	1835	#Brunswick Regional Dental Group	821-5350	84
85				

Target Street	Cross Street	Source
✓	-	City's City Directory

US HIGHWAY 130 1986



U S HWY 130 Contd

NORTH BRUNSWICK


1835	#Central Post North Brunswick Edition	+821-0550	86
1835	Franta Daniel DMD	821-5350	84
1835	#Indian Forest Hms	297-8700	83
1835	#Indian Head North main office	297-8700	84
1835	#Parrella Santoro Construction Corp	+821-5810	86
1835	#Piparo Associates Inc C J	297-8780	82
1835	#Raritan Valley Child Evaluation Center	297-7946	85
1845	#Trendsetters Inc	297-4710	83
1855	Zadoorian Joy	+821-5853	86
1880	#Duffy & Eichhorn Agency	821-7200	81
1884	#D'Loriens Hair Care Center	297-4755	84
1890	#Krauszer's Pharmacy Dept	821-5522	84
1890	#Pepperidge Farm Thrift Store	297-3362	84
1892	#Ramp Cleaners	821-7713	84
1894	#Jolly Flower & Gift Shop	297-5959	84
1900	#Bella Roma Pizzeria	297-8150	80
1900	#Pipe Dreams Casual Furniture	297-8811	83
1900	#Royal Billiards	297-8811	82
2050	#Ryder Truck Rental	□821-7800	86
2085	#Adlers & Sons Inc lawn & garden equipment	297-2474	84
2086	#Auto Parts By Last Stop Foreign Auto Parts Inc	+297-7220	86
2086	#C & M Electrical Contractors Inc	297-0400	79
2086	#Last Stop Foreign Auto Parts Inc	297-7220	84
2170	#Physical Therapy Of North Brunswck	+821-4797	86
2801	#Service Mdse Co	+821-4330	86

101-BUS 34-RES 22-NEW

U S HWY 130 (South

Target Street	Cross Street	Source
✓	-	City's City Directory

US HIGHWAY 130 1981



82	--	#Treuman Sales	297-0770	77
77	--	Urban Edw V	297-0884	77
	--	#Vitanza's Cntry Pl	NA	77
	--	#Volks Shop	297-5266	81
80	--	Yager J	297-2625	78
	430	O'Rourke P	+821-6884	82
80	430	O'Rourke Peter	NA	80
77	436	#Nittler Forwarding	297-6243	79
	850	#Allstate Enterprises Mtge Corporation	745-9040	80
		HERMANN RD		
	990	#Energy House The	+297-0184	82
	1036	Rusciano Sylvester	821-6999	80
77	1076	Petruzzi J P	297-8199	81
	1086	Rusciano Carol	NA	80
	1119	Putnoky Chas W	NA	77
		FRANKLACH AVE		
	1412	Silverman Leon MD	297-2180	77
		VICTORY AVE		
	1550	#By George Restrnt	297-2630	78
	1648	Cohen Richard I MD	297-0603	77
82	1648	#Diagnostic Teaching Assoc	+297-4278	82
80				
77	1648	Katz Melvin I MD	297-0603	77
78	1648	Krafchik L L MD	297-0603	77
77	1648	#Nastus E learning disabilities teacher-cnsltnt	+297-4278	82
77				
78				
82	1648	#Preventive Group Encounters Inc	□821-8800	82
78				
	1648	Segarra Michael MD	+297-0603	82
81	1648	#Teschner Merle learng disability teacher-cnslnt	+297-4278	82
77				
77				
77	1674	#Farrington Lake Pharmacy	297-7373	80
80				
79		***ORCHARD PL***		
78	1710	#Carl Fate Trkng	297-6739	77
77	1710	#Fate Carl trucking	297-6739	77
	1710	#Friendly Rental Center	297-6100	79
81	1777	Baier A	+297-0353	82
	1835	#Family Chiropractic Ctr	+821-8094	82
81	1835	Murphy Richard DC	+821-8094	82
78	1835	#Piparo Associates Inc C J	+297-8780	82
77				
	1855	Olsen A	+297-7287	82
80	1880	#Duffy & Eichhorn Agency	821-7200	81
77	1884	#Lella Hair Care Center Inc	297-4755	81
77				
	1894	#Jolly's Florist & Gifts	+297-5959	82
81				
79	1898	#North Brunswick Ski & Sport Ctr	821-6300	81
77				
	1898	#Tony Vitanza's North Brunswick Sports Center	821-6300	81
77				
77				

NEW LISTING


Target Street	Cross Street	Source
✓	-	City's City Directory

US HIGHWAY 130 1976

--	Smithman A T	*821-7390
--	Steve's Diner	297-1310
--	Treuman Sales	297-0770
--	Urban Edw V	297-0884
--	Utilities Line Constrn Co Inc	*821-9426
--	Ventola's Circle Citgo	246-9565
--	Vitanza's Country Place	NA
--	Volks Shop	297-5266
--	What Not Shop antqs	297-4100
--	White Rose Exxon	297-3339
--	Yager F	297-2625
	HERMANN RD	
1119	Putnoky Chas W	NA
	FRANKLACH AVE	
1412	Silverman Leon MD	297-2180
1435	King Deborah	297-6737
	VICTORY AVE	

Target Street	Cross Street	Source
✓	-	City's City Directory

US HIGHWAY 130 1976



U S HIGHWAY 130 Contd

1674 North Brunswick Phrmcy 297-5959

ORCHARD PL


1710 Carl Fate Trckg Inc *297-6739
1855 Whitman D *297-6458
2050 Gateway Carpets 297-6709
2086 C & M Electrical Contractors Inc 297-0400
2086 United Assn Educ Trust Fund Schl 297-0668
2310 Hallmark Air Control Inc *297-1188

U S HIGHWAY 130 (South Brnswck)

See US Hwy 130 (Monmouth Junction)

Target Street	Cross Street	Source
✓	-	City's City Directory

US HIGHWAY 130 1971



What Not Shop Antiques - 297-4100
White Rose Bar & Liquors 297-0241
White Rose Esso - - - 297-0241
Yager F - - - - - - 297-2625

Hermann Rd

860 G A Sliker - - - - 846-6295
860 Sliker G A - - - - 251-3366
1119 Putnoky Chas W - - - NA

Franklach Ave

1412 Leon Silverman - 297-2180
1412 Silverman Warren - 297-3431
1412 Silverman Lynda - 297-2717

Victory Ave

1550 Stewarts Drive In - 297-9805

Orchard Pl

1710 Luby Leasing Inc - 297-5362
1855 Gugay Victor - - 297-0586
2086 C & M Electrical Contractors Inc - - 297-0400
2086 United Assoc Education Trust Fund Schl - - - - - 297-0668

S Brunswick 08824

Als Auto Body - - - - 329-6100
Automatic Catering Co Inc 297-0771
Boise Cascade Corp - - 297-5800

APPENDIX G

LIEN & AUL SEARCH

Appendix G

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.5
July 18, 2016

EDR Environmental Lien and AUL Search

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Environmental Lien and AUL Search

The EDR Environmental Lien and AUL Search Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel information and/or legal description;
- search for ownership information;
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.;
- access a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument(s) (title, parties involved, and description); and
- provide a copy of the deed or cite documents reviewed.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental Lien and AUL Search

TARGET PROPERTY INFORMATION

ADDRESS

1696 Route 130
North Brunswick Gulf
North Brunswick, NJ 8902

RESEARCH SOURCE

Source 1:

Middlesex County Recorder
Middlesex, NJ

PROPERTY INFORMATION

Deed 1:

Type of Deed:	Deed
Title is vested in:	Walter E Lapp et al
Title received from:	Walter E Lapp et al
Deed Dated	1/11/1995
Deed Recorded:	1/18/1995
Book:	4213
Page:	450
Volume:	NA
Instrument:	NA
Docket:	NA
Land Record Comments:	see exhibit
Miscellaneous Comments:	NA
Legal Description:	see exhibit
Legal Current Owner:	Walter E Lapp et al
Parcel # / Property Identifier:	block 282 lot 1
Comments:	see exhibit

ENVIRONMENTAL LIEN

Environmental Lien: Found ☐ Not Found ☒

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

AULs: Found ☐ Not Found ☒

Deed Exhibit 1

RECEIVED/RECORDED
MIDDLESEX COUNTY 01/18/95 144232
CONSIDERATION $.00 TAX $.00
DEED REC. FEE $28.00
INSTRUMENT DEED 944 NAME

Prepared By:
JEFFREY M. HYMAN

DEED

BK4213PG450 JANUARY 11, 1995

This Deed is made on ~~December __, 1994~~.

BETWEEN

WALTER E. LAPP, SR. and JATHINA K. LAPP, Husband and Wife, whose address is 263 Edwards Place, North Brunswick, New Jersey 08902, referred to as the Grantor,

AND

WALTER E. LAPP, SR. and JATHINA K. LAPP, as Tenants in Common, Each Owning an Undivided 50% Interest, whose post office address is 263 Edward Place, North Brunswick, New Jersey 08902, referred to as the Grantee.

The words "Grantor" and "Grantee" shall mean all Grantors and all Grantees listed above.

Transfer of Ownership. The Grantor grants and conveys (transfers ownership of) the property described below to the Grantee. This transfer is made for the sum of LESS THAN ONE HUNDRED ($100.00) DOLLARS.

The Grantor acknowledges receipt of this money.

Tax Map Reference. (N.J.S.A. 46:15-1.1) Municipality of North Brunswick Township
Block No. 282 Lot No. 1 Account No.

☐ No property tax identification number is available on the date of this Deed. (Check box if applicable).

Property. The property consists of the land and all the buildings and structures on the land in the Township of North Brunswick, Middlesex County, State of New Jersey. The legal description is:

FIRST TRACT: Known as lots numbers one hundred seventy five (175) and one hundred seventy-six (176) as shown and designated on a map entitled, "Map of North Brunswick Park situate in North Brunswick Township, Middlesex County, New Jersey, Scale 1" - 80' November 1920, Raymond P. Wilson, C.E." and more particularly described as follows: BEGINNING in the Northeasterly line of Washington Place, at a point therein distant Two hundred fifty and eight one-hundredths (250.08') feet northwesterly from the intersection of the northwesterly line of Kundes Street with the Northeasterly line of Washington Place, as said streets are shown and designated on a certain map filed in the Middlesex County Clerk's Office entitled "Map of North Brunswick Park, situate in North Brunswick Township, Middlesex Co. New Jersey, Scale 1" - 80' Nov. 1920 Raymond P. Wilson, Civil Engineer, 46 Paterson St., New Brunswick, N.J." thence running (1) along the said northeasterly line of Washington Place North thirty seven degrees Twenty two minutes West (N. 37 22' W) Seventy six and seventy two one-hundredths (76.72') feet; thence (2) along the rear line of lots 147, 148, 149, 150 and 151, as shown on the before mentioned map, North seventy eight degrees three minutes East (N. 78 03' E) one hundred three and one one-hundredths (103.01) feet; thence (3) along the rear line of Lot 156, South Thirty eight degrees Forty seven minutes East (S. 38 47' E) Thirty and two tenths (30.2') feet; thence (4) along the line dividing lots 174 and 175, South Fifty one degrees Thirteen minutes West (S 51 13' W) Ninety three and eighty two one-hundredths (93.82') feet, to the place of beginning.

Excepting from the above so much that was conveyed to the State of New Jersey by deed of Michael Thomas, et ux. dated September 22, 1949 and recorded in the Middlesex County Clerk's Office on October 1, 1949 in Book 1462 of Deeds, on Page 210.

SECOND TRACT: BEING lots numbers one hundred and forty six (146) and one hundred and forty seven (147) on a certain map entitled, North Brunswick Park, situate in North Brunswick Township, Middlesex County, New Jersey, Scale 1" - 80', Surveyed by Raymond P. Wilson, Civil Engineer, No. 46 Paterson Street, New Brunswick, New Jersey, dated Nov. 1st, 1920."

EXCEPTING so much as was conveyed prior hereto to the New Jersey State Highway Department for its use for State Highway Route No. 25.

THIRD TRACT: BEING known and designated as Block 226, Lots 11, 12, 27, 28 and 29 on the Assessment Map of the Township of North Brunswick, Middlesex County, New Jersey, and also being known as Block 266, Lots 156, 157, 172, 173 and 174, on Map of North Brunswick Park, Middlesex County, New Jersey.

FOURTH TRACT: BEING known as Lots One Hundred Forty-eight (148), One Hundred Forty-nine (149), One Hundred Fifty (150), One Hundred Fifty-one (151), One Hundred Fifty-two (152), One Hundred Fifty-three (153), One Hundred Fifty-four (154) and One Hundred Fifty-five (155) on the Official Tax Map of the Township of North Brunswick, Middlesex County, New Jersey.

EXCEPTING so much as was conveyed prior hereto to the State of New Jersey, New Jersey State Highway Department.

Together with all of any right title and interest in and to portion of Orchard Place, vacated, contiguous to the above premises. The designation of Orchard Place is in no way to be construed as a rededication of the same but is for identification purposes only.

Book K 1213 Page 451

BEING the same premises conveyed to the Grantors herein by Deed from Gulf Oil Corporation, a corporation existing under and by virtue of the laws of the State of Pennsylvania, successor by merger to Tremarco Corporation dated August 11, 1976 and recorded in the Middlesex County Clerk's Office on November 17, 1976 in Deed Book 2956 at Page 199.

By Articles of Merger dated August 3, 1973 effective August 31, 1973 and Certificates regarding Certificates of Merger filed December 19, 1973 with the Secretary of State, Trenton, New Jersey, Gulf Oil Corporation became successor to all right title and interest of Tremarco Corporation in the premises described herein.

SUBJECT to the following:

Any state of facts and conditions that an accurate survey and personal inspection of the premises would disclose; easements conditions, restrictions and reservations of record; existing tenancies, if any; zoning ordinances; if any; and taxes and assessments both general and special, if any, which shall fall due and payable to the date of closing.

Being also described in accordance with the description contained in Schedule "A" attached hereto and made a part hereof.

BK4213PG451A

SCHEDULE "A"

All that certain tract or parcel of land and premises, hereinafter particularly described, situate, lying and being in the Township of North Brunswick in the County of Middlesex and State of New Jersey

BEGINNING at a point in the easterly line of Washington Place distant 175.056 feet northerly from the intersection formed by the easterly line of Washington Place and the northerly line of Kundes Street and from thence running (1) along the said easterly line of Washington Place North 37° 22' West 186.67 feet to a point in the southerly line of U S. Highway Route #130; thence running (2) along the said southerly line of U S Highway Route #130 northeasterly on a curve to the right with a radius of 11,399.19 feet an arc distance of 92.19 feet to a point of tangency; thence running (3) and still along said southerly line of U S State Highway #130 North 68° 23' 30" East 99.07 feet to a point; thence running (4) along lands conveyed to the State of New Jersey by deed book 1461 page 399, South 83° 19' 33" East 52.02 feet to a point in the westerly line of Orchard Place, vacated, thence running (5) North 78° 03' East 25.00 feet to a point in the former center line of Orchard Place, vacated; thence running (6) along said center line South 11° 57' East 56.63 feet to a point, thence running (7) and still along said center line, South 38° 47' East 31.59 feet to a point; thence running (8) South 51° 13' West 220.67 feet to the easterly line of Washington Place and the point and place of Beginning

Together with all or any right, title and interest in and to portion of Orchard Place, vacated, contiguous to the above premises. The designation of Orchard Place is in no way to be construed as a rededication of the same but is for identification purposes only.

Reference herein to Orchard Place, vacated, is in no wise to be construed a rededication of the said street but is for identification purposes only.

Known and designated as Lot No. 1 in Block 282 on the Official Tax and Assessment Map of the Township of North Brunswick.

Promises by Grantor. The Grantor promises that the Grantor has done no act to encumber the property. This promise is called a "covenant as to grantor's acts" (N.J.S.A. 46:4-6). This promise means that the Grantor has not allowed anyone else to obtain any legal rights which affect the property (such as by making a mortgage or allowing judgment to be entered against the Grantor).

Signatures. The Grantor signs this Deed as of the date at the top of the first page.

Witnessed by:

WALTER E. LAPP, SR. (Seal)

JATHINA K. LAPP (Seal)

STATE OF NEW JERSEY, COUNTY OF MIDDLESEX SS.:

I CERTIFY that on ~~December~~ JANUARY 11, 1995, WALTER E. LAPP, SR. and JATHINA K. LAPP, personally came before me and stated to my satisfaction that this person (or if more than one, each person):

(a) was the maker of the attached deed;

(b) executed this deed as his or her own act; and,

(c) made this Deed for $LESS THAN $100.00 as the full and actual consideration paid or to be paid for the transfer of title.

(Such consideration is defined in N.J.S.A. 46:15-5).

JEFFREY M. HYMAN, ESQ.
An Attorney of N.J.

BK4213PG452

NC 7845—AFFIDAVIT OF CONSIDERATION
RTF-1 (Rev. 1/1/86)

STATE OF NEW JERSEY
AFFIDAVIT OF CONSIDERATION OR EXEMPTION
(c. 49, P.L. 1968)
or
PARTIAL EXEMPTION
(c. 176, P. L. 1975)

ALL-STATE LEGAL SUPPLY CO.
One Commerce Drive, Cranford, N. J. 07016

YST-2

To Be Recorded With Deed Pursuant to c. 49, P.L. 1968, as amended by c. 225, P.L. 1985 (N.J.S.A. 46:15-5 et seq.)

STATE OF NEW JERSEY
COUNTY OF MIDDLESEX } ss.

FOR RECORDER'S USE ONLY	
Consideration $	
Realty Transfer Fee $	*
Date	By

*Use symbol "C" to indicate that fee is exclusively for county use.

(1) PARTY OR LEGAL REPRESENTATIVE (See Instructions #3, 4 and 5 on reverse side)

Deponent, WALTER E. LAPP, SR. (Name), being duly sworn according to law upon his/her oath deposes and says that he/~~she~~ is the Grantor (State whether Grantor, Grantee, Legal Representative, Corporate Officer, Officer of Title Co. Lending Institution, etc.)

in a deed dated January 11, 1995, transferring real property identified as Block No. 282

Lot No. 1 located at 1696 Georges Road & Route 130, North Brunswick (Street Address, Municipality, County)

Township, Middlesex County, New Jersey, and annexed hereto.

(2) CONSIDERATION (See Instruction #6)

Deponent states that, with respect to deed hereto annexed, the actual amount of money and the monetary value of any other thing of value constituting the entire compensation paid or to be paid for the transfer of title to the lands, tenements or other realty, including the remaining amount of any prior mortgage to which the transfer is subject or which is to be assumed and agreed to be paid by the grantee and any other lien or encumbrance thereon not paid, satisfied or removed in connection with the transfer of title is $LESS THAN $100.00.

(3) FULL EXEMPTION FROM FEE Deponent claims that this deed transaction is fully exempt from the Realty Transfer Fee imposed by c.49, P.L. 1968, for the following reason(s): Expain in detail. (See Instruction #7.) Mere reference to exemption symbol is not sufficient.

. Consideration is less than $100.00.

(4) PARTIAL EXEMPTION FROM FEE *NOTE: All boxes below apply to grantor(s) only. ALL BOXES IN APPROPRIATE CATEGORY MUST BE CHECKED. Failure to do so will void claim for partial exemption. (See Instructions #8 and #9)*

Deponent claims that this deed transaction is exempt from the increased portion of the Realty Transfer Fee imposed by c.176, P.L. 1975 for the following reason(s):

a) SENIOR CITIZEN (See Instruction #8)
- ☐ Grantor(s) 62 yrs. of age or over.*
- ☐ One or two-family residential premises.
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ No joint owners other than spouse or other qualified exempt owners.

b) BLIND (See Instruction #8)
- ☐ Grantor(s) legally blind.*
- ☐ One or two-family residential premises.
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ No joint owners other than spouse or other qualified exempt owners.

DISABLED (See Instruction #8)
- ☐ Grantor(s) permanently and totally disabled.*
- ☐ One or two-family residential premises.
- ☐ Receiving disability payments.
- ☐ Owned and occupied by grantor(s) at time of sale.
- ☐ Not gainfully employed.
- ☐ No joint owners other than spouse or other qualified exempt owners.

*IN THE CASE OF HUSBAND AND WIFE, ONLY ONE GRANTOR NEED QUALIFY.

c) LOW AND MODERATE INCOME HOUSING (See Instruction #8)
- ☐ Affordable According to H.U.D. Standards.
- ☐ Meets Income Requirements of Region.
- ☐ Reserved for Occupancy.
- ☐ Subject to Resale Controls.

d) NEW CONSTRUCTION (See Instruction #9)
- ☐ Entirely new improvement.
- ☐ Not previously used for any purpose.
- ☐ Not previously occupied.

Deponent makes this Affidavit to induce the County Clerk or Register of Deeds to record the deed and accept the fee submitted herewith in accordance with the provisions of c. 49, P.L. 1968.

Subscribed and Sworn to before me
this 11 day of JANUARY, 1995

Notary Public of N.J.

Name of Deponent (type or print)
WALTER E. LAPP, SR.
263 Edwards Place
North Brunswick, NJ 08902
Address of Deponent

WALTER E. LAPP, SR.
Name of Grantor (type or print)
263 Edwards Place
North Brunswick, NJ 08902
Address of Grantor at Time of Sale

FOR OFFICIAL USE ONLY This space for use of County Clerk or Register of Deeds.			
Instrument Number		County	
Deed Number	Book	Page	
Deed Dated		Date Recorded	

IMPORTANT - BEFORE COMPLETING THIS AFFIDAVIT, PLEASE READ THE INSTRUCTIONS ON THE REVERSE SIDE HEREOF.
This form is prescribed by the Director, Division of Taxation in the Department of the Treasury, as required by law, and may not be altered or amended without the approval of the Director.
ORIGINAL — White copy to be retained by County.
DUPLICATE — Yellow copy to be forwarded by County to Division of Taxation on partial exemption from fee (N.J.A.C. 18:16—8.12).
TRIPLICATE — Pink copy is your file copy.

BK4213PG453

WHITE AND YELLOW COPIES MUST BE SUBMITTED WITH DEED TO COUNTY RECORDING OFFICER

DEED

WALTER E. LAPP, SR. and JATHINA K. LAPP, Husband and Wife,

Grantor,

TO

WALTER E. LAPP, SR. and JATHINA K. LAPP, as Tenants in Common, Each Owning an Undivided 50% Interest,

Grantee.

Dated: ~~December ___, 1994~~ JANUARY 11, 1995

RETURN TO

Record and return to:

BORRUS, GOLDIN, FOLEY, VIGNUOLC, HYMAN & STAHL, P.C.
2875 US Hwy 1 & Finnegans Lane
P.O. Box 7463
North Brunswick, NJ 08902
(908) 422-1000

P:\USERS\JMH\WP51\DEEDS\LAPP.NOB

END OF DOCUMENT

APPENDIX H

INDUSTRIAL SITE ADDENDUM

Appendix H

NORTH BRUNSWICK GULF
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.8s
July 14, 2016

EDR-Industrial Site Package™

Air, Water, OSHA Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

The EDR Industrial Site Addendum is a comprehensive presentation of government filings on a facility
The report is divided into three sections:

Section 1: Facility Summary . . . . . Page 3

Summary of facility filings including a review of the following areas: air emissions, water discharges, and health & safety issues.
Due to inconsistent name and/or locational information, records on the same facility may be listed in separate facility columns.

Section 2: Facility Detail Reports . . . . . Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. . . . . Page 5

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources , Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANYSUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.**Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assesment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

Due to inconsistent name and/or locational information, records on the same facility may be listed in separate facility columns.

	RECORD 1 **NORTH BRUNSWICK GULF** 1696 ROUTE 130 NORTH BRUNSWICK, NJ 08902
AIR EMISSIONS Permitted air emissions (AIRS)	NO
Reported emergency releases to air (ERNS/A)	NO
Compliance data (AIRS/COM)	NO
WATER DISCHARGES Permitted waste water discharges (NPDES/PCS)	NO
Reported emergency releases to water (ERNS/W)	NO
Enforcement actions (NPDES/PCS-ENF)	NO
Inactive waste water discharges (NPDES-PCS INACT)	NO
Stormwater permit (STORMWATER)	NO
HEALTH AND SAFETY Inspected by the Occupational Safety and Health Administration (OSHA)	NO
Violations under OSHA (OSHA/VIOL)	NO
Facility has had accidents according to the Occupational Safety and Health Administration (OSHA/ACC)	NO
TOTAL (YES)	0

- A "NO" indicates that no findings were identified based on an exact name, address and/or EPA facility identification number search. Facility information may be available under an alternate name, address and/or EPA identification number.
- NR = Not Requested

SECTION 2: FACILITY DETAIL REPORTS

Record 1: **NORTH BRUNSWICK GULF**
NORTH BRUNSWICK, NJ 08902 (EDR ID#)

AIR EMISSIONS

Facility has permitted air emissions . . . . . NO

Facility has reported emergency releases to air. . . . . NO

Facility has compliance data . . . . . NO

WATER DISCHARGES

Facility has permitted waste water discharges. . . . . NO

Facility has reported emergency releases to water. . . . . NO

Facility has enforcement actions . . . . . NO

Facility has an inactive waste water permit. . . . . NO

Facility has stormwater discharges . . . . . NO

HEALTH AND SAFETY

Facility has been inspected by the Occupational Safety and Health Administration . . . . . NO

Facility has violations cited by the Occupational Safety and Health Administration. . . . . NO

Facility has had accidents according to the Occupational Safety and Health Administration. . . . . NO

TOTALS (YES) 0

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

To maintain currency of the following federal, state and local databases, EDR contacts the appropriate government agency on a monthly or quarterly basis as required.

Elapsed ASTM days: Provides confirmation that this report meets or exceeds the 90-day updating requirement of the ASTM standard.

FACILITY RELATED DATABASES

AIR EMISSIONS

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)
Source: EPA
Telephone: 202-564-2496
The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015
Database Release Frequency: Annually
Date of Last EDR Contact: 06/22/2016
Date of Next Scheduled Update: 10/10/2016

ERNS: Emergency Response Notification System
Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/28/2016
Database Release Frequency: Annually
Date of Last EDR Contact: 06/28/2016
Date of Next Scheduled Update: 10/10/2016

WATER DISCHARGES

PCS: Permit Compliance System
Source: EPA, Office of Water
Telephone: 202-564-2496
PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Database Release Frequency: Semi-Annually
Date of Last EDR Contact: 06/09/2016
Date of Next Scheduled Update: 09/26/2016

PCS: Permit Compliance System
Source: EPA, Office of Water
Telephone: 202-564-2496
PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Database Release Frequency: Semi-Annually
Date of Last EDR Contact: 06/09/2016
Date of Next Scheduled Update: 09/26/2016

PCS INACTIVE: Listing of Inactive PCS Permits
Source: EPA
Telephone: 202-564-2496
An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Database Release Frequency: Semi-Annually
Date of Last EDR Contact: 07/07/2016
Date of Next Scheduled Update: 10/24/2016

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

ERNS: Emergency Response Notification System
Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/28/2016
Database Release Frequency: Annually

Date of Last EDR Contact: 06/28/2016
Date of Next Scheduled Update: 10/10/2016

HEALTH AND SAFETY

OSHA: Occupational Safety and Health Administration
Source: DOL, OSHA, Office of Mgmt Data
Telephone: 202-693-1700
Specific inspection, violation and fatality/catastrophe information regarding inspections of interest.

Date of Government Version: 12/31/2013
Database Release Frequency: Annually

Date of Last EDR Contact: 06/20/2016
Date of Next Scheduled Update: 10/03/2016

APPENDIX I

EDR BUILDING PERMT REPORT

Appendix I

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.9
July 14, 2016

EDR Building Permit Report

Target Property and Adjoining Properties

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Building Permit Report: Search Documentation

7/14/16

Site Name:
North Brunswick
1696 Route 130
North Brunswick, NJ

EDR Inquiry # 4674141.9

Client Name:
On-Site Environmental
119 Shepherds Way
Coatesville, PA 19320

Contact: Frank Jasiulewicz

Search Documentation

DATA GAP

The complete collection of Building Permit data available to EDR has been searched, and as of 7/14/16, EDR does not have access to building permits in the city where your target property is located (North Brunswick, NJ).

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED ORIMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THEMAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALLRISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OFERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL,INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLYLIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risklevels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providingany facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by anenvironmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to beconstrued as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

ASTM and EPA Requirements

ASTM E 1527-13 lists building department records as a "standard historical source," as detailed in § 8.3.4.7: "Building Department Records - The term building department records means those records of the local government in which the property is located indicating permission of the local government to construct, alter, or demolish improvements on the property." ASTM also states that "Uses in the area surrounding the property shall be identified in the report, but this task is required only to the extent that this information is revealed in the course of researching the property itself."

EPA's Standards and Practices for All Appropriate Inquires (AAI) states: "§312.24: Reviews of historical sources of information. (a) Historical documents and records must be reviewed for the purposes of achieving the objectives and performance factors of §312.20(e) and (f). Historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.

EDR® Environmental Data Resources Inc

BUILD FAX PROPERTY HISTORY

APPENDIX J

PROPERTY TAX MAP REPORT

Appendix J

North Brunswick Gulf
1696 Route 130
North Brunswick, NJ 08902

Inquiry Number: 4674141.10
July 14, 2016

The EDR Property Tax Map Report

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Property Tax Map Report

Environmental Data Resources, Inc.'s EDR Property Tax Map Report is designed to assist environmental professionals in evaluating potential environmental conditions on a target property by understanding property boundaries and other characteristics. The report includes a search of available property tax maps, which include information on boundaries for the target property and neighboring properties, addresses, parcel identification numbers, as well as other data typically used in property location and identification.


Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


SHEET 65
SHEET 64
SHEET 79
SHEET 77
SHEET 84
U.S. ROUTE 130
CALVERT ROAD
NIMITZ PLACE
GEORGES ROAD
US ROUTE
HALSEY ROAD
GEORGES RD.
WOOD
PERSHING
HARDING
WASHINGTON
STREET
KUNDES
BLOCK LIMIT
KEARNEY DRIVE
MARSHALL RD.
EDLYS LANE
MIRIAM PLACE
AVENUE
HAMLIN ROAD
DAWES ROAD
VAN BUREN DR.
PERSHING COURT
FARRINGTON ROAD
EAST BRUNSWICK TOWNSHIP
286
287
283
282
278
285
284
288
227
281
280
TAX MAP
TOWNSHIP OF NORTH BRUNSWICK
MIDDLESEX COUNTY, NEW JERSEY
SCALE : 1" = 100' JUNE 1998
RAYMOND E. BORUP JR., P.L.S.
CME ASSOCIATES
3141 BORDENTOWN AVENUE, PARLIN
NEW JERSEY, 08859

APPENDIX K

NORTH BRUNSWICK TWP DEPARTMENT RECORDS

Appendix K

NORTH BRUNSWICK TOWNSHIP

OPEN PUBLIC RECORDS ACT REQUEST FORM

710 Hermann Road , North Brunswick N.J.08902

Phone # 732-247-0922 EXT.470

Lrusso@northbrunswicknj.gov

Lisa Russo, Municipal Clerk

Important Notice

The last page of this form contains important information related to your rights concerning government records. Please read it carefully.

Requestor Information – Please Print

First Name Frank MI E Last Name Jasiulewicz

E-mail Address onsitefj@aol.com

Mailing Address 119 Shepherds Way

City Coatesville State Pa Zip 19320

Telephone 610-384-2719 FAX 610-384-2709

Preferred Delivery: Pick Up _____ US Mail _____ On-Site Inspect X Fax _____ E-mail _____

If you are requesting records containing personal information, please circle one: Under penalty of N.J.S.A. 2C:28-3, I certify that I ***HAVE / HAVE NOT*** been convicted of any indictable offense under the laws of New Jersey, any other state, or the United States.

Signature Frank Jasiulewicz Date 7/19/16

Payment Information

Maximum Authorization Cost $

Select Payment Method

Cash (Check) Money Order

Fees: Actual costs to be determined by the agency

Delivery: Delivery / postage fees additional depending upon delivery type.

Extras: Special service charge dependent upon request.

Record Request Information: Please be as specific as possible in describing the records being requested. Also, please note that your preferred method of delivery will only be accommodated if the custodian has the technological means and the integrity of the records will not be jeopardized by such method of delivery.

I would like to inspect all records from the departments listed below regarding the property located at 1696 Route 130 in North Brunswick, NJ (Block 282 Lot 1). The site is where the North Brunswick Gulf station is located.

1. Tax assessors office: tax records
2. Construction Dept.: building permits to construct, alter or demolish
3. Community Development
4. Planning Board
5. Engineering
6. Public Works: location of old septic & when site was connected to local sanitary sewer system.
7. Health Dept.

Due July 28, 2016

AGENCY USE ONLY

Est. Document Cost _____

Est. Delivery Cost _____

Est. Extras Cost _____

Total Est. Cost _____

Deposit Amount _____

Estimated Balance _____

Deposit Date _____

AGENCY USE ONLY

Disposition Notes

Custodian: If any part of request cannot be delivered in seven business days, detail reasons here.

In Progress - Open _____

Denied - Closed _____

Filled - Closed _____

Partial - Closed _____

AGENCY USE ONLY

Tracking Information

Tracking # _____

Rec'd Date _____

Ready Date _____

Total Pages _____

Final Cost

Total _____

Deposit _____

Balance Due _____

Balance Paid _____

Records Provided

Custodian Signature _____ Date _____

NORTH BRUNSWICK TOWNSHIP

OPEN PUBLIC RECORDS ACT REQUEST FORM

710 Hermann Road , North Brunswick N.J.08902
Phone # 732-247-0922 EXT.470
Lrusso@northbrunswicknj.gov
Lisa Russo, Municipal Clerk

Important Notice

The last page of this form contains important information related to your rights concerning government records. Please read it carefully.

Requestor Information – Please Print

First Name Frank MI E Last Name Jasiulewicz

E-mail Address onsitefj@aol.com

Mailing Address 119 Shepherds Way

City Coatesville State Pa Zip 19320

Telephone 610-384-2719 FAX 610-384-2709

Preferred Delivery: Pick Up ____ US Mail ____ On-Site Inspect X Fax ____ E-mail ____

If you are requesting records containing personal information, please circle one: Under penalty of N.J.S.A. 2C:28-3, I certify that I ***HAVE / HAVE NOT*** been convicted of any indictable offense under the laws of New Jersey, any other state, or the United States.

Signature Frank Jasiulewicz Date 7/19/16

Payment Information

Maximum Authorization Cost $

Select Payment Method

Cash (Check) Money Order

Fees: Actual costs to be determined by the agency

Delivery: Delivery / postage fees additional depending upon delivery type.

Extras: Special service charge dependent upon request.

Record Request Information: Please be as specific as possible in describing the records being requested. Also, please note that your preferred method of delivery will only be accommodated if the custodian has the technological means and the integrity of the records will not be jeopardized by such method of delivery.

I would like to inspect all records from the departments listed below regarding the property located at 1696 Route 130 in North Brunswick, NJ (Block 282 Lot 1). The site is where the North Brunswick Gulf station is located.

1. Tax assessors office: tax records
2. Construction Dept.: building permits to construct, alter or demolish
3. Community Development
4. Planning Board
5. Engineering
6. Public Works: location of old septic & when site was connected to local sanitary sewer system.
7. Health Dept.

Due July 28, 2016

DM 7/20/16

AGENCY USE ONLY

Est. Document Cost ____
Est. Delivery Cost ____
Est. Extras Cost ____
Total Est. Cost ____
Deposit Amount ____
Estimated Balance ____

Deposit Date ____

AGENCY USE ONLY

Disposition Notes
Custodian: If any part of request cannot be delivered in seven business days, detail reasons here.

In Progress - Open ____
Denied - Closed ____
Filled - Closed ____
Partial - Closed ____

AGENCY USE ONLY

Tracking Information

Tracking # ____
Rec'd Date ____
Ready Date ____
Total Pages ____

Final Cost

Total ____
Deposit ____
Balance Due ____
Balance Paid ____

Records Provided

Custodian Signature ____ Date ____

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued 8/15/2003
Control Number 15104
Permit Number 20030450
Permit Issue Date 5/22/2003
Certificate Number 20030450

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.

Owner Address: 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Telephone:

Contractor PINE RUN CONSTRUCTION

Address 4125 LANDISVILLE ROAD DOYLESTOWN NJ 18901

Telephone: (215) 348-4500 Fax:

License Number or Builders Registration Number: Federal Emp. Number: 23-2349553

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: B Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: INSTALLATION OF 1 12,000 - 2 6,000 FUEL TANKS

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 5/22/2003
Control # 15104
Permit # 20030450

IDENTIFICATION Block: 282 Lot: 1 Qualifier

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.
263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Telephone:

Contractor: PINE RUN CONSTRUCTION
Address: 4125 LANDISVILLE ROAD DOYLESTOWN NJ 18901

Telephone: (215) 348-4500
Lic. No. or Bldrs. Reg. No.
Federal Employee. No. 23-2349553

Is hereby granted permission to perform the following work:

- ☑ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☑ ELECTRICAL
- ☐ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:

INSTALLATION OF 1 12,000 - 2 6,000 FUEL TANKS

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work $40,500

Construction Official

5/22/2003
Date

PAYMENTS (Office Use Only)

Building	$960
Electrical	$25
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$38
CO Fee	
Other	$4
Total	$1,027
Check No.	21995
Cash	$0
Credit	$0
Collected By	MW

U.C.C. F170
equiv (rev 1/04)

1 WHITE - INSPECTOR 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

BUILDING SUBCODE
TECHNICAL SECTION

Date Received 5/8/2003
Control # 15104
Date Issued 5/22/2003
Permit # 20030450

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code _____

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Tel. _____ Email _____

Contractor: LAPP, WALTER E. SR. & JATHINA K.

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

_____ Email _____

Tel. _____ Fax. _____

Contractor License No. or, if new home, Bldrs Reg. No. _____ Exp. _____

Home improvment Contractor Registration No. or Exemption Reason(is applicable): _____

Federal Emp. ID No. _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application.

_____
Signature

Print Name Here: _____

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

INSTALLATION OF 1 12,000 - 2 6,000 FUEL TANKS

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial
☐ No Plan Required		
☐ All		
☐ Footing/Foundation		
☐ Struct/Framework		
☐ Exterior		
☐ Interior		

Joint Plan Review Required
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT
Date: _____
Approved by: _____

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date: _____
Approved by: _____

INSPECTIONS		Dates (Month/Day)		
Type:	Failure	Failure	Approval	Initial
Footing				
Footing Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes-Base Layer				
Finishes-Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

TYPE OF WORK

- ☐ New Building
- ☐ Addition
- ☑ Rehabilitation
- ☐ Roofing
- ☐ Siding
- ☐ Fence _____ Height (exceeds 6')
- ☐ Sign _____ Sq. Ft.
- ☐ Pool
- ☐ Retaining Wall _____ Sq. Ft.
- ☐ Asbestos Abatement Subchapter 8
- ☐ Lead Haz Abatement NJAC 5:17
- ☐ Radon Remediation
- ☐ Other _____
- ☐ Demolition

FEE (Office Use Only)

	$960

Administrative Surcharge	
Minimum Fee	
State Permit Surcharge Fee	$38
TOTAL FEE	$998

B. BUILDING CHARACTERISTICS

Use Group Present B Proposed _____
Constr. Class Present _____ Proposed _____
Number of Stories _____
Height of Structure _____ Ft.
Area - Largest Floor _____ Sq. Ft.
New Blbg. Area / All Floors _____ Sq. Ft.
Volume of New Structure _____ Cu. Ft.
Total Land Area Disturbed _____ Sq. Ft.

If Industrial Building:
State Approved _____
HUD _____

Est. Cost of Bldg. Work:
1. New Bldg. _____
2. Rehabilitation $40,000
3. Total (1+2) _____

Applicant: When submitting this form to your Local Construction Code

ELECTRICAL SUBCODE
TECHNICAL SECTION

Date Received 5/8/2003
Date Issued 5/22/2003
Control # 15104
Permit # 20030450

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel.

Contractor: GENE GRAHAM

Address 130 ANDREA DRIVE RICHBORO PA 18954

Email

Tel. (215) 322-4340 Fax.

Lic No. Exp. Date

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No. 232025377

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed B

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work $500

JOB SUMMARY (Office Use Only)

PLAN REVIEW

	Date	Initial
☐ No Plan Required		
Partial Underslab Utilities Approved		
Date: ____ by: ____		
Electric Plans Approved		
Date: ____ by: ____		
Joint Plan Review Required		
☐ Building ☐ Plumbing		
☐ Fire ☐ Elevator		
☐ Electrical Plans Approved		
SUBCODE APPROVAL for PERMIT		
Date: ____ by: ____		
SUBCODE APPROVAL for CERTIFICATE		
☐ CO ☐ CCO ☐ CA		
Date:		
Approved by:		

INSPECTIONS

Type:	Failure	Failure	Approval	Initial
	Dates (Month/Day)			
Rough				
Barrier-Free				
Trench				
Temp. Serv.				
Constr. Serv.				
TCO				
Other				
Service				
Final				
Barrier-Free				
Temp. Cut-in-Card Date Issued				
Final Cut-in-Card Date Issued				
Annual Pool Inspection				
Date of Grounding and Bonding Certification				

C. CERTIFICATION IN LIEU OF OATH
I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Licensed Elec Cont'r ☐ Certif'd Landscape Irrigation Cont'r ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
INSTALLATION OF 1 12,000 - 2 6,000 FUEL TANKS

QTY.	SIZE	ITEMS	FEE (Office Use Only)
1		Lighting Fixtures	
		Recepticles	
		Switches	
		Detectors	
1		Light Poles	
3		Motors - Fract. HP	
		Emergency & Exit Lights	
		Communication Points	
		Alarm Devices/F.A.C. Panel	
5		TOTAL NUMBERS	
		Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptical	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Recepticle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	

Administrative Surcharge	$4
Minimum Fee	
State Permit Surcharge Fee	$38
TOTAL FEE	$67

Applicant: When submitting this form to your Local Construction Code

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued 10/7/2010
Control Number 23415
Permit Number 20070954
Permit Issue Date 8/6/2007
Certificate Number 20070954

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP WALTER E SR & JATHINA K

Owner Address: 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Telephone:

Contractor BERGEN POINT ELECTRIC CO.

Address 205 GROVE ST. CLIFTON NJ 07013

Telephone: (973) 473-2068 Fax:

License Number or Builders Registration Number: Federal Emp. Number: 22-3450609

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: B Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: ELECTRICAL
(GULF GAS STATION)

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 8/6/2007
Control # 23415
Permit # 20070954

IDENTIFICATION Block: 282 Lot: 1 Qualifier
Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ
Owner in Fee: LAPP WALTER E SR & JATHINA K
263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902
Telephone:

Contractor: BERGEN POINT ELECTRIC CO.
Address: 205 GROVE ST. CLIFTON NJ 07013
Telephone: (973) 473-2068
Lic. No. or Bldrs. Reg. No.
Federal Employee. No. 22-3450609

Is hereby granted permission to perform the following work:

- ☐ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☑ ELECTRICAL
- ☐ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:
ELECTRICAL
(GULF GAS STATION)

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.
Estimated Cost of Work $2,500

Construction Official — 8/6/2007 Date

PAYMENTS (Office Use Only)

Building	$0
Electrical	$39
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$3
CO Fee	
Other	$6
Total	$48
Check No.	
Cash	$48
Credit	$0
Collected By	mw

U.C.C. F170
equiv (rev 1/04)
1 **WHITE - INSPECTOR** 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

ELECTRICAL SUBCODE
TECHNICAL SECTION

Date Received 8/2/2007
Date Issued 8/6/2007
Control # 23415
Permit # 20070954

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP WALTER E SR & JATHINA K

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel.

Contractor: LAPP WALTER E SR & JATHINA K

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel. Fax.

Lic No. Exp. Date

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No.

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed B

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work $2,500

JOB SUMMARY (Office Use Only)

PLAN REVIEW — Date — Initial

☐ No Plan Required

Partial Underslab Utilities Approved
Date: by:

Electric Plans Approved
Date: by:

Joint Plan Review Required
☐ Building ☐ Plumbing
☐ Fire ☐ Elevator

☐ Electrical Plans Approved

SUBCODE APPROVAL for PERMIT
Date: by:

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date:
Approved by:

INSPECTIONS Type:	Failure	Dates (Month/Day) Failure	Approval	Initial
Rough				
Barrier-Free				
Trench				
Temp. Serv.				
Constr. Serv.				
TCO				
Other				
Service				
Final				
Barrier-Free				

Temp. Cut-in-Card Date Issued
Final Cut-in-Card Date Issued
Annual Pool Inspection
Date of Grounding and Bonding Certification

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Licensed Elec Cont'r ☐ Certif'd Landscape Irrigation Cont'r ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
ELECTRICAL
(GULF GAS STATION)

QTY.	SIZE	ITEMS	FEE (Office Use Only)
1		Lighting Fixtures	
		Recepticles	
3		Switches	
		Detectors	
		Light Poles	
1		Motors - Fract. HP	
		Emergency & Exit Lights	
		Communication Points	
		Alarm Devices/F.A.C. Panel	
5		TOTAL NUMBERS	
		Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptical	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Recepticle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	
1	20		$10

Administrative Surcharge	$6
Minimum Fee	
State Permit Surcharge Fee	$3
TOTAL FEE	$48

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued 5/13/2013
Control Number 34355
Permit Number 20130612
Permit Issue Date 5/1/2013
Certificate Number 20130612

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: SINGH

Owner Address: 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Telephone: (732) 589-5319

Contractor GOLDEN TEMPLE CONSTRUCTION

Address 2502 JESSE WAY PISCATAWAY NJ 08854

Telephone: (732) 407-5050 Fax:

License Number or Builders Registration Number: Federal Emp. Number:

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: B Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: SHED

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 5/1/2013
Control # 34355
Permit # 20130612

IDENTIFICATION Block: 282 Lot: 1 Qualifier

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: SINGH
263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902
Telephone: (732) 589-5319

Contractor: GOLDEN TEMPLE CONSTRUCTION
Address: 2502 JESSE WAY PISCATAWAY NJ 08854
Telephone: (732) 407-5050
Lic. No. or Bldrs. Reg. No.
Federal Employee. No.

Is hereby granted permission to perform the following work:

- ☑ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☐ ELECTRICAL
- ☐ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:

SHED

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work $5,250

Construction Official

5/1/2013
Date

PAYMENTS (Office Use Only)

Building	$180
Electrical	$0
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$9
CO Fee	
Other	$0
Total	$189
Check No.	
Cash	$189
Credit	$0
Collected By	LP

U.C.C. F170
equiv (rev 1/04)

1 WHITE - INSPECTOR 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

BUILDING SUBCODE
TECHNICAL SECTION

Date Received 4/30/2013
Control # 34355
Date Issued 5/1/2013
Permit # 20130612

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: SINGH

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Tel. (732) 589-5319 Email

Contractor: SINGH

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel. (732) 589-5319 Fax.

Contractor License No. or, if new home, Bldrs Reg. No. Exp.

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Emp. ID No.

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial
☐ No Plan Required		
☐ All		
☐ Footing/Foundation		
☐ Struct/Framework		
☐ Exterior		
☐ Interior		

Joint Plan Review Required
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT
Date:
Approved by:

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date:
Approved by:

INSPECTIONS Type:	Failure	Dates (Month/Day) Failure	Approval	Initial
Footing				
Footing Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes-Base Layer				
Finishes-Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present B Proposed If Industrial Building:
Constr. Class Present Proposed State Approved
Number of Stories HUD
Height of Structure Ft.
Area - Largest Floor Sq. Ft.
New Blbg. Area / All Floors Sq. Ft.
Volume of New Structure Cu. Ft.

Est. Cost of Bldg. Work:
1. New Bldg.
2. Rehabilitation $5,250
3. Total (1+2)

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application.

Signature

Print Name Here:

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

SHED

TYPE OF WORK

- ☐ New Building
- ☐ Addition
- ☑ Rehabilitation
- ☐ Roofing
- ☐ Siding
- ☐ Fence Height (exceeds 6')
- ☐ Sign Sq. Ft.
- ☐ Pool
- ☐ Retaining Wall Sq. Ft.
- ☐ Asbestos Abatement Subchapter 8
- ☐ Lead Haz Abatement NJAC 5:17
- ☐ Radon Remediation
- ☐ Other
- ☐ Demolition

FEE (Office Use Only)

	$180
Administrative Surcharge	
Minimum Fee	
State Permit Surcharge Fee	$9
TOTAL FEE	$189

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued 10/7/2010
Control Number 14739
Permit Number 20030151
Permit Issue Date 2/25/2003
Certificate Number 20030151

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.

Owner Address: 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Telephone:

Contractor K.V.A. ELECTRICAL

Address 974 EDINBURGH DRIVE TOMS RIVER NJ 08753

Telephone: 288-2622 Fax:

License Number or Builders Registration Number: Federal Emp. Number:

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: R-3 Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: AMP SERVICE

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 2/25/2003
Control # 14739
Permit # 20030151

IDENTIFICATION Block: 282 Lot: 1 Qualifier
Work Site Location: 1696 ROUTE 130 North Brunswick, NJ
Contractor K.V.A. ELECTRICAL
Address 974 EDINBURGH DRIVE TOMS RIVER NJ 08753
Owner in Fee LAPP, WALTER E. SR. & JATHINA K.
263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902
Telephone:
Telephone: 288-2622
Lic. No. or Bldrs. Reg. No.
Federal Employee. No.

Is hereby granted permission to perform the following work:

- ☐ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☑ ELECTRICAL
- ☐ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:
AMP SERVICE

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.
Estimated Cost of Work $900

Construction Official
2/25/2003
Date

PAYMENTS (Office Use Only)

Building	$0
Electrical	$32
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$1
CO Fee	
Other	$5
Total	$38
Check No.	2002
Cash	$0
Credit	$0
Collected By	DB

U.C.C. F170
equiv (rev 1/04)

1 **WHITE - INSPECTOR** 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

ELECTRICAL SUBCODE
TECHNICAL SECTION

Date Received 2/21/2003
Date Issued 2/25/2003
Control # 14739
Permit # 20030151

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 ROUTE 130 North Brunswick, NJ

Owner in Fee: LAPP, WALTER E. SR. & JATHINA K.

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel.

Contractor: LAPP, WALTER E. SR. & JATHINA K.

Address 263 EDWARDS PLACE NORTH BRUNSWICK NJ 08902

Email

Tel. Fax.

Lic No. Exp. Date

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No.

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed R-3

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work $900

JOB SUMMARY (Office Use Only)

PLAN REVIEW

	Date	Initial
☐ No Plan Required		
Partial Underslab Utilities Approved		
Date: ____ by: ____		
Electric Plans Approved		
Date: ____ by: ____		
Joint Plan Review Required		
☐ Building ☐ Plumbing		
☐ Fire ☐ Elevator		
☐ Electrical Plans Approved		
SUBCODE APPROVAL for PERMIT		
Date: ____ by: ____		
SUBCODE APPROVAL for CERTIFICATE		
☐ CO ☐ CCO ☐ CA		
Date:		
Approved by:		

INSPECTIONS

Type:	Failure	Dates (Month/Day) Failure	Approval	Initial
Rough				
Barrier-Free				
Trench				
Temp. Serv.				
Constr. Serv.				
TCO				
Other				
Service				
Final				
Barrier-Free				
Temp. Cut-in-Card Date Issued				
Final Cut-in-Card Date Issued				
Annual Pool Inspection				
Date of Grounding and Bonding Certification				

C. CERTIFICATION IN LIEU OF OATH
I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Licensed Elec Cont'r ☐ Certif'd Landscape Irrigation Cont'r ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
AMP SERVICE

QTY.	SIZE	ITEMS	FEE (Office Use Only)
		Lighting Fixtures	
		Recepticles	
		Switches	
		Detectors	
		Light Poles	
		Motors - Fract. HP	
		Emergency & Exit Lights	
		Communication Points	
		Alarm Devices/F.A.C. Panel	
		TOTAL NUMBERS	
		Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptical	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Recepticle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
1	100	AMP Subpanels	$32
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	

Administrative Surcharge	$5
Minimum Fee	
State Permit Surcharge Fee	$1

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued 3/9/1999
Control Number 8078
Permit Number 98993
Permit Issue Date 12/11/1998
Certificate Number 98993

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP - GULF STATION

Owner Address: NJ

Telephone:

Contractor P & R MAINTENANCE, INC.

Address 116 ROUTE 9 NORTH FORKED RIVER NJ 08731

Telephone: (609) 693-5262 Fax:

License Number or Builders Registration Number: Federal Emp. Number:

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: B Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: ALTERATION/CANOPYALTERATIONSALTERATIONSAALTERATIONS

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 12/11/1998
Control # 8078
Permit # 98993

IDENTIFICATION Block: 282 Lot: 1 Qualifier
Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ
Owner in Fee LAPP - GULF STATION
NJ
Telephone:

Contractor P & R MAINTENANCE, INC.
Address 116 ROUTE 9 NORTH FORKED RIVER NJ 08731
Telephone: (609) 693-5262
Lic. No. or Bldrs. Reg. No.
Federal Employee. No.

Is hereby granted permission to perform the following work:

- ☑ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☑ ELECTRICAL
- ☑ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:
ALTERATION/CANOPYALTERATIONSALTERATIONSAALTERATIONS

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.
Estimated Cost of Work $59,500

Construction Official

12/11/1998
Date

PAYMENTS (Office Use Only)

Building	$570
Electrical	$25
Plumbing	$0
Fire Protection	$475
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$48
CO Fee	
Other	$161
Total	$1,279
Check No.	17986
Cash	$0
Credit	$0
Collected By	MW

U.C.C. F170
equiv (rev 1/04)

1 **WHITE - INSPECTOR** 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

BUILDING SUBCODE
TECHNICAL SECTION

Date Received 12/11/1998
Control # 8078
Date Issued 12/11/1998
Permit # 98993

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code _____

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP - GULF STATION

Address NJ

Tel. _____ Email _____

Contractor: P & R MAINTENANCE, INC.

Address 116 ROUTE 9 NORTH FORKED RIVER NJ 08731

_____ Email _____

Tel. (609) 693-5262 Fax. _____

Contractor License No. or, if new home, Bldrs Reg. No. US00387 Exp. _____

Home improvment Contractor Registration No. or Exemption Reason(is applicable): _____

Federal Emp. ID No. 22-3143205

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial
☐ No Plan Required		
☐ All		
☐ Footing/Foundation		
☐ Struct/Framework		
☐ Exterior		
☐ Interior		

Joint Plan Review Required
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT
Date: _____
Approved by: _____

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date: _____
Approved by: _____

INSPECTIONS	Dates (Month/Day)			
Type:	Failure	Failure	Approval	Initial
Footing				
Footing Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes-Base Layer				
Finishes-Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present B Proposed _____ If Industrial Building:
Constr. Class Present _____ Proposed _____ State Approved _____
Number of Stories _____ HUD _____
Height of Structure _____ Ft.
Area - Largest Floor _____ Sq. Ft.
New Blbg. Area / All Floors _____ Sq. Ft.
Volume of New Structure _____ Cu. Ft.

Est. Cost of Bldg. Work:
1. New Bldg. _____
2. Rehabilitation $30,000
3. Total (1+2) _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application.

_____
Signature

Print Name Here: _____

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

ALTERATION/CANOPYALTERATIONSALTERATIONSAALTERATIONS

TYPE OF WORK

☐ New Building
☐ Addition
☑ Rehabilitation
☐ Roofing
☐ Siding
☐ Fence _____ Height (exceeds 6')
☐ Sign _____ Sq. Ft.
☐ Pool
☐ Retaining Wall _____ Sq. Ft.
☐ Asbestos Abatement Subchapter 8
☐ Lead Haz Abatement NJAC 5:17
☐ Radon Remediation
☐ Other _____
☐ Demolition

FEE (Office Use Only)

Administrative Surcharge	$86
Minimum Fee	
State Permit Surcharge Fee	$48
TOTAL FEE	$704

ELECTRICAL SUBCODE
TECHNICAL SECTION

Date Received 12/11/1998
Date Issued 12/11/1998
Control # 8078
Permit # 98993

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP - GULF STATION

Address NJ

Email

Tel.

Contractor: P & R MAINTENANCE, INC.

Address 116 ROUTE 9 NORTH FORKED RIVER NJ 08731

Email

Tel. (609) 693-5262 Fax.

Lic No. Exp. Date

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No. 22-3143205

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed B

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work $4,500

JOB SUMMARY (Office Use Only)

PLAN REVIEW

	Date	Initial
☐ No Plan Required		
Partial Underslab Utilities Approved		
Date: by:		
Electric Plans Approved		
Date: by:		
Joint Plan Review Required		
☐ Building ☐ Plumbing		
☐ Fire ☐ Elevator		
☐ Electrical Plans Approved		
SUBCODE APPROVAL for PERMIT		
Date: by:		
SUBCODE APPROVAL for CERTIFICATE		
☐ CO ☐ CCO ☐ CA		
Date:		
Approved by:		

INSPECTIONS

Type:	Failure	Failure	Approval	Initial
	Dates (Month/Day)			
Rough				
Barrier-Free				
Trench				
Temp. Serv.				
Constr. Serv.				
TCO				
Other				
Service				
Final				
Barrier-Free				
Temp. Cut-in-Card Date Issued				
Final Cut-in-Card Date Issued				
Annual Pool Inspection				
Date of Grounding and Bonding Certification				

C. CERTIFICATION IN LIEU OF OATH
I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Licensed Elec Cont'r ☐ Certif'd Landscape Irrigation Cont'r ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
ALTERATION/CANOPYALTERATIONSALTERATIONSAALTERATIONS

QTY.	SIZE	ITEMS	FEE (Office Use Only)
6		Lighting Fixtures	
		Recepticles	
		Switches	
5		Detectors	
		Light Poles	
		Motors - Fract. HP	
		Emergency & Exit Lights	
		Communication Points	
		Alarm Devices/F.A.C. Panel	
		TOTAL NUMBERS	
		Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptical	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Recepticle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	

Administrative Surcharge	$4
Minimum Fee	
State Permit Surcharge Fee	$48

FIRE SUBCODE
TECHNICAL SECTION

Date Received 12/11/1998
Control # 8078
Date Issued 12/11/1998
Permit # 98993

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP - GULF STATION

Address NJ Email

Tel.

Contractor: P & R MAINTENANCE, INC. Tel. (609) 693-5262

Address 116 ROUTE 9 NORTH FORKED RIVER NJ 08731 Email

Fire Protection Equipment, NJ Div of Fire Safety Permit No.

Fire Protection Equipment, NJ Div of Fire Safety Installer No.

Fire Alarm Contractor No. Expiration Date:

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No. 22-3143205 Fax.

B. FIRE PROTECTION CHARACTERISTICS

Use Group Present Proposed B

Constr. Class Present Proposed

Heating Systems: ☐ New *or* ☐ Modification to Existing *or* ☐ Conversion *or* ☐ Replacement

Type: ☐ Gas ☐ Oil ☐ Electric ☐ Solar ☐ Other

Location:

Total Cost of Fire Protection Work $25,000

Fuel Storage Tank:

Fuel Type ☐ *Flammable* *or* ☐ *Combustible*

Capacity

Fire Alarm System: ☐ New *or* ☐ Existing

Location of Panel:

Fire Suppression/Standpipe System:

☐ New *or* ☐ Existing

Location of Main Control Valve:

JOB SUMMARY (Office Use Only)

PLAN REVIEW

☐ No Plan Required

Partial Underslab Utilities Approved

Date: by:

☐ Fire Protection Plans Approved

Date:

Approved by:

Joint Plan Review Required

☐ Building ☐ Plumbing

☐ Electrical ☐ Elevator

SUBCODE APPROVAL for PERMIT

Date: by:

SUBCODE APPROVAL for CERTIFICATE

☐ CO ☐ CCO ☐ CA

Date: by:

INSPECTIONS	Dates (Month/Day)			
Type:	Failure	Failure	Approval	Initial
Alarm System				
Suppression Sys.				
Standpipe				
Fire Pump				
Pre-Eng. System				
Mechanical				
Smoke Control				
TCO				
Flam/Cumbust Tank				
Fireplace Venting				
Final				
Other				

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of record and am authorized to make this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Certified Contractor ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

ALTERATION/CANOPYALTERATIONSALTERATIONSAALTERATIONS

Water Supply Source

Method of Alarm/Suppression System Supervision

	NUMBER	FEE (Office Use Only)
Flammable/Combustible Tanks		
Alarm Systems		
☐ System		
☐ 110v Interconnected		
☐ CO Detectors/110v		
Alarm Devices (i.e. smoke, heat, pulls, water/flow)		
Supervisory Devices (tampers, low/high air)		
Signaling Devices (horn/strobes, bells)		
Other Devices		
TOTAL		
Suppression Systems		
Fire Pump GPM Type		
Dry Pipe/Alarm Valves		
Pre-action Valves		
Sprinkler Heads (Dry and Wet)		
Standpipes		
Pre-engineered Systems		
Wet Chemical		
Dry Chemical		
CO2 Suppression		
Foam Suppression		
FM200 Suppression		
Other		
Other Systems		
Kitchen Hood Exhaust System		
Smoke Control System		
Fire Appliances ☐ Gas ☐ Oil ☐ Solid		
Fireplace Venting/Metal Chimney		
Other		

Administrative Surcharge	$71
Minimum Fee	
State Permit Surcharge Fee	$48
TOTAL FEE	$594

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued
Control Number 12684
Permit Number 20011472
Permit Issue Date 12/21/2001
Certificate Number 20011472

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP - GULF STATION

Owner Address: 1696 HWY. 130 NORTH BRUNSWICK NJ 08902

Telephone:

Contractor ENVIROMENTAL MAINT. CO.

Address 1420 E. MERMAID LA. GLENSIDE NJ 19038

Telephone: (215) 233-5141 Fax:

License Number or Builders Registration Number: Federal Emp. Number:

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: U Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: REMOVE 4 6000 GALLON TANKS

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 12/21/2001
Control # 12684
Permit # 20011472

IDENTIFICATION Block: 282 Lot: 1 Qualifier
Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ
Owner in Fee: LAPP - GULF STATION
1696 HWY. 130 NORTH BRUNSWICK NJ 08902
Telephone:

Contractor: ENVIROMENTAL MAINT. CO.
Address: 1420 E. MERMAID LA. GLENSIDE NJ 19038
Telephone: (215) 233-5141
Lic. No. or Bldrs. Reg. No.
Federal Employee. No.

Is hereby granted permission to perform the following work:

- ☑ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☐ ELECTRICAL
- ☐ FIRE PROTECTION
- ☑ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:
REMOVE 4 6000 GALLON TANKS

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.
Estimated Cost of Work $4,000

Construction Official

12/21/2001
Date

PAYMENTS (Office Use Only)

Building	$65
Electrical	$0
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$0
CO Fee	
Other	$0
Total	$65
Check No.	352
Cash	$0
Credit	$0
Collected By	MW

U.C.C. F170
equiv (rev 1/04)

1 WHITE - INSPECTOR 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

BUILDING SUBCODE
TECHNICAL SECTION

Date Received 12/20/2001
Control # 12684
Date Issued 12/21/2001
Permit # 20011472

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code _____

Work Site Location: 1696 HWY. 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP - GULF STATION

Address 1696 HWY. 130 NORTH BRUNSWICK NJ 08902

Tel. _____ Email _____

Contractor: ENVIROMENTAL MAINT. CO.

Address 1420 E. MERMAID LA. GLENSIDE PA 19038

_____ Email _____

Tel. (215) 233-5141 Fax. _____

Contractor License No. or, if new home, Bldrs Reg. No. _____ Exp. _____

Home improvment Contractor Registration No. or Exemption Reason(is applicable): _____

Federal Emp. ID No. 23-2803239

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial
☐ No Plan Required		
☐ All		
☐ Footing/Foundation		
☐ Struct/Framework		
☐ Exterior		
☐ Interior		

Joint Plan Review Required
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT
Date: _____
Approved by: _____

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date: _____
Approved by: _____

INSPECTIONS	Dates (Month/Day)			
Type:	Failure	Failure	Approval	Initial
Footing				
Footing Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes-Base Layer				
Finishes-Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present U Proposed _____ If Industrial Building:
Constr. Class Present _____ Proposed _____ State Approved _____
Number of Stories _____ HUD _____
Height of Structure _____ Ft. **Est. Cost of Bldg. Work:**
Area - Largest Floor _____ Sq. Ft. 1. New Bldg. $4,000
New Blbg. Area / All Floors _____ Sq. Ft. 2. Rehabilitation _____
Volume of New Structure _____ Cu. Ft. 3. Total (1+2) _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application.

_____
Signature

Print Name Here: _____

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

REMOVE 4 6000 GALLON TANKS

TYPE OF WORK

- ☐ New Building
- ☐ Addition
- ☐ Rehabilitation
- ☐ Roofing
- ☐ Siding
- ☐ Fence _____ Height (exceeds 6')
- ☐ Sign _____ Sq. Ft.
- ☐ Pool
- ☐ Retaining Wall _____ Sq. Ft.
- ☐ Asbestos Abatement Subchapter 8
- ☐ Lead Haz Abatement NJAC 5:17
- ☐ Radon Remediation
- ☐ Other _____
- ☑ Demolition

FEE (Office Use Only)

$65

Administrative Surcharge _____
Minimum Fee _____
State Permit Surcharge Fee _____
TOTAL FEE $65

North Brunswick Township
710 Hermann Road
North Brunswick, NJ 08902

Date Issued
Control Number 37724
Permit Number 20141699
Permit Issue Date 12/2/2014
Certificate Number 20141699

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ Block: 282 Lot: 1 Qual:

Owner in Fee: LAPP WALTER E SR & JATHINA K

Owner Address: 11220 SHANNONDELL DRIVE AUDUBON NJ 19403

Telephone:

Contractor TRADEMARK SIGN LLS

Address 1525 PROSPECT SST. UNIT 604 LAKEWOOD NJ 08701

Telephone: (732) 288-1004 Fax:

License Number or Builders Registration Number: Federal Emp. Number:

Home Warranty Number:

Type of Warranty Plan: ☐ State ☐ Private

Use Group: B Construction Classification:

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: SIGN GULF TO MOBILE

Certificate Comments:

☐ **Certificate of Occupancy**
This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☑ **Certificate of Approval**
This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**
This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**
The following conditions must be met no later than
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**
This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Clearance - Asbestos Abatement**
This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (years); see file

☐ **Certificate of Compliance**
This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**
The following conditions must be met no later than:
or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of:
Conditions to be met:

Construction Official

Fee: $0.00
Check Number:
Collected By:

Date Printed: 7/20/2016

U.C.C. F260 (rev. 08/05)

CONSTRUCTION PERMIT

Date Issued 12/2/2014
Control # 37724
Permit # 20141699

IDENTIFICATION Block: 282 Lot: 1 Qualifier

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP WALTER E SR & JATHINA K
11220 SHANNONDELL DRIVE AUDUBON NJ 19403

Telephone:

Contractor: TRADEMARK SIGN LLS
Address: 1525 PROSPECT SST. UNIT 604 LAKEWOOD NJ 08701
Telephone: (732) 288-1004
Lic. No. or Bldrs. Reg. No.
Federal Employee. No.

Is hereby granted permission to perform the following work:

- ☑ BUILDING
- ☐ PLUMBING
- ☐ LEAD HAZARD ABATEMENT
- ☑ ELECTRICAL
- ☐ FIRE PROTECTION
- ☐ DEMOLITION
- ☐ ELEVATOR DEVICES
- ☐ ASBESTOS ABATEMENT (Subchapter 8 only)
- ☐ OTHER

DESCRIPTION OF WORK:

SIGN GULF TO MOBILE

Note: If constuction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work $11,300

Construction Official

12/2/2014
Date

PAYMENTS (Office Use Only)

Building	$624
Electrical	$33
Plumbing	$0
Fire Protection	$0
Elevator Devices	$0
Other	$0.00
DCA Training Fee	$22
CO Fee	
Other	$8
Total	$687
Check No.	3370
Cash	$0
Credit	$0
Collected By	mw

U.C.C. F170
equiv (rev 1/04)

1 WHITE - INSPECTOR 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☐ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

BUILDING SUBCODE
TECHNICAL SECTION

Date Received 11/5/2014
Control # 37724
Date Issued 12/2/2014
Permit # 20141699

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code _____

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP WALTER E SR & JATHINA K

Address 11220 SHANNONDELL DRIVE AUDUBON NJ 19403

Tel. _____ Email _____

Contractor: LAPP WALTER E SR & JATHINA K

Address 11220 SHANNONDELL DRIVE AUDUBON NJ 19403

_____ Email _____

Tel. _____ Fax. _____

Contractor License No. or, if new home, Bldrs Reg. No. _____ Exp. _____

Home improvment Contractor Registration No. or Exemption Reason(is applicable): _____

Federal Emp. ID No. _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application.

_____
Signature

Print Name Here: _____

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

SIGN GULF TO MOBILE

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial
☐ No Plan Required		
☐ All		
☐ Footing/Foundation		
☐ Struct/Framework		
☐ Exterior		
☐ Interior		

Joint Plan Review Required
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT
Date: _____
Approved by: _____

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date: _____
Approved by: _____

INSPECTIONS Type:	Failure	Dates (Month/Day) Failure	Approval	Initial
Footing				
Footing Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes-Base Layer				
Finishes-Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present B Proposed _____ If Industrial Building:
Constr. Class Present _____ Proposed _____ State Approved _____
Number of Stories _____ HUD _____
Height of Structure _____ Ft.
Area - Largest Floor _____ Sq. Ft.
New Blbg. Area / All Floors _____ Sq. Ft.
Volume of New Structure _____ Cu. Ft.

Est. Cost of Bldg. Work:
1. New Bldg. _____
2. Rehabilitation $11,000
3. Total (1+2) _____

TYPE OF WORK

- ☐ New Building
- ☐ Addition
- ☑ Rehabilitation
- ☐ Roofing
- ☐ Siding
- ☐ Fence _____ Height (exceeds 6')
- ☐ Sign _____ Sq. Ft.
- ☐ Pool
- ☐ Retaining Wall _____ Sq. Ft.
- ☐ Asbestos Abatement Subchapter 8
- ☐ Lead Haz Abatement NJAC 5:17
- ☐ Radon Remediation
- ☐ Other _____
- ☐ Demolition

FEE (Office Use Only)

	$330
Administrative Surcharge	
Minimum Fee	
State Permit Surcharge Fee	$22
TOTAL FEE	$646

ELECTRICAL SUBCODE
TECHNICAL SECTION

Date Received 11/5/2014
Date Issued 12/2/2014
Control # 37724
Permit # 20141699

A. IDENTIFICATION - APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 282 Lot 1 Qualification Code

Work Site Location: 1696 ROUTE 130 NORTH BRUNSWICK, NJ

Owner in Fee: LAPP WALTER E SR & JATHINA K

Address 11220 SHANNONDELL DRIVE AUDUBON NJ 19403

Email

Tel.

Contractor:

Address NJ

Email tom@trademarksignllc.com

Tel. Fax.

Lic No. Exp. Date

Home improvment Contractor Registration No. or Exemption Reason(is applicable):

Federal Employee No.

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed B

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work $300

JOB SUMMARY (Office Use Only)

PLAN REVIEW — Date — Initial

☐ No Plan Required

Partial Underslab Utilities Approved
Date: by:

Electric Plans Approved
Date: by:

Joint Plan Review Required
☐ Building ☐ Plumbing
☐ Fire ☐ Elevator

☐ Electrical Plans Approved

SUBCODE APPROVAL for PERMIT
Date: by:

SUBCODE APPROVAL for CERTIFICATE
☐ CO ☐ CCO ☐ CA
Date:
Approved by:

INSPECTIONS Type:	Failure	Dates (Month/Day) Failure	Approval	Initial
Rough				
Barrier-Free				
Trench				
Temp. Serv.				
Constr. Serv.				
TCO				
Other				
Service				
Final				
Barrier-Free				
Temp. Cut-in-Card Date Issued				
Final Cut-in-Card Date Issued				
Annual Pool Inspection				
Date of Grounding and Bonding Certification				

C. CERTIFICATION IN LIEU OF OATH
I hereby certifiy that I am the (agent of) owner of the record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature and Printed Name

☐ Licensed Elec Cont'r ☐ Certif'd Landscape Irrigation Cont'r ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
SIGN GULF TO MOBILE

QTY.	SIZE	ITEMS	FEE (Office Use Only)
		Lighting Fixtures	
		Recepticles	
		Switches	
		Detectors	
		Light Poles	
		Motors - Fract. HP	
		Emergency & Exit Lights	
		Communication Points	
		Alarm Devices/F.A.C. Panel	
		TOTAL NUMBERS	
		Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptical	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Recepticle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	
1			$45

Administrative Surcharge $8
Minimum Fee
State Permit Surcharge Fee $22

APPENDIX L

NJDEP DATA MINOR REPORTS

Appendix L

Aug 12, 2016 03:15

Enforcement Actions Issued to NORTH BRUNSWICK GULF - Program Interest ID 010180 Between 1/1/1950 12:00:00 AM and 8/12/2016 12:00:00 AM

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; Right To Know - 11/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: All listed enforcement actions address alleged violations based on facts and information known to the Department at the time the violation information was determined. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known. Persons cited for violations may contest the Department's enforcement action or penalty assessment. The resultant final decision may uphold, negate or modify the original violation findings or penalty.

Activity Number: PEA 060001

Document Type: NOV

Effective Start Date	Current Document Status and Date	Penalty Assessed	Amount Received
1/10/06	Closed 1/17/06	N/A	N/A

Description of Non-compliance	Violated Citation	Violation Status	Related Inspection	Related Violations
Failure to test ALLD at least once every year. LLDs were tested on 1/12/06 (passed).	[N.J.A.C. 7:14B-6.6(a)1]	Satisfied	Click for Inspection Details...	Click for Violations Details...

Activity Number: PEA 110001

Document Type: NOV

Effective Start Date	Current Document Status and Date	Penalty Assessed	Amount Received
12/7/11	Closed 2/16/12	N/A	N/A

Description of Non-compliance	Violated Citation	Violation Status	Related Inspection	Related Violations
Failure to have a current "passing" SPP test. C3 perfomed test on 10/7/11-failing	[N.J.A.C. 7:27- 8.3(e)]	Satisfied	Click for Inspection Details...	Click for Violations Details...
Failure to perform 7 day investigation but has passing .2gph testing. see above comments.	[N.J.A.C. 7:14B-7.1(a)]	Satisfied	Click for Inspection Details...	Click for Violations Details...

Activity Number: PEA 140001

Document Type: AO Delivery Ban/Cease Use

Effective Start Date	Current Document Status and Date	Penalty Assessed	Amount Received
7/25/14	Effective 7/25/14	$0.00	$0.00

Description of Non-compliance	Violated Citation	Violation Status	Related Inspection	Related Violations
A person or business firm introduced hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances. DB for Diesel only.	[x-N.J.A.C. 7:14B- 5.9(a)]	Pending	Click for Inspection Details...	Click for Violations Details...

Activity Number: **PEA 160002**

Document Type: **NOV**

Effective Start Date	Current Document Status and Date	Penalty Assessed	Amount Received
7/25/14	**Effective 7/25/14**	**N/A**	**N/A**

Description of Non-compliance	Violated Citation	Violation Status	Related Inspection	Related Violations
A person or business firm introduced hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances. DB for Diesel only.	[x-N.J.A.C. 7:14B- 5.9(a)]	Pending	Click for Inspection Details...	Click for Violations Details...

Inspections Completed At NORTH BRUNSWICK GULF - Program Interest ID: 010180 and Discovery Activity Number: SCI 140001 By The Hazardous Waste Program

Aug 12, 2016 03:17

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water Quality - 7/2000; Water Supply (limited information for Safe Drinking Water and Water Allocation) - 7/2000; Lab Certification (limited information) - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Violations Found, this means that one or more alleged violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 140001	HW - UST Inspection	7/25/14	2/16/16	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Inspections Completed At NORTH BRUNSWICK GULF - Program Interest ID: 010180
Between 1/1/1950 and 8/12/2016 By The Site Remediation Program

Aug 12, 2016 03:19

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Violations Found, this means that one or more alleged violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
PEA 110001	NOV	2/14/12	2/24/12	#No Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 060001	HW - UST Inspection	1/10/06	1/17/06	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations

SCI 090001	HW - UST Inspection	4/8/09	8/18/09	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 110001	HW - UST Inspection	12/1/11	12/12/11	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 140001	HW - UST Inspection	7/25/14	2/16/16	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Inspection Summary Report for NORTH BRUNSWICK GULF - Activity Number SCI 060001

Aug 12, 2016 03:20

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Out of Compliance, this means that violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number: SCI 060001 **Inspection Type:** HW - UST Inspection **Program Interest ID:** 010180

Inspection Start Date: 1/10/06 **End Date:** 1/10/06 **Lead Investigator:** Norville, Lorraine

Program Interest Name: NORTH BRUNSWICK GULF

Address: 1696 GEORGES RD North Brunswick NJ 08902 **County:** Middlesex - North Brunswick Twp

Block(s) and Lot(s): Block 282 Lot 1

Comments:

Facility has returned to compliance.

Subject Item: **WUST** **0** **-** **HW - Underground Storage Tanks**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
INFORMATION /DOCUMENTATION REQUIRED.	Heading				Rules
Are all regulated tanks properly registered with the Department? (NOTE : for compartmented tanks, each compartment must be registered as a separate tank). [N.J.A.C. 7:14B-2.1(a)]	In Compliance	Expires 3/31/06			Rules
Is the Registration Certificate available? . [N.J.A.C. 7:14B-2.6 (a)]	In Compliance				Rules
Does this facility have a Financial Responsibility Assurance Mechanism as required?. [N.J.A.C. 7:14B-15.2(a)]	In Compliance	Expires 11/17/06			Rules
Is a Release Response Plan available for the inspection? . [N.J.A.C. 7:14B-5.5(b)]	In Compliance				Rules
UST LEAK DETECTION (Tanks and Lines).	Heading				Rules
Is the Owner/Operator performing an acceptable method of release detection for the tanks and/or underground piping? (List Type of RDM for Tanks and Lines). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Tanks - Interstitial & ATG/Veeder Root TLS-350 Piping - Interstitial			Rules
Is the Owner/Operator maintaining records of any sampling, testing or monitoring and monthly inventory reconciliations?. [N.J.A.C. 7:14B-6.7(f)]	In Compliance				Rules
TANK RELEASE DETECTION MONITORING.	Heading				Rules
AUTOMATIC TANK GAUGING	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance				Rules
Is a Release Rate Test (0.2 gph) performed at least once every 30 Days? . [N.J.A.C. 7:14B-6.2(a)1]	In Compliance				Rules

Did the tank fail any monthly tests? .	Data Collection	Some leak test results are invalid; however, doing Interstitial monitoring.			Rules
INTERSTITIAL MONITORING .	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance				Rules
Is the Interstitial tested continuously or at least once every 30 Days?. [N.J.A.C. 7:14B-6.2(a)1]	In Compliance				Rules
Has the Interstitial monitoring system indicated a alarm? (Indicate alarm type).	Data Collection	No			Rules
PRODUCT PIPING RDM.	Heading				Rules
PRESSURIZED PIPING .	Heading				Rules
Is the piping equipped with an Automatic Line Leak Detector? . [N.J.A.C. 7:14B-6.2(a)2]	In Compliance				Rules
If ALLD is present, is it tested at least once every year? . [N.J.A.C. 7:14B-6.6(a)1]	Out of Compliance	Failure to test ALLD at least once every year. LLDs were tested on 1/12/06 (passed).			Rules
Is Monthly Monitoring (either vapor monitoring, product monitoring on GW, SIR or in-line electronic pressure monitoring) being performed OR is annual Line Tightness Testing being performed? (Indicate Method). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Monthly monitoring via liquid sensors in sumps.			Rules
Has the piping failed any tightness test or any monthly monitoring method? .	Data Collection	No			Rules
SPILL PREVENTION.	Heading				Rules
Are Fill Ports marked correctly according to the API code #1637? . [N.J.A.C. 7:14B-5.8]	In Compliance				Rules
Are there Spill Catchment Basins (Spill Buckets) at each fill pipe?. [N.J.A.C. 7:14B-4.1(a)3i]	In Compliance				Rules
Are the Spill Catchment Basins (Spill Buckets) free of debris, product and/or water? . [N.J.A.C. 7:14B-5.1(d)1]	In Compliance				Rules
OVERFILL PREVENTION .	Heading				Rules

Do each of the regulated tanks have overfill prevention?. [N.J.A.C. 7:14B-4.1(a)3ii]	In Compliance				Rules
As overfill prevention, does the Tank System have an Automatic Shutoff Device (95% Tank Capacity) ? .	Data Collection	Yes			Rules
Is the Owner/Operator inspecting and cleaning all STP, dispenser and piping sumps, spill buckets and catchment basins every thirty (30) days?. [N.J.A.C. 7:14B-5.1(d)]	In Compliance				Rules
INVESTIGATION OF A SUSPECTED RELEASE.	Heading				Rules
Did the results of field screening confirm the presense of contamination?. [N.J.A.C. 7:14B-1.8(a)]	Data Collection	Facility is an active C2 site.			Rules

Inspections Completed At NORTH BRUNSWICK GULF - Program Interest ID: 010180
Between 1/1/1950 and 8/12/2016 By The Site Remediation Program

Aug 12, 2016 03:21

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Violations Found, this means that one or more alleged violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
PEA 110001	NOV	2/14/12	2/24/12	#No Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 060001	HW - UST Inspection	1/10/06	1/17/06	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations

SCI 090001	HW - UST Inspection	4/8/09	8/18/09	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 110001	HW - UST Inspection	12/1/11	12/12/11	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Activity Number	Inspection Type	Start Date of Inspection	Finalized Date	Inspection Results	Inspection Details	Related Enf Actions	Related Violations
SCI 140001	HW - UST Inspection	7/25/14	2/16/16	#Violations Found#	Click for Inspection Summary...	Click for Enforcement Action Info	Click for Violations Info

Inspection Summary Report for NORTH BRUNSWICK GULF - Activity Number SCI 110001

Aug 12, 2016 03:22

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Out of Compliance, this means that violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number: SCI 110001 **Inspection Type:** HW - UST Inspection **Program Interest ID:** 010180

Inspection Start Date: 12/1/11 **End Date:** 12/1/11 **Lead Investigator:** Pierson, Janelle

Program Interest Name: NORTH BRUNSWICK GULF

Address: 1696 GEORGES RD North Brunswick NJ 08902 **County:** Middlesex - North Brunswick Twp

Block(s) and Lot(s): Block 282 Lot 1

Comments:

Potential violation for: failure to maintain evidence of financial assurance on site and at the facility, also need tank construction verification-tanks are registered as internally

lined and fiberglass reinforced plastic. Out of compliance for: failure to perform a "seven day" investigation-fuel alarm in diesel annular space, fuel alarm in regular annular space-investigate and submit results. Also out of compliance for failing static pressure performance test on 10/7/11, needs to retest and submit.

Subject Item: **WAGN** **0** **-** **HW - Minor Source General Permit**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
GENERAL PERMIT INFORMATION/DOCUMENTATION REQUIRED.	Heading				Rules
Is the facility subject to Stage 1 or Stage 2 requirements? .	In Compliance	Stage 1 and 2.			Rules
Does the facility have a current air permit? . [N.J.A.C. 7:27- 8.3 (b)]	In Compliance	General A9989 exp 9/17/12.			Rules
Has the facility passed a Static Pressure Performance (SPP) test within the past 12 months? . [N.J.A.C. 7:27- 8.3(e)]	Out of Compliance	Failure to have a current "passing" SPP test. C3 perfomed test on 10/7/11-failing			Rules
Has the facility passed a Pressure Vacuum Valve (PVV) test within the past 12 months? . [N.J.A.C. 7:27- 8.3(e)]	In Compliance	Performed by C3 on 9/27/11 with passing results.			Rules
Has the facility passed a current dynamic backpressure test within the past 36 months? . [N.J.A.C. 7:27- 8.3(e)]	In Compliance	Performed by C3 on 10/5/09 with passing results.			Rules
Has the facility made records available? . [N.J.A.C. 7:27- 8.3(e)]	In Compliance				Rules
Do all gasoline fill risers have submerged fill (drop tubes)?. [N.J.A.C. 7:27- 8.3(e)]	In Compliance				Rules
Are all Stage I related components present and functioning properly? (specifically). [N.J.A.C. 7:27- 8.3(e)]	In Compliance				Rules
Are all Stage II related components present and functioning properly? (specifically). [N.J.A.C. 7:27- 8.3(e)]	In Compliance				Rules

Subject Item: **WUST** **0** **-** **HW - Underground Storage Tanks**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
INFORMATION /DOCUMENTATION REQUIRED.	Heading				Rules
Are all regulated tanks properly registered with the Department? (NOTE : for compartmented tanks, each compartment must be registered as a separate tank). [N.J.A.C. 7:14B-2.1(a)]	In Compliance	Effective			Rules
Is the Registration Certificate available? . [N.J.A.C. 7:14B-2.6 (a)]	In Compliance	Exp 3/31/12.			Rules
Did the owner/operator submit an amended UST Questionnaire to reflect changes in status made to the facility? (owner,facility name, tank/piping construction/contents). [N.J.A.C. 7:14B-2.4 (a)]	In Compliance				Rules
Does the owner and operator maintain evidence of financial assurance at the site and at the owner or operator's place of business as required?. [N.J.A.C. 7:14B-15.1(h)]	Potential Violation				Rules
Does this facility have a Financial Responsibility Assurance Mechanism as required?. [N.J.A.C. 7:14B-15.2(a)]	Compliance Not Determined				Rules
Is a complete Release Response Plan available for the inspection? . [N.J.A.C. 7:14B-5.5(b)]	In Compliance				Rules
INTERNAL LINING .	Heading	Needs to doc tank verification, registration states internally lines tanks and fiberglass reinforced plastic. C3 confirmed tanks are fiberglass.			Rules
UST LEAK DETECTION (Tanks and Lines).	Heading				Rules
Is the Owner/Operator performing an acceptable method of release detection for the tanks and/or underground piping? (List Type of RDM for Tanks and Lines). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	ATG and interstitial for tanks, LLD's and interstitial sensors for product piping.			Rules

Is the Owner/Operator maintaining records of any sampling, testing or monitoring and monthly inventory reconciliations?. [N.J.A.C. 7:14B-6.7(f)]	In Compliance				Rules
TANK RELEASE DETECTION MONITORING.	Heading				Rules
AUTOMATIC TANK GAUGING .	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance	Veeder Root TLS 350.			Rules
Is a Release Rate Test (0.2 gph) performed at least once every 30 Days? . [N.J.A.C. 7:14B-6.2(a)1]	In Compliance				Rules
Did the tank fail any monthly tests? .	Data Collection	No			Rules
INTERSTITIAL MONITORING .	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance				Rules
Is the Interstitial tested continuously or at least once every 30 Days?. [N.J.A.C. 7:14B-6.2(a)1]	In Compliance	Continually			Rules
Has the Interstitial monitoring system indicated a alarm? (Indicate alarm type).	Data Collection	Yes, fuel alarms in diesel annular space and regular annular space. C3 confirmed only water, pumped out and disposed of properly.			Rules
If "YES", was an investigation of the suspected release completed within 7 calendar days of the discovery of the suspected release? . [N.J.A.C. 7:14B-7.1(a)]	Out of Compliance	Failure to perform 7 day investigation but has passing . 2gph testing. see above comments.			Rules
PRODUCT PIPING RDM.	Heading				Rules
PRESSURIZED PIPING .	Heading				Rules
Is the piping equipped with an Automatic Line Leak Detector? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance				Rules
If ALLD is present, is it tested at least once every year? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance	Performed by C3 with passing results on 9/27/11.			Rules

Is Monthly Monitoring (either continual interstitial, SIR or in-line electronic pressure monitoring) being performed OR is annual Line Tightness Testing being performed? (Indicate Method). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Continual interstitial monitoring and annual line tightness test performed with passing results on 9/27/11 by C3 technologies.			Rules
Has the piping failed any tightness test or any monthly monitoring method? .	Data Collection	No			Rules
SPILL PREVENTION.	Heading				Rules
Are Fill Ports marked correctly according to the API code #1637? . [N.J.A.C. 7:14B-5.8]	In Compliance				Rules
Are there Spill Catchment Basins (Spill Buckets) at each fill pipe?. [N.J.A.C. 7:14B-4.1(a)3i]	In Compliance				Rules
Are the Spill Catchment Basins (Spill Buckets) free of debris, product and/or water? . [N.J.A.C. 7:14B-5.1(d)1]	In Compliance				Rules
OVERFILL PREVENTION .	Heading				Rules
Do each of the regulated tanks have overfill prevention?. [N.J.A.C. 7:14B-4.1(a)3ii]	In Compliance				Rules
As overfill prevention, does the Tank System have an Automatic Shutoff Device (95% Tank Capacity) ? .	In Compliance	OPW fill ports			Rules
Is the Owner/Operator inspecting and cleaning all STP, dispenser and piping sumps, spill buckets and catchment basins every thirty (30) days?. [N.J.A.C. 7:14B-5.1(d)]	In Compliance				Rules
INVESTIGATION OF A SUSPECTED RELEASE.	Heading				Rules
Did the results of field screening detect the possible presence of contamination?. [N.J.A.C. 7:14B-5.9(a)]	In Compliance	No presence of contamination upon inspection.			Rules

Inspection Summary Report for NORTH BRUNSWICK GULF - Activity Number SCI 140001

Aug 12, 2016 03:23

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Out of Compliance, this means that violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number: SCI 140001 **Inspection Type:** HW - UST Inspection **Program Interest ID:** 010180

Inspection Start Date: 7/25/14 **End Date:** 7/25/14 **Lead Investigator:** Pierson, Janelle

Program Interest Name: NORTH BRUNSWICK GULF

Address: 1696 GEORGES RD North Brunswick NJ 08902 **County:** Middlesex - North Brunswick Twp

Block(s) and Lot(s): Block 282 Lot 1

Comments:

PV: RDM on product piping not performed-tight test boots on regular and premium tank. OC: failure to perform a "seven day" investigation-diesel annular in fuel alarm

since 7/3/14 and 7/5/14. Other: regular meter leaking in dispenser #2, diesel sump sensor more than 6" from top of tank, needs to be lowered. DB for failure to perform seven day investigation-diesel only

Subject Item: **WAGN** **0** **-** **HW - Minor Source General Permit**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
GENERAL PERMIT INFORMATION/DOCUMENTATION REQUIRED	Heading				Rules
Is the facility subject to Stage 1 or Stage 2 requirements?	Data Collection	Both stage 1 and 2.			Rules
Does the facility have a current air permit? [N.J.A.C. 7:27- 8.3 (b)]	In Compliance	A9989 GP004.			Rules
Has the facility passed a Static Pressure Performance (SPP) test within the past 12 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Has the facility passed a Pressure Vacuum Valve (PVV) test within the past 12 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Has the facility passed a current dynamic backpressure test within the past 36 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Do all gasoline fill risers have submerged fill (drop tubes)? [N.J.A.C. 7:27-16.3(c)]	In Compliance				Rules
Are all Stage I related components present and functioning properly? (specifically) [N.J.A.C. 7:27-16.3(d)]	In Compliance				Rules
Are all Stage II related components present and functioning properly? (specifically) [N.J.A.C. 7:27-16.3(e)]	In Compliance				Rules
AIR RECORD KEEPING	Heading				Rules
Has the facility made the daily records available? [N.J.A.C. 7:27-16.3(s)]	In Compliance				Rules
Has the facility maintained testing records? [N.J.A.C. 7:27-16.3 (i)3]	In Compliance				Rules

Subject Item: **WUST** **0** **-** **HW - Underground Storage Tanks**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
INFORMATION /DOCUMENTATION REQUIRED.	Heading				Rules
Are all regulated tanks properly registered with the Department? (NOTE : for compartmented tanks, each compartment must be registered as a separate tank). [N.J.A.C. 7:14B-2.1(a)]	In Compliance				Rules
Is the Registration Certificate available? . [N.J.A.C. 7:14B-2.6 (a)]	In Compliance				Rules
Did the owner/operator submit an amended UST Questionnaire to reflect changes in status made to the facility? (owner,facility name, tank/piping construction/contents). [N.J.A.C. 7:14B-2.4 (a)]	In Compliance				Rules
Does the owner and operator maintain evidence of financial assurance at the site and at the owner or operator's place of business as required?. [N.J.A.C. 7:14B-15.1(h)]	In Compliance				Rules
Does this facility have a Financial Responsibility Assurance Mechanism as required?. [N.J.A.C. 7:14B-15.2(a)]	In Compliance				Rules
Is a complete Release Response Plan available for the inspection? . [N.J.A.C. 7:14B-5.5(b)]	In Compliance				Rules
UST LEAK DETECTION (Tanks and Lines).	Heading				Rules
Is the Owner/Operator performing an acceptable method of release detection for the tanks and/or underground piping? (List Type of RDM for Tanks and Lines). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Interstitial for tanks, LLD's and interstitial for product piping.			Rules
Is the Owner/Operator maintaining records of any sampling, testing or monitoring and monthly inventory reconciliations?. [N.J.A.C. 7:14B-6.7(f)]	In Compliance				Rules
TANK RELEASE DETECTION MONITORING.	Heading				Rules
INTERSTITIAL MONITORING .	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance	Veeder Root			Rules

Is the Interstitial tested continuously or at least once every 30 Days?. [N.J.A.C. 7:14B-6.2(a)1]	In Compliance	Continuously.			Rules
Has the Interstitial monitoring system indicated a alarm? (Indicate alarm type).	Data Collection	Yes, Diesel annular fuel alarm-7/3/14,7/5/14			Rules
If "YES", was an investigation of the suspected release completed within 7 calendar days of the discovery of the suspected release? . [N.J.A.C. 7:14B-7.1(a)]	In Compliance	C3 investigated-water in annular-pumped out and showed records of numerous investigations for this sensor alarm. All sensors been replaced.			Rules
PRODUCT PIPING RDM.	Heading				Rules
PRESSURIZED PIPING .	Heading				Rules
Is the piping equipped with an Automatic Line Leak Detector? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance				Rules
If ALLD is present, is it tested at least once every year? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance				Rules
Is Monthly Monitoring (either continual interstitial, SIR or in-line electronic pressure monitoring) being performed OR is annual Line Tightness Testing being performed? (Indicate Method). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Needs to document and submit annual line tightness test as boots were tight in regular and premium sumps. RTC with submittal of annual line test performed by C3 with passing results on 10/9/13.			Rules
Has the piping failed any tightness test or any monthly monitoring method? .	Data Collection	No			Rules
SPILL PREVENTION.	Heading				Rules
Are Fill Ports marked correctly according to the API code #1637? . [N.J.A.C. 7:14B-5.8]	In Compliance				Rules
Are there Spill Catchment Basins (Spill Buckets) at each fill pipe?. [N.J.A.C. 7:14B-4.1(a)3i]	In Compliance				Rules

Are the Spill Catchment Basins (Spill Buckets) free of debris, product and/or water? . [N.J.A.C. 7:14B-5.1(d)1]	In Compliance				Rules
OVERFILL PREVENTION .	Heading				Rules
Do each of the regulated tanks have overfill prevention?. [N.J.A.C. 7:14B-4.1(a)3ii]	In Compliance	OPW fill ports.			Rules
As overfill prevention, does the Tank System have an Automatic Shutoff Device (95% Tank Capacity) ? .	Data Collection	Yes.			Rules
Is the Owner/Operator inspecting and cleaning all STP, dispenser and piping sumps, spill buckets and catchment basins every thirty (30) days?. [N.J.A.C. 7:14B-5.1(d)]	In Compliance				Rules
DELIVERY BAN.	Heading				Rules
Did any person or business firm introduce hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances?. [N.J.A.C. 7:14B-5.9(a)]	Out of Compliance	A person or business firm introduced hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances. DB for Diesel only.			Rules
INVESTIGATION OF A SUSPECTED RELEASE.	Heading				Rules
Did the results of field screening detect the possible presence of contamination?. [N.J.A.C. 7:14B-5.9(a)]	In Compliance	No presence of contamination upon inspection.			Rules

Inspection Summary Report for NORTH BRUNSWICK GULF - Activity Number SCI 140001

Aug 12, 2016 03:24

NOTE: The information contained in this report will be limited to the date each program began using the Department's integrated database, NJEMS. The programs began using the system for this information as follows: Air - 10/1998; Hazardous Waste - 1/2000; Water - 7/2000; TCPA - 12/2001; Land Use 12/2001; DPCC - 1/2002; Solid Waste - 1/2002; Right To Know - 3/2002 and Pesticides - 4/2002; Site Remediation - 3/2003 and Radiation (limited information) - 7/2006. For complete information prior to these dates, please submit an official OPRA request form to the Department. If printing this report, select landscape orientation.

Disclaimer: Only final inspection reports are listed in this report. Inspections for which a report has not been finalized by the Department will not appear in this report. Also, inspections which yield violations but where the inspected entity has not yet been notified of the violation are not listed in this report. For inspections indicating Out of Compliance, this means that violations were observed during the inspection, based on facts and information known to the Department at the time of the inspection. Errors or omissions in the factual basis for any violation may result in a future change in classification as a violation when such information becomes known.

Activity Number: SCI 140001 **Inspection Type:** HW - UST Inspection **Program Interest ID:** 010180

Inspection Start Date: 7/25/14 **End Date:** 7/25/14 **Lead Investigator:** Pierson, Janelle

Program Interest Name: NORTH BRUNSWICK GULF

Address: 1696 GEORGES RD North Brunswick NJ 08902 **County:** Middlesex - North Brunswick Twp

Block(s) and Lot(s): Block 282 Lot 1

Comments:

PV: RDM on product piping not performed-tight test boots on regular and premium tank. OC: failure to perform a "seven day" investigation-diesel annular in fuel alarm

since 7/3/14 and 7/5/14. Other: regular meter leaking in dispenser #2, diesel sump sensor more than 6" from top of tank, needs to be lowered. DB for failure to perform seven day investigation-diesel only

Subject Item: **WAGN** **0** **-** **HW - Minor Source General Permit**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
GENERAL PERMIT INFORMATION/DOCUMENTATION REQUIRED	Heading				Rules
Is the facility subject to Stage 1 or Stage 2 requirements?	Data Collection	Both stage 1 and 2.			Rules
Does the facility have a current air permit? [N.J.A.C. 7:27- 8.3 (b)]	In Compliance	A9989 GP004.			Rules
Has the facility passed a Static Pressure Performance (SPP) test within the past 12 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Has the facility passed a Pressure Vacuum Valve (PVV) test within the past 12 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Has the facility passed a current dynamic backpressure test within the past 36 months? [N.J.A.C. 7:27-16.3(i)1]	In Compliance				Rules
Do all gasoline fill risers have submerged fill (drop tubes)? [N.J.A.C. 7:27-16.3(c)]	In Compliance				Rules
Are all Stage I related components present and functioning properly? (specifically) [N.J.A.C. 7:27-16.3(d)]	In Compliance				Rules
Are all Stage II related components present and functioning properly? (specifically) [N.J.A.C. 7:27-16.3(e)]	In Compliance				Rules
AIR RECORD KEEPING	Heading				Rules
Has the facility made the daily records available? [N.J.A.C. 7:27-16.3(s)]	In Compliance				Rules
Has the facility maintained testing records? [N.J.A.C. 7:27-16.3 (i)3]	In Compliance				Rules

Subject Item: **WUST** **0** **-** **HW - Underground Storage Tanks**

Requirement Description	Compliance Status	Compliance Comments	Grace Days	Non Minor Reason	Requirement Source
INFORMATION /DOCUMENTATION REQUIRED.	Heading				Rules
Are all regulated tanks properly registered with the Department? (NOTE : for compartmented tanks, each compartment must be registered as a separate tank). [N.J.A.C. 7:14B-2.1(a)]	In Compliance				Rules
Is the Registration Certificate available? . [N.J.A.C. 7:14B-2.6 (a)]	In Compliance				Rules
Did the owner/operator submit an amended UST Questionnaire to reflect changes in status made to the facility? (owner,facility name, tank/piping construction/contents). [N.J.A.C. 7:14B-2.4 (a)]	In Compliance				Rules
Does the owner and operator maintain evidence of financial assurance at the site and at the owner or operator's place of business as required?. [N.J.A.C. 7:14B-15.1(h)]	In Compliance				Rules
Does this facility have a Financial Responsibility Assurance Mechanism as required?. [N.J.A.C. 7:14B-15.2(a)]	In Compliance				Rules
Is a complete Release Response Plan available for the inspection? . [N.J.A.C. 7:14B-5.5(b)]	In Compliance				Rules
UST LEAK DETECTION (Tanks and Lines).	Heading				Rules
Is the Owner/Operator performing an acceptable method of release detection for the tanks and/or underground piping? (List Type of RDM for Tanks and Lines). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Interstitial for tanks, LLD's and interstitial for product piping.			Rules
Is the Owner/Operator maintaining records of any sampling, testing or monitoring and monthly inventory reconciliations?. [N.J.A.C. 7:14B-6.7(f)]	In Compliance				Rules
TANK RELEASE DETECTION MONITORING.	Heading				Rules
INTERSTITIAL MONITORING .	Heading				Rules
Is the monitoring system operating according to the requirements of the Manufacturer? (Indicate alarm type). [N.J.A.C. 7:14B-6.1 (a)2]	In Compliance	Veeder Root			Rules

Is the Interstitial tested continuously or at least once every 30 Days?. [N.J.A.C. 7:14B-6.2(a)1]	In Compliance	Continuously.			Rules
Has the Interstitial monitoring system indicated a alarm? (Indicate alarm type).	Data Collection	Yes, Diesel annular fuel alarm-7/3/14,7/5/14			Rules
If "YES", was an investigation of the suspected release completed within 7 calendar days of the discovery of the suspected release? . [N.J.A.C. 7:14B-7.1(a)]	In Compliance	C3 investigated-water in annular-pumped out and showed records of numerous investigations for this sensor alarm. All sensors been replaced.			Rules
PRODUCT PIPING RDM.	Heading				Rules
PRESSURIZED PIPING .	Heading				Rules
Is the piping equipped with an Automatic Line Leak Detector? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance				Rules
If ALLD is present, is it tested at least once every year? . [N.J.A.C. 7:14B-6.6(a)1]	In Compliance				Rules
Is Monthly Monitoring (either continual interstitial, SIR or in-line electronic pressure monitoring) being performed OR is annual Line Tightness Testing being performed? (Indicate Method). [N.J.A.C. 7:14B-6.1(a)]	In Compliance	Needs to document and submit annual line tightness test as boots were tight in regular and premium sumps. RTC with submittal of annual line test performed by C3 with passing results on 10/9/13.			Rules
Has the piping failed any tightness test or any monthly monitoring method? .	Data Collection	No			Rules
SPILL PREVENTION.	Heading				Rules
Are Fill Ports marked correctly according to the API code #1637? . [N.J.A.C. 7:14B-5.8]	In Compliance				Rules
Are there Spill Catchment Basins (Spill Buckets) at each fill pipe?. [N.J.A.C. 7:14B-4.1(a)3i]	In Compliance				Rules

Are the Spill Catchment Basins (Spill Buckets) free of debris, product and/or water? . [N.J.A.C. 7:14B-5.1(d)1]	In Compliance				Rules
OVERFILL PREVENTION .	Heading				Rules
Do each of the regulated tanks have overfill prevention?. [N.J.A.C. 7:14B-4.1(a)3ii]	In Compliance	OPW fill ports.			Rules
As overfill prevention, does the Tank System have an Automatic Shutoff Device (95% Tank Capacity) ? .	Data Collection	Yes.			Rules
Is the Owner/Operator inspecting and cleaning all STP, dispenser and piping sumps, spill buckets and catchment basins every thirty (30) days?. [N.J.A.C. 7:14B-5.1(d)]	In Compliance				Rules
DELIVERY BAN.	Heading				Rules
Did any person or business firm introduce hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances?. [N.J.A.C. 7:14B-5.9(a)]	Out of Compliance	A person or business firm introduced hazardous substances into an UST system which is known to be or suspected to be leaking or discharging hazardous substances. DB for Diesel only.			Rules
INVESTIGATION OF A SUSPECTED RELEASE.	Heading				Rules
Did the results of field screening detect the possible presence of contamination?. [N.J.A.C. 7:14B-5.9(a)]	In Compliance	No presence of contamination upon inspection.			Rules

Permit Actions by Timeframe

08/12/16 03:29 PM

Key	
Facility Name	Facility that is the particular document is associated with
Document Type	Name of the Document associated with the facility
DEP Contact Person	NJDEP Employee to contact regarding the document
Document Status	The current status of the document submitted by a particular facility
Activity No	The activity number associated with a particular document
PI Number	This represent a unique number that identifies a facility. "PI" stands for point of interest.

Criteria Selected

Timeframe	Facility Search String
All	NORTH BRUNSWICK GULF

Street Address: **1696 GEORGES RD**

City: North Brunswick

Facility Name: NORTH BRUNSWICK GULF

State / Zip: NJ 08902

PI Number: 010180

Activity No: UCL 010001

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Permit Document Set	Expired	SRP Contact (609) 984-3023	Site Remediation	12/07/2001	This type of control document represents a request for closure of an underground storage tank under the requirements of N.J.A.C. 7:14B-9. This request submitted by the completion of a Closure of an Underground Storage Tank (UST) System Form is required before the permanent elimination from service of any regulated underground storage tank system by removal or abandonment in place. This also applies for out of service UST extension requests for more than 12 months. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: UCL 010002

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Permit Document Set	Withdrawn	SRP Contact (609) 984-3023	Site Remediation	12/12/2001	This type of control document represents a request for closure of an underground storage tank under the requirements of N.J.A.C. 7:14B-9. This request submitted by the completion of a Closure of an Underground Storage Tank (UST) System Form is required before the permanent elimination from service of any regulated underground storage tank system by removal or abandonment in place. This also applies for out of service UST extension requests for more than 12 months. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 000002**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	05/21/2002	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 030001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	08/06/2003	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 030002**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	10/21/2004	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 040001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	10/25/2004	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 060001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	04/24/2006	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 090001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	03/16/2009	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 100001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	10/04/2010	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 100002**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	12/07/2011	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 120001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	01/30/2012	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 120002**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	02/17/2012	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 150001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Superseded (Archived)	SRP Contact (609) 984-3023	Site Remediation	03/24/2015	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Activity No: **UST 160001**

Document Type	Document Status	NJDEP Contact Information	NJDEP Program	Document Creation Date	Activity Description
UST Registration	Effective	SRP Contact (609) 984-3023	Site Remediation	07/06/2016	This type of control document represents a request to permit an underground storage tank under the requirements of N.J.A.C. 7:14B. This request submitted by the completion of an Underground Storage Tank Facility Certification Questionnaire satisfies the UST registration requirements of the Underground Storage Tank Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the UST Registration and Billing Regulations N.J.A.C.7:14B-2. If the UST facility meets the requirements set forth by the Regulations, a Registration Certificate is then issued. Additional information is available at http://www.nj.gov/dep/srp/bust.

Click here for Activity Tracking details...

SRP CASE OVERSIGHT REPORT

NORTH BRUNSWICK GULF
1696 GEORGES RD RT 130
North Brunswick Twp, NJ

PI Number	010180
Activity Number	USR000001
Bureau	BUST
Document Title	01-08-30-1546-07 BUST C2
Case Status	Transferred
Case Status Date	1/4/12
Confirm Contamination	Yes
Case Manager	QURESHI, MOHAMMAD
Phone	(609) 633 - 1270

Remedial Level	**Start Date**	**End Date**
C2: Formal Design - Known Source or Release with GW Contamination	3/12/02	

Case Types	**Start Date**	**End Date**
LSRP 2-10 CAOC	9/20/11	
LSRP GW FEE	9/20/11	
Regulated UST	11/19/98	

LSRP Name	
Business Phone Number	

No LSRP

APPENDIX M

R.F. STUMP ASSOCIATES
DATA BASE OF KNOWN & REPORTED INCIDENTS

Appendix M

NBG Database File of Known and Reported Incidents copmiled by R.F. Stump Associates in 2003								
Date	**Reported**	**Result**	**Agency**	**Report/Incident #**	**Complainant**	**Inspector/Officer in Charge**	**Originating Site**	**Evidence Type**
01/01/88	set of tanks taken out (beige in color like fiberglass)	On 1/10/03 Joe (Block 278, Lot 4) states that he recalls "3 sets of tanks"	N/A	N/A	Joe (Block 278, Lot 4)	N/A	Gulf Station	Testimony
12/09/93	"leaking above ground storage tank behind gas station across from Gulf station	"oil staining under 275 gallon fuel oil (diesel) tank - no obvious singn of leak in tank"	Hazmat - Middlesex County	793-93	Anonymous Citizen	Joseph Strickland	Getty Station (rear)	Incident Report
04/04/96	"transporting one adult male not in custody to his residence: Richard Foust"	"transporting one adult male not in custody to his residence: Richard Foust"	North Brunswick P.D.	6010493	?	?	1670 Route 130	Incident Record
02/18/97	"fuel oil odor in basement coming from unknown source"	odors confirmed, "no sheen in sump", "possibility of tank on-site or in area leaking"	Hazmat - Middlesex County	070-97	No. Brunswick Fire Dept.	Gregory Prott	368 Washington Pl.	Incident Report
02/18/97	Caller reports that there is a strong odor of fuel or gasoline in his basement	PSE&G advised to call Fire Dept who notified County Hazmat to respond	North Brunswick P.D.	7005770	Owner of #368	Fire Dept. & County Hazmat	368 Washington Pl.	Incident Record
02/21/97	Faust reports tanks leaking for years to storm drain	Hazmat sampled soil/muck (insufficient H2O): no result indicated on report	NJDEP	97-2-21-2749-41	Richard Faust	OEM-Paxel #210?	Gulf Station	Incident Report
02/21/97	"gas leak and numerous dead geese off Washington Ave. across from Sir Johns"	"officers checked both situations and were found to be unsubstantiated"	North Brunswick P.D.	7006227	Richard Faust (398-1171)	?	Gulf Station	Incident Record
02/21/97	"follow up on calls made"	"f/u by 517 & 524 failed to establish that Foust did not make calls in good faith"	North Brunswick P.D.	7006229	N/A	517 & 524 reported to 515	1670 Route 130	Incident Record
02/26/97	groundwater coming thru cracks in street on Washington Pl at Gulf Station	Health Dept. took sample and only analyzed for iron (water coming from cracks in lot onto street)	Middlesex County Health Dept.	none	Frank Matafor & Richard Faust	Dave Kologinsky (& Ralph Farella?)	Gulf Station	Incident Report
03/01/97	County HD 11/26/01 ltr ref to 3/97 DEP Hotline report of liquid release from parking lot	site assessment: high level of iron bacteria found in effluent	NJDEP	?	NJDEP Hotline	Carroll Presant	Gulf Station	HD letter
06/05/97	"caller stated that while getting gas, pump being repaired & gas going all over driveway"	"officer checked situation and gas is being pumped into containers: no problem"	North Brunswick P.D.	7017602	Caller	0052 (Officer #)	E & M Rte 130 Getty Station	Incident Record
04/14/98	"concrete pad above in ground tank has sunk causing a leak of gasoline onto ground"	"F.D. Chief Schuchardt: substance organic and not petroleum"	North Brunswick P.D.	8011978	Op 17 from DEP	F.D. Chief Schuchardt	Gulf Station	Incident Record
04/14/98	Cement over UST dropped 4 inches & gas is leaking into soil & seeping onto driveway	"update: original caller is Richard Foust: "gasloine entering lake"	NJDEP	98-0414-1037-37	Richard Foust	Rob Schrader	Gulf Station	Comm Ctr Rpt.
05/21/98	"caller states he is trying to evict Richard Faust: refuses to leave & drinking"	"Faust also called to say that his landlord is harassing him" (Landlord-Tenant dispute)	North Brunswick P.D.	8016217	Landlord 1670	Unit 221	1670 Route 130	Incident Record
08/16/98	caller reports several males throwing various objects around"	"warrant check on Richard Foust, found an active one for $975" ("off transport one in custody")	North Brunswick P.D.	8019399	?	Unit 221	Quick Out Food Store (#1674)	Incident Record
12/10/98	UST permit issued for modifications to system	permit indicates piping will be removed on 12/15/98 & 550 waste oil tank	DEP DRPSR BFO	101800	Walter Lapp	Joseph Schoepfer (P&R)	Gulf Station	NJDEP Permit
05/25/99	"truck driver left after causing property damage: followed by Mr. Lapp"	"officer advises trailer crossed about 10' portion of grassy area causing slight depression"	North Brunswick P.D.	9017276	Caller	Unit 141	Gulf Station	Incident Record
10/01/99	"leeching from the tanks" "small spill" per Endler of OEM	"small surface spill - no problem" per Endler	Office Emergency Mgmt (OEM)	?	?	Walter Endler, George Cocco	Gulf Station	Testimony
10/26/99	complaint regarding vehicles, debris, etc. associated with work being done blocking roadway	"officer spoke to Super and gave him until 1800 hrs to clear up and post signs	North Brunswick P.D.	9036226	Caller	0112 (Officer #)	E & M Rte 130 Getty Station	Incident Record
01/01/00	3 years ago there was a problem with a rusty tank: "could be spill if they didn't do something"	On 1/10/03 young daughter @ #359 states that owner of Gulf told her about problem	N/A	N/A	daughter (359 Washington)	N/A	Gulf Station	Testimony
02/14/00	report of a pole fire	PSE&G arrived and FD units are clear	North Brunswick P.D.	4936	Amigerie	PSE&G & FD response	1675 Kundes St	Incident Record
06/29/00	report of harassment from Walter Lapp	"see Officer's report"	North Brunswick P.D.	20329	Walt Lapp	Perna, J.	Gulf Station	Incident Record
07/01/00	harassment complaint ex-employee	Officer response: call 911 if subject returns	North Brunswick P.D.	20505	?	Dunkel, S.	Gulf Station	Incident Record
07/27/00	reported phone ("terror") threats	"see Officer's report"	North Brunswick P.D.	23102	Walt Lapp	Denaster, R.	Gulf Station	Incident Record
08/18/00	"Mr. Alfred Alzheimer does not wish Gail Jochman on his property any longer"	officer response	North Brunswick P.D.	25197	Walk in report of theft	Denaster, R.	1670 Route 130	Incident Record
09/01/00	in early Aug of 2001 Lapp Sr. Lapp laments "tanks put in just 11 months ago"	On 1/10/03 Scalletti states that a few days after 7/31/01 incident Lapp Sr. made this remark	N/A	N/A	Ron Scaletti	N/A	Gulf Station	Testimony
09/02/00	dispute over $ amount of gas: "Walter Lapp called back to report fight"	resolved by officer	North Brunswick P.D.	26748	Walter Lapp Caller?	Hoffman, Ventola	E & M Rte 130 Getty Station	Incident Record
10/22/00	"3 houses with smells of gasoline odors in houses"	Slight odor of gasoline detected but no level of LEL	Hazmat - Middlesex County	579-00	Donnelly, McKinney & Luzack	A. C. Bob Faccone, Lt. B. Horvath	356, 368, 360 Washington Pl.	Incident Report
10/22/00	Mr. Donnelly reported smell of gasoline in basement and adjacent properties	"Fire Dept advises County Hazmat at Scene"	North Brunswick P.D.	31741	Mr. Donnelly	Fire Dept. & County Hazmat	356 Washington Pl.	Incident Record
10/23/00	"gasoline odors in houses"	No odors detected: contacted DEP: Per F. Gagliano; DEP will f/u if reoccurrence	Hazmat - Middlesex County	579-00	Donnelly, McKinney & Luzack	Lt. B. Horvath	356, 368, 360 Washington Pl.	Incident Report
10/23/00	"reported verbal dispute at Barry Denasters house"	"Officer advises no problem verbal only resolved by both parties at scene"	North Brunswick P.D.	31838	Gail Jochman	Carmen, V. & Marshall, T.	Quick Out Food Store (#1674)	Incident Record
11/01/00	oil tanks removed and trucks pumping water	On 11/7/02 he stated "tanks replaced a few years ago" ; lived there since 1946; Gulf was a residential property before a Gulf	N/A	N/A	Walter Brendel	N/A	Gulf Station	Testimony
11/01/00	12,000 gal. & smaller tank removed from Gulf per operator of Getty station	On 11/7/02 he stated removal took place "within past 2 years"	N/A	N/A	Navel Patel	N/A	Gulf Station	Testimony
11/01/00	existing tanks were taken out and put back in or replaced	On 1/10/03 Joe (Block 278, Lot 4) states that he recalls "hearing about a problem with tanks"	N/A	N/A	Joe (Block 278, Lot 4)	N/A	Gulf Station	Testimony
11/15/00	call from pay phone from a "Rich" that his dope using friend passed out	officer reports on scene: Barry Denaster, Tony Powell, Richard Stern & Dick Stern & Miskolczi	North Brunswick P.D.	33843	"Rich"	Vingara, T. & Braconi, G.	1670 Route 130	Incident Record
11/18/00	Richard Stern calls to report some kind of chemical problem	Officers determine caller intoxicated and no chemical problem exists	North Brunswick P.D.	1031051	Richard Stern	Degaetano, Bonura & Misurell	1670 Route 130	Incident Record
01/01/01	3 steel tanks removed from Gulf and vac truck on site	On 1/10/03 Charlie Callahan states removal was about 6 months before the 7/31/01 incident	N/A	N/A	Charlie Callahan	N/A	Gulf Station	Testimony
01/01/01	tanks removed within a year or so prior to most recent tank removal	On 1/10/03 Larry Donnelly makes this statement	N/A	N/A	Larry Donnelly	N/A	Gulf Station	Testimony
08/30/01	"report of gasoline bubbling up from ground"	"officer advises construction pipe struck & const. Co. to make repairs: Hazmat notified"	North Brunswick P.D.	1023345	Mrs. Lapp	Henry, F (officer) & F.D.	Gulf Station	Incident Record
09/01/01	"van on fire in back lot"	"officer requests ambulance to stank by and rig for smoke inhalation"	North Brunswick P.D.	1023512	?	Henry, F (officer)	Gulf Station	Incident Record
10/26/01	"after getting gas she pulled away and attendant left nozzle in car causing damage"	officer response	North Brunswick P.D.	1028845	Caller	Braun	E & M Rte 130 Getty Station	Incident Record
04/01/02	3000 to 5000 gal. Tank removed from property behind 1700 Rte 130 (Getty)	On 1/10/03 Charlie Callahan states that he witnessed removal of tank "8 months ago"	N/A	N/A	Charlie Callahan	N/A	Property behind Getty	Testimony
07/08/02	damage to gas pumps by vehicle	officer advises minor damage	North Brunswick P.D.	2021170	Caller	Benanti	E & M Rte 130 Getty Station	Incident Record
07/10/02	"gas leaking from a vehicle"	officer response	North Brunswick P.D.	2021518	Caller (732-821-9870)	Fire Department	E & M Rte 130 Getty Station	Incident Record
09/24/02	fire	officer response	North Brunswick P.D.	2029069	?	Haas, J. (officer)	Gulf Station	Incident Record
09/24/02	follow up on fire of 9/24/02	"officers determined fire not due to suspicious conditions"	North Brunswick P.D.	2029082	?	Lt. Reinson & Det. Miller	Gulf Station	Incident Record
01/15/03	Oil Tank was removed from this location	call in only	North Brunswick P.D.	3002579	NJDEP Opr 23	No response	297 Harding Avenue	Incident Record

APPENDIX B

2022 EMC Closure Report

UST CLOSURE REPORT & PRELIMINARY GROUNDWATER REMEDIAL INVESTIGATION REPORT

NORTH BRUNSWICK GULF
1696 GEORGES ROAD
NORTH BRUNSWICK, NEW JERSEY

NJDEP CASE #: 01-08-30-1546-07
Closure Activity #: UCL 010001 j NO1-0818
UST# 0101800

February 14, 2002

Prepared For:

New Jersey Department of Environmental Protection
Bureau of Underground Storage Tanks
401 East State Street
Trenton, NJ 08625
Attention: Mr. Kevin Katrina, Bureau Chief

Prepared By:

Environmental Maintenance Co., Inc.
1420 E. Mermaid Lane
Glenside, PA 19038

Environmental Maintenance Company, Inc. NJ Closure and Subsurface Cert. # US01154
Charles Q. McGuth NJ Closure and Subsurface Cert. # 0020973

UST-N13, 12/97

FOR NJDEP USE ONLY

RECEIVED DATE 12-7-01

NOTIFICATION # 0101-018

NJDEP APPROVAL:

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF FIELD OPERATIONS
401 EAST STATE STREET
P.O. Box 435
TRENTON, NEW JERSEY 08625-0435

30 DAY NOTICE OF INTENT TO CLOSE AN UNDERGROUND STORAGE *TANK SYSTEM*

Submission of this notification satisfies the requirements of N.J.A.C. 7:14B-9.2. An Underground Storage Tank Facility Questionnaire must be completed and submitted to the Department upon completion of the closure activities.

Do not use this form to notify the Department of a request for a variance from the Technical Requirements of Site Remediation, N.J.A.C. 7:26E. Instead, use a Closure Plan Approval Application, UST-013, 02/95.

- **Please type or print legibly in ink.** Call 609/633-0708 for help in completing this notification.
- Please sign and return one original of this form to the address above.
- The UST system must be registered. If the UST system is **not registered** this form will not be processed.

Facility Registration # 0 1 0 1 8 0 0

Date Underground Storage Tank(s) and/or piping will be removed Unknown

A. FACILITY NAME North Brunswick Gulf, Inc.

FACILITY STREET ADDRESS 1696 Georges Road

MUNICIPALITY Township of North Brunswick County Middlesex

TELEPHONE NUMBER (732) 297-1000

B. OWNER'S NAME North Brunswick Gulf, Inc.

STREET ADDRESS 1696 Georges Road CITY North Brunswick

STATE NJ ZIP 08902 TELEPHONE NUMBER 732-297-1000

C. OPERATOR'S NAME Walter E. Lapp

STREET ADDRESS 1696 Georges Road CITY North Brunswick

STATE NJ ZIP 08902 TELEPHONE NUMBER 732-297-1000

UST-N13, 12/97

D. Indicate below name and certification number of the firm performing the UST service:

1. FOR UST CLOSURE (PHYSICAL REMOVAL OR ABANDONMENT) ACTIVITIES.

Name of Certified Firm Environmental Maintenance Company, Inc. CERTIFICATION# US 01154

2. FOR SUBSURFACE (SITE INVESTIGATION, CORRECTIVE ACTION ETC.) ACTIVITIES.

Name of Certified Firm Environmental Maintenance Company, Inc. CERTIFICATION # US 01154

E. Check Proposed Activity

X 1. Closure of Underground Storage Tank System

Complete the following information concerning UST system to be removed or abandoned-in-place. Check here and attach additional page(s) if needed. ___If piping only please enter NA in Number of Tanks field and Tank Capacity field.

Number of Tanks	length of appurtenant piping (ft)	Tank Capacity (gallons)	SUBSTANCE Stored*	Closure Type (circle one)
4	100	6,000	Gasoline	(REMOVAL) / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT

* If material is not a petroleum product, use chemical name and CAS number to identify tank's content. (Brand or trade names are unacceptable.)

___ 2. Change in Service from a Regulated to a Nonregulated Substance

The owner or operator must submit to the Department (1) documentation that the owner/operator of the underground storage tank (UST) system has emptied and cleaned the UST system by removing all liquid and accumulated sludge prior to the change in storage in accordance with N.J.A.C. 7:14B-9.4(a) and (2) the results of a site investigation or a remedial investigation conducted in accordance with N.J.A.C. 7:14B-9.4(a) or 7:14B-9.4(b), whichever is appropriate. Additionally, the owner/operator must submit a Facility Questionnaire indicating the change to the Bureau of State Case Management, Registration & Billing Section.

UST-N13, 12/97

This Notification has been submitted by:

NAME (print or type) Charles Q. McGuth SIGNATURE [signature]

TITLE Project Manager DATE 11/28/01

Company Environmental Maintenance Phone Number

Address 1420 E. Mermaid Lane

City Glenside State PA ZIP 19038

UST-N13, 12/97

FOR NJDEP USE ONLY

RECEIVED DATE 12/7/01

NOTIFICATION # NO1-0918

NJDEP APPROVAL:

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF FIELD OPERATIONS
401 EAST STATE STREET
P.O. Box 435
TRENTON, NEW JERSEY 08625-0435

30 DAY NOTICE OF INTENT TO CLOSE AN UNDERGROUND STORAGE *TANK SYSTEM*

Submission of this notification satisfies the requirements of N.J.A.C. 7:14B-9.2. An Underground Storage Tank Facility Questionnaire must be completed and submitted to the Department upon completion of the closure activities.

Do not use this form to notify the Department of a request for a variance from the Technical Requirements of Site Remediation, N.J.A.C. 7:26E. Instead, use a Closure Plan Approval Application, UST-013, 02/95.

- **Please type or print legibly in ink.** Call 609/633-0708 for help in completing this notification.
- Please sign and return one original of this form to the address above.
- The UST system must be registered. If the UST system is **not registered** this form will not be processed.

Facility Registration # 0 1 0 1 8 0 0

Date Underground Storage Tank(s) and/or piping will be removed Unknown

A. FACILITY NAME North Brunswick Gulf, Inc.

FACILITY STREET ADDRESS 1696 Georges Road

MUNICIPALITY Township of North Brunswick County Middlesex

TELEPHONE NUMBER (732) 297-1000

B. OWNER'S NAME North Brunswick Gulf, Inc.

STREET ADDRESS 1696 Georges Road CITY North Brunswick

STATE NJ ZIP 08902 TELEPHONE NUMBER 732-297-1000

C. OPERATOR'S NAME Walter E. Lapp

STREET ADDRESS 1696 Georges Road CITY North Brunswick

STATE NJ ZIP 08902 TELEPHONE NUMBER 732-297-1000

D. Indicate below name and certification number of the firm performing the UST service:

1. FOR UST CLOSURE (PHYSICAL REMOVAL OR ABANDONMENT) ACTIVITIES.

Name of Certified Firm Environmental Maintenance Company, Inc. CERTIFICATION# US 01154

2. FOR SUBSURFACE (SITE INVESTIGATION, CORRECTIVE ACTION ETC.) ACTIVITIES.

Name of Certified Firm Environmental Maintenance Company, Inc. CERTIFICATION # US 01154

E. Check Proposed Activity

X 1. **Closure of Underground Storage Tank System**

Complete the following information concerning UST system to be removed or abandoned-in-place. Check here and attach additional page(s) if needed. ___If piping only please enter NA in Number of Tanks field and Tank Capacity field.


Number of Tanks	length of appurtenant piping (ft)	Tank Capacity (gallons)	SUBSTANCE Stored*	Closure Type (circle one)
4	100	6,000	Gasoline	(REMOVAL) / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT

* If material is not a petroleum product, use chemical name and CAS number to identify tank's content. (Brand or trade names are unacceptable.)

___ 2. **Change in Service from a Regulated to a Nonregulated Substance**

The owner or operator must submit to the Department (1) documentation that the owner/operator of the underground storage tank (UST) system has emptied and cleaned the UST system by removing all liquid and accumulated sludge prior to the change in storage in accordance with N.J.A.C. 7:14B-9.4(a) and (2) the results of a site investigation or a remedial investigation conducted in accordance with N.J.A.C. 7:14B-9.4(a) or 7:14B-9.4(b), whichever is appropriate. Additionally, the owner/operator must submit a Facility Questionnaire indicating the change to the Bureau of State Case Management, Registration & Billing Section.

This Notification has been submitted by:

NAME (print or type) Charles Q. McGuth SIGNATURE 

TITLE Project Manager DATE 11/28/01

Company Environmental Maintenance Phone Number

Address 1420 E. Mermaid Lane

City Glenside State PA ZIP 19038

UST-N13, 12/97

FOR NJDEP USE ONLY

RECEIVED DATE NOV 18 1998

NOTIFICATION # 998-2469

NJDEP APPROVAL:

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF FIELD OPERATIONS
401 EAST STATE STREET
P.O. Box 435
TRENTON, NEW JERSEY 08625-0435

30 DAY NOTICE OF INTENT TO CLOSE AN UNDERGROUND STORAGE *TANK SYSTEM*

Submission of this notification satisfies the requirements of N.J.A.C. 7:14B-9.2. An Underground Storage Tank Facility Questionnaire must be completed and submitted to the Department upon completion of the closure activities.

Do not use this form to notify the Department of a request for a variance from the Technical Requirements of Site Remediation, N.J.A.C. 7:26E. Instead, use a Closure Plan Approval Application, UST-013, 02/95.

- **Please type or print legibly in ink.** Call 609/633-0708 for help in completing this notification.
- Please sign and return one original of this form to the address above.
- The UST system must be registered. If the UST system is **not registered** this form will not be processed.

Facility Registration # 0 1 0 1 8 0 0

Date Underground Storage Tank(s) and/or piping will be removed 12/15/98

A. FACILITY NAME NO BRUNSWICK GULF

FACILITY STREET ADDRESS 1496 GEORGES RD RT 130

MUNICIPALITY NO. BRUNSWICK County MIDDLESEX

TELEPHONE NUMBER (732) 297-1000

B. OWNER'S NAME WALTER E. LAPP SR.

STREET ADDRESS 263 EDWARDS PLACE CITY NO. BRUNSWICK

STATE NJ ZIP 08902 TELEPHONE NUMBER (732) 297-1000

C. OPERATOR'S NAME WALTER E. LAPP SR.

STREET ADDRESS 263 EDWARDS PLACE CITY NO. BRUNSWICK

STATE NJ ZIP 08902 TELEPHONE NUMBER (732) 297-1000

D. Indicate below name and certification number of the firm performing the UST service:

1. FOR UST CLOSURE (PHYSICAL REMOVAL) OR ABANDONMENT) ACTIVITIES.

Name of Certified Firm P+R MAINTENANCE, INC. CERTIFICATION# US00387

2. FOR SUBSURFACE (SITE INVESTIGATION, CORRECTIVE ACTION ETC.) ACTIVITIES.

Name of Certified Firm P+R MAINTENANCE, INC. CERTIFICATION # US00387

E. Check Proposed Activity

X 1. Closure of Underground Storage Tank System

Complete the following information concerning UST system to be removed or abandoned-in-place. Check here and attach additional page(s) if needed. X If piping only please enter NA in Number of Tanks field and Tank Capacity field.


Number of Tanks	length of appurtenant piping (ft)	Tank Capacity (gallons)	SUBSTANCE Stored*	Closure Type (circle one)
N/A	80'	N/A	GASOLINE	(REMOVAL) / ABANDONMENT
1	0	550	WASTE OIL	(REMOVAL) / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT
				REMOVAL / ABANDONMENT

* If material is not a petroleum product, use chemical name and CAS number to identify tank's content. (Brand or trade names are unacceptable.)

_____ 2. Change in Service from a Regulated to a Nonregulated Substance

The owner or operator must submit to the Department (1) documentation that the owner/operator of the underground storage tank (UST) system has emptied and cleaned the UST system by removing all liquid and accumulated sludge prior to the change in storage in accordance with N.J.A.C. 7:14B-9.4(a) and (2) the results of a site investigation or a remedial investigation conducted in accordance with N.J.A.C. 7:14B-9.4(a) or 7:14B-9.4(b), whichever is appropriate. Additionally, the owner/operator must submit a Facility Questionnaire indicating the change to the Bureau of State Case Management, Registration & Billing Section.

This Notification has been submitted by:

NAME (print or type) JOSEPH R. SCHOEPFER SIGNATURE 

TITLE PRESIDENT DATE 11/12/98

Company P+R MAINTENANCE, INC. Phone Number (609) 693-5262

Address 116 NORTH ROUTE 9

City FORKED RIVER State NJ ZIP 08731

GENERAL INFORMATION

Project Name:	North Brunswick Gulf
NJDEP Case #:	01-08-30-1546-07
Closure Activity #:	UCL 010001
Site Address:	1696 Georges Road (Route 130) North Brunswick, NJ 08902
UST Info:	One (1) 6,000-gallon fiberglass gasoline UST One (1) 6,000-gallon fiberglass gasoline UST One (1) 6,000-gallon fiberglass gasoline UST One (1) 6,000-gallon fiberglass gasoline UST
Contacts:	Current Property Manager: Mr. Walter Lapp North Brunswick Gulf 1696 Georges Road (Route 130) North Brunswick, NJ 08902 (732) 297-1000 Project Manager: Mr. Charles Q. McGuth Environmental Maintenance Company, Inc. 1420 East Mermaid Lane Glenside, PA 19038 (215) 233-5141 Fax: (215) 233-8998

TABLE OF CONTENTS

		Page
1.0	INTRODUCTION	1
2.0	BACKGROUND	1
3.0	TANK CLOSURE ACTIVITES	2
4.0	EXCAVATION OF IMPACTED SOIL	3
5.0	GROUNDWATER REMEDIAL ACTIVITIES	3
6.0	PRELIMINARY GROUNDWATER SAMPLE RESULTS	4
7.0	CONCLUSIONS / REQUEST FOR DISCHARGE PERMIT	5
8.0	REMEDIAL ACTION COSTS TO DATE	6
9.0	CERTIFICATION	6

ATTACHMENTS

Attachment 1 – Figures

Figure 1 – Site Location

Figure 2 – Former UST Locations, Temporary Well Locations, and Limit of Excavation

Figure 3 – Treatment System Schematic

Attachment 2 - Table 1: Groundwater Sampling Analytical Results

Attachment 3 – UST Disposal Manifest

Attachment 4 – Photographic Log

APPENDIX

NJDEP Reduced Deliverable Analytical Data report (1 volume) with Electronic Data Submittal (1 disk)

1.0 INTRODUCTION

Environmental Maintenance Company, Inc. (Environmental Maintenance) has prepared this underground storage tank (UST) closure report and preliminary groundwater Remedial Investigation Report (RIR) to document the removal and closure of four (4) 6,000-gallon regulated gasoline USTs and the collection of a preliminary groundwater sample at, 1696 Georges Road, North Brunswick, New Jersey (the site) (Facility UST # 0101800).

The site is located within the North Brunswick U.S.G.S Quadrangle (**Figure 1**). One (1) building is present at the site and is used as a gasoline dispensing station and automobile repair shop. The property is serviced by municipal water and sewer utilities.

2.0 BACKGROUND

On 8/30/01 during a Phase II Investigation at the site by Environmental Compliance Monitoring, Inc. (ECM) and the drilling contractor, TerraProbe, Inc., the tank system was struck and punctured during installation of a test boring. ECM was conducting a Phase II Investigation of the site in preparation of a potential property transfer. TerraProbe's Geoprobe® unit drilled through the north end of the tank designated "Tank 1", one (1) of the four (4) in-service 6,000-gallon, fiberglass, single walled gasoline USTs. Following the puncture of the UST at approximately 2:00 PM pumping operations were shutdown after it was discovered that water was being pumped from the UST(s) into vehicles. Between 9:00 and 10:00 PM, approximately 6,100-gallons of gas and water were pumped from Tank 1 by AWT, a subcontractor for ECM. The owner of the gas station, Mr. Walter Lapp, subsequently called Gulf who sent Mystic, Inc. to remove the contents of Tank 2, the sister tank which was manifolded to Tank 1. Mystic reported removing 5150 gallons of gas (with no water) from Tank 2. The release was reported to the New Jersey Department of Environmental Protection (NJDEP) hotline on 8/30/01 and the site was assigned Case #: 01-08-30-1546-07.

On 8/31/01, to assess impact and to confirm or deny the puncturing of the UST by the Geoprobe® unit AWT excavated a test pit along the end of Tank 1. AWT excavated to a depth of approximately 10 feet below grade and exposed the side of Tank 1. The impact point (puncture hole) to the fiberglass UST was confirmed, and a hole and crack was observed in the wall of the tank. Prior to backfilling this test pit, a 4-inch diameter monitoring sump was installed within the excavation. Subsequent gauging events showed a thin layer of free floating product (gasoline) to be present on top of groundwater within the sump.

Because the four (4) USTs shared a common excavation, to properly remediate the site the removal of all four (4) USTs was deemed necessary. The UST closure process included the excavation and cleaning of the tanks and preparation of this tank closure report. In accordance with NJDEP regulations regarding storage tanks all the tanks were regulated under NJDEP guidelines (N.J.S.A. 58:10A-22p(2); N.J.A.C. 7:14B-1.4 (b)2) and all NJDEP Closure Guidelines were followed during closure activities.

This report provides the details of the tank removal activities the analytical results of the subsurface site assessment. Photographs were taken to document the critical aspects of the tank removals and site assessment activities and are provided in Appendix A, Photographic Log

3.0 TANK CLOSURE ACTIVITIES

All UST Closure activities were performed by Environmental Maintenance (NJDEP Closure and Subsurface Evaluator Certification # US01154). All subsurface assessment and sampling was performed by Mr. Charlie McGuth, PG (NJDEP Closure and Subsurface Evaluator Certification # 0020973.

On 12/26/01 through 12/27/01, tank closure activities included the cleaning and removal of four (4) 6,000-gallon fiberglass USTs. Utilizing an excavator, the top of each tank was exposed and the tanks were accessed. All material from above the tanks was stockpiled as impacted soil. The residual fluids remaining in each tank were removed with a vacuum truck and temporarily stored in a 20,000-gallon above-ground holding tank placed at the site. During tank handing activities air within the tanks was monitored using a Crowcon Triple Plus® air meter capable of monitoring lower explosive level (LEL) and oxygen levels within the tank interior. The piping attached to each tank was found to be in good condition and was drained and removed. The former tank locations are shown on **Figure 2**.

Upon removal from the excavation, each tank was inspected for cracks and open holes. The following is a summary of the condition of each tank:

- Tank 1 – breached/ruptured, one (1) open hole from Geoprobe Unit (side of tank) and large crack in tank emanating from hole/entry point.
- Tank 2 – no open holes or cracks
- Tank 3 – no open holes or cracks
- Tank 4 - no open holes or cracks

The tanks were disposed of by Folcher Associates, Inc. of Deptford, New Jersey on 12/28/01. (**Attachment 3**).

4.0 EXCAVATION OF IMPACTED SOIL

The remedial excavation of soils from the common excavation of the four (4) 6,000-gallon USTs was initiated on 12/28/01. A track-excavator was used to excavate impacted soil at the site. A properly calibrated PID meter was used to screen soils from the excavation. Soil impact was assessed visually (sheen liberation test) and by screening the soil with the PID as it was excavated. Impacted soils were encountered at depths from approximately 3 to 15 feet below grade. All impacted soils observed visually or shown to exhibit an elevated PID response were removed.

Currently the dimensions of the excavation created from the excavation of impacted soil are approximately 60 feet by 30 feet (at the ground surface) by 15 feet deep. The extent of the excavation is shown on **Figure 2.**

Approximately 500 tons of impacted pea gravel and soil were removed from the former UST locations. During excavation activities impacted soil was stockpiled on-site and encapsulated in plastic sheeting. This impacted material has been disposed of at Carteret Biocycle Corporation of Carteret, New Jersey.

Following the excavation of impacted soil on 2/2/02, 16 soil closure samples were collected along the sidewalls of the excavation approximately 6-inches above the static groundwater level at the site. Analytical results from these soil samples reported all compounds as below NJDEP Soil Cleanup Criteria. Because remediation activities continue at the site, the impacted soil disposal manifests and soil sample results are not included within this report.

During excavation impacted soil was encountered from depths of approximately 3 feet to 14 feet below grade. Soils at the site consisted mostly of clay, with interbedded sands and silts.

5.0 GROUNDWATER REMEDIAL ACTIVITIES

Following the removal of the USTs an iridescent sheen and thin layer of free product (gasoline) was observed on the surface of groundwater within the common UST excavation. During the excavation of impacted soil, impacted groundwater any free product was pumped from the excavation into the 20,000-gallon holding tank stored on-site. Passive recovery efforts included the placement and changing of absorbent pads on the water surface within the excavation. Groundwater was pumped from the excavation on a consistent basis. On 1/4/02 free product was no longer observed within the excavation however a sheen was noted on portions of the

groundwater surface within the excavation. Groundwater was continually pumped from the excavation during impacted soil removal activities and the sheen on the groundwater surface was observed to become significantly less visible. As of this report approximately 44,000-gallons of groundwater (including approximately 500 gallons of free product) have been pumped from the excavation. Of this 44,000-gallons, approximately 37,000-gallons have been removed from the site and disposed of by Clean Venture, Inc. of Elizabeth, New Jersey.

6.0 PRELIMINARY GROUNDWATER SAMPLE RESULTS

On 2/6/02 one (1) groundwater sample was collected from the standing groundwater within the excavation and four (4) groundwater samples were collected from temporary well points installed at the site. **Figure 2** shows the sample locations and **Table 1** summarizes the results of the sampling event. All field and laboratory work and subsequent reporting was performed as required by the New Jersey Department of Environmental Protection (NJDEP) *Technical Requirements for Site Remediation* (NJAC 7:26E) (TRSR). Groundwater samples were obtained in accordance with the TRSR, and the NJDEP *Field Sampling Procedures Manual*, dated May 1992. Groundwater samples were collected for analyzed for volatile organic compounds with a forward library search of the next ten tentatively identified compounds (TICs) to elute (VO+10).

Groundwater analytical results of the sample collected from the standing groundwater within the excavation (designated "USTs Excavation") reported the volatile compounds benzene, toluene, ethylbenzene, total xylenes, and methyl tertiary butyl ether (MTBE) detected above their respective NJDEP Ground Water Quality Standards (GWQS). The volatile compound tertiary butyl alcohol (TBA) was detected in the sample above the current NJDEP Interim Ground Water Quality Criteria of 100 µg/l. The compounds MTBE and TBA are both common additives present in gasoline. Total VOC TICs were reported at concentration of 11,900 µg/l which is above the GWQS of 500 µg/l.

Groundwater analytical results of the sample designated "TempWell1" reported the compounds benzene and MTBE detected above their respective NJDEP GWQS and TBA above the Interim Ground Water Quality Criteria. Samples "TempWell2" and "TempWell3" reported the compounds benzene, total xylenes, and MTBE at concentrations above NJDEP GWQS and TBA at concentrations above the Interim Ground Water Quality Criteria. Sample "TempWell4" reported all compounds as non-detect except for MTBE and TBA which were reported at concentrations above the NJDEP GWQS and Interim Ground Water Quality Criteria.

7.0 CONCLUSIONS / REQUEST FOR DISCHARGE PERMIT

A large portion of the source material (i.e. impacted soil) has been removed from the site and all visible free product has been removed from the groundwater surface at the site. However, groundwater analytical results are consistent with the conclusion that dissolved phase groundwater impact still remains at the site.

To address groundwater remediation at the site, additional impacted soil (both above and below the groundwater table) may be excavated as this material may act as a continuous source of impact to groundwater. To address dissolved phase groundwater impact, specifically impact from MTBE, and for de-watering purposes during the installation of the new tank system, it is anticipated that a groundwater pump and treat program may be initiated at the site.

In anticipation of the construction of a groundwater pump and treat system Environmental Maintenance formally requests a NJDEP Permit-By-Rule discharge to the storm sewer at the site along Washington Place approximately 200 feet east of the subject property. Groundwater at the site will be pumped from monitoring wells (not currently installed) into a treatment system. The groundwater treatment will consist of a bag filter sediment trap, and two (2) activated 200-pound carbon filters in series (primary and polishing). The carbon filters will be filled with special carbon media that can absorb greater amounts of MTBE than standard carbon. Treated groundwater will then be discharged into the storm sewer located near the site. Currently, it is unknown where storm water from the storm sewer system discharges but it is believed that storm water is routed and discharged to Farrington Lake located approximately 1,750 feet southeast of the site. A totalizer will be used to record gallons treated and flow rate. Sampling ports will be installed between carbon units and after the polishing carbon unit. A treatment system schematic is provided in **Figure 3**. All requirements for sampling of the system and reporting will follow guidelines delineated in the permit–by-rule discharge authorization.

Environmental Maintenance is aware that a NJDEP Division of Water Quality - Discharge to Surface Water Permit may be necessary to operate the treatment system described above. The need for a discharge permit will be discussed with the case manager for the site as soon as one is assigned.

8.0 REMEDIAL ACTION COSTS TO DATE

The following are the estimated costs to date associated with the UST removals and remediation activities at the site.

Project Management / Reporting	$ 1,000.00
UST Removals	$ 14,000.00
Remedial Action (soil excavation/disposal)	$ 25,000.00
Groundwater Recovery and Disposal	$ 17,600.00
Soil and Groundwater Sampling	$ 4,000.00
Total	**$ 61,600.00**

9.0 CERTIFICATION

TYPE OF DOCUMENT : UST Closure / Groundwater RIR

NJDEP CASE NUMBER : 01-08-30-1546-07

CASE NAME: North Brunswick Gulf

CASE ADDRESS: 1696 Georges Road, North Brunswick, NJ 08902

"I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, to the best of my knowledge, I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowing direct or authorize the violation of any statute, I am personally liable for the penalties."

Printed Name: WALTER LAPP JR Title: PRES.


Signature: [signature] Date: 2/28/02

Notary Signature: [signature] Date: 2/28/02

And Seal:

LESLIE L. TOTTEN
NOTARY PUBLIC OF NEW JERSEY
My Commission Exp. May 7, 2003

ATTACHMENT 1
Figures




Name: NEW BRUNSWICK
Date: 2/7/2002
Scale: 1 inch equals 2000 feet

Location: 040° 26' 34.3" N 074° 28' 16.0" W
Caption: FIGURE 1 - SITE LOCATION
North Brunswick Gulf
1696 Georges Road
North Brunswick, NJ 08902

Copyright (C) 1997, Maptech, Inc.

FIGURE 2



Legend

1 - Former Fiberglass UST Location ("Tank 1")

Temp Well-1 - Temporary Well Point Location/ Groundwater Sample Location

- Limit of Excavation

FIGURE 2 – Former UST Locations, Temporary Well Locations, and Limit of Excavation


North Brunswick Gulf
1696 George's Road (Route 130)
North Brunswick , New Jersey 08902

APPROXIMATE SCALE: 0' 20'

DATE: February 2002

ENVIRONMENTAL MAINTENANCE COMPANY, INC.
1420 E. Mermaid Lane
Glenside, PA 19038

FIGURE 3



Legend

GAC - Granular Activated Carbon Unit

FIGURE 3 Treatment System Schematic	
North Brunswick Gulf 1696 Georges Road North Brunswick, NJ 08902	
SCALE: NTS	DATE: February 2002
ENVIRONMENTAL MAINTENANCE COMPANY, INC. 1420 E. Mermaid Lane Glenside, PA 19038	

ATTACHMENT 2
Table 1

TABLE 1
Groundwater Sampling Analytical Results - Detected Compounds
North Brunswick Gulf
1696 Georges Road
North Brunswick, NJ 08902
NJDEP Case #: 01-08-30-1546-07

		Groundwater Sample Field ID, Lab ID#, Sample Date, Well Diameter				
		USTs Excavation	TempWell1	TempWell2	TempWell3	TempWell4
		331066	331069	331070	331071	331072
		2/6/02	2/6/02	2/6/02	2/6/02	2/6/02
		Excavation Sample	1-inch	1-inch	1-inch	1-inch
Parameter	NJ Groundwater Quality Standards[1] (GWQS) (ug/l)	Analytical Result (ug/l)	Analytical Result (ug/l)	Analytical Result (ug/l)	Analytical Result (ug/l)	Analytical Result (ug/l)
Benzene	1	1,200	120	130	14	ND
Toluene	1,000	1,900	11	130	3.1	ND
Ethylbenzene	700	1,100	6	56	42	ND
Xylenes (Total)	40	6,000	14	330	62	ND
TBA	100 [2]	11,000	1,700	12,000	4,900	77,000
MTBE	70	20,000	370	11,000	480	200,000
Total VOC TICs (+10 Lib. Search)	100(each), 500(total)	11,900	144	330	725	ND
Lead	10	7.8	NA	NA	NA	NA

Notes:

1 = per NJDEP 1993 Groundwater Quality Standards for Class II A Aquifers and as revised 9/25/1998

2 = per NJDEP Interim Groundwater Quality Criteria for Class II A Aquifers

VOCs = Volatile Organic Compounds

TICs = Tentatively Identified Compounds

NA = Not Analyzed

ND = Not Detected, indicated the compound was analyzed for but not detected up to the Method Detection Limit (MDL)

Data Compiled by Environmental Maintenance Company, Inc.

ATTACHMENT 3
UST Disposal Manifest

FOLCHER ASSOCIATES INC.
1060 Harmony Lane, Deptford, New Jersey 08096
Phone: 856-232-8521 / Fax: 856-232-2070

CERTIFICATE OF TANK DISPOSAL

RECEIPT FOR DISPOSAL OF UNDERGROUND STORAGE TANK:

Disposal Date : 12-28-01

Transported By: Ano Services

Origin Site : Gulf Station

: 1696 Georges Road & Route 130

: North Brunswick, NJ

Disposal Site : B.F.I - TRC

: 2904 S.C. Columbus Blvd.

: Philadelphia, PA.

Size : Four (4) 6000 Gallon

Type : Fiberglass Tanks

I hereby certify that the above tank or tanks have been disposed of in a proper manner by methods approved by New Jersey D.E.P. and Pennsylvania D.E.R.

Signed : Thomas P. Folcher


Title : President.


Date : 12/28/01

lg:TankDisposal


ATTACHMENT 4
Photographic Log

Views of USTs During Removal







Tank 1 and Excavation During Removal Showing Open Hole in End of UST




Tank 1 Following Removal Showing Open Hole in end of UST




View of Four USTs Following Cleaning and Removal




Excavation Following Removal of Four USTs




Views of Excavation During the Removal of Impacted Soil





View of Impacted Soil Stockpiling and Groundwater Holding Tank



02/14/2002

Environmental Maintenance Company
1420 East Mermaid Lane
Glenside, PA 19038

Attention: Mr. Charlie McGuth

STL Edison
777 New Durham Road
Edison, NJ 08817

Tel: 732-549-3900
Fax: 732-549-3679
www.stl-inc.com

Laboratory Results
Job No. T389 - NB Gulf

Dear Mr. McGuth:

Enclosed are the results you requested for the following sample(s) received at our laboratory on February 6, 2002.

Lab No.	Client ID	Analysis Required
331066	USTsExcavation	PP VOA+10 w/MTBE&TBA Pb
331067	TestPit4-2.5	PP VOA+10 w/MTBE&TBA
331068	TestPit4-6.5	PP VOA+10 w/MTBE&TBA
331069	TempWell1	PP VOA+10 w/MTBE&TBA
331070	TempWell2	PP VOA+10 w/MTBE&TBA
331071	TempWell3	PP VOA+10 w/MTBE&TBA
331072	TempWell4	PP VOA+10 w/MTBE&TBA
331073	TestPiT6-5	PP VOA+10 w/MTBE&TBA
331074	TestPiT6-14-15	PP VOA+10 w/MTBE&TBA

SEVERN TRENT SERVICES

STL Edison
777 New Durham Road
Edison, NJ 08817

Tel: 732-549-3900
Fax: 732-549-3679
www.stl-inc.com

Laboratory Results
Job No. T389 - NB Gulf (cont'd)

Lab No.	Client ID	Analysis Required
331075	Trip_Blank	PP VOA+10 w/MTBE&TBA

If you have any questions please contact your Project Manager, Robin Dean, at (732) 549-3900.

Very Truly Yours,

Michael J. Urban
Laboratory Director

Analytical Results Summary **1**

General Information **23**
Chain of Custody 23
Laboratory Chronicles 26
Methodology Review 29
Data Reporting Qualifiers 33
Non-Conformance Summary 35

GC/ MS Forms and Data (Volatiles) **38**
Results Summary and Chromatograms 38
Tuning Results Summary 149
Method Blank Results Summary 174
Calibration Summary 199
Surrogate Compound Recovery Summary 233
Spike Recovery Summary 237
Internal Standard Area and RT Summary 242

Metals Forms and Data **246**
Analytical Results Summary 246
Blank Results Summary 248
Calibration Summary 251
ICP Interference Check Results Summary 255
Spike Sample Recovery Summary 258
Sample and MS Duplicate Results Summary 262
Laboratory Control Samples Results Summary 265
Serial Dilution Summary 267
Analysis Run Log 269

This is the Last Page of the Document **274**

SEVERN TRENT SERVICES

Analytical Results Summary

Client ID: **USTsExcavation**
Site: NB Gulf

Lab Sample No: **331066**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40102.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	33
Bromomethane	ND	21
Vinyl Chloride	ND	23
Chloroethane	ND	28
Methylene Chloride	ND	100
Trichlorofluoromethane	ND	35
1,1-Dichloroethene	ND	24
1,1-Dichloroethane	ND	17
trans-1,2-Dichloroethene	ND	20
cis-1,2-Dichloroethene	ND	18
Chloroform	ND	19
1,2-Dichloroethane	ND	21
1,1,1-Trichloroethane	ND	26
Carbon Tetrachloride	ND	25
Bromodichloromethane	ND	16
1,2-Dichloropropane	ND	16
cis-1,3-Dichloropropene	ND	17
Trichloroethene	ND	31
Dibromochloromethane	ND	13
1,1,2-Trichloroethane	ND	20
Benzene	1200	19
trans-1,3-Dichloropropene	ND	15
2-Chloroethyl Vinyl Ether	ND	42
Bromoform	ND	18
Tetrachloroethene	ND	28
1,1,2,2-Tetrachloroethane	ND	12
Toluene	1900	18
Chlorobenzene	ND	15
Ethylbenzene	1100	19
Xylene (Total)	6000	19
TBA	11000	580
MTBE	20000	19

SEVERN TRENT SERVICES

Client ID: **USTsExcavation**
Site: NB Gulf

Lab Sample No: **331066**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40102.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Alkene	3.07	470	
2.	C6H12 Cycloalkane	6.95	320	
3.	Ethylmethylbenzene isomer	13.96	1100	
4.	Unknown Aromatic	14.04	650	
5.	Ethylmethylbenzene isomer	14.28	300	
6.	Trimethylbenzene isomer	14.44	1500	
7.	Trimethylbenzene isomer	14.89	380	
8.	2,3-dihydro-1H-Indene/C10H14 Aromatic	15.11	630	
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 5350

Client ID: **TestPit4-2.5**
Site: NB Gulf

Lab Sample No: **331067**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48729.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 200.0
% Moisture: 18

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	3000
Bromomethane	ND	3000
Vinyl Chloride	ND	3000
Chloroethane	ND	3000
Methylene Chloride	ND	1800
Trichlorofluoromethane	ND	3000
1,1-Dichloroethene	ND	1200
1,1-Dichloroethane	ND	3000
trans-1,2-Dichloroethene	ND	3000
cis-1,2-Dichloroethene	ND	3000
Chloroform	ND	3000
1,2-Dichloroethane	ND	1200
1,1,1-Trichloroethane	ND	3000
Carbon Tetrachloride	ND	1200
Bromodichloromethane	ND	600
1,2-Dichloropropane	ND	600
cis-1,3-Dichloropropene	ND	3000
Trichloroethene	ND	600
Dibromochloromethane	ND	3000
1,1,2-Trichloroethane	ND	1800
Benzene	ND	600
trans-1,3-Dichloropropene	ND	3000
2-Chloroethyl Vinyl Ether	ND	3000
Bromoform	ND	2400
Tetrachloroethene	ND	600
1,1,2,2-Tetrachloroethane	ND	600
Toluene	4400	3000
Chlorobenzene	ND	3000
Ethylbenzene	ND	2400
Xylene (Total)	22000	3000
TBA	ND	60000
MTBE	80000	3000

Client ID: **TestPit4-2.5**
Site: NB Gulf

Lab Sample No: **331067**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48729.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 200.0
% Moisture: 17.7

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	C6H14 Alkane	4.53	6300	
2.	C6H12 Cycloalkane	5.79	4600	
3.	C7H14 Alkene	6.58	9400	
4.	C7H16 Alkane	6.69	9800	
5.	Unknown Alkane/Surrogate	6.99	35000	
6.	Cyclohexane, methyl-	7.85	17000	
7.	C8H18 Alkane	8.25	14000	
8.	C8H18 Alkane	8.40	22000	
9.	C8H18 Alkane	8.61	6800	
10.	Ethylmethylbenzene isomer	12.94	4700	
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 129600

Client ID: **TestPit4-6.5**
Site: NB Gulf

Lab Sample No: **331068**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23588.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.3 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 23

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	790
Bromomethane	ND	790
Vinyl Chloride	ND	790
Chloroethane	ND	790
Methylene Chloride	ND	470
Trichlorofluoromethane	ND	790
1,1-Dichloroethene	ND	310
1,1-Dichloroethane	ND	790
trans-1,2-Dichloroethene	ND	790
cis-1,2-Dichloroethene	ND	790
Chloroform	ND	790
1,2-Dichloroethane	ND	310
1,1,1-Trichloroethane	ND	790
Carbon Tetrachloride	ND	310
Bromodichloromethane	ND	160
1,2-Dichloropropane	ND	160
cis-1,3-Dichloropropene	ND	790
Trichloroethene	ND	160
Dibromochloromethane	ND	790
1,1,2-Trichloroethane	ND	470
Benzene	ND	160
trans-1,3-Dichloropropene	ND	790
2-Chloroethyl Vinyl Ether	ND	790
Bromoform	ND	630
Tetrachloroethene	ND	160
1,1,2,2-Tetrachloroethane	ND	160
Toluene	ND	790
Chlorobenzene	ND	790
Ethylbenzene	ND	630
Xylene (Total)	ND	790
TBA	ND	16000
MTBE	720 J	790

Client ID: **TestPit4-6.5**
Site: NB Gulf

Lab Sample No: **331068**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23588.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.3 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 22.8

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 0.0

Client ID: **TempWell1**
Site: NB Gulf

Lab Sample No: **331069**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40103.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	1.6
Bromomethane	ND	1.0
Vinyl Chloride	ND	1.2
Chloroethane	ND	1.4
Methylene Chloride	ND	5.1
Trichlorofluoromethane	ND	1.8
1,1-Dichloroethene	ND	1.2
1,1-Dichloroethane	ND	0.8
trans-1,2-Dichloroethene	ND	1.0
cis-1,2-Dichloroethene	ND	0.9
Chloroform	ND	1.0
1,2-Dichloroethane	ND	1.0
1,1,1-Trichloroethane	ND	1.3
Carbon Tetrachloride	ND	1.2
Bromodichloromethane	ND	0.8
1,2-Dichloropropane	ND	0.8
cis-1,3-Dichloropropene	ND	0.8
Trichloroethene	ND	1.6
Dibromochloromethane	ND	0.6
1,1,2-Trichloroethane	ND	1.0
Benzene	120	1.0
trans-1,3-Dichloropropene	ND	0.8
2-Chloroethyl Vinyl Ether	ND	2.1
Bromoform	ND	0.9
Tetrachloroethene	ND	1.4
1,1,2,2-Tetrachloroethane	ND	0.6
Toluene	11	0.9
Chlorobenzene	ND	0.8
Ethylbenzene	6.4	1.0
Xylene (Total)	14	1.0
TBA	1700	29
MTBE	370	1.0

Client ID: **TempWell1**
Site: NB Gulf

Lab Sample No: **331069**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40103.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Hydrocarbon	3.09	23	
2.	C5H12 Alkane	3.83	48	
3.	C6H14 Alkane	5.42	23	
4.	C6H12 Cycloalkane	6.95	29	
5.	2,3-dihydro-1H-Indene	15.11	22	
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 145

Client ID: **TempWell2**
Site: NB Gulf

Lab Sample No: **331070**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40104.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	33
Bromomethane	ND	21
Vinyl Chloride	ND	23
Chloroethane	ND	28
Methylene Chloride	ND	100
Trichlorofluoromethane	ND	35
1,1-Dichloroethene	ND	24
1,1-Dichloroethane	ND	17
trans-1,2-Dichloroethene	ND	20
cis-1,2-Dichloroethene	ND	18
Chloroform	ND	19
1,2-Dichloroethane	ND	21
1,1,1-Trichloroethane	ND	26
Carbon Tetrachloride	ND	25
Bromodichloromethane	ND	16
1,2-Dichloropropane	ND	16
cis-1,3-Dichloropropene	ND	17
Trichloroethene	ND	31
Dibromochloromethane	ND	13
1,1,2-Trichloroethane	ND	20
Benzene	130	19
trans-1,3-Dichloropropene	ND	15
2-Chloroethyl Vinyl Ether	ND	42
Bromoform	ND	18
Tetrachloroethene	ND	28
1,1,2,2-Tetrachloroethane	ND	12
Toluene	130	18
Chlorobenzene	ND	15
Ethylbenzene	56	19
Xylene (Total)	330	19
TBA	12000	580
MTBE	11000	19

SEVERN TRENT SERVICES

Client ID: **TempWell2**
Site: NB Gulf

Lab Sample No: **331070**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40104.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Alkene	3.07	330	
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION: 330

SEVERN TRENT SERVICES

Client ID: **TempWell3**
Site: NB Gulf

Lab Sample No: **331071**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40105.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	1.6
Bromomethane	ND	1.0
Vinyl Chloride	ND	1.2
Chloroethane	ND	1.4
Methylene Chloride	ND	5.1
Trichlorofluoromethane	ND	1.8
1,1-Dichloroethene	ND	1.2
1,1-Dichloroethane	ND	0.8
trans-1,2-Dichloroethene	ND	1.0
cis-1,2-Dichloroethene	ND	0.9
Chloroform	ND	1.0
1,2-Dichloroethane	ND	1.0
1,1,1-Trichloroethane	ND	1.3
Carbon Tetrachloride	ND	1.2
Bromodichloromethane	ND	0.8
1,2-Dichloropropane	ND	0.8
cis-1,3-Dichloropropene	ND	0.8
Trichloroethene	ND	1.6
Dibromochloromethane	ND	0.6
1,1,2-Trichloroethane	ND	1.0
Benzene	14	1.0
trans-1,3-Dichloropropene	ND	0.8
2-Chloroethyl Vinyl Ether	ND	2.1
Bromoform	ND	0.9
Tetrachloroethene	ND	1.4
1,1,2,2-Tetrachloroethane	ND	0.6
Toluene	3.1	0.9
Chlorobenzene	ND	0.8
Ethylbenzene	42	1.0
Xylene (Total)	62	1.0
TBA	4900	29
MTBE	480	1.0

Client ID: **TempWell3**
Site: NB Gulf

Lab Sample No: **331071**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40105.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Hydrocarbon	3.09	47	
2.	C5H12 Alkane	3.83	120	
3.	C6H14 Alkane	5.42	85	
4.	C6H12 Cycloalkane	6.95	52	
5.	Ethylmethylbenzene isomer	13.98	54	
6.	Unknown Aromatic	14.04	43	
7.	Trimethylbenzene isomer	14.44	90	
8.	2,3-dihydro-1H-Indene	15.11	140	
9.	2,3-dihydro-methyl-1H-Indene isomer	15.67	59	
10.	2,3-dihydro-methyl-1H-Indene isomer	16.43	40	
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 730

SEVERN TRENT SERVICES

Client ID: **TempWell4**
Site: NB Gulf

Lab Sample No: **331072**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40106.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 2000.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	660
Bromomethane	ND	420
Vinyl Chloride	ND	460
Chloroethane	ND	560
Methylene Chloride	ND	2000
Trichlorofluoromethane	ND	700
1,1-Dichloroethene	ND	480
1,1-Dichloroethane	ND	340
trans-1,2-Dichloroethene	ND	400
cis-1,2-Dichloroethene	ND	360
Chloroform	ND	380
1,2-Dichloroethane	ND	420
1,1,1-Trichloroethane	ND	520
Carbon Tetrachloride	ND	500
Bromodichloromethane	ND	320
1,2-Dichloropropane	ND	320
cis-1,3-Dichloropropene	ND	340
Trichloroethene	ND	620
Dibromochloromethane	ND	260
1,1,2-Trichloroethane	ND	400
Benzene	ND	380
trans-1,3-Dichloropropene	ND	300
2-Chloroethyl Vinyl Ether	ND	840
Bromoform	ND	360
Tetrachloroethene	ND	560
1,1,2,2-Tetrachloroethane	ND	240
Toluene	ND	360
Chlorobenzene	ND	300
Ethylbenzene	ND	380
Xylene (Total)	ND	380
TBA	77000	12000
MTBE	200000	380

Client ID: **TempWell4**
Site: NB Gulf

Lab Sample No: **331072**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40106.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 2000.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	0.0

Client ID: **TestPiT6-5**
Site: NB Gulf

Lab Sample No: **331073**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23589.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.1 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 10

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	690
Bromomethane	ND	690
Vinyl Chloride	ND	690
Chloroethane	ND	690
Methylene Chloride	ND	410
Trichlorofluoromethane	ND	690
1,1-Dichloroethene	ND	280
1,1-Dichloroethane	ND	690
trans-1,2-Dichloroethene	ND	690
cis-1,2-Dichloroethene	ND	690
Chloroform	ND	690
1,2-Dichloroethane	ND	280
1,1,1-Trichloroethane	ND	690
Carbon Tetrachloride	ND	280
Bromodichloromethane	ND	140
1,2-Dichloropropane	ND	140
cis-1,3-Dichloropropene	ND	690
Trichloroethene	ND	140
Dibromochloromethane	ND	690
1,1,2-Trichloroethane	ND	410
Benzene	ND	140
trans-1,3-Dichloropropene	ND	690
2-Chloroethyl Vinyl Ether	ND	690
Bromoform	ND	550
Tetrachloroethene	ND	140
1,1,2,2-Tetrachloroethane	ND	140
Toluene	ND	690
Chlorobenzene	ND	690
Ethylbenzene	ND	550
Xylene (Total)	ND	690
TBA	ND	14000
MTBE	ND	690

Client ID: **TestPiT6-5**
Site: NB Gulf

Lab Sample No: **331073**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23589.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.1 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 10.1

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION: 0.0

Client ID: **TestPiT6-14-15**
Site: NB Gulf

Lab Sample No: **331074**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23590.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 8

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	670
Bromomethane	ND	670
Vinyl Chloride	ND	670
Chloroethane	ND	670
Methylene Chloride	ND	400
Trichlorofluoromethane	ND	670
1,1-Dichloroethene	ND	270
1,1-Dichloroethane	ND	670
trans-1,2-Dichloroethene	ND	670
cis-1,2-Dichloroethene	ND	670
Chloroform	ND	670
1,2-Dichloroethane	ND	270
1,1,1-Trichloroethane	ND	670
Carbon Tetrachloride	ND	270
Bromodichloromethane	ND	130
1,2-Dichloropropane	ND	130
cis-1,3-Dichloropropene	ND	670
Trichloroethene	ND	130
Dibromochloromethane	ND	670
1,1,2-Trichloroethane	ND	400
Benzene	ND	130
trans-1,3-Dichloropropene	ND	670
2-Chloroethyl Vinyl Ether	ND	670
Bromoform	ND	540
Tetrachloroethene	ND	130
1,1,2,2-Tetrachloroethane	ND	130
Toluene	ND	670
Chlorobenzene	ND	670
Ethylbenzene	ND	540
Xylene (Total)	ND	670
TBA	ND	13000
MTBE	ND	670

Client ID: **TestPiT6-14-15**
Site: NB Gulf

Lab Sample No: **331074**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23590.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 8.5

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION: 0.0

SEVERN TRENT SERVICES

Client ID: **Trip_Blank**
Site: NB Gulf

Lab Sample No: 331075
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23587.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.0 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg	Quantitation Limit Units: ug/kg
Chloromethane	ND	620
Bromomethane	ND	620
Vinyl Chloride	ND	620
Chloroethane	ND	620
Methylene Chloride	ND	380
Trichlorofluoromethane	ND	620
1,1-Dichloroethene	ND	250
1,1-Dichloroethane	ND	620
trans-1,2-Dichloroethene	ND	620
cis-1,2-Dichloroethene	ND	620
Chloroform	ND	620
1,2-Dichloroethane	ND	250
1,1,1-Trichloroethane	ND	620
Carbon Tetrachloride	ND	250
Bromodichloromethane	ND	120
1,2-Dichloropropane	ND	120
cis-1,3-Dichloropropene	ND	620
Trichloroethene	ND	120
Dibromochloromethane	ND	620
1,1,2-Trichloroethane	ND	380
Benzene	ND	120
trans-1,3-Dichloropropene	ND	620
2-Chloroethyl Vinyl Ether	ND	620
Bromoform	ND	500
Tetrachloroethene	ND	120
1,1,2,2-Tetrachloroethane	ND	120
Toluene	ND	620
Chlorobenzene	ND	620
Ethylbenzene	ND	500
Xylene (Total)	ND	620
TBA	ND	12000
MTBE	ND	620

Client ID: **Trip_Blank**
Site: NB Gulf

Lab Sample No: **331075**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23587.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.0 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	0.0

Client ID: **USTsExcavation**
Site: **NB Gulf**

Lab Sample No: 331066
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02

Matrix: WATER
Level: LOW

METALS ANALYSIS

Analyte	Analytical Result Units: ug/l	Instrument Detection Limit	M
Lead	7.8	2.2	P

M Column - Method Code (See Section 2 of Report)

STL Edison is a part of Severn Trent Laboratories, Inc.

General Information

Chain of Custody

T389

STL EDISON

777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

CHAIN OF CUSTODY / ANALYSIS REQUEST

PAGE 1 OF 2

Name (for report and invoice)	Samplers Name (Printed)	Site/Project Identification
JILL CROSBIE	FRANK JASINIEWICZ	NB GULF
Company	**P.O. #**	**State (Location of site):** NJ: ☒ NY: ☐ Other:
REDHAWK ENVIRONMENTAL, LTD		**Regulatory Program:**
Address	**Analysis Turnaround Time**	
2845 Hale Hollow Road	Standard ☐	
City / **State**	Rush Charges Authorized For:	
Bridgewater Corners / VT 05035	2 Week ☐	
Phone / **Fax**	1 Week ☐	
800 311-6115 / 877-311-6115	Other ☒ 24 hour	

ANALYSIS REQUESTED (ENTER "X" BELOW TO INDICATE REQUEST)

LAB USE ONLY
Project No:
Job No: T389

Sample Identification	Date	Time	Matrix	No. of Cont.	VOC+10	MTBE	TBA	Lead	Sample Numbers
2 ST's EXCAVATION	2/6/02	0840	WATER	3	X	X	X	X	331064
4 ST's EXCAVATION	2/6/02	0845	water	1				X	331066
Test PIT 4: 2½'	2/6/02	1320	soil	X2 (M)	X	X	X		331067
Test PIT 4: 6½'	2/6/02	1340	soil	X2	X	X	X		331068
Temp Well 1	2/6/02	1430	water	3	X	X	X		331069
Temp Well 2	2/6/02	1440	water	3	X	X	X		331070
Temp Well 3	2/6/02	1450	water	3	X	X	X		331071
Temp Well 4	2/6/02	1500	water	3	X	X	X		331072
Test PIT 6: 5'	2/6/02	1545	soil	X2	X	X	X		331073
Test PIT 6: 14-15'	2/6/02	1550	Soil	X2	X	X	X		331074
Preservation Used: 1 = ICE, 2 = HCl, 3 = H_2SO_4, 4 = HNO_3, 5 = NaOH				Soil:	6	6	6		
6 = Other methanol 7 = Other _____				Water:	1+2	1+2	1+2	1+4	

Special Instructions 24 Turnaround + Fax results ASAP — Water Metals Filtered (Yes/No)?

Relinquished by	Company	Date / Time	Received by	Company
1) Frank Jasiniewicz	RedHawk	2/6/02 1645	1) STL Edison Wayne Clark	[redacted]
2)	STL Edison Wayne Clark	2/6/02 1705	2)	SR
3)			3)	
4)			4)	

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).

24

T389

STL EDISON

777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

CHAIN OF CUSTODY / ANALYSIS REQUEST

PAGE 2 OF 2

Name (for report and invoice) Jill Crosbie	Samplers Name (Printed) Frank Jasinowicz	Site/Project Identification NB GULF
Company Redhawk Environmental, LTD	P.O. #	State (Location of site): NJ: ☒ NY: ☐ Other:
Address 2845 Hale Hollow Rd	Analysis Turnaround Time: Standard ☐	Regulatory Program:
City Bridgewater Corner State VT 05035	Rush Charges Authorized For: 2 Week ☐ 1 Week ☐ Other ☐ 24hr	
Phone 800 311-6115 Fax 877-311-6115		

Sample Identification	Date	Time	Matrix	No. of Cont.	VOC 8260	MTBE	TBA									LAB USE ONLY Sample Numbers
Trip Blank	2/6/02		W	1	X	X	X									331015

ANALYSIS REQUESTED (ENTER "X" BELOW TO INDICATE REQUEST)

LAB USE ONLY Project No:

Job No: T389

Preservation Used: (1) = ICE, 2 = HCl, 3 = H_2SO_4, 4 = HNO_3, 5 = NaOH, (6) = Other methanol, 7 = Other _____

Soil:	6	6	6
Water:			

Special Instructions

Water Metals Filtered (Yes/No)? _____

Relinquished by	Company	Date / Time	Received by	Company
1) Frank Jasinowicz	Redhawk	2/6/02 1645	1) STL Edison Wayne Clark	STL
2)	STL Edison Wayne Clark	2/6/02 1705	2)	STL
3)			3)	
4)			4)	

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).

25

Laboratory Chronicles

INTERNAL CUSTODY RECORD
AND
LABORATORY CHRONICLE
STL Edison

777 New Durham Road, Edison, New Jersey
08817

Job No: T389 **Site:** NB Gulf

Client: Environmental Maintenance Company

VOAMS

WATER - 624

Lab Sample ID	Date Sampled	Date Received	Preparation Date	Technician's Name	Analysis Date	Analyst's Name	QA Batch
331066	2/6/2002	2/6/2002			2/7/2002	Lissy, David	7425
331069	2/6/2002	2/6/2002			2/7/2002	Lissy, David	7425
331070	2/6/2002	2/6/2002			2/7/2002	Lissy, David	7425
331071	2/6/2002	2/6/2002			2/7/2002	Lissy, David	7425
331072	2/6/2002	2/6/2002			2/7/2002	Lissy, David	7425

SOLID - 8260B

Lab Sample ID	Date Sampled	Date Received	Preparation Date	Technician's Name	Analysis Date	Analyst's Name	QA Batch
331067	2/6/2002	2/6/2002			2/7/2002	Tupayachi, Audberto	3648
331068	2/6/2002	2/6/2002			2/7/2002	Tupayachi, Audberto	3666
331073	2/6/2002	2/6/2002			2/7/2002	Tupayachi, Audberto	3666
331074	2/6/2002	2/6/2002			2/7/2002	Tupayachi, Audberto	3666
331075	2/6/2002	2/6/2002			2/7/2002	Tupayachi, Audberto	3666

INTERNAL CUSTODY RECORD
AND
LABORATORY CHRONICLE
STL Edison

777 New Durham Road, Edison, New Jersey
08817

Job No:	T389	**Site:**	NB Gulf
Client:	Environmental Maintenance Company	**Date Sampled:**	2/6/2002
Sample No.:	331066	**Date Received:**	2/6/2002
		Matrix:	WATER

METALS

Analytic Parameter	Preparation Date	Technician's Name	Analysis Date	Analyst's Name	QA Batch
LEAD	2/7/2002	Sanagavarapu, Suguna	2/7/2002	Evans, Donald	12318

Methodology Review

Analytical Methodology Summary

Volatile Organics:

Unless otherwise specified, water samples are analyzed for volatile organics by purge and trap GC/MS as specified in EPA Method 624. Drinking water samples are analyzed by EPA Method 524.2. Solid samples are analyzed for volatile organics as specified in the EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition) Method 8260B. Water samples are analyzed for volatile organics by purge and trap GC/PID and GC/ELCD as specified in EPA Methods 601 and 602. Solid samples are analyzed by GC/PID and GC/ELCD in accordance with SW-846, 3rd Edition Method 8021B.

Acid and Base/Neutral Extractable Organics:

Unless otherwise specified, water samples are analyzed for acid and/or base/neutral extractable organics by GC/MS in accordance with EPA Method 625. Solids are analyzed for acid and/or base/neutral extractable organics as specified in the EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition) Method 8270C.

GC/MS Nontarget Compound Analysis:

Analysis for nontarget compounds is conducted, upon request, in conjunction with GC/MS analyses by EPA Methods 624, 625, 8260B and 8270C. Nontarget compound analysis is conducted using a forward library search of the EPA/NIH/NBS mass spectral library of compounds at the greatest apparent concentration (10% or greater of the nearest internal standard) in each organic fraction (15 for volatile, 15 for base/neutrals and 10 for acid extractables).

Organochlorine Pesticides and PCBs:

Unless otherwise specified, water samples are analyzed for organochlorine pesticides and PCBs by dual column gas chromatography with electron capture detectors as specified in EPA Method 608. Solid samples are analyzed as specified in the EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition) Method 8081A for organochlorine pesticides and Method 8082 for PCBs.

Total Petroleum Hydrocarbons:

Water samples are analyzed for petroleum hydrocarbons by I.R. using EPA Method 418.1. Solid samples are prepared for analysis by soxhlet extraction consistent with the March 1990 N.J. DEP "Remedial Investigation Guide" Appendix A, page 52, and analyzed by U.S. EPA Method 418.1

Metals Analysis:

Metals analyses are performed by any of four techniques specified by a Method Code provided on each data report page, as follows:

P - Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP)

A - Flame Atomic Absorption

F - Furnace Atomic Absorption

CV - Manual Cold Vapor (Mercury)

Water samples are digested and analyzed using EPA methods provided in "Methods for Chemical Analysis of Water and Wastewater" (EPA 600/4-79-020). Solid samples are analyzed as specified in the EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition); samples are digested according to Method 3050B "Acid Digestion of Soil, Sediments and Sludges."

Specific method references for ICP analyses are water Method 200.7 and solid Method 6010B. Mercury analyses are conducted by the manual cold vapor technique specified by water Method 245.1 and solid Method 7471A. Other specific Atomic Absorption method references are as follows:

	Water Test Method		Solid Test Method	
Element	Flame	Furnace	Flame	Furnace
Aluminum	202.1	202.2	7020	--
Antimony	204.1	204.2	7040	7041
Arsenic	--	206.2	--	7060
Barium	208.1	--	7080	--
Beryllium	210.1	210.2	7090	7091
Cadmium	213.1	213.2	7130	7131
Calcium	215.1	--	7140	--
Chromium, Total	218.1	218.2	7190	7191
Chromium, (+6)	218.4	218.5	7197	7195
Cobalt	219.1	219.2	7200	7201
Copper	220.1	220.2	7210	--
Iron	236.1	236.2	7380	--
Lead	239.1	239.2	7420	7421
Magnesium	242.1	--	7450	--
Manganese	243.1	243.2	7460	--
Nickel	249.1	249.2	7520	--
Potassium	258.1	--	7610	--
Selenium	--	270.2	--	7740
Silver	272.1	272.2	7760	--
Sodium	273.1	--	7770	--
Tin	283.1	283.2	7870	--
Thallium	279.1	279.2	7840	7841
Vanadium	286.1	286.2	7910	7911
Zinc	289.1	289.2	7950	--

Cyanide:

Water samples are analyzed for cyanide using EPA Method 335.3. Cyanide is determined in solid samples as specified in the EPA Contract Laboratory Program IFB dated July 1988, revised February 1989.

Phenols:

Water samples are analyzed for total phenols using EPA Method 420.2. Total phenols are determined in solid samples by preparing the sample as outlined in the EPA Contract Laboratory Program IFB for cyanide, followed by a phenols determination using EPA Method 420.1.

Cleanup of Semivolatile Extracts:

Upon request Method 3611B Alumina Column Cleanup and/or Method 3650B Acid-Base Partition Cleanup are performed to improve detection limits by the removal of saturated hydrocarbon interferences.

Hazardous Waste Characteristics:

Samples for hazardous waste characteristics are analyzed as specified in the U.S. EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition). Specific method references are as follows:

Ignitability - Method 1020A

Corrosivity - Water pH Method 9040B
Soil pH Method 9045C

Reactivity - Chapter 7, Section 7.3.3 and 7.3.4 respectively for hydrogen cyanide and hydrogen sulfide release

Toxicity - TCLP Method 1311

Miscellaneous Parameters:

Additional analyses performed on both aqueous and solid samples are in accordance with methods published in the following references:

- Test Methods for Evaluating Solid Wastes, SW-846 3rd Edition, November 1986.
- Standard Methods for the Examination of Water and Wastewater, 17th Edition.
- Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, 1979.

Data Reporting Qualifiers

ORGANIC DATA REPORTING QUALIFIERS

ND - The compound was not detected at the indicated concentration.

J - Mass spectral data indicates the presence of a compound that meets the identification criteria. The result is less than the specified quantitation limit but greater than zero. The concentration given is an approximate value.

B - The analyte was found in the laboratory blank as well as the sample. This indicates possible laboratory contamination of the environmental sample.

P - For dual column analysis, the percent difference between the quantitated concentrations on the two columns is greater than 40%.

* - For dual column analysis, the lowest quantitated concentration is being reported due to coeluting interference.

INORGANIC DATA REPORTING QUALIFIERS (SW-846 METHODS ONLY)

ND - The compound was not detected at the indicated concentration.

B - Reported value is less than the Method Detection Limit but greater than or equal to the Instrument Detection Limit.

E - The reported value is estimated because of the presence of interference. See explanatory note in the Nonconformance Summary if the problem applies to all of the samples or on the individual Inorganic Analysis Data Sheet if the problem is isolated.

M - Duplicate injection precision not met on the Furnace Atomic Absorption analysis.

N - The spiked sample recovery is not within control limits.

S - The reported value was determined by the Method of Standard Additions (MSA).

* - Duplicate Analysis is not within control limits.

W - Post digestion spike for Furnace Atomic Absorption analysis is out of control.

\+ - Correlation coefficient for MSA is less than 0.995.

M Column - Method Qualifiers

P - Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP).

A - Flame Atomic Absorption Spectroscopy (FAA).

F - Graphite Furnace Atomic Absorption Spectroscopy (GFAA).

CV - Cold Vapor Atomic Absorption Spectroscopy.

Non-Conformance Summary

NON-CONFORMANCE SUMMARY

STL Edison Job Number: T389

Volatile Organics Analysis:

All data conforms with method requirements ✓; or
Analysis was not requested _____; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

_____

See continuation page if checked ( )

Base/Neutral and/or Acid Extractable Organics:

All data conforms with method requirements _____; or
Analysis was not requested ✓; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

_____

See continuation page if checked ( )

PCBs and/or Organochlorine Pesticides:

All data conforms with method requirements _____; or
Analysis was not requested ✓; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

_____

See continuation page if checked ( )

Non-conformance Summary, Page 2 of 2
STL Edison Job Number: T389

Metals Analysis:

All data conforms with method requirements ✓; or
Analysis was not requested _____; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

_____

_____

See continuation page if checked ( )

Total Petroleum Hydrocarbons:

All data conforms with method requirements _____; or
Analysis was not requested ✓; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

See continuation page if checked ( )

General Chemistry/Disposal Parameters:

All data conforms with method requirements _____; or
Analysis was not requested ✓; or
Non-conformance for the specific samples listed is as follows:

_____

_____

_____

See continuation page if checked ( )

Signature of
Laboratory Manager: _____ Date: 2-15-02

GC/MS Forms and Data (Volatiles)

Results Summary and Chromatograms

Client ID: **USTsExcavation**
Site: NB Gulf

Lab Sample No: **331066**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40102.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	33
Bromomethane	ND	21
Vinyl Chloride	ND	23
Chloroethane	ND	28
Methylene Chloride	ND	100
Trichlorofluoromethane	ND	35
1,1-Dichloroethene	ND	24
1,1-Dichloroethane	ND	17
trans-1,2-Dichloroethene	ND	20
cis-1,2-Dichloroethene	ND	18
Chloroform	ND	19
1,2-Dichloroethane	ND	21
1,1,1-Trichloroethane	ND	26
Carbon Tetrachloride	ND	25
Bromodichloromethane	ND	16
1,2-Dichloropropane	ND	16
cis-1,3-Dichloropropene	ND	17
Trichloroethene	ND	31
Dibromochloromethane	ND	13
1,1,2-Trichloroethane	ND	20
Benzene	1200	19
trans-1,3-Dichloropropene	ND	15
2-Chloroethyl Vinyl Ether	ND	42
Bromoform	ND	18
Tetrachloroethene	ND	28
1,1,2,2-Tetrachloroethane	ND	12
Toluene	1900	18
Chlorobenzene	ND	15
Ethylbenzene	1100	19
Xylene (Total)	6000	19
TBA	11000	580
MTBE	20000	19

Client ID: **USTsExcavation**
Site: NB Gulf

Lab Sample No: **331066**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40102.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Alkene	3.07	470	
2.	C6H12 Cycloalkane	6.95	320	
3.	Ethylmethylbenzene isomer	13.96	1100	
4.	Unknown Aromatic	14.04	650	
5.	Ethylmethylbenzene isomer	14.28	300	
6.	Trimethylbenzene isomer	14.44	1500	
7.	Trimethylbenzene isomer	14.89	380	
8.	2,3-dihydro-1H-Indene/C10H14 Aromatic	15.11	630	
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	5350

Client ID: **TestPit4-2.5**
Site: NB Gulf

Lab Sample No: **331067**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48729.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 200.0
% Moisture: 18

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	3000
Bromomethane	ND	3000
Vinyl Chloride	ND	3000
Chloroethane	ND	3000
Methylene Chloride	ND	1800
Trichlorofluoromethane	ND	3000
1,1-Dichloroethene	ND	1200
1,1-Dichloroethane	ND	3000
trans-1,2-Dichloroethene	ND	3000
cis-1,2-Dichloroethene	ND	3000
Chloroform	ND	3000
1,2-Dichloroethane	ND	1200
1,1,1-Trichloroethane	ND	3000
Carbon Tetrachloride	ND	1200
Bromodichloromethane	ND	600
1,2-Dichloropropane	ND	600
cis-1,3-Dichloropropene	ND	3000
Trichloroethene	ND	600
Dibromochloromethane	ND	3000
1,1,2-Trichloroethane	ND	1800
Benzene	ND	600
trans-1,3-Dichloropropene	ND	3000
2-Chloroethyl Vinyl Ether	ND	3000
Bromoform	ND	2400
Tetrachloroethene	ND	600
1,1,2,2-Tetrachloroethane	ND	600
Toluene	4400	3000
Chlorobenzene	ND	3000
Ethylbenzene	ND	2400
Xylene (Total)	22000	3000
TBA	ND	60000
MTBE	80000	3000

Client ID: **TestPit4-2.5**
Site: NB Gulf

Lab Sample No: **331067**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48729.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 200.0
% Moisture: 17.7

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	C6H14 Alkane	4.53	6300	
2.	C6H12 Cycloalkane	5.79	4600	
3.	C7H14 Alkene	6.58	9400	
4.	C7H16 Alkane	6.69	9800	
5.	Unknown Alkane/Surrogate	6.99	35000	
6.	Cyclohexane, methyl-	7.85	17000	
7.	C8H18 Alkane	8.25	14000	
8.	C8H18 Alkane	8.40	22000	
9.	C8H18 Alkane	8.61	6800	
10.	Ethylmethylbenzene isomer	12.94	4700	
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION | 129600

Client ID: **TestPit4-6.5**
Site: NB Gulf

Lab Sample No: **331068**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23588.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.3 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 23

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	790
Bromomethane	ND	790
Vinyl Chloride	ND	790
Chloroethane	ND	790
Methylene Chloride	ND	470
Trichlorofluoromethane	ND	790
1,1-Dichloroethene	ND	310
1,1-Dichloroethane	ND	790
trans-1,2-Dichloroethene	ND	790
cis-1,2-Dichloroethene	ND	790
Chloroform	ND	790
1,2-Dichloroethane	ND	310
1,1,1-Trichloroethane	ND	790
Carbon Tetrachloride	ND	310
Bromodichloromethane	ND	160
1,2-Dichloropropane	ND	160
cis-1,3-Dichloropropene	ND	790
Trichloroethene	ND	160
Dibromochloromethane	ND	790
1,1,2-Trichloroethane	ND	470
Benzene	ND	160
trans-1,3-Dichloropropene	ND	790
2-Chloroethyl Vinyl Ether	ND	790
Bromoform	ND	630
Tetrachloroethene	ND	160
1,1,2,2-Tetrachloroethane	ND	160
Toluene	ND	790
Chlorobenzene	ND	790
Ethylbenzene	ND	630
Xylene (Total)	ND	790
TBA	ND	16000
MTBE	720 J	790

Client ID: **TestPit4-6.5**
Site: NB Gulf

Lab Sample No: **331068**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23588.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.3 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 22.8

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	0.0

Client ID: **TempWell1**
Site: NB Gulf

Lab Sample No: **331069**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40103.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	1.6
Bromomethane	ND	1.0
Vinyl Chloride	ND	1.2
Chloroethane	ND	1.4
Methylene Chloride	ND	5.1
Trichlorofluoromethane	ND	1.8
1,1-Dichloroethene	ND	1.2
1,1-Dichloroethane	ND	0.8
trans-1,2-Dichloroethene	ND	1.0
cis-1,2-Dichloroethene	ND	0.9
Chloroform	ND	1.0
1,2-Dichloroethane	ND	1.0
1,1,1-Trichloroethane	ND	1.3
Carbon Tetrachloride	ND	1.2
Bromodichloromethane	ND	0.8
1,2-Dichloropropane	ND	0.8
cis-1,3-Dichloropropene	ND	0.8
Trichloroethene	ND	1.6
Dibromochloromethane	ND	0.6
1,1,2-Trichloroethane	ND	1.0
Benzene	120	1.0
trans-1,3-Dichloropropene	ND	0.8
2-Chloroethyl Vinyl Ether	ND	2.1
Bromoform	ND	0.9
Tetrachloroethene	ND	1.4
1,1,2,2-Tetrachloroethane	ND	0.6
Toluene	11	0.9
Chlorobenzene	ND	0.8
Ethylbenzene	6.4	1.0
Xylene (Total)	14	1.0
TBA	1700	29
MTBE	370	1.0

Client ID: **TempWell1**
Site: NB Gulf

Lab Sample No: **331069**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40103.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Hydrocarbon	3.09	23	
2.	C5H12 Alkane	3.83	48	
3.	C6H14 Alkane	5.42	23	
4.	C6H12 Cycloalkane	6.95	29	
5.	2,3-dihydro-1H-Indene	15.11	22	
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	145

Client ID: **TempWell2**
Site: NB Gulf

Lab Sample No: **331070**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40104.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	33
Bromomethane	ND	21
Vinyl Chloride	ND	23
Chloroethane	ND	28
Methylene Chloride	ND	100
Trichlorofluoromethane	ND	35
1,1-Dichloroethene	ND	24
1,1-Dichloroethane	ND	17
trans-1,2-Dichloroethene	ND	20
cis-1,2-Dichloroethene	ND	18
Chloroform	ND	19
1,2-Dichloroethane	ND	21
1,1,1-Trichloroethane	ND	26
Carbon Tetrachloride	ND	25
Bromodichloromethane	ND	16
1,2-Dichloropropane	ND	16
cis-1,3-Dichloropropene	ND	17
Trichloroethene	ND	31
Dibromochloromethane	ND	13
1,1,2-Trichloroethane	ND	20
Benzene	130	19
trans-1,3-Dichloropropene	ND	15
2-Chloroethyl Vinyl Ether	ND	42
Bromoform	ND	18
Tetrachloroethene	ND	28
1,1,2,2-Tetrachloroethane	ND	12
Toluene	130	18
Chlorobenzene	ND	15
Ethylbenzene	56	19
Xylene (Total)	330	19
TBA	12000	580
MTBE	11000	19

Client ID: **TempWell2**
Site: NB Gulf

Lab Sample No: **331070**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40104.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 100.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	Unknown Alkene	3.07	330	
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	330

Client ID: **TempWell3**
Site: NB Gulf

Lab Sample No: **331071**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40105.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	1.6
Bromomethane	ND	1.0
Vinyl Chloride	ND	1.2
Chloroethane	ND	1.4
Methylene Chloride	ND	5.1
Trichlorofluoromethane	ND	1.8
1,1-Dichloroethene	ND	1.2
1,1-Dichloroethane	ND	0.8
trans-1,2-Dichloroethene	ND	1.0
cis-1,2-Dichloroethene	ND	0.9
Chloroform	ND	1.0
1,2-Dichloroethane	ND	1.0
1,1,1-Trichloroethane	ND	1.3
Carbon Tetrachloride	ND	1.2
Bromodichloromethane	ND	0.8
1,2-Dichloropropane	ND	0.8
cis-1,3-Dichloropropene	ND	0.8
Trichloroethene	ND	1.6
Dibromochloromethane	ND	0.6
1,1,2-Trichloroethane	ND	1.0
Benzene	14	1.0
trans-1,3-Dichloropropene	ND	0.8
2-Chloroethyl Vinyl Ether	ND	2.1
Bromoform	ND	0.9
Tetrachloroethene	ND	1.4
1,1,2,2-Tetrachloroethane	ND	0.6
Toluene	3.1	0.9
Chlorobenzene	ND	0.8
Ethylbenzene	42	1.0
Xylene (Total)	62	1.0
TBA	4900	29
MTBE	480	1.0

Client ID: **TempWell3**
Site: NB Gulf

Lab Sample No: **331071**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40105.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 5.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

COMPOUND NAME	RT	EST. CONC. ug/l	Q
1. Unknown Hydrocarbon	3.09	47	
2. C5H12 Alkane	3.83	120	
3. C6H14 Alkane	5.42	85	
4. C6H12 Cycloalkane	6.95	52	
5. Ethylmethylbenzene isomer	13.98	54	
6. Unknown Aromatic	14.04	43	
7. Trimethylbenzene isomer	14.44	90	
8. 2,3-dihydro-1H-Indene	15.11	140	
9. 2,3-dihydro-methyl-1H-Indene isomer	15.67	59	
10. 2,3-dihydro-methyl-1H-Indene isomer	16.43	40	
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

TOTAL ESTIMATED CONCENTRATION	730

Client ID: **TempWell4**
Site: NB Gulf

Lab Sample No: **331072**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40106.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 2000.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	660
Bromomethane	ND	420
Vinyl Chloride	ND	460
Chloroethane	ND	560
Methylene Chloride	ND	2000
Trichlorofluoromethane	ND	700
1,1-Dichloroethene	ND	480
1,1-Dichloroethane	ND	340
trans-1,2-Dichloroethene	ND	400
cis-1,2-Dichloroethene	ND	360
Chloroform	ND	380
1,2-Dichloroethane	ND	420
1,1,1-Trichloroethane	ND	520
Carbon Tetrachloride	ND	500
Bromodichloromethane	ND	320
1,2-Dichloropropane	ND	320
cis-1,3-Dichloropropene	ND	340
Trichloroethene	ND	620
Dibromochloromethane	ND	260
1,1,2-Trichloroethane	ND	400
Benzene	ND	380
trans-1,3-Dichloropropene	ND	300
2-Chloroethyl Vinyl Ether	ND	840
Bromoform	ND	360
Tetrachloroethene	ND	560
1,1,2,2-Tetrachloroethane	ND	240
Toluene	ND	360
Chlorobenzene	ND	300
Ethylbenzene	ND	380
Xylene (Total)	ND	380
TBA	77000	12000
MTBE	200000	380

Client ID: **TempWell4**
Site: NB Gulf

Lab Sample No: **331072**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40106.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 2000.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 0.0

Client ID: **TestPiT6-5**
Site: NB Gulf

Lab Sample No: **331073**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23589.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.1 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 10

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	690
Bromomethane	ND	690
Vinyl Chloride	ND	690
Chloroethane	ND	690
Methylene Chloride	ND	410
Trichlorofluoromethane	ND	690
1,1-Dichloroethene	ND	280
1,1-Dichloroethane	ND	690
trans-1,2-Dichloroethene	ND	690
cis-1,2-Dichloroethene	ND	690
Chloroform	ND	690
1,2-Dichloroethane	ND	280
1,1,1-Trichloroethane	ND	690
Carbon Tetrachloride	ND	280
Bromodichloromethane	ND	140
1,2-Dichloropropane	ND	140
cis-1,3-Dichloropropene	ND	690
Trichloroethene	ND	140
Dibromochloromethane	ND	690
1,1,2-Trichloroethane	ND	410
Benzene	ND	140
trans-1,3-Dichloropropene	ND	690
2-Chloroethyl Vinyl Ether	ND	690
Bromoform	ND	550
Tetrachloroethene	ND	140
1,1,2,2-Tetrachloroethane	ND	140
Toluene	ND	690
Chlorobenzene	ND	690
Ethylbenzene	ND	550
Xylene (Total)	ND	690
TBA	ND	14000
MTBE	ND	690

Client ID: **TestPiT6-5**
Site: NB Gulf

Lab Sample No: **331073**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23589.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.1 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 10.1

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 0.0

Client ID: **TestPiT6-14-15**
Site: NB Gulf

Lab Sample No: **331074**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23590.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 8

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	670
Bromomethane	ND	670
Vinyl Chloride	ND	670
Chloroethane	ND	670
Methylene Chloride	ND	400
Trichlorofluoromethane	ND	670
1,1-Dichloroethene	ND	270
1,1-Dichloroethane	ND	670
trans-1,2-Dichloroethene	ND	670
cis-1,2-Dichloroethene	ND	670
Chloroform	ND	670
1,2-Dichloroethane	ND	270
1,1,1-Trichloroethane	ND	670
Carbon Tetrachloride	ND	270
Bromodichloromethane	ND	130
1,2-Dichloropropane	ND	130
cis-1,3-Dichloropropene	ND	670
Trichloroethene	ND	130
Dibromochloromethane	ND	670
1,1,2-Trichloroethane	ND	400
Benzene	ND	130
trans-1,3-Dichloropropene	ND	670
2-Chloroethyl Vinyl Ether	ND	670
Bromoform	ND	540
Tetrachloroethene	ND	130
1,1,2,2-Tetrachloroethane	ND	130
Toluene	ND	670
Chlorobenzene	ND	670
Ethylbenzene	ND	540
Xylene (Total)	ND	670
TBA	ND	13000
MTBE	ND	670

Client ID: **TestPiT6-14-15**
Site: NB Gulf

Lab Sample No: **331074**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23590.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.2 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 8.5

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	0.0

Client ID: **Trip_Blank**
Site: NB Gulf

Lab Sample No: **331075**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23587.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.0 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg	Quantitation Limit Units: ug/kg
Chloromethane	ND	620
Bromomethane	ND	620
Vinyl Chloride	ND	620
Chloroethane	ND	620
Methylene Chloride	ND	380
Trichlorofluoromethane	ND	620
1,1-Dichloroethene	ND	250
1,1-Dichloroethane	ND	620
trans-1,2-Dichloroethene	ND	620
cis-1,2-Dichloroethene	ND	620
Chloroform	ND	620
1,2-Dichloroethane	ND	250
1,1,1-Trichloroethane	ND	620
Carbon Tetrachloride	ND	250
Bromodichloromethane	ND	120
1,2-Dichloropropane	ND	120
cis-1,3-Dichloropropene	ND	620
Trichloroethene	ND	120
Dibromochloromethane	ND	620
1,1,2-Trichloroethane	ND	380
Benzene	ND	120
trans-1,3-Dichloropropene	ND	620
2-Chloroethyl Vinyl Ether	ND	620
Bromoform	ND	500
Tetrachloroethene	ND	120
1,1,2,2-Tetrachloroethane	ND	120
Toluene	ND	620
Chlorobenzene	ND	620
Ethylbenzene	ND	500
Xylene (Total)	ND	620
TBA	ND	12000
MTBE	ND	620

Client ID: **Trip_Blank**
Site: NB Gulf

Lab Sample No: **331075**
Lab Job No: T389

Date Sampled: 02/06/02
Date Received: 02/06/02
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23587.d

Matrix: SOIL
Level: HIGH
Sample Weight: 10.0 g
Methanol Ext. Volume: 25.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

	COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION 0.0

Client ID: **VV038A**
Site:

Lab Sample No: **VV038A**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40101.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	0.3
Bromomethane	ND	0.2
Vinyl Chloride	ND	0.2
Chloroethane	ND	0.3
Methylene Chloride	ND	1.0
Acetone	ND	1.5
Carbon Disulfide	ND	0.2
Trichlorofluoromethane	ND	0.4
1,1-Dichloroethene	ND	0.2
1,1-Dichloroethane	ND	0.2
trans-1,2-Dichloroethene	ND	0.2
cis-1,2-Dichloroethene	ND	0.2
Chloroform	ND	0.2
1,2-Dichloroethane	ND	0.2
2-Butanone	ND	0.6
1,1,1-Trichloroethane	ND	0.3
Carbon Tetrachloride	ND	0.2
Bromodichloromethane	ND	0.2
1,2-Dichloropropane	ND	0.2
cis-1,3-Dichloropropene	ND	0.2
Trichloroethene	ND	0.3
Dibromochloromethane	ND	0.1
1,1,2-Trichloroethane	ND	0.2
Benzene	ND	0.2
trans-1,3-Dichloropropene	ND	0.2
2-Chloroethyl Vinyl Ether	ND	0.4
Bromoform	ND	0.2
4-Methyl-2-Pentanone	ND	0.2
2-Hexanone	ND	0.4
Tetrachloroethene	ND	0.3
1,1,2,2-Tetrachloroethane	ND	0.1
Toluene	ND	0.2
Chlorobenzene	ND	0.2
Ethylbenzene	ND	0.2

Client ID: **VV038A**
Site:

Lab Sample No: **VV038A**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40101.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Styrene	ND	0.1
Xylene (Total)	ND	0.2
Ethyl Ether	ND	0.2
Acrolein	ND	7.7
Freon TF	ND	0.3
Isopropanol	ND	500
Acetonitrile	ND	100
TBA	ND	5.8
Acrylonitrile	ND	2.8
MTBE	ND	0.2
Hexane	ND	0.5
DIPE	ND	0.2
Ethyl Acetate	ND	0.8
Vinyl Acetate	ND	5.0
Tetrahydrofuran	ND	5.0
Cyclohexane	ND	0.3
Isobutanol	ND	500
Isopropyl Acetate	ND	0.9
n-Heptane	ND	1.0
n-Butanol	ND	250
Propyl Acetate	ND	0.4
Butyl Acetate	ND	0.5
1,2-Dibromoethane	ND	0.2
1,3-Dichlorobenzene	ND	0.2
1,4-Dichlorobenzene	ND	0.2
1,2-Dichlorobenzene	ND	0.1
Naphthalene	ND	0.3
Methylnaphthalene (total)	ND	1.0
Dimethylnaphthalene (total)	ND	1.0
Dichlorodifluoromethane	ND	0.5
1,4-Dioxane	ND	67
n-Pentane	ND	0.6
5-Methyl-2-Hexanone	ND	5.0
Isopropylbenzene	ND	0.2

Client ID: **VV038A**
Site:

Lab Sample No: **VV038A**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40101.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
1,2,4-Trimethylbenzene	ND	0.2
Cyclohexanone	ND	100
1,2,4-Trichlorobenzene	ND	0.2
Methyl Methacrylate	ND	0.3
Allyl Alcohol	ND	1000
Epichlorohydrin	ND	3.8
Allyl Chloride	ND	5.0
Benzyl Chloride	ND	0.5
Isoprene	ND	0.3
1,1,1,2-Tetrachloroethane	ND	0.2
Camphene (total)	ND	20
Camphor	ND	20
1,3,5-Trimethylbenzene	ND	0.2
1,2,3-Trichlorobenzene	ND	0.3
n-Butylbenzene	ND	1.0
sec-Butylbenzene	ND	1.0
tert-Butylbenzene	ND	1.0
p-Isopropyltoluene	ND	1.0
n-Propylbenzene	ND	1.0
m+p-Ethyltoluene	ND	1.0
o-Ethyltoluene	ND	1.0
Methyl Acetate	ND	0.4
Methyl cyclohexane	ND	0.3
1,2-Dibromo-3-chloropropane	ND	0.4
Cyclohexene	ND	1.0
1,2-Dichlorotrifluoroethane	ND	1.0
n-Propanol	ND	250
3-Methyl-1-Pentyn-3-ol	ND	250
Propylene Oxide	ND	50
Ethanol	ND	500
Chlorotrifluoroethane	ND	1.0
Dichlorofluoromethane	ND	1.0
Ethylene Oxide	ND	500
Methyl Formate	ND	500

Client ID: **VV038A**
Site:

Lab Sample No: **VV038A**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40101.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Isobutyraldehyde	ND	5.0
Amyl Acetate	ND	5.0
1,3-Dichloropropane	ND	0.5
Isobutyl Acetate	ND	5.0

Client ID: **VV038A**
Site:

Lab Sample No: **VV038A**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS7.i
Lab File ID: v40101.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 1.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 624

	COMPOUND NAME	RT	EST. CONC. ug/l	Q
1.	NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

TOTAL ESTIMATED CONCENTRATION	0.0

Client ID: **KV038**
Site:

Lab Sample No: **KV038**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23586.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	500
Bromomethane	ND	500
Vinyl Chloride	ND	500
Chloroethane	ND	500
Methylene Chloride	ND	300
Acetone	ND	500
Carbon Disulfide	ND	500
Trichlorofluoromethane	ND	500
1,1-Dichloroethene	ND	200
1,1-Dichloroethane	ND	500
trans-1,2-Dichloroethene	ND	500
cis-1,2-Dichloroethene	ND	500
Chloroform	ND	500
1,2-Dichloroethane	ND	200
2-Butanone	ND	500
1,1,1-Trichloroethane	ND	500
Carbon Tetrachloride	ND	200
Bromodichloromethane	ND	100
1,2-Dichloropropane	ND	100
cis-1,3-Dichloropropene	ND	500
Trichloroethene	ND	100
Dibromochloromethane	ND	500
1,1,2-Trichloroethane	ND	300
Benzene	ND	100
trans-1,3-Dichloropropene	ND	500
2-Chloroethyl Vinyl Ether	ND	500
Bromoform	ND	400
4-Methyl-2-Pentanone	ND	500
2-Hexanone	ND	500
Tetrachloroethene	ND	100
1,1,2,2-Tetrachloroethane	ND	100
Toluene	ND	500
Chlorobenzene	ND	500
Ethylbenzene	ND	400

Client ID: **KV038**
Site:

Lab Sample No: **KV038**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23586.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Styrene	ND	500
Xylene (Total)	ND	500
Ethyl Ether	ND	500
Acrolein	ND	10000
Freon TF	ND	500
Isopropanol	ND	50000
Acetonitrile	ND	10000
TBA	ND	10000
Acrylonitrile	ND	5000
MTBE	ND	500
Hexane	ND	500
DIPE	ND	500
Ethyl Acetate	ND	1000
Vinyl Acetate	ND	500
Tetrahydrofuran	ND	500
Cyclohexane	ND	500
Isobutanol	ND	50000
Isopropyl Acetate	ND	1000
n-Heptane	ND	500
n-Butanol	ND	50000
Propyl Acetate	ND	1000
Butyl Acetate	ND	1000
1,2-Dibromoethane	ND	500
1,3-Dichlorobenzene	ND	500
1,4-Dichlorobenzene	ND	500
1,2-Dichlorobenzene	ND	500
Naphthalene	ND	500
Methylnaphthalene (total)	ND	500
Dimethylnaphthalene (total)	ND	500
Dichlorodifluoromethane	ND	500
1,1-Dichloropropene	ND	500
1,2,4-Trichlorobenzene	ND	500
Hexachlorobutadiene	ND	500
1,4-Dioxane	ND	100000

Client ID: **KV038**
Site:

Lab Sample No: **KV038**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23586.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Methyl Acrylate	ND	500
1,1,1,2-Tetrachloroethane	ND	500
1,2,3-Trichlorobenzene	ND	500
1,2,3-Trichloropropane	ND	500
1,2,4-Trimethylbenzene	ND	500
1,2-Dibromo-3-chloropropane	ND	500
1,3,5-Trimethylbenzene	ND	500
1,3-Dichloropropane	ND	500
2,2-Dichloropropane	ND	500
2-Chlorotoluene	ND	500
4-Chlorotoluene	ND	500
Bromobenzene	ND	500
Bromochloromethane	ND	500
Dibromomethane	ND	500
Isopropylbenzene	ND	500
n-Butylbenzene	ND	500
n-Propylbenzene	ND	500
p-Isopropyltoluene	ND	500
sec-Butylbenzene	ND	500
tert-Butylbenzene	ND	500
Allyl chloride	ND	500
Benzyl chloride	ND	500
Epichlorohydrin	ND	10000
Isoprene	ND	500
Methyl methacrylate	ND	500
n-Pentane	ND	500
Allyl alcohol	ND	100000
2-Octanol	ND	1000
2-Octanone	ND	500
Ethyl Acrylate	ND	500
Butyl Acrylate	ND	500
Butyl Methacrylate	ND	500
Ethyl methacrylate	ND	500
Ethanol	ND	50000

Client ID: **KV038**
Site:

Lab Sample No: **KV038**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23586.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Methyl Acetate	ND	500
Methyl Cyclohexane	ND	500
Cyclohexanone	ND	10000
p-Ethyltoluene	ND	500
1,4-Diethylbenzene	ND	500
1,2,4,5-Tetramethylbenzene	ND	500
Propylene Oxide	ND	5000
Camphene (total)	ND	2000
Camphor	ND	2000
Amyl Acetate	ND	1000
2-Methylnaphthalene	ND	500
1-Chlorohexane	ND	500

Client ID: **KV038**
Site:

Lab Sample No: **KV038**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS9.i
Lab File ID: k23586.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1. NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

TOTAL ESTIMATED CONCENTRATION	0.0

VOLATILE METHOD BLANK SUMMARY

LAB SAMPLE NO.

BBV038M

Matrix: SOIL

Level: HIGH

Lab File ID: BB48728

Instrument ID: VOAMS10

Date Analyzed: 02/07/02

Time Analyzed: 1021

Heated Purge (Y/N) N

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

	CLIENT ID.	LAB SAMPLE NO	LAB FILE ID	TIME ANALYZED
01	TESTPIT4-2.5	331067	BB48729	1107
02				
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

Client ID: **BBV038M**
Site:

Lab Sample No: **BBV038M**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48728.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Chloromethane	ND	500
Bromomethane	ND	500
Vinyl Chloride	ND	500
Chloroethane	ND	500
Methylene Chloride	ND	300
Acetone	ND	500
Carbon Disulfide	ND	500
Trichlorofluoromethane	ND	500
1,1-Dichloroethene	ND	200
1,1-Dichloroethane	ND	500
trans-1,2-Dichloroethene	ND	500
cis-1,2-Dichloroethene	ND	500
Chloroform	ND	500
1,2-Dichloroethane	ND	200
2-Butanone	ND	500
1,1,1-Trichloroethane	ND	500
Carbon Tetrachloride	ND	200
Bromodichloromethane	ND	100
1,2-Dichloropropane	ND	100
cis-1,3-Dichloropropene	ND	500
Trichloroethene	ND	100
Dibromochloromethane	ND	500
1,1,2-Trichloroethane	ND	300
Benzene	ND	100
trans-1,3-Dichloropropene	ND	500
2-Chloroethyl Vinyl Ether	ND	500
Bromoform	ND	400
4-Methyl-2-Pentanone	ND	500
2-Hexanone	ND	500
Tetrachloroethene	ND	100
1,1,2,2-Tetrachloroethane	ND	100
Toluene	ND	500
Chlorobenzene	ND	500
Ethylbenzene	ND	400

Client ID: **BBV038M**
Site:

Lab Sample No: **BBV038M**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48728.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Styrene	ND	500
Xylene (Total)	ND	500
Ethyl Ether	ND	500
Acrolein	ND	10000
Freon TF	ND	500
Isopropanol	ND	50000
Acetonitrile	ND	10000
TBA	ND	10000
Acrylonitrile	ND	5000
MTBE	ND	500
Hexane	ND	500
DIPE	ND	500
Ethyl Acetate	ND	1000
Vinyl Acetate	ND	500
Tetrahydrofuran	ND	500
Cyclohexane	ND	500
Isobutanol	ND	50000
Isopropyl Acetate	ND	1000
n-Heptane	ND	500
n-Butanol	ND	50000
Propyl Acetate	ND	1000
Butyl Acetate	ND	1000
1,2-Dibromoethane	ND	500
1,3-Dichlorobenzene	ND	500
1,4-Dichlorobenzene	ND	500
1,2-Dichlorobenzene	ND	500
Naphthalene	ND	500
Methylnaphthalene (total)	ND	500
Dimethylnaphthalene (total)	ND	500
Dichlorodifluoromethane	ND	500
1,1-Dichloropropene	ND	500
1,2,4-Trichlorobenzene	ND	500
Hexachlorobutadiene	ND	500
1,4-Dioxane	ND	100000

Client ID: **BBV038M**
Site:

Lab Sample No: **BBV038M**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48728.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Methyl Acrylate	ND	500
1,1,1,2-Tetrachloroethane	ND	500
1,2,3-Trichlorobenzene	ND	500
1,2,3-Trichloropropane	ND	500
1,2,4-Trimethylbenzene	ND	500
1,2-Dibromo-3-chloropropane	ND	500
1,3,5-Trimethylbenzene	ND	500
1,3-Dichloropropane	ND	500
2,2-Dichloropropane	ND	500
2-Chlorotoluene	ND	500
4-Chlorotoluene	ND	500
Bromobenzene	ND	500
Bromochloromethane	ND	500
Dibromomethane	ND	500
Isopropylbenzene	ND	500
n-Butylbenzene	ND	500
n-Propylbenzene	ND	500
p-Isopropyltoluene	ND	500
sec-Butylbenzene	ND	500
tert-Butylbenzene	ND	500
Allyl chloride	ND	500
Benzyl chloride	ND	500
Epichlorohydrin	ND	10000
Isoprene	ND	500
Methyl methacrylate	ND	500
n-Pentane	ND	500
Allyl alcohol	ND	100000
2-Octanol	ND	1000
2-Octanone	ND	500
Ethyl Acrylate	ND	500
Butyl Acrylate	ND	500
Butyl Methacrylate	ND	500
Ethyl methacrylate	ND	500
Ethanol	ND	50000

Client ID: **BBV038M**
Site:

Lab Sample No: **BBV038M**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48728.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0

VOLATILE ORGANICS - GC/MS (cont'd)
METHOD 8260B

Parameter	Analytical Results Units: ug/kg (Dry Weight)	Quantitation Limit Units: ug/kg
Methyl Acetate	ND	500
Methyl Cyclohexane	ND	500
Cyclohexanone	ND	10000
p-Ethyltoluene	ND	500
1,4-Diethylbenzene	ND	500
1,2,4,5-Tetramethylbenzene	ND	500
Propylene Oxide	ND	5000
Camphene (total)	ND	2000
Camphor	ND	2000
Amyl Acetate	ND	1000
2-Methylnaphthalene	ND	500
1-Chlorohexane	ND	500
a-Methylstyrene	ND	500

Client ID: **BBV038M**
Site:

Lab Sample No: **BBV038M**
Lab Job No: T389

Date Sampled: _____
Date Received: _____
Date Analyzed: 02/07/02
GC Column: DB624
Instrument ID: VOAMS10.i
Lab File ID: bb48728.d

Matrix: SOIL
Level: HIGH
Sample Weight: 5.0 g
Methanol Ext. Volume: 10.0 ml
Ext. Dilution Factor: 50.0
% Moisture: 0.0

VOLATILE ORGANICS - GC/MS
TENTATIVELY IDENTIFIED COMPOUNDS
METHOD 8260B

COMPOUND NAME	RT	EST. CONC. ug/kg	Q
1. NO VOLATILE ORGANIC COMPOUNDS FOUND			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

TOTAL ESTIMATED CONCENTRATION	0.0