



Product Catalog – HHO Generator

OH300	AC Voltage Requirement (V)	220 V
	Phase	Single
	Frequency	50 Hz
	Power Consumption (kwh)	1
	Max Gas Output	300 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.17
	Water Feed	Manual
	Dimensions (L*W*H) mm	590*250*510
	Gross Weight	24
	Ventilation Space Requirement (mm)	200 in each direction
OH400	AC Voltage Requirement (V)	220 V
	Phase	Single
	Frequency	50 Hz
	Power Consumption (kwh)	1.4
	Max Gas Output	400 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.23
	Water Feed	Manual
	Dimensions (L*W*H) mm	710*250*510
	Gross Weight	28
	Ventilation Space Requirement (mm)	200 in each direction
OH600	AC Voltage Requirement (V)	220 V
	Phase	Single
	Frequency	50 Hz
	Power Consumption (kwh)	2
	Max Gas Output	600 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.33
	Water Feed	Manual
	Dimensions (L*W*H) mm	930*250*510
	Gross Weight	35





	Ventilation Space Requirement (mm)	200 in each direction
OH800	AC Voltage Requirement (V)	220 V
	Phase	Single
	Frequency	50 Hz
	Power Consumption (kwh)	2.5
	Max Gas Output	800 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.45
	Water Feed	Manual
	Dimensions (L*W*H) mm	595*505*570
	Gross Weight	63
	Ventilation Space Requirement (mm)	200 in each direction
OH1000	AC Voltage Requirement (V)	220 V
	Phase	Single
	Frequency	50 Hz
	Power Consumption (kwh)	3.5
	Max Gas Output	1000 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.53
	Water Feed	Auto
	Dimensions (L*W*H) mm	540*590*700
	Gross Weight	80
	Ventilation Space Requirement (mm)	200 in each direction
OH2000	AC Voltage Requirement (V)	400 V
	Phase	Three
	Frequency	50 Hz
	Power Consumption (kwh)	7
	Max Gas Output	2000 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	0.9
	Water Feed	Auto
	Dimensions (L*W*H) mm	1120*710*1130
	Gross Weight	235





OH3000	AC Voltage Requirement (V)	400 V
	Phase	Three
	Frequency	50 Hz
	Power Consumption (kwh)	9
	Max Gas Output	3000 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	1.8
	Water Feed	Auto
	Dimensions (L*W*H) mm	1070*670*1500
	Gross Weight	300
OH5500	AC Voltage Requirement (V)	400 V
	Phase	Three
	Frequency	50 Hz
	Power Consumption (kwh)	19.5
	Max Gas Output	5500 L/h
	Max. Working Pressure (bar)	2
	Max. Water Consumption (L/h)	2.8
	Water Feed	Auto
	Dimensions (L*W*H) mm	1200*670*1700
	Gross Weight	530

Applications:

1. Ampule Sealing
2. Quartz tube sealing
3. Welding and Brazing

