



TECHNICAL REQUIREMENT OF BLOCKBUSTER

ALL THE REQUIREMENTS GIVEN BELOW ARE
NECESSARY TO FULL FILL

FOR ANY ASSISTANCE FEEL FREE TO
REACH OUR MANAGER

ADITYA SINGH

+91 96438 18482



P.A SYSTEM

(JBL (VerTec) OR RCF (HDL20/30/50) OR D&B (J/V/KSL/GSL)
OR LACOUSTIC (K Series)

INDOOR SETUP

LINE ARRAYS 8 TOP 4 SUBS (SLIGHTLY TILTED TOWARDS THE DANCE FLOOR)

+

4 TOP 2 SUBS FOR CENTER FILL
(NO COMPROMISE)

OUTDOOR SETUP

LINE ARRAYS 14 TOP 6 SUBS (SLIGHTLY TILTED TOWARDS THE DANCE FLOOR)

+

4 TOP 2 SUBS FOR CENTER FILL
(NO COMPROMISE)



DRUMKIT WITH MICING

ONE 22" INCH BASS DRUM OR BIGGER, ORDER OF PREFERENCE :

DW, PEARL, SPLASH, LUDWIG, TAMA (ONLY STAR CLASSIC)

2 × CRASH CYMBAL K SERIES (CLASSIC - ZILDJIAN/MEINL/SABIAN)

1 × RIDE CYMBAL (ZILDJIAN/ MEINL/SABIAN) ONE HI - HAT STAND

2 × STRAIGHT CRASH STANDS

2 × BOOM RIDE STAND

1 × SNARE WITH STAND WHICH FITS A 14"

2 × RACK TOM

1 × FLOOR TOM 16'

1 × BIG CARPET

1 × DRUM THRONE, ROUND WITH 3 OR 4

LEGS (NOT THE CYCLING SHAPE ONE

1 × IN EAR

1 × MIC STAND

1 × SM58 VOCAL MIC

O RINGS/MOON GELS

NOTE:- ALL THE BACKLINE INSTRUMENTS MUST BE IN GOOD CONDITION.

MICS

6 DYNAMIC MICS AND 2 OVERHEAD MICS

(MUST HAVE 1 LARGE DIAPHRAGM DYNAMIC MIC FOR KICK DRUM

AND SHURE SM57 FOR SNARE DRUM)

SENNHEISER E600 OR E900 MICROPHONE KIT



DJ

PIONEER 2000 NEXUS 2 CD PLAYER

PIONEER MIXER 2000/900 NXS2

MONITORS

7 × JBL MONITORS

4 × SIDE FILLS JBL FOR CLOSED VENUE AND

4 × SIDE FILL JBL FOR OPEN VENUE

MICROPHONES

VOCALS: 3 × SENNHEISER G3945 MIC AND

1 STAND FOR MIC ON DJ CONSOLE

2 × IN EAR

TABLA MIC (SHURE 57 & 58)

TWO CLIP ON MICROPHONES FOR DHOL

(LPE6658 SERIES PREFERRED)

PERCUSSIONIST

DJAMBE 1 NOS WITH STAND (MEINEL OR LP PREFERRED)

TABLA WITH STAND

TIMBALE 2 NOS WITH STAND (LP PREFERRED)



STAGE LAYOUT

