



MAKE THE BRIGHT CHOICE

LIGHTING CATALOGUE - 2021

Illuminating India.



EcoLink was created with a vision to illuminate spaces through technologically advanced and competitively priced lighting fixtures.

Made specifically for Indian homes, EcoLink luminaires are designed to withstand drastic voltage fluctuations with the revolutionary VoltSafe Technology. The products are long-lasting, durable, easily available at pocket-friendly prices and are efficient.

When you choose EcoLink, you don't just choose a luminaire, you get linked to illumination.



Cost-efficient and reliable luminaires.



No More Straining your Eyes

The versatile luminaires are designed to prevent eye strain with no visible flickering and negligible UV/IR effects.



2 Year Warranty

Durable and efficient, the fixtures come with upto 2-year warranty.



**BIS
APPROVED**

BIS Standard Compliance

All our products are performance and safety standard compliant.
BIS standard, IEC 60598 registered.



EcoLink's wide range of luminaires come with the revolutionary VoltSafe Technology which ensures surge protection of 2.5kV with a wide voltage protection 160-360V.

Category Index



LED LUMINAIRES



Junction Box/
Concealed Range - **11**



LED
Downlighter - **15**



LED Striker
& Surface - **19**



LED Spot
Light - **23**



LED COB - **27**



LED Strip
& Drivers - **31**



PROFESSIONAL LUMINAIRES



LED Flood
Light - **39**



LED Street
Light - **41**



LED Troffer - **43**



LED Batten - **45**



LED LAMPS



LED Bulb - **49**



LED T-Bulb - **51**



LED Flood Bulb - **53**



0.5W Bulb - **55**



CONVENTIONAL LIGHTING



Tubelight & Ballast - **58**



GLS - **59**



HOME LUMINAIRES



LED Rechargeable Desk Light - **63**



LED Rechargeable Light - **65**



Track Light & Surface Spot - **67**



Wall Light- **71**



A photograph of a modern living room with a white sofa, a floor lamp, and three framed abstract paintings on the wall. The room is brightly lit by recessed ceiling lights. A large green plant is in the foreground on the right. A purple gradient bar is at the bottom of the image.

LED LUMINAIRES

LIGHT UP SMARTER
WITH LED LIGHTS



Junction Box/ Concealed Range - 2 Inch



BIS
Approved



Upto
15 Years Life



Uniform
Brightness

HSN: 94051090

PARAMETERS	3W	6W	12W
Cutout Size	45mm	45mm	45mm
Master Pack	50	24	24
Material	Polycarbonate	Polycarbonate	Polycarbonate
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	250	380	625



Junction Box/ Concealed Range - 3 Inch



BIS
Approved



Upto
15 Years Life



Uniform
Brightness

HSN: 94051090

PARAMETERS	5W	7W	9W
Cutout Size	80mm	80mm	80mm
Master Pack	60	60	60
Material	Polycarbonate	Polycarbonate	Polycarbonate
CCT	WW, NW, CW, R G, B, P	WW, NW, CW	WW, NW, CW
MRP ₹	295	375	455

*Red, Green, Blue, Pink



LED Downlighter



BIS
Approved



Upto
15 Years Life



Uniform
Brightness

HSN: 94051090

PARAMETERS	5W	10W	15W	22W
Cutout Size	80mm	110mm	136mm	188mm
Master Pack	24	24	24	12
Material	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	450	650	800	1415



LED Panels - Elite Range



BIS
Approved



Upto
15 Years Life



Uniform
Brightness

HSN: 94051090

PARAMETERS	5W	10W	15W	18W	22W
Cutout Size (Round)	82mm	136mm	159mm	178mm	208mm
Cutout Size (Square)	110mm	136mm	156mm	180mm	208mm
Master Pack	12	12	12	12	6
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	525	725	925	1125	1325



LED Striker & Surface



BIS
Approved



Upto
15 Years Life



Uniform
Brightness

LED STRIKER

HSN: 94051090

PARAMETERS	3W	3W
Master Pack	48	48
Material	Polycarbonate	Polycarbonate
CCT	WW, NW, CW	R, G, B
MRP ₹	225	250

LED SURFACE

PARAMETERS	7W	12W	18W	22W (1ft x 1ft)
Master Pack	12	12	12	12
Material	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	750	900	1400	2300



LED Surface Full Glow Range



BIS
Approved



Upto
15 Years Life



Uniform Brightness
with Extra Wide Diffuser

HSN: 94051090

PARAMETERS	6W	9W	15W
Master Pack	12	12	12
Material	Polycarbonate	Polycarbonate	Polycarbonate
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	650	850	1150



LED Spot Light - Metal Spot



BIS
Approved



36° Beam
Angle



Durable Aluminium
Housing

HSN: 94051090

PARAMETERS	2W	2W	3W
Cutout Size	35mm	35mm	52mm
Beam Angle	36 degrees	36 degrees	36 degrees
Master Pack	48	36	36
Material	Aluminium	Aluminium	Aluminium
CCT	WW, NW, CW	R, G, B	WW, NW, CW
MRP ₹	200	235	450



LED Spot Light - Synthetic Spot



BIS
Approved



Tilttable 30°



Synthetic Body

HSN: 94051090

PARAMETERS	3W	3W (Tilttable)	6W (Tilttable)
Cutout Size	63mm	74mm	88mm
Beam Angle	36 degrees	60 degrees	60 degrees
Master Pack	50	24	24
Material	Polycarbonate Body	Polycarbonate Body	Polycarbonate Body
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	350	400	550



LED COB



BIS
Approved



Adjustable Light With
Tilt Angle: 25°



Focused
Light Beam

HSN: 94051090

PARAMETERS	7W	12W	20W
Cutout Size	77mm	92mm	110mm
Master Pack	12	12	12
Material	Aluminium (Heat Sink)	Aluminium (Heat Sink)	Aluminium (Heat Sink)
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	925	1150	1850



Deep Recessed LED COB



BIS
Approved



Thin Trim with
36° Beam Angle



Aluminium Heat
Sink for Long Life

HSN: 94051090

PARAMETERS	7W	12W	18W
Cutout Size	59mm	74mm	88mm
Master Pack	12	12	12
Material	Aluminium (Heat Sink)	Aluminium (Heat Sink)	Aluminium (Heat Sink)
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	1100	1400	1900



LED Strip & Drivers



Available in
60 LEDs Per Meter



Superior Adhesive
for Easy Installation



2835
LEDs

LED STRIP

HSN: 94051090

PARAMETERS	25W	25W
Master Pack	20	20
CCT	WW, NW, CW	R, G, B, LY, M, AB*
MRP ₹	715	750

LED STRIP DRIVERS

HSN: 85366910

PARAMETERS	24W (2 Amp)
Master Pack	30
MRP ₹	399

*Red, Green, Blue, Lemon Yellow, Magenta, Aqua Blue



LED Strip Light

240 LEDs/Mtr



240 LEDs
Per Meter



Superior Adhesive
For Easy Installation



2835 LEDs
Suitable For
Profile Lighting

LED STRIP

HSN: 94051090

PARAMETERS	45W
Master Pack	12
CCT	WW, NW, CW
MRP ₹	1995

LED STRIP DRIVER

HSN: 85366910

PARAMETERS	60W (5 Amp)
Master Pack	10
MRP ₹	749



LED Rope Light



60 LEDs
Per Meter



Protection Against
Dust & Water



2835 LEDs For
Brighter Output

HSN: 94051090

PARAMETERS	30 Mtr (6W/Mtr)	30 Mtr (6W/Mtr)
Master Pack	1	1
CCT	WW, CW	R, G, B, P
MRP ₹	4950	5250


LED ROPE LIGHT

HSN: 85366910

PARAMETERS	Rope Light Accessory Gen 2
Master Pack	40
MRP ₹	250

*Red, Green, Blue, Pink



A photograph of a modern office interior. The ceiling is a white grid with several square recessed lights. Two glass-walled rooms with dark wood frames are visible. The room on the right is larger and contains a large green potted plant in the foreground. The room on the left is smaller and contains two chairs. A white pillar is between the two rooms. A framed picture hangs on the wall between them. The floor is a light-colored carpet. A purple gradient bar is at the bottom of the image.

PROFESSIONAL LUMINAIRES

BUILT TO OUTPERFORM



LED Flood Light



Protection Against
Dust & Water



IK07
Impact Resistant



4kV
Surge Protection

HSN: 94054090

PARAMETERS	10W	20W	30W	50W
Master Pack	10	10	6	10
Material	Aluminium Pressure Die Casting, Black			
CCT	WW, CW	WW, CW	WW, CW	WW, CW
MRP ₹	1050	1450	2050	2950

PARAMETERS	50W	70W	100W	150W	200W
Master Pack	10	4	4	4	4
Material	Aluminium Pressure Die Casting, Black				
CCT	R, G, B	WW, CW	WW, CW	WW, CW	WW, CW
MRP ₹	3250	4450	5750	8750	10500



LED Street Light



Protection Against
Dust & Water



IK07
Impact Resistant



4kV
Surge Protection



Optics for
Better Spread

HSN: 94054090

PARAMETERS	18W	20W	30W
Master Pack	6	6	6
Material	Aluminium Pressure Die Casting, Black		
CCT	WW, CW	WW, CW	WW, CW
MRP ₹	1950	2450	2950

PARAMETERS	45W	70W	90W	110W
Master Pack	4	4	4	4
Material	Aluminium Pressure Die Casting, Black			
CCT	WW, CW	WW, CW	WW, CW	WW, CW
MRP ₹	3650	4750	6950	7450



LED Troffer



BIS
Approved



IP20
Water Resistant



IK02
Impact Resistant



Uniform
Brightness

Size: 2 feet x 2 feet

HSN: 94054090

PARAMETERS	30W
Master Pack	4
Material	Metal Body
Colour	White
CCT	CW
MRP ₹	3699



LED Batten



BIS
Approved



Bright LED
Light Source



High Quality Diffuser
For Uniform Light Effect

Size 10W: 598 mm x 21.5mm x 36.5mm

Size 20W: 1135 mm x 21.5mm x 36.5mm

Size 24W: 1150 mm x 21.5mm x 36.5mm

Size 36W: 1174 mm x 21.5mm x 36.5mm

HSN: 94051090

PARAMETERS	10W (2ft)	20W (4ft)	24W (4ft)	36W (4ft)
Master Pack	20	20	20	20
Material	Polycarbonate			Aluminium
CCT	WW, NW, CW	WW, NW, CW	WW, NW, CW	WW, NW, CW
MRP ₹	360	430	575	1095





LED LAMPS

COMPLEMENT YOUR
LUMINAIRES BEAUTIFULLY



LED Bulb



BIS
Approved



Upto
10 Years Life

Cool White
6500k

B22



HSN: 85395000

PARAMETERS	9W Emergency Bulb	14W Emergency Bulb
Master Pack	6	6
MRP ₹	549	749

PARAMETERS	9W	12W	14W	20W	30W	40W	50W	80W
Master Pack	50	24	24	12	6	6	6	4
MRP ₹	155	280	305	415	750	1050	1350	2999



LED T-Bulb



BIS
Approved



Upto
15 Years Life



Flexible
Body

T-Bulb

Cool White
6500k

B22



HSN: 85395000

PARAMETERS	12W
Master Pack	24
MRP ₹	305



LED Flood Bulb



LUMEN:
3600LM



15,000
HOURS LIFE



SURGE
PROTECTION
UPTO 4kV

HSN: 85395000

PARAMETERS	40W
Master Pack	12
CCT	WW, CW
MRP ₹	900



0.5W Bulb



Eco Friendly
Lamp



Lasts Upto
10 years



Energy Efficient
Lamp

B22 

HSN: 85395000

PARAMETERS	0.5W	0.5W (Plug & Play)	0.5W (MultiColour)
Master Pack	24	24	24
Material	Synthetic	Synthetic	Synthetic
Colour	W, Y, O, P, R, G, B*	White, Yellow, Red	MultiColour
MRP ₹	70	99	125

*White, Yellow, Orange, Pink, Red, Green, Blue





CONVENTIONAL LIGHTING

FUNCTIONAL AND FABULOUS

Tubelight & Ballast



10,000
Hours Life



Bright LED
Light Source



High Quality Diffuser
for Uniform Light Effect

Tubelight Size: 1200 mm

Tubelight HSN: 85392910

Ballast HSN: 85041010

PARAMETERS	36W	40W	36W (Electronic Ballast)
Master Pack	36	30	30
CCT	CW	CW	CW
MRP ₹	50	55	180

GLS



B22



HSN: 85392910

PARAMETERS	60W	100W
Master Pack	100	100
MRP ₹	14	15





HOME LUMINAIRES

DESIGNED FOR
STYLE & PERFORMANCE



LED Rechargeable Desk Light



Easy Touch
Control



Adjustable Brightness
& Flexible Design



Soft & Glare-Free
Light



Rechargeable with
Li-ion Battery

Size Cap : 135mm x 95mm x 440mm

Size Flex : 165mm x 75mm x 340mm

HSN: 94052010

PARAMETERS	3W (Cap)	3W (Flex)
Master Pack	12	12
Material	Synthetic	Synthetic
Colour	Sea Green / White	White
MRP ₹	1400	1400



LED Rechargeable Light



In Built
USB Charging



LED Torch &
Table Lamp



LED Torch &
Emergency Light



Rechargeable
with Li-ion Battery

Size Pint : Ø43mm x H 156mm

Size Lilliput : Ø66mm x H 202mm

Size Xenon : 121mm x 52mm x 194mm

HSN: 85131090

PARAMETERS	3W (Pint)	3W (Lilliput)	3W (Xenon)
Master Pack	48	48	12
Material	Synthetic	Synthetic	Synthetic
Colour	Sea Green / White	Sea Green / White	Crimson Red
CCT	CW	CW	CW
MRP ₹	749	799	1550



Track Light



BIS
Approved



Sturdy Aluminium
Body



Adjustable Design
with 36° Beam Angle

HSN: 94051090

PARAMETERS	7W	12W	20W	30W
Master Pack	12	12	6	6
Material	Aluminium	Aluminium	Aluminium	Aluminium
Colour	White / Black	White / Black	White / Black	White / Black
CCT	WW, NW	WW, NW	WW, NW	WW, NW
MRP ₹	2150	2550	3250	3750



Surface Spot



BIS
Approved



Sturdy Aluminium
Body



Adjustable Design
with 36° Beam Angle

HSN: 94051090

PARAMETERS	7W	12W	20W
Master Pack	12	12	6
Material	Aluminium	Aluminium	Aluminium
Colour	White / Black	White / Black	White / Black
CCT	WW, NW	WW, NW	WW, NW
MRP ₹	1850	2250	2950



Tubelight Size: 1200 mm

Genius Wall Light



BIS
Approved



Sleek
Design



Premium
Material
and Finish



Super
Bright Light
- 100lm/W

Size 16W : 534mm x 90mm x 31mm

Size 25W : 868mm x 90mm x 31mm

Size 40W : 1150mm x 95mm x 31mm

HSN: 94051090

PARAMETERS	16W (2ft)	25W (3ft)	40W (4ft)
Master Pack	10	10	10
Material	Synthetic	Synthetic	Synthetic
Colour	Grey	Grey	Grey
CCT	WW, CW	WW, CW	WW, CW
MRP ₹	1500	1900	2400



Libra Wall Light



BIS
Approved



Vibrant
Light Pattern

Size: 317mm x 120mm x 35mm

HSN: 94051090

PARAMETERS	15W
Master Pack	12
Material	Metal
Colour	White
CCT	WW, CW
MRP ₹	1800



Picture Light



Adjustable Design
to Direct Light



Bright Light to
Enhance Aesthetics



Sleek Design &
Premium Finish

Size: 350mm x 70mm x 87mm

HSN: 94051020

PARAMETERS	6W
Master Pack	10
Material	Aluminium
Colour	White
CCT	WW
MRP ₹	1800



Step Light



BIS
Approved



Bright Warm
White Light



Long Life
LED Source

IP44

Protection Against
Dust & Water

Size: 85mm x 85mm x 32mm

HSN: 94054090

PARAMETERS	2W	2W
Master Pack	20	20
Material	Aluminium	Aluminium
Colour	White	Anthracite
CCT	WW	WW
MRP ₹	850	850



LED Garden Spike Light



BIS
Approved



Super Bright
LED COB



Outdoor
Ambient
Lighting



Protection Against
Dust & Water

Size: 100mm x 75mm x 75mm

HSN: 94054090

PARAMETERS	7W
Master Pack	12
Material	Aluminium
Colour	Anthracite
CCT	WW
MRP ₹	1600

How to check the BIS registration and Country of Origin:




Download the BIS App available only on the Google Play Store or click on the link.
https://crsbis.in/BIS/Lims_registration.do?hmode=getLimsData




Open the app and tap on **Verify** Registration Details.

Reference Indian Standard (IS) to which the product complies



BIS registration number





Type the product "R" number mentioned on the CRO mark of conformity/the product model number or scan the QR code if available.



Check the results by confirming the following points:

- Model numbers must be on the registered list
- Brand name on the packaging must match with the BIS registration for Luminaire and Driver
- Validity date must be "Active"
- Status must be "Operative"



Registration Details	
Organization	Transpower India Pvt. Ltd.
Country	India
Product Category	Recessed LED Luminaires
Product	Recessed LED Luminaires
Indian Standard no.	IS 10322 (Part5/ Sec 2) : 2012
Models	IS 10322 (Part5/ Sec 2) : 2012 IS 10322 (Part5/ Sec 2) : 2012 IS 10322 (Part5/ Sec 2) : 2012 IS 10322 (Part5/ Sec 2) : 2012 IS 10322 (Part5/ Sec 2) : 2012
Brand	Transpower
Valid upto	01-07-2023
Status	Operative




FOR AFTER
SALES SERVICE
REQUEST

CONSUMER CARE NO.

1800 120 800 008

(MONDAY TO SATURDAY
9:00AM TO 6:00PM)

www.ecolinklighting.com



Scan For E-Catalogue

SIGNIFY INNOVATIONS INDIA LIMITED

(Formerly known as Philips Lighting India Ltd.)

C/o PS Arcadia Central, 3A, 3rd Floor, 4A, Abanindranath Thakur,
Sarani (Camac Street), Kolkata - 700017, West Bengal, India
Email id: customercare_ecolinklighting@signify.com