





# EcoLink Star-Rated Ceiling Fan

**New Products Launch Deck**




# SUB ECONOMY







A durable  
and efficient  
performer




ENERGY EFFICIENT  
**EcoLink Vayu Pro**  
1200MM CEILING FAN




BEE APPROVED



100% COPPER  
WINDING



Save  
₹935/-



2  
YEAR  
WARRANTY





ENERGY EFFICIENT  
**EcoLink Vayu Pro**  
1200MM CEILING FAN



DOUBLE BALL  
BEARING



ENGINE WITH HEAVY COPPER  
WINDING



SUPERIOR  
AIR DELIVERY



SAFETY WIRE

PARAMETER	VAYUPRO FAN	NON-STAR RATED FAN
Power consumption	50W	78W
Power consumption/day @16 hours/day	800Wh	1248Wh
Units of electricity consumed/month	24 units	37 units
Electricity Cost/month @ 6/- per unit	₹ 144/-	₹ 222/-
Electricity cost for 2 years	₹ 3450/-	₹ 5320/-



BROWN



WHITE



IVORY

\*Actual saving depends upon the usage of fan & cost of electricity



POWER SAVINGS  
GUIDE



EcoLink Vayu Pro 600mm

Specification

MODEL	Vayu Pro 600mm
SWEEP	600 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	62W/850 RPM
FINISH	Powder Coated
TOP COVER	CRCA
BOTTOM COVER	CRCA
BLADE	CRCA
No. of BLADES	4 Nos.
AIR DELIVERY	115 cu. m/min
MASTER PACKING	4 – in-1

Product



Packaging





# EcoLink Vayu Pro 900mm

## Specification

MODEL	Vayu Pro 900mm
SWEEP	900 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	45W/450 RPM
FINISH	Powder Coated
TOP COVER	CRCA
BOTTOM COVER	CRCA
BLADE	CRCA
No. of BLADES	3 Nos.
AIR DELIVERY	140 cu. m/min
MASTER PACKING	4 – in-1

## Product



## Packaging





EcoLink AiroSpin

MODEL	AiroSpin
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	50W/360 RPM
FINISH	Powder Coated
BOTTOM COVER	Aluminum
BLADE	MS
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
MASTER PACKING	4 – in-1



Category : Sub- Economy  
(Aluminum Body)



# ECONOMY





EcoLink DuraWind

MODEL	DuraWind
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	50W/360 RPM
FINISH	Powder Coated
BOTTOM COVER	Aluminum
BLADE	Aluminum
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
MASTER PACKING	4 – in-1







EcoLink AiroFresh

MODEL	AiroFresh
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	50W/360 RPM
FINISH	Powder Coated
BOTTOM COVER	Aluminum
BLADE	Aluminum
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
MASTER PACKING	4 - in-1



**DURAWIND**



Category : Economy  
(Aluminum Body & Blade)

**AIROFRESH**



Category : Economy  
(Aluminum Body & Blade)  
Wide Ribbed blades design

**AIROSPIN**



Category : Sub- Economy  
(Aluminum Body)

# BLDC RANGE



# EcoLink ProSaver BLDC Inverter Ceiling Fan

## Specification

MODEL	ProSaver
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	32W/360 RPM
TOP COVER	Aluminum
BOTTOM COVER	Aluminum
BLADE	Aluminum
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
REMOTE	Yes
MASTER PACKING	4 – in-1

## Product



## Packaging





EcoLink GreenFlo BLDC Inverter Ceiling Fan

Specification

MODEL	GreenFlo
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	32W/360 RPM
TOP COVER	Aluminum
BOTTOM COVER	Aluminum
BLADE	Aluminum
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
REMOTE	Yes
MASTER PACKING	4 – in-1

Product



Packaging





EcoLink AcePro BLDC Inverter Ceiling Fan

Specification

MODEL	AcePro
SWEEP	1200 MM
COLOUR	White / Ivory / Brown
POWER/ RPM	32W/360 RPM
TOP COVER	Aluminum
BOTTOM COVER	Aluminum
BLADE	Aluminum
No. of BLADES	3 Nos.
AIR DELIVERY	210 cu. m/min minimum
REMOTE	No
MASTER PACKING	4 – in-1

Product




Packaging





**BEST-IN-CLASS RANGE WITH SUPERIOR POWER SAVING TECHNOLOGY**



©signify





**Buy EcoLink BLDC Inverter Ceiling Fan ,  
Get Philips 25W TwinGlow LED Batten Worth 2999 Free**



# RECHARGEABLE RANGE

## Dyno Emergency Pedestal fan USP's

- CRNGO Hi performance DC motor
- Noiseless operation
- 100% copper motor
- Sturdy construction, Stability with strong base
- Power backup up to 8 hours @Low speed
- Touch feel button control
- 3 Different speed selection
- Timer controls up to 7 hours
- Fan with emergency light
- 1 Year Warranty



ECOLINK



©signify

# EcoLink Comfy Rechargeable Fan



Emergency Portable USB Fan with Light



Rechargeable Lithium Ion Battery  
3.7V 2200mAh



Overcharge and Deep Discharge Protection



Emergency Light: 60 lm\*  
Cool White - 6500K



Charging Time:  
6-8 hours (with DC 5V/1Amp)  
Discharging time:  
3 hours @ High Speed  
3.5 hours @ Middle Speed  
5 hours @ Low Speed



**Emergency Light**

**Push Button-Light**  
On/Off & 3 step dimming button

**Push Button-Fan**  
On/Off & 3 speed setting button



Comfy Grey



Comfy White

# TPW RANGE

Classic - Farrata Pedestal Fan

Specification

MODEL	CLASSIC Pedestal
SWEEP	450/500 MM
COLOUR	Black
POWER/ RPM	1370/1380 RPM
AIR DELIVERY	145 cu. m/min
FINISH	Powder Coated
BASE	MS
FRONT & BACK COVER	MS
FRONT & BACK GUARD	MS Guards with 120 Spokes
BLADE	Aluminum
NO. OF BLADE LEAVES	3 Nos.
MASTER PACKING	1 – in-1



USP

- Superior Air Delivery:
- Matt finish
- CRCA Hi-Perm Motor for High Performance & Reliability
- 100% copper motor
- Sturdy construction, Stability with strong MS base
- 2 Years warranty
- 3 Speed selection
- Aluminum blades for hi-air thrust and lower wattage

Product Image



Packaging



Cruiser - Pedestal Fan  
Specification

MODEL	CRUISER PEDESTAL
SWEEP	400 MM
COLOUR	White
POWER/ RPM	1350 RPM
AIR DELIVERY	88 cu. m/min
FINISH	Powder Coated
FRONT & BACK COVER	Al
FRONT & BACK GUARD	MS Guards with 120 Spokes
BLADE	pp
OSCILLATION MECHANISM	Gear Box
NO. OF BLADE LEAVES	3 Nos.
MASTER PACKING	1 – in-1

USP

- Superior Air Delivery
- Smooth/Wide Tilting
- CRCA Hi-Perm Motor for High Performance & Reliability
- Thermal overload protection/ low maintenance
- 100% copper motor
- Sturdy construction, Stability with strong base
- 2 Years warranty
- Double ball bearing
- Designer Piano switches

Product Image



ECOLINK

Packaging



signify



Cruiser - Table Fan  
Specification

MODEL	CRUISER TABLE
SWEEP	400 MM
COLOUR	White
POWER/ RPM	1350 RPM
AIR DELIVERY	88 cu. m/min
FINISH	Powder Coated
FRONT & BACK COVER	Alu. Die casting
FRONT & BACK GUARD	MS Guards with 120 Spokes
BLADE	pp
OSCILLATION MECHANISM	Gear Box
NO. OF BLADE LEAVES	3 Nos.
MASTER PACKING	1 – in-1

USP

- Superior Air Delivery
- Smooth/Wide Tilting
- CRCA Hi-Perm Motor for High Performance & Reliability
- Thermal overload protection/ low maintenance
- 100% copper motor
- Sturdy construction, Stability with strong base
- 2 Years warranty
- Designer Piano switches

Product Image



Packaging



Cruiser - Wall fan  
Specification

USP

Product Image



Packaging

MODEL	CRUISER WALL
SWEEP	400 MM
COLOUR	White
POWER/ RPM	1350 RPM
AIR DELIVERY	88 cu. m/min
FINISH	Powder Coated
FRONT & BACK COVER	Alu. Die casting
FRONT & BACK GUARD	MS Guards with 120 Spokes
BLADE	pp
OSCILLATION MECHANISM	Gear Box
NO. OF BLADE LEAVES	3 Nos.
MASTER PACKING	1 – in-1

- Superior Air Delivery
- Smooth/Wide Tilting
- CRCA Hi-Perm Motor for High Performance & Reliability
- Thermal overload protection/ low maintenance
- 100% copper motor
- Sturdy construction, Stability with strong base
- 2 Years warranty
- Designer Piano switches



# EXHAUST RANGE

# Vent-O Metal Exhaust fan USP's



- *CRNGO Motor for High Performance & Reliability*
- *Aerodynamic Blades for perfect Air Flow*
- *Powerful Suction for Clean Air*
- *100% copper winding motor*
- *Rubber grip on body frame for dampening vibration and noise*
- *2 Years warranty*



**Vent-O**  
METAL EXHAUST FAN



# Turbo AX Axial

Powered by a high-efficiency motor and aerodynamic blades for smooth airflow.



**Suitable for glass & wall mounting**

These fans are suitable for both glass and wall mounting.



**Premium finish with elegant front grill**

The fan has a premium finish for an elegant look and feel. The superior front grill add to its charm.



**2 year warranty**

Standard warranty of 2 years from the date of purchase against manufacturing defects with home service facility\*.

100mm

RPM	AIR DELIVERY	WATTAGE
2600	125CMH*	20W
SWEEP SIZE	PACK SIZE	MRP
100mm	20	₹1320.00

150mm

RPM	AIR DELIVERY	WATTAGE
2100	220CMH*	24W
SWEEP SIZE	PACK SIZE	MRP
150mm	20	₹1420.00

\*CMH - Cubic Meter Per Hour



# Turbo Exhaust Fan

Powered by a high-efficiency motor and Aerodynamic blades for perfect airflow.



**CRNGO motor**

The in- built CRNGO motors in our fans are high-quality motors made using the finest electric grade steel, which makes them ultra-durable and more efficient than traditional CRCA motors.



**Thermal Overload Protection (TOP)**

These are low maintenance fans designed to give you a hassle-free experience. It comes with bi-metal thermal strips that have an automatic cut off to avoid overheating as compared to regular fuses which are not durable.



**Automatic dust protection shutters**

EcoLink Turbo Exhaust fans come with automatic dust protection shutters. The shutters automatically swing into action when the fan is switched on and come back to normal to refrain the unwanted particles from entering inside.



**150mm**

RPM	AIR DELIVERY	WATTAGE
1350	230CMH*	35W
SWEEP SIZE	PACK SIZE	MRP
150mm	6	₹1620.00

**200mm**

RPM	AIR DELIVERY	WATTAGE
1320	480CMH*	35W
SWEEP SIZE	PACK SIZE	MRP
200mm	6	₹1720.00

**250mm**

RPM	AIR DELIVERY	WATTAGE
1220	850CMH*	38W
SWEEP SIZE	PACK SIZE	MRP
250mm	6	₹1920.00

@signify