Velocity Series[™] Pressure Fryer

8 Head



Henny Penny introduced the world years ago. Pressure fried foods absorb less oil and retain more more natural juices and flavor. Pressure frying also cooks food faster at lower temperatures.

Today, Henny Penny ushers in a new generation of innovation with only improves product quality, but reduces cost of ownership, as well.

The Velocity Series cooks the same industry leading 8 head of freshly breaded bone-in chicken per load as our previous high volume fryer in 25% less oil!



Large loads cook evenly and are handled easily with the patented counter-balance lift system. Two half racks fit on a standard sheet pan for holding.

Less oil in the fry pot means faster to commercial pressure frying over 50 recovery and greater energy savings. But that's just the beginning.

PXE 100 Electric

A completely automatic filtration system washes food particles down the drain and filters the oil after every cook cycle in about the time it takes to rack the next load.

With automatic oil top off, crew Velocity Series pressure fryer that not never have to worry about topping off hot oil. Quality of product improves because it is always being cooked in the right amount of oil.

With less oil, frequent automatic extend oil life by 300% compared with

control display. Low deck for better

Next generation touch control provides an intuitive menu style

- Standard Features
- Reduced volume fry pot design cooks with 25% less oil
- Fast, automatic filtration after every Heavy-duty stainless steel fry pot load extends oil life, increases productivity, and saves labor
- Automatic oil top off keeps oil fresh Next generation control longer for consistent product quality
- Hidden components and rounded corners for easy cleaning
- · High-efficiency heating elements for fast recovery and energy savings
- Enhanced high-limit temperature protection
- Patented counter-balanced lid lift allows one handed operation
- Automatic cook-cycle pressure lock

© 2024 Henny Penny Corporation, Eaton, OH 45320 USA Revised 11132024

· Pressure lock status monitored

- Fully insulated fry pot for energy efficient operation
- with 7-year warranty
- 4 heavy-duty casters, front locking
- - 3 line menu style digital display with capacitive touch keys
 - 50 programmable products expandable to 160
- USB support for product upload
- Extended memory for months of activity logging, management reports, or diagnostics
- Auto Startup mode with melt, stir, top off, polish, and idle cycles
- Monitors pressure lock and displays status and alerts
- Water detection alert

filtering and automatic oil top-off, the Velocity Series pressure fryer can our previous high-volume model. Pressure lock status monitored on

egonomics.

interface expandable to 160 products.

- Load compensation cycle time
- Proportional heat pulse control


Accessories shipped with unit

- · Loading carrier and cover rack
- 4 wire baskets and basket handle
- Quick-connect drain pan
- Large capacity crumb catcher
- Quick-connect filter screen
- 2 filter screen clips with handles
- 100 PHT filter envelopes
- 3 brushes and fry pot scraper

Available options and accessories

- Bulk oil disposal system with front and rear dispose connections
- □ Additional baskets or half racks
- ODS 310 50 lb oil disposal shuttle

APPROVED AS NOTED	C RESUBMIT






Velocity Series[™] Pressure Fryer

PXE 100 Electric

8 Head



Dimensions

Volume

Weight

Height 62.00 in (1575 mm) to top of stack Height 72.00 in (1829 mm) lid up to clean 24.00 in (610 mm) Width Depth 41.00 in (1041 mm) Crated Length 45 in (1143 mm) (762 mm) 30 in Depth Height 65 in (1651 mm) 51 ft³

Required clearances

877 lb

Тор	6 in	(152 mm) lid up to clean
Sides	6 in	(152 mm) air flow
Back	6 in	(152 mm) air flow
Front	38 in	(965 mm) remove filter pan

 (1.44 m^3)

(398 kg)

Electrical

Volts	Phase	Hertz	kW	Amps	Wire*	Cord & Plug Not available for all destinations
208	3	60	17.0	47.2	3+G	7 ft power cord and plug 208 V, 240 V only NEMA 15-60P right angle
240	3	60	17.0	40.9	3+G	
380	3	50	17.0	25.8	3NG	
415	3	50	17.0	23.7	3NG	
480	3	60	17.0	20.5	3+G	

*Units shipped without power cord and plug must have power cord and plug installed on site by a qualified electrician.

Continuing product improvement may subject specifications to change without notice.

24 Hour Technical Support: Henny Penny Technical Service 800 417.8405 echnicalservice @hennypenny.com

Pressure

Operating pressure 12.0 psi Safety valve setting 14.5 psi

Heat

4 immersed elements 4.25 kW each/17.0 kW total

Oil capacity

75 lb or 38 L Fry pot 15 lb or 8 L Reservoir

Bidding specifications

Provide Henny Penny Velocity Series model PXE 100 high-volume electric pressure fryer designed to cook up to 8 head chicken per load in 75 lb or 38 L oil.

- Unit shall incorporate:
- Automatic filtration •
- Automatic oil top-off
- Next generation control system with 50 ٠ programmable cook cycles expandable to 160, plus 3-line menu style digital display, pressure lock status, USB support, Auto Startup and full suite of energy and oil management modes
- Patented counter-balanced lid lift Pressure lock seals, creates and maintains 12 psi
- pressure in cooking chamber
- Seamless stainless steel deck
- Fry pot of heavy duty stainless steel with 7-year warranty
- Oil drain pan with 4 casters, large capacity crumb catcher, quick-connect filter screen and lock-in system with sensor warning when pan is not properly locked into place
- 4 heavy-duty casters, front locking
- Loading carrier with 4 half baskets, 1 cover rack, and basket handle
- Gong brush, straight brush, L tip brush, and fry pot scraper

Laboratory certifications







Henny Penny Corporation PO Box 60 Eaton OH 45320 USA +1 937 456.8400 800 417.8417 +1 937 456.8434 Fax 800 417.8434 Fax www.hennypenny.com