

**MANUFACTURERS & EXPORTERS OF REFRACTORIES***Bricks & Shapes | Castables | Mortars | Ramming Mass | Ceramic Fiber*

**Regd. Address:** Legion Exim LLP, D/21, Galaxy Town Homes, Near Collector Office, Shroff Road, Rajkot, Gujarat 360001 – INDIA

---

## PRODUCT DATA SHEET

**BRAND NAME:** ROYAL INSULYTE-11

### GENERAL PROPERTIES

**Service Temp (max.):** 1300°C

**Grain Size mm (max.):** 6

### CHEMICAL ANALYSIS

Al<sub>2</sub>O<sub>3</sub>: 25-30%

SiO<sub>2</sub>: 40-45%

Fe<sub>2</sub>O<sub>3</sub>: 5-10%

CaO: 3-5%

Others: ≤2%

### PHYSICAL PROPERTIES

**Bulk Density (kg/m<sup>3</sup>)**

110°C/24 Hr Min.: 1250

**C.C.S (kg/cm<sup>2</sup>) min.**

110 °C / 24 Hrs: 40

800 °C / 3 Hrs: 25

1100 °C / 3 Hrs: 20

**P.L.C. (%) @ 1000°C / 3 Hrs.: ±0.2**

**P.L.C. (%) @ 1300°C / 3 Hrs.: ±1**

**Water requirement (%):** 32-36

**Shelf Life:** 6 Months

**Packaging:** 25 kgs HDPE-lined Kraft paper bags.

---

## **MATERIAL SAFETY DATASHEET (MSDS)**

*(Prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals – GHS Rev. 11, 2025)*

---

### **1. Identification**

**Product name:** Royal Insulyte-11

**Other means of identification:** Lightweight insulating refractory castable

**Recommended use:** Industrial insulating lining for furnaces, kilns, ovens, and backup insulation layers.

**Use restrictions:** For industrial/professional use only. Not for domestic applications.

**Supplier:** Legion Exim LLP, Rajkot – Gujarat, India

**Telephone:** +91 91060 31803

**Email (general inquiries):** trade@legionexim.com

**Emergency contact (24 h):** +91 91060 31803

### **2. Hazard Identification**

**Classification according to GHS Rev. 11:**

- Not classified as hazardous under normal conditions of use.
- Contains **respirable crystalline silica (< 1 %)**, which may cause **lung damage through prolonged or repeated inhalation (STOT RE 1)**.

**Signal word:** *Danger*

**Hazard statements:**

- H372 – Causes damage to lungs through prolonged or repeated exposure (inhalation).

**Precautionary statements:**

- P260 – Do not breathe dust.
- P264 – Wash hands thoroughly after handling.
- P271 – Use only outdoors or in a well-ventilated area.
- P280 – Wear respiratory protection, gloves, and eye protection.
- P501 – Dispose of contents/container in accordance with local regulations.

**Other hazards:** Prolonged exposure to dust may cause mechanical irritation of the eyes, skin, and respiratory tract.

**MATERIAL SAFETY DATASHEET (MSDS)**

(Prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals – GHS Rev. 11, 2025)

**3. Composition / Information on Ingredients**

Component	CAS No.	Approx. %	GHS Classification
Aluminium oxide (Al <sub>2</sub> O <sub>3</sub> )	1344-28-1	25-30	Not classified
Silicon dioxide (SiO <sub>2</sub> )	14808-60-7	40-45	STOT RE 1 (lungs)
Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )	1309-37-1	5-10	Not classified
Calcium oxide (CaO)	1305-78-8	3-5	Skin Corr. 1A
Other mineral constituents	—	<2	Not classified

**4. First-Aid Measures**

- **Inhalation:** Move to fresh air. Seek medical attention if respiratory irritation persists.
- **Skin contact:** Wash with soap and water. Remove contaminated clothing.
- **Eye contact:** Rinse cautiously with water for several minutes; seek medical advice if irritation continues.
- **Ingestion:** Rinse mouth; obtain medical advice if discomfort occurs.  
**Most important symptoms:** Coughing, dryness of throat, irritation. Prolonged inhalation may cause silicosis.

**5. Fire-Fighting Measures**

The product is **non-flammable**.

**Suitable extinguishing media:** Water spray, CO<sub>2</sub>, dry chemical.

**Specific hazards:** None. Avoid breathing dust generated by fire debris.

**Protective equipment:** Use a self-contained breathing apparatus for dust exposure.

**6. Accidental Release Measures**

Avoid creating airborne dust.

Sweep or vacuum using equipment fitted with HEPA filters.

Avoid dry sweeping. Collect in sealed containers for disposal.

Wear a respirator and protective clothing. Prevent release to drains.

**MATERIAL SAFETY DATASHEET (MSDS)**

(Prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals – GHS Rev. 11, 2025)

---

**7. Handling and Storage**

**Handling:** Avoid dust generation. Use local exhaust or adequate ventilation.

**Storage:** Store in a cool, dry area away from moisture. Keep bags tightly closed.

**Hygiene:** Wash hands and face after handling. Do not eat, drink, or smoke while working.

**8. Exposure Controls / Personal Protection**

**Exposure limits (India / ACGIH):**

- Crystalline silica (Quartz): TWA 0.025 mg/m<sup>3</sup> (respirable).

**Engineering controls:** Provide ventilation or dust extraction.

**Personal protection:**

- Respiratory protection: N95 / P3 filter respirator for dust.
- Eye protection: Safety goggles.
- Skin protection: Gloves and protective clothing.

**9. Physical and Chemical Properties**

Property	Value
Appearance	Light grey powder
Odour	Odourless
pH (slurry)	≈ 10 – 12
Melting point	1300 °C
Bulk density	≈ 1250 kg/m <sup>3</sup>
Water requirement	32-36 %
Solubility	Insoluble in water

## **MATERIAL SAFETY DATASHEET (MSDS)**

*(Prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals – GHS Rev. 11, 2025)*

---

## **10. Stability and Reactivity**

Stable under normal conditions.

**Avoid:** Moisture before use; formation of airborne dust.

**Decomposition products:** None known.

## **11. Toxicological Information**

Not acutely toxic.

**Likely routes of exposure:** Inhalation of dust, skin and eye contact.

**Chronic effects:** Prolonged inhalation of respirable silica may cause lung fibrosis (silicosis).

**Carcinogenicity:** Crystalline silica – IARC Group 1 (carcinogenic to humans).

## **12. Ecological Information**

Inorganic, insoluble material – non-toxic to aquatic life.

No bioaccumulation expected. Avoid large releases to the environment.

## **13. Disposal Considerations**

Collect and dispose of as non-hazardous mineral waste in accordance with local regulations.

Do not dispose of into sewage systems. Packaging may be recycled after cleaning.

## **14. Transport Information**

Not classified as dangerous under the UN Model Regulations.

**UN number:** Not applicable

**Transport hazard class:** Not applicable

**Packing group:** Not applicable

**Environmental hazard:** None

## **15. Regulatory Information**

Complies with UN GHS Rev. 11 (2025) criteria.

Not subject to transport restrictions.

National and local chemical inventory registration may apply.

**MATERIAL SAFETY DATASHEET (MSDS)**

*(Prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals – GHS Rev. 11, 2025)*

---

**16. Other Information**

Prepared by: Legion Exim LLP, Rajkot – Gujarat, India

Date of issue: November 2025

Revision: 01

This SDS is based on available data and current GHS guidelines. It does not constitute a product warranty.

Users must ensure safe handling and compliance with local laws.

