



# EXPONS

EXPONS

ARCHITECTURAL

SOLUTIONS

METAL & GLASS



#### INDEX

THE EXPOAS P10
APPLICATIONS P11
SERVICES P12
DESIGN ASSISTANCE P14

#### GUARDRAILS

#### **POST GUARDRAIL SYSTEMS**

LINEX P16
 VERTEX P20
 ALUSYNT P24

#### POSTLESS GUARDRAIL SYSTEMS

POLEX P28
 POINTFIX P32
 GUARDEX P36
 JULEX P40

#### STAIRS


#### DARAJ STAIR SYSTEMS

MONO P44
 DUE P44
 FLOAT P44

#### GATES

QUIETON P50

SALES & SUPPORT P48
CUSTOMIZATION P49
WARRANTY P50



# P32 P36 P42 P46 50

# OUR TEAM

At EXPOAS, we know that even a small oversight can disrupt your entire project.


That's why our support teams, led by experienced professionals including architects, engineers and façade designers - follow proven processes to deliver reliable updates, unmatched convenience, and peace of mind.

From design to post-installation maintenance, we're with you every step of the way, offering expert guidance and friendly service to ensure your project runs smoothly and efficiently.

We build and ship windscreens, stairs and railing systems to job sites nationwide.

You can trust that your system will arrive on time, meet specifications, and uphold the highest standards of quality.

WHEN IT HAS TO BE RIGHT, **COUNT ON EXPOAS TO** DELIVER.



The Brand logo embodies the core philosophy of **EXPOAS**:

The **customer** is the center of everything we do. The abstract "E" reflects our ethos of **elevating spaces** and crafting excellence, while the simplicity of the design conveys our focus on clarity, precision, and minimalism in modern architecture.

#### **Balance and Harmony**

The harmonious interplay of the elements represents Expo's mission to bring functionality and aesthetic balance to every project, ensuring that each solution seamlessly integrates into the customer's vision.

In essence, the logo is a visual declaration of Expo's unwavering dedication to innovation, collaboration, and customer-centric design. It is a reminder of our promise to put our clients at the heart of every solution we create.

# THE PHILOSOPHY BEHIND THE LOGO

The split
symbolizes
BREAKING
BOUNDARIES &
INNOVATION,
reflecting our
forward-thinking
approach

The central dot
signifies the
CUSTOMER'S
PIVOTAL ROLE—
the guiding force
pehind our designs

The sweeping "C"
symbolizes the
CARE,
CRAFTSMANSHIP,
AND COMMITMENT
to delivering tailored

# "CUSTOMER-CENTERED" "NNOVATION"









At **EXPOAS** we provide premium, custom-designed Guardrails & Staircase Solutions for buildings across North America. Whether it's houses, offices, schools, hotels, or multifamily projects, our solutions combine aesthetics, safety, and durability to meet the highest standards of quality.

#### SHAPING IDEAS INTO REALITY



# **20YRS**

EXPOAS Is a trusted partner to architects & contractors, offering over 20 years of expertise and a comprehensive "one-stop-shop" approach that combines top-notch materials, expert design, precise engineering, and custom fabrication to deliver exceptional and tailored architectural railings, windscreens and stairs solutions.





#### THE EXPONS

# Your Trusted Partner for Railing and Stairs Solutions

EXPOAS was founded with a clear mission: to provide unparalleled support to glazing contractors in meeting their glass railing needs. As industry experts, we've revolutionized the market by offering a comprehensive "onestop-shop" approach to railing systems.

# More than Materials – We Deliver Complete Railing Solutions

EXPOAS Railing isn't just a materials supplier; we are your dedicated partner, offering a complete range of solutions for your project.

With over 20 years of combined experience in design, engineering, fabrication, and installation, our team ensures your project receives the expertise and quality it deserves.

#### **What Makes EXPOAS Stand Out:**

- •Comprehensive Support: From design consultations to final installation, we provide end-to-end project support, ensuring a seamless process.
- •Expert Team: Our team of professionals, many of whom are architects, offer expert guidance to customize your railing system to your specific vision.
- •Top-Notch Materials: We source the finest materials

for lasting beauty and performance, ensuring your railing system's durability.

- •Precise Engineering & Customization: We offer detailed shop drawings, precise calculations, on-site measuring, bending, and coating to tailor solutions to your exact needs.
- •Wide Range of Solutions: We offer custom solutions for balconies, stairs, windscreens, handrails, glass dividers, and pool fencing.
- •Comprehensive Services: From glazing and railing hardware to design, engineering, fabrication, and scanning services, we cover all aspects of railing projects.
- •Customer-Centric Approach: We prioritize understanding your vision and delivering a tailored solution that exceeds expectations.
- •Timely & Quality Delivery: We ensure on-time, within-budget execution without compromising quality or safety.

#### **Experience the EXPOAS Railing Difference**

At EXPOAS, we don't just provide materials — we deliver complete, innovative railing solutions that redefine expectations and elevate your projects. Let us be your trusted partner for all your railing need





#### **APPLICATIONS**



#### **BALCONY RAILING**

A balcony railing must prioritize safety, ensuring it meets building codes with sufficient height and strength to prevent falls. Durability is equally important, requiring materials resistant to weather, corrosion, and wear to maintain long-term reliability. Additionally, the design should balance functionality and aesthetics, complementing the architecture while providing unobstructed views where desired.



#### WIND-SCREEN

Windscreens, commonly used in areas with high winds such as coastal regions, are designed to offer protection without obstructing views. They can be made using a fully glass system or a post system. The infill, typically made of glass, helps block wind and improve comfort in outdoor spaces.



#### **STAIRCASE**

A staircase railing must ensure safety and support with a secure and comfortable design. The mono stringer provides a modern, central support, while due stringers offer traditional side beams for balance. The zigzag style adds an artistic touch but requires careful engineering for stability.



#### **FRENCH BALCONY**

A French balcony offers the benefit of allowing natural light and fresh air into a room while providing a safe, enclosed space with an elegant, open feel. It enhances the aesthetic appeal of a building by adding a classic, charming element to the facade without the need for a full, projecting balcony.



#### SOLUTIONS & SERVICES

#### **INNOVATIVE METAL & GLASS SOLUTIONS**

- At EXPOAS We design and supply architectural systems for windscreen, stairs and railings, providing innovative solutions that seamlessly blend form and function.
- With over 20 years of expertise in commercial and residential projects, we deliver sleek, safe, and durable solutions that enhance the value and aesthetics of any build.
- Leveraging our international partnerships, EXPOAS ensures the delivery of toptier products that meet the highest standards of design and quality.

#### WE PROVIDE WIDE RANGE OF SERVICES







MATERIAL SUPPLY



**ESTIMATING** 



PREFABRICATION



SHOP-DRAWINGS




BENDING



NGINEERING





METAL COATING



#### CHOOSE FROM A WIDE RANGE OF STYLES TO COMPLEMENT YOUR PROJECTS UNIQUE DESIGN













- Our railing systems are engineered for strength, ensuring safety and compliance with local building codes (IBC)
- Crafted with precision and using the highest quality materials, our railings stand the test of time
- Our expert team ensures quick and hassle-free installation, keeping your projects on schedule



#### OUR ENGINEERED PROJECT SOLUTIONS ENSURING SAFETY AND COMPLIANCE WITH BUILDING CODES









# OUR DESIGN ASSIST SERVICES EMPOWER ARCHITECTS AND DESIGNERS TO BRING THEIR VISIONS TO LIFE.

01

#### **TAILORED GUIDANCE**

Our expert technical advisor provide comprehensive support for your project, addressing all your queries from start to finish

THE STANDARD CAN IS A 2 - 15 B

02

#### **BESPOKE SOLUTIONS**

We create tailor-made railing designs that align with your specifications while adhering to all safety standards



03

# COMPREHENSIVE PROJECT ASSISTANCE

We offer expert advice and dedicated support throughout every stage of your project's execution



## WITH NO BOUNDS TO CREATIVITY, WE HELP TURN AMBITIOUS **IDEAS INTO REALITY**



#### **PROJECT SOLUTIONS**

Every project is uniquely tailored to meet the design intent and functional requirements.




#### **EXCEPTIONAL EFFICIENCY**

Our team is equipped with extensive knowledge in engineering and façade design.




#### **COMPREHENSIVE PROJECT ASSISTANCE**

We utilize advanced techniques for working with metal and glass.











# LINEX

Guardrail system Linex-Cable comprehensive range of stainless-steel cable railing solutions.

This innovative, low-maintenance system is designed to provide unobstructed views, making it suitable for both indoor and outdoor applications in commercial or residential settings.


The system utilizes a collection of fittings and components, enabling the assembly of turnkey stainless steel railing solutions at an affordable cost.

The system is ideal for a wide variety of applications, offering a complete selection of deck railing systems and components to meet diverse project needs.



### LINEX


CABLE GUARDRAIL





#### **DESCRIPTION**

- Linex Series includes 36 & 42-inch cable rail post, crafted from durable stainless steel with a powder-coated finish for long-lasting performance.
- Its adjustable cast bracket, with a range of 0-300 degrees, is designed to suit both interior and exterior cable railing systems.
- Pre-drilled holes spaced at a standard 3-inch interval ensure compatibility with most state building codes, making it a versatile choice for your stair railing needs.





#### LX5000 - SURFACE MOUNT

- LxWXH: 2X2X36in & 42in
- Black, Brushed Finish



#### LX5500 - SIDE MOUNT


- LxWXH: 1.5X1.5X49in & 51in
- Black, Brushed Finish



- Brushed Finish 1/8"
- Black Finish 1/8"



# LINEX POST SELECTIONS




H= 42in, W=48in



#### MODEL / FINISH






0

0







# **VERTEX**

The Vertex Railing System is an innovative and fully modular solution available in stainless steel brushed and black powder-coated finishes. (More color options by request)

Designed for simplicity and elegance, the system features pre-assembled stainless-steel posts with a sleek satin anodized finish, offered in square profiles ready for installation.

Designed to meet the requirements of most applications, this system allows for installation with or without a top rail, providing a cost-effective option for post-and-glass panel designs.

Vertex can be effortlessly installed using basic tools, ensuring a streamlined and efficient process.



### **VERTEX**

POST GUARDRAIL






#### **FEATURES**

- Sleek, modern design
- Durable & Cost Efficient
- Easy installation, low maintenance
- Black & Satin Finish options
- Optional Top Rail / No Glass Holder is required



#### **SPECIFICATIONS**

- Material: Stainless Steel / Aluminum
- Middle, End & Corner Post
- GL: from 3/8in up-to 1/2" laminated
- Ideal for Balconies and Fences
- Load capacity: 50 lbs/ft





#### VR5000 - EXTENDED GLASS

- LxWXH: 2X2X36in & 42in
- Black, Satin Finish



#### VR5500 - HANDRAIL OPTION

- LxWXH: 2X2X36in & 42in
- · Black, Satin Finish




#### COLOR - OPTIONS

- Gold Color by Special Request
- White Color by Special Request







H= 42in, V= 48in W=42in

#### MODEL / FINISH

|  | VR5000.100 | SATIN |
|--|------------|-------|
|  | VR5000.300 | BLACK |
|  | VR5001.100 | SATIN |
|  | VR5001.300 | BLACK |
|  | VR5002.100 | SATIN |
|  | VR5002.100 | BLACK |
|  |            |       |

|  | VR5500.100 | SATIN |
|--|------------|-------|
|  | VR5500.300 | BLACK |
|  | VR5501.100 | SATIN |
|  | VR5501.300 | BLACK |
|  | VR5502.100 | SATIN |
|  | VR5502.300 | BLACK |




#### VR5000 - EXTENDED GLASS

- LxWXH: 2X2X36in & 42in
- Black, Satin Finish




- LxWXH: 2X2X36in & 42in
- Black, Satin Finish



#### VR6000 - GLASS CLAMP POST

- LxWXH: 2X2X36in & 42in
- Black, Satin Finish

Œ





# **ALUSYNT**

The Alusynt Unitized Guardrail System stands out for its exceptional customization options, allowing for tailored designs to suit any architectural vision.

Whether glass, or vertical pickets. every aspect can be personalized, including color and fixing type, ensuring top-tier architectural results.

This modular system is engineered for quick and straightforward on-site installation, offering significant advantages for installers.

Each module is pre-assembled and delivered ready for immediate setup, dramatically reducing installation time.



### *ALUSYNT*

UNITIZED GUARDRAIL





#### **FEATURES**

- Pre-fabricated railing panels
- Unique stanchion feature
- Allows for pre-installation waterproofing
- Two infill options—Glass or Picket
- Anodized and RAL powder coat option
- Glass and Picket Infill



#### **SPECIFICATIONS**

- Material: Aluminum Alloy
- Ready To Install Units
- GL: from 3/8in up-to 9/16" Laminated
- Ideal for Balconies and Fences
- Load capacity: 50 lbs/ft






















H= 42in, W=45in




> This modular system is engineered for quick and straightforward on-site installation, offering significant advantages for installers.



#### **GL-SURFACE MOUNT**

- WXH: 48in X 42in
- Silver Anodized, RAL 9005
- WXH: 48in X 52in
- Silver Anodized, RAL 9005




#### PK-SURFACE MOUNT

### PK-SIDE MOUNT

- WXH: 48in X 42in
  - WXH: 48in X 52in
  - Silver Anodized, RAL 9005 Silver Anodized, RAL 9005







# POLEX

The Polex series from EXPOAS features 3-way adjustable feature -FLEX MOVE.

The premium Surface Mount Base Clamps crafted from durable 2205 stainless steel and a newly introduced lightweight aluminum model.

Engineered for strength and safety, these base clamps securely hold 1/2" or 9/16" glass panels using an adjustable pressure plate, ensuring a reliable and robust connection.


Depending on the width of the glass panel, two or three base clamps are required for optimal support.

With options in both stainless steel and aluminum, the Polex series delivers versatility and modern aesthetics for all your architectural railing needs.



### POLEX

#### FRAMELESS GUARDRAIL





#### **DESCRIPTION**

**POLEX** is designed for surface-mounted installations and crafted from premium Duplex 2205 stainless steel, ensuring superior durability.



#### **SPECIFICATIONS**

- Suited for 3/8 to 9/16 in. (10 to 14.28mm) glass
- 3.94 in. (100mm) slot, 0.63 in. (16mm) high cover plate
- No holes in glass required
- Multiple finishes available in 2205 duplex stainless steel
- Glass height adjustment up to 6mm, adjustable camber
- Optional 2mm packing shim (included)







#### PL600 / PL800\* / PL100\*

- LxWxH: 4X4X6in (\*8"H / \*10H)
- Black, Polished, Brushed



#### PL110

- LxWxH: 4X4X10in (\*10"H)
- · Black, Polished, Brushed




#### PL550

- LxWxH: 2X2.5X5.5in
- Black, Polished, Brushed









| W: 72in | X:27in | Y:9in | No. of Clamps: 3 |
|---------|--------|-------|------------------|
| W: 60in | X:22in | Y:8in | No. of Clamps: 3 |
| W: 48in | X:32in | Y:8in | No. of Clamps: 2 |
| W: 36in | X:22in | Y:7in | No. of Clamps: 2 |
| W: 26in | X:14in | Y:6in | No. of Clamps: 2 |

## MODEL / FINISH

# Ħ

#### GATE HARDWARE





|        | PL550.100 | BRUSHED |
|--------|-----------|---------|
|        | PL550.400 | BRONZE  |
| SOLID- | PL550.300 | BLACK   |



| QLK1800.100 | BRUSHED  |
|-------------|----------|
| QLK1800.200 | POLISHED |
| QLK1800.300 | BLACK    |




QTN900.100 BRUSHED
QTN900.200 POLISHED
QTN900.300 BLACK



QTN1800.100 BRUSHED QTN1800.200 POLISHED QTN1800.300 BLACK


## -


#### **GLASS GATE DIAGRAM**











# POINTFIX

Crafted with premium Stainless Steel 2205 alloys, the PointFix series by EXPOAS delivers exceptional durability and unmatched aesthetic appeal.

Renowned for its superior corrosion resistance, these standoffs are designed to withstand the elements while enhancing the elegance of any project.

Whether you're designing a modern outdoor living space or a sleek and stylish indoor area, the PointFix standoffs provide the perfect balance of strength, reliability, and visual sophistication.


Trust the PointFix series to elevate the look and feel of your architectural projects.

33



### POINTFIX

#### MINIMAL GLASS STANDOFF





#### **SPECIFICATIONS**

- Material: Stainless Steel / Aluminum
- Shape: Square and Round
- GL: from 1/2in up-to 1" Thick
- Suitable for indoor and outdoor
- Load capacity: 50 lbs/ft



#### **FEATURES**

- Sleek, modern design
- Corrosion-resistant material
- Easy installation, low maintenance
- Black, Satin & Mirror Finish options
- Meets international safety standards
- Adjustable





#### PF5000

- L: 1in, 1-3/4in, 2in
- DIA: 2in
- Black, Mirror, Satin Finish




#### PF5500

- LxW: 1.5X1.5in, 2x2in
- B: 1in, 1-3/4in, 2in
- Black, Mirror, Satin Finish




#### PF6000

- H: 5.5in, P: 7.87in
- L,W: 2in M:4in
- Black, Mirror, Satin Finish







A: 6in, B:3in, W:see below, Glass Hole Size: 1inch

W: 72in No. of Standoffs: 6 W: 60in No. of Standoffs: 6 W: 48in No. of Standoffs: 4











MODEL / FINISH








PF6100.100 SATIN
PF6100.200 MIRROR
PF6100.300 BLACK



### CONNECTORS

|  | CNS180.100    | SATIN   |
|--|---------------|---------|
|  | CNS180.200    | MIRROR  |
|  | CNS180.300    | BLACK   |
|  | CNC900.100    | SATIN   |
|  | CNC900.200    | MIRROR  |
|  | CNC900.300    | BLACK   |
|  | 01114/000 400 | 0.47111 |
|  | CNW900.100    | SATIN   |
|  | CNW900.200    | MIRROR  |
|  | CNW900.300    | BLACK   |
|  | ONIA1000 100  | CATINI  |
|  | CNA1800.100   | SATIN   |
|  | CNA1800.200   | MIRROR  |
|  | CNA1800.300   | BLACK   |





# GUARDEX

Elevate your spaces with the GUARDEX series from EXPOAS, designed for sleek and secure glass railing installations.

These minimalist base channels are perfect for balconies, terraces, stairs, and galleries, providing both safety and style.


Featuring profile options and expansive glass panels, the Guardex base channels ensure uninterrupted views while blending seamlessly with modern architectural designs.

Achieve a perfect balance of elegance and functionality with the innovative Guardex series.



# **GUNRDEX**

STRUCTURAL GUARDRAIL










### **FEATURES**


- Adjustable Dry Glazed Mechanism
- Symmetrical Design Inside/Outside
- Quick installation
- Black & Silver Anodized Finish
- **GRX Series (Residential Projects)**
- GRD Series (Commercial Projects)



### **SPECIFICATIONS**


- Material: Aluminum
- Surface Mount and Face Mount
- GL: from 1/2in up-to 27/32" Thick
- Ideal for Balconies and Windscreens
- Load capacity: 50 lbs/ft 200 lbs





### **GRX - TOP MOUNT**

- WXH: 2-7/16 X 4in
- Black, Satin Finish




# GRD / GRS - SURFACE/FACE MOUNT

- WXH: 2.83 X 4.80n
- · Black, Satin Finish



### VBS - SURFACE/FACE MOUNT

- WXH: 2.95 X 5.12in
- · Black, Satin Finish




# MODEL / GRD



# MODEL / GRS







# **METALEX**

STAINLESS STEEL SYSTEMS





## **FEATURES**

- Premium Quality Stainless Steel
- Rust Resistance Modular Components
- Quick installation
- Low Maintenance
- Versatile Applications
- **LED** Integration



### **SPECIFICATIONS**

- Stainless Steel 304 / 316 Brushed
- Mirror, Satin, or Matte
- Available in Ø1.5" & 1.9"
- Includes handrails, posts, brackets, and connectors





Infill Options

Glass / 1/8"Cable



Round Fittings

1.5" & 1.9" Round



Rectangular Fittings

2"x3/8" Rectangular

# **Offset Handrail**

# 38mm Round Offset Handrail






| inish       |
|-------------|
| Polished    |
| Satin       |
| /latt Black |
|             |

- Diam 38mm (1-1/2") round tube
- · 316 stainless steel
- · 5800mm long, wall 1.5mm thick



# 180 Degree Connector for Diam 38 mm Tube






| Code      | Finish     |
|-----------|------------|
| SPR3820M6 | Polished   |
| SPR3820S6 | Satin      |
| SPR3820B6 | Matt Black |
|           |            |

- · Connects 2 tubes in a line
- · 316 stainless steel
- · Suits1.5mm wall thickness tube

# 90 Degree Connector for Diam 38 mm Tube





| Code      | Finish     |
|-----------|------------|
| SPR3830M6 | Polished   |
| SPR3830S6 | Satin      |
| SPR3830B6 | Matt Black |


- · Connects 2 tubes at a 90° corner
- · 316 stainless steel
- · Suits 1.5mm wall thick



## GLASS AND HARDWARE MANUFACTURER

# Adjustable Connector for Diam 50.8 mm Tube





| Code      | Finish     |
|-----------|------------|
| SPR3840M6 | Polished   |
| SPR3840S6 | Satin      |
| SPR3840B6 | Matt Black |

- Connects 2 tubes at a corner that is more than 90°
- · 316 stainless steel
- · Suits 1.5mm wall thickness tube

# End Cap for Diam 50.8 mm Tube







| Code      | Finish     |
|-----------|------------|
| SPR3850M6 | Polished   |
| SPR3850S6 | Satin      |
| SPR3850B6 | Matt Black |

- End cap
- 316 stainless steel
- · Suits 1.5mm wall thickness tube

# Wall Mount Bracket for Diam 50.8 mm Tube








| Code      | Finish     |
|-----------|------------|
| SPR3860M6 | Polished   |
| SPR3860S6 | Satin      |
| SPR3860B6 | Matt Black |

- · Connects handrail to wall
- · 316 stainless steel

# **Offset Handrail**

# **Handrail Bracket**






| Finish     |
|------------|
| Polished   |
| Satin      |
| Matt Black |
|            |

- · Wall mount bracket
- · 316 stainless steel
- · With cover concealing fixing
- Includes 3 saddles to suit flat, diamter 38mm & 50.8mm tube






| Code      | Finish     |
|-----------|------------|
| SBR5770M6 | Polished   |
| SBR5770S6 | Satin      |
| SBR5770B6 | Matt Black |

- · Wall mount bracket
- · 316 stainless steel
- · Suits 50.8mm tube






| Code      | Finish     |
|-----------|------------|
| SBR6081M6 | Polished   |
| SBR6081S6 | Satin      |
| SBR6081B6 | Matt Black |

- · Glass mount bracket
- · 316 stainless steel
- · M10 screw through the glass
- Includes 3 saddles to suit flat, diamter 38mm & 50.8mm tube

| 9  |
|----|
|    |
| -1 |



| Code      | Finish     |
|-----------|------------|
| SBR6082M6 | Polished   |
| SBR6082S6 | Satin      |
| SBR6082B6 | Matt Black |

- · Glass mount bracket
- 316 stainless steel
- M10 screw through the glass
- Includes 3 saddles to suit flat, diamter 38mm & 50.8mm tube








SBR6080-6 Saddle for ø38mm tube



SBR6080-4 Saddle for ø50.8 tube








# JULEX

The JULEX Juliet Railing is a sleek and durable fall protection solution designed for windows without balcony floors. Made from high-quality aluminum with laminated tempered glass infill, it provides safety while maintaining an elegant, modern aesthetic. Its versatile design allows for easy installation on window frames or adjacent walls, making it suitable for various architectural styles. Available in a range of RAL colors, classic Black, and a sophisticated Brushed Anodized finish, the JULEX offers a perfect blend of functionality and style, ensuring long-lasting performance with minimal maintenance.



# JULEX

BALCONY RAILING ADD-ON





# **FEATURES**

- Prefabricated Kit
- Customizable if required
- Quick installation
- Black & Silver Anodized Finish
- JLX 5100 (Window Mount)
- JLX 5500 (Wall Mount)



### **SPECIFICATIONS**

- Material: Aluminum
- Window Mount and Wall Mount
- Glass: 9/16in up-to 27/32in
- Profile LXW: 1.96" X 1.57"
- Load capacity: 50 lbs./ft 200 lbs.
- Tested and Engineered





















**G**: 9/16" **W**: Up-to 72in **H**:43in **G**: 13/16" **W**: Up-to 118in **H**:43in



# MODEL / FINISH



| JLX5000.100 | SATIN |              |
|-------------|-------|--------------|
| JLX5000.300 | BLACK | WALL MOUNT   |
| JLX5500.100 | SATIN |              |
| JLX5500.300 | BLACK | WINDOW MOUNT |



### MOUNT METHOD
















# DVSVJ

Crafting staircases is more than a passion—it's the essence of the **DARAJ** series by **EXPOAS**.

We pride ourselves on using premium materials to create staircases that are not only durable but also visually stunning. With a meticulous focus on every detail, from balusters and handrails to treads, we ensure that each component meets the highest standards of quality and craftsmanship.

The DARAJ series offers a versatile selection of materials, including LED, aluminum, wood and stainless steel.

To make your staircase truly unique, we provide a range of customization options, including handrails, stair treads, and hardware, allowing us to tailor every design to suit your space and vision.

Let the DARAJ series transform your stairway into a masterpiece.



# DNRNJ

LUXURY STAIR SYSTEM







# **FEATURES**

The type of stringer impacts the design and structural integrity: a **mono stringer** offers a sleek, modern look with a single central support, while **due stringers** provide more traditional, symmetric support with two side beams.

The **zigzag** style creates an artistic and dynamic visual effect, often used for its unique and bold design, but requires careful engineering to maintain balance and safety










DRJ5000 - FLOATING STYLE

DRJ5500 - MONO STYLE

DRJ6000 - DUE STYLE







# QUIETON


The Quieton Gate System features Soft Close Hinge which is engineered for superior performance, making it an ideal choice for glass pool gates. Tested to exceed Australian standards by more than double the required cycle life, this hinge ensures durability and reliability over time. Its innovative combination of spring and damper technology eliminates the need for maintenance, offering a long-lasting, hassle-free solution. With a non-climbable design that meets strict Australian safety standards for both top and bottom hinges, Orion prioritizes safety alongside functionality.

Additionally, Quieton's advanced glass clamping system ensures consistent gate alignment, while the curved, slim design enhances the aesthetic appeal of your pool area. Backed by an industry-leading 4-year warranty, the Quieton Soft Close Hinge offers a perfect blend of style, safety, and dependability for your glass pool gate.



# QUIETON

# GLASS GATE SYSTEM





### **FEATURES**

The Quieton gate system features premium hardware as the soft-closing glass hinge, It offers safety by closing softly, quickly and is designed to be non-climbable.

The Spring tension and damping is fine tunable to guarantee the best soft closing function.



### **SPECIFICATIONS**

Material: 2205 Duplex Stainless Steel

Finish: Matt Black, Polished, Satin (Brushed)

Glass Thk: 3/8" To 1/2" Glass Gate Size: W40" x H72" Gate Height: Up to 6FT





QLK1800-300 (POLISHED)

### **GATE HARDWARE**




QTN900-200 Glass to Glass



QTN900-300 Glass to Glass




QTN900-100 Glass to Glass




















QTN1800-300 Glass to Glass BLACK



QTN1800-100 Glass to Glass BRUSHED

# **EXPONS**

### COUNT ON US

### Sales & Support

We're with you every step of the way, from design and product consultations to estimation and project management, ensuring a seamless project from start to finish.

Our experienced sales and support team, many of whom are professional architects, go beyond just providing the perfect railing system. They serve as your trusted partners, guiding you through the entire process—from initial design to the successful installation of your railing system.

When your project demands a stunning aesthetic, precision execution, and adherence to budget and timelines, count on EXPO's technical sales and support team to deliver with expertise and excellence.

### **Design Services**

At EXPOAS, we understand that every detail matters in creating the perfect design.

Our expert sales and support team collaborates closely with clients to carefully select railing systems that align with their overall vision.

Whether it's the timeless **Linex** Series, the geometric elegance of the **Vertex** Series, or the sleek, modernist appeal of the **Guardex** Shoe Collection, we provide solutions to match every style. Our process starts with understanding your unique vision and concludes with selecting the perfect railing system to bring it to life.





### **Complete Railing System Customization**

EXPO's design approach empowers you to customize your railing system with various features, including attachments, infills, and accessories. These options allow extensive >>

















**DESIGN ASSIST** 

**ESTIMATING** 

SHOP-DRAWINGS

**ENGINEERING** 

MATERIAL SUPPLY

PREFABRICATION

BENDING

METAL COATING







>> personalization of our pre-engineered systems while keeping your project on budget and on schedule.

Just as the railing system enhances the overall environment, infill choices can make a significant impact. For instance, tempered glass infills create a sleek, modern aesthetic, while steel infills offer a more traditional and functional design.

Our experienced team ensures that your chosen infill complements your railing system, achieving the decor and style you envision. With in-depth knowledge of our extensive product line and thousands of customization options, our sales and support team provides expert guidance to help you bring your vision to life.

### **Take the Next Step**

We'd love to hear about your next project and explore how EXPO's expert team can help you design the perfect railing system to meet your needs. Let's work together to bring your vision to life!



# **EXPONS**

#### **EXCLUSIVE LIMITED WARRANTY TERMS & CONDITIONS**

Please read this Limited Warranty ("Warranty") carefully before purchasing, installing, or reselling any EXPOAS Architectural Solutions product. By purchasing, installing, or reselling an EXPOAS product, you agree to be bound by the terms and conditions outlined below.

#### Scope of the Warranty

EXPOAS Architectural Solutions ("Seller") provides this limited warranty to the individual or business ("Buyer") that purchases an EXPOAS product ("Product") directly from the Seller for the purpose of resale or installation on behalf of an end user ("Customer").

Warranty Coverage: For a period of five (5) years from the date the Product is shipped or received by the Buyer ("Warranty Period"), the glass and hardware components integral to the Product (excluding seals) will conform to Seller's specifications and be free from material defects in workmanship and materials. Oil-rubbed bronze or matte black finishes are warranted for one (1) year from the shipment or receipt date.

#### **Exclusions and Voiding of Warranty**

The warranty does not apply if:

- 1. The Product has been subjected to abuse, misuse, neglect, improper installation, improper cleaning (e.g., abrasive cleaners), or environmental conditions beyond design specifications.
- 2. Alterations, repairs, or modifications were made by parties other than EXPOAS.
- 3. Installation was not performed by a fully insured and licensed professional.
- 4. The Product is used or installed outside the US or Canada.
- 5. The Product was used with unapproved third-party hardware or materials.
- 6. Normal wear and tear are not covered under this warranty.

#### **Transfer of Warranty**

This warranty may be extended to the original Customer (property owner at the time of installation).

It does not apply to subsequent property owners.

Neither Buyer nor any third party may provide warranties, representations, or affirmations beyond what is outlined here.

EXPOAS reserves the right to modify this Warranty; however, such changes will not affect Products purchased under the Warranty terms applicable at the time of sale.

### **Warranty Claims Process and Remedies**

All claims are subject to review and approval by EXPOAS Architectural Solutions.

### How to File a Claim:

- 1. Contact Customer Service: Notify EXPOAS within 30 days of discovering a defect. Phone: (949) 736-2117Email: info@exporailing.com
- 2. Provide Documentation: Include: Proof of purchase. Detailed description of the defect (photos if applicable). Item part number.
- 3. Cooperation: Respond to requests for additional information or allow inspection of the Product or installation.

#### **Warranty Resolution:**

Upon approval, EXPOAS may, at its sole discretion:

- 1. Repair or replace the defective Product (or part) and cover shipping costs.
- 2. Refund the original purchase price.

Replacement parts/products are covered under the remaining Warranty Period of the original Product. Labor costs, including removal or reinstallation, are not covered.

Once EXPOAS offers a repair, replacement, or refund, its obligations are fulfilled. Refusal to accept such remedies voids the Warranty.

### **Disclaimer and Limitation of Liability**

Except as stated in this Warranty, EXPOAS Architectural Solutions makes no additional warranties, including:

- Warranties of merchantability.
- Warranties of fitness for a particular purpose.
- Warranties against intellectual property infringement.

#### **EXPOAS** is not liable for:

- Personal injuries or death.
- Incidental or consequential damages.
- Loss of profits, use, labor, or materials.
- Other costs related to the use or inability to use the Product.

The total liability of EXPOAS under any circumstances is limited to the purchase price of the Product.

Note: Certain states may not allow disclaimers of implied warranties or limitations of liability. In such cases, the limitations outlined above may not fully apply to you.

#### **Warranty Service Contact Information**


Hours: Monday - Friday, 8:00 AM - 5:00 PM PST

Phone: (949) 736-2117

■ Email: info@exporailing.com

**BUILT TO LAST** 

# EXPONS





Please consult directly with our team for accurate, up-to-date information regarding your specific project needs.

EXPO Architectural Solutions assumes no responsibility or liability for any errors or omissions in the content of this Catalog.

All materials, products, and services mentioned are subject to change without notice.



**EXPO ARCHITECTURAL SOLUTIONS** 

sales@exporailing.com +1 (949) 337 6306 www.exporailing.com

**BUILT TO LAST**