



天津阳之光包装材料有限公司

TianJin Yangzhi guang Packing Materials CO.LTD

通过GB/T 19001-2016/ISO 9001:2015国际质量体系认证

产品目录

PRODUCT CATALOG

天津阳之光包装材料有限公司

TianJin Yangzhi guang Packing Materials CO.LTD

地址：天津是静海开发区台玻南路18号

Add: No. No.18 Taibo south road, Ziya economic and hitec development zone, Tianjin CHINA

电话/ Tel: +79992532558

邮箱：E-mail: sofia_suncong@mail.ru

全自动

高效高质量印铁制罐

Automatic High Quality And Efficiency
Tinplate Printing & Can Making

01 COMPANY PROFILE

公司简介

阳之光包装成立于1994年，专业从事金属包装产品的研发、制造和贸易。我们总部位于中国天津，目前分别在天津、河北、河南和非洲加纳有四家工厂和一家国际贸易公司。我们的产品服务于食品、饮料、酒精、日用化学品、建筑材料、汽车维修、宠物食品，家用电器等等。


依托马口铁贸易，公司与国内及国际大型钢材企业保持着长期友好的合作，为制罐提供原材料保证，拥有先进的印刷设备，为制罐的印刷提供质量保证

公司主要生产：Φ70mm 缩颈罐、Φ65mm 缩颈罐、Φ65mm 直身罐、Φ60mm 缩颈罐、Φ52mm 缩颈罐、Φ45mm 缩颈罐等罐型，产品涵括汽车用品、家居护理产品、杀虫气雾剂、空气清新剂、自动喷漆、脱模剂、润滑剂、发胶、彩带、喷雪、雪种罐及超高压罐等特种压力容器罐。

YangzhiGuang Packaging was established in 1994, specializing in the research, development, manufacturing, and trade of metal packaging products. Headquartered in Tianjin, China, we currently have four factories and one international trading company in Tianjin, Hebei, Henan and Ghana, Africa. Our products serve the fields of food, beverages, alcohol, daily chemicals, building materials, automotive maintenance, pet food, household appliances, and more.

Relying on the tinplate trade, we maintain long-term close cooperation with large-scale steel companies at home and abroad to guarantee stable raw materials supply for can making, while we have advanced printing machines to provide quality assurance for tinplate printing.

To meet customers' different demands, we produce several types of aerosol cans, including necked-in cans and straight cans with diameter 70mm, 65mm, 60mm, 52mm & 45mm. Our cans are widely used for the packaging of car care products, insecticide, spray paint, air refreshener, body spray, hair care products, string/snow spray, etc. These products are selling popularly in both domestic and foreign markets.



02 ENTERPRISE

企业实力 STRENGTH

公司为员工提供安静而舒适的办公环境和住宿环境，保证员工的基本工作生活条件，使员工能安居才能乐业，从而保证员工的稳定和质量的稳定。

The company provides beautiful and comfortable offices and accommodation to ensure our employees have good working and living environment. We believe that stable employees guarantee the stable quality.

办公大楼 Office Building



休闲一角 Leisure Corner



样品室 Sample Room



会议室 Conference Room



办公室 Office



生产车间 Workshop



03 生产中心

PRODUCTION CENTER

生产流程图介绍 Flow chart of production



生产车间 Production workshop



印铁车间介绍 Printing workshop

▶ Primex-F452 日本富士印刷机 Fuji printing machine



▶ CTP 制版机 CTP plate making machine




▶ 显影机 Plate processor



▶ 涂布机 Coating machine




▶ 剪铁机 Iron cutting machine



制罐车间介绍 Can making workshop



瑞士 Soudronic 全自动电阻焊接机 Soudronic welding machine



德国 Lanico 全自动封罐组合机 Lanico can former



面盖生产线 Cone making line



底盖生产线 Dome production line



封口机 Can former



剪铁机 Iron cutting machine



瑞士 Soudronic 全自动电阻焊接机
Soudronic welding machine



罐身外补涂电磁烘干机
Welding seam coating drying oven



气检机 Leak tester



自动码垛、缠绕膜、打包机 Automatic pallet packaging machine



意大利 Bonfiglioli36 工位气密性检测机
Bonfiglioli leak testing machine



水检 Water bath test



成品仓库 Warehouse



04

主要合作客户产品展示 MAIN PRODUCTS DISPLAY



Φ45 型缩颈罐 Φ45mm Necked-in Aerosol Can

材质	马口铁
规格	直径 45mm, 高度 80-305mm
性能	变形压力 ≥ 1.3MPa, 爆破压力 ≥ 1.5MPa
用途	主要用于欢庆彩带、香体露、男士剃须泡沫、高级汽车深度护理和药品类包装使用。

Material	Tinplate
Size	Diameter: 45mm, Body height: 80-305mm
Performance	Deformation pressure ≥ 1.3MPa Burst pressure ≥ 1.5MPa
Application	Used for the packaging of string/snow spray, body lotion, shaving foam, medicine, car care products, etc.

Φ52 型缩颈罐 Φ52mm Necked-in Aerosol Can



材质	马口铁
规格	直径 52mm, 高度 80-305mm
性能	变形压力 ≥ 1.3MPa, 爆破压力 ≥ 1.5MPa
用途	主要用于汽车护理、家居护理、个人护理、喜庆彩带、喷雪等产品的包装。

Material	Tinplate
Size	Diameter: 52mm, Body height: 80-305mm
Performance	Deformation pressure ≥ 1.3MPa Burst pressure ≥ 1.5MPa
Application	Used for the packaging of car care products, home care products, body care products, string spray/snow spray, etc.



▶ **Φ65 型缩颈罐 Φ65mm Necked-in Aerosol Can**

材质	马口铁
规格	直径 65mm, 高度 80-305mm
性能	变形压力≥ 1.3MPa, 爆破压力≥ 1.5MPa
用途	主要用于家居用品 (如皮革保护剂、家具表板蜡、空气清新剂), 工业用品 (如汽车护理、自喷漆、消杀用品类)
Material	Tinplate
Size	Diameter: 65mm, Body height: 80-305mm
Performance	Deformation pressure≥1.3MPa, Burst pressure≥1.5MPa
Application	Used for the packaging of home care and industrial products, such as furniture & leather care products, air freshener, insecticide, spray paint, etc.



▶ **Φ60 型缩颈罐 Φ60mm Necked-in Aerosol Can**

材质	马口铁
规格	直径 60mm, 高度 80-305mm
性能	变形压力≥ 1.3MPa, 爆破压力≥ 1.5MPa
用途	主要用于家居用品 (如皮革保护剂、家具表板蜡、空气清新剂), 工业用品 (如汽车护理、自喷漆、消杀用品类)
Material	Tinplate
Size	Diameter: 60mm, Body height: 80-305mm
Performance	Deformation pressure≥1.3MPa Burst pressure≥1.5MPa
Application	Used for the packaging of home care and industrial products, such as furniture & leather care products, air freshener, insecticide, spray paint, etc.



▶ **Φ70 型缩颈罐 Φ70mm Necked-in Aerosol Can**

材质	马口铁
规格	直径 70mm, 高度 80-305mm
性能	变形压力≥ 1.3MPa, 爆破压力≥ 1.5MPa
用途	主要用于工业类产品, 如家庭、车载灭火器、发泡胶类。
Material	Tinplate
Size	Diameter: 70mm, Body height: 80-305mm
Performance	Deformation pressure≥1.3MPa Burst pressure≥1.5MPa
Application	Used in the packaging of industrial products, such as fire extinguisher, styrofoam, etc.




Φ65 型直身罐
Φ65 mm Straight-wall Aerosol Can

材质	马口铁
规格	直径 65mm, 高度 80-305mm
性能	变形压力 ≥ 1.3MPa, 爆破压力 ≥ 1.5MPa
用途	用于卡式气 (便携式气瓶)、工业润滑剂、防锈剂、离型剂、模具清洗剂等产品的包装。
Material	Tinplate
Size	Diameter: 65mm, Body height: 80-305mm
Performance	Deformation pressure ≥ 1.3MPa Burst pressure ≥ 1.5MPa
Application	Used for the packaging of butane gas, industrial lubricant, anti-rusting agent, mold release agent, mold cleaner, etc.

05 COMPANY CERTIFICATE

公司资质证书

企业危包证 Syndrome of Dangerous Package



缩颈耐高压罐
Necked-in High Pressure Aerosol Can

材质	马口铁
规格	直径 45mm、52mm、60mm、65mm、70mm, 高度 80-305mm
性能	变形压力 ≥ 1.9MPa, 爆破压力 ≥ 2.1MPa
用途	主要用于雪种、机器设备电路板和电脑清洁除尘类产品、工业类有发泡胶用品。
Material	Tinplate
Size	Diameter: 45mm, 52mm, 60mm, 65mm, 70mm Body height: 80-305mm
Performance	Deformation pressure ≥ 1.9MPa Burst pressure ≥ 2.1MPa
Application	Used for the packaging of products that require special or high pressure performance, such as air-condition refrigerant, circuit boards, PC cleaner, styrofoam, etc.

