www.gansicenergy.com GSE-iEVC1K5W

# 60V,20A EV Battery Charger

#### **KEY FEATURES:**

- Ultra-High Efficiency >93%
- Wide AC Voltage Operation (180VAC-270VAC,50Hz)
- Built-in Active power factor (≈0.99)
- Low iTHD (<8%)
- Constant Current (CC) and Constant Voltage (CV) Operation
- Capable to start deep discharged batteries.
- Optional CAN Comm. Support
- Robust System
  - Auto Cut-Off when battery is fully charged.
  - Input Over/Under Voltage Protection
  - Output Short/No Load Protection
  - >3kV Differential mode Surge Immunity
  - >2.0kV Input-Output Safety Isolation
  - Enabled with forced cooling.

## High Power Density

- o Dimensions :265mmX170mmX87mm
- o Weight: ≈3.5kG

#### Battery Supported

o 60V, Li-Ion / LiFePo4 /Lead Acid

## PRODUCT DESCRIPTION:

This high-power charger models that will charge your E-Bike, E-Rickshaw 60V batteries, quickly and reliably, these are available with 20A constant charge current rating.

These high efficiency battery chargers are optimized design and comes with CC/CV charge profile, over charge, short circuit, input under/over voltage protections, which make them more reliable and robust. It is a perfect companion of your E-Rickshaw / E-Bikes fast charging.

### **APPLICATIONS:**

- Li-Ion and Lead Acid Battery Charger
- E-Rickshaw /EV Charger
- EV Charger for Parking area
- EV Charger for Home
- Charging Station



Last updated June 2025 <u>www.gansicenergy.com</u>

# **Ordering Information:**

Part No.	Max Power	Supported Battery	Max. Charge Current	Charge Voltage	Battery Type
GSE-1K5W6020LI	1500W	60V	20.00 ADC	50V to 68V	Li-Ion/ LiFePo4

# Other Products you may be interested in:

Part No.	Max Power	Supported Battery	Max. Charge Current	Charge Voltage	Battery Type
GSE-1K5W4824LI	1500W	48V	24.00 ADC	40V to 54.6V	Li-Ion/ LiFePo4
GSE-1K5W4824LA	1500W	48V	24.00 ADC	40V to 58V	Lead Acid
GSE-1K5W7216LI	1500W	72V	16.00 ADC	60V to 84V	Li-Ion/ LiFePo4

2