

About

Mission Statement: "At Haigriv's Industries Private Limited, we are dedicated to providing high-quality lubricants that enhance the performance and longevity of vehicles and machinery while minimizing environmental impact. Our mission is to drive innovation, reliability, and sustainability in the lubricant industry."

Overview: Haigriv's Industries Private Limited is a dynamic and innovative company specializing in the manufacturing and distribution of premium lubricants for industries, including automotive and industrial. With a commitment to excellence and sustainability, Haigriv's Industries Private Limited aims to be a leader in the lubricant market, delivering superior products and exceptional customer service.

Product Range: Haigriv's Industries Private Limited offers a comprehensive range of lubricants tailored to meet the diverse needs of its customers:

 1. Automotive Lubricants:
 2.Industrial Lubricants:
 3.Specialty Lubricants:

 Engine Oils
 Hydraulic Fluids
 High-Performance Racing Oils

·Transmission Fluids ·Gear Oils ·Synthetic Lubricants

Gear Oils Compressor Oils Environmentally Friendly Lubricants

Brake Fluids
Coolants

Metalworking Fluids
Greases

Quality Assurance: Haigriv's Industries Private Limited prioritizes quality assurance and adheres to rigorous testing and quality control measures to ensure that all products meet or exceed industry standards and specifications. The company is ISO 9001 certified and continuously invests in research and development to innovate and improve its product offerings.

Sustainability Initiatives: Haigriv's Industries Private Limited is committed to sustainability and environmental responsibility. The company actively seeks to minimize its carbon footprint by using eco-friendly manufacturing processes, reducing waste, and offering environmentally sustainable lubricant options.

Distribution and Customer Support: Haigriv's Industries Private Limited has a robust distribution network, with products available through distributors, wholesalers, retailers, and direct sales channels. The company provides comprehensive customer support, including technical assistance, training programs, and after-sales service, to ensure customer satisfaction and loyalty.

Vision: Haigriv's Industries Private Limited envisions a future where its innovative lubricants play a vital role in powering industries while preserving the planet for future generations. By driving innovation, reliability, and sustainability, Haigriv's Industries Private Limited aims to be the preferred lubricant supplier for customers nationwide.

With its focus on quality, sustainability, and customer satisfaction, Haigriv's Industries Private Limited is poised to make a significant impact in the lubricant industry and establish itself as a trusted partner for businesses and consumers alike.



Thank you







ENGINE OILS

GEAR OILS





OTHER OILS **AND FLUIDS**

PERFORMANCE







HAIGRIV'S INDUSTRIES (OPC)
PRIVATE LIMITED N8/180 E9 KAILASHPURI COLONY SUNDERPUR, VARANASI, UTTAR PRADESH, INDIA- 2210115

Quality Management System for the following scope:

for the following scope:

TO CARRY ON THE RESINESS IN INDIA AND ABROAD
OF THE DEALER. THA ADEL, INNOVATOR, DENIGNER,
PROMOTER, REPRESENTATIVE AGENT, MERICHANT,
CONTRACTOR, WINGLEST AND FORWARDER, DUVERGANT,
FOLLANCIES, FORDELST AND FORWARDER, BUYER, SELLER
OF ALL NICES AND DESCRIPTIONS OF COMMODITIES,
PUBLIC RELATIONSHIPS, APVERTISEMENTS, AGENCY,
SUPPOPER CURTESS, DATA CENTERS, COMMERCIAL,
DATA R CONTENT, DESIGNING AND OTHER SERVICES.

: QMS/028521/2142 Original Certificate Date : 05-April-2024 Issue Date : 05-April-2024 Expiry Date : 04-April-2025

https://www.oisef.org/validate-pertificate/ To check this pertificane status visit







ENGINE OIL PRODUCT DATA SHEET

Our Certificates

CHAIR	89.48	410.18	400.200	18A 50	1579-41	7890.48	1910.48	159/90
Edear	Heren Light)	Anaber [Light]	(Light)	[Light]	[Light]	Clear & Dougle	[durk]	(diff)
(at (S*C)	. Cipanic	* Tylend	0.890	Clighted.	0.87	1-35	380	15
Vectorials vectorials senting	36.20	s2.99	80 S ^C	26.72	10" 128	105 110	(15-12)	180135
Viscous	e sansi	V / to 184	12-14	911	13-15	12-19	15-17	19-17
Pour Palary	-45	18	k	a	18	-10	11	-18
Hash Felat (CUC).	268	362	280	2%	144	259	129	321
Total Base Number, 1884 em KOH-gi Chemical	Subk	Subk	Stable	Sabk	10-12 Stable	Subje	Savic	a.jr Suhk





Pack size:- 900ml, 1 ltr, 1.2 ltr

Pack size:- 800 ml, 900ml, 1 ltr, 1.2 ltr

MOTO SUPER SN20W40

SN20W40 It is formulated from high quality of Base oils doped with additives which provides high level of oxidation & thermal stability. It protects the engine from high temperature wear & also from rust & corrosion.

MOTO SUPER



MOTO SUPER SN 10W30

SN 10W30 is a premium performance four stroke motorcycle oil, non-friction modified, shear-stable, multigrade oil provides excellent oxidation and wear protection for extended oil & engine life as well as longer Clutch life by preventing clutch slippage at start up and varying speed.

MOTO SUPER





Pack size: - 800 ml, 900ml, 1 ltr



Pack size:- 1 ltr, 1.2 ltr

MOTO LITE SL20W40

SL20W40 It is formulated from high quality of Base oils doped with additives which provides high level of oxidation & thermal stability. It protects the engine from high temperature wear & also from rust & corrosion.

MOTO LITE




MOTO EXTREME SN 20W50

SN 20W50 is a premium performance four stroke motorcycle oil, non-friction modified, shear-stable, multigrade oil provides excellent oxidation and wear protection for extended oil & engine life as well as longer Clutch life by preventing clutch slippage at start up and varying speed.

MOTO EXTREME



Pack size:- 1 ltr, 1.2 ltr



Pack size:- 2.5 ltr, 3 ltr

MOTO EXTREME SN 10W40

SN 10W40 is a Semi synthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. These oils are formulated for excellent wear protection, resist viscosity and thermal breakdown. It has high VI that provides engines with full protection at higher operating speed, temperatures and other adverse conditions.

MOTO EXTREME



BULLET SPECIAL SN15W50

SN15W50 is a semisynthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. This oil is formulated for excellent wear protection, resisting viscosity and thermal breakdown. It has high viscosity index that provided engines with full protection at higher operating speed temperatures and other adverse conditions.

BULLET SPECIAL





Pack size:- 500ml, 1 ltr, 1.2 ltr

che is a new generation high performance semi synthetic Blend gasoline engine oil for modern passenger cars It provides good protection against oxidation, wear and corrosion under high temperature operation. Also it provides not only good cold starting but also high resistance to sludge formation.

CNG







Pack size: - 500ml, 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr

DIESEL PREMIUM+ 15W40 CI-4+

DIESEL PREMIUM

15W40 Cl-4+ is a new generation semi synthetic Blend gasoline engine oil blended with the most advanced additive package to enable it to give exceptional performance under most severe operating conditions. The oil provides not only good cold starting and high resistance to sludge, low volatility characteristics but also it provides effective protection against oxidation, wear and corrosion under high temperature operations



DIESEL PREMIUM 15W40 Ch4

DIESEL PREMIUM





Pack size: 500ml, 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr





Pack size:- 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr

DIESEL PRO 15W40CF4

15W40CF4with Fluid TITANIUM Technology, is strongest oil and the natural choice for drivers who want the best combination of sludge protection, wear protection and maximum engine performance. Unlock maximum performance with every drive.

DIESEL PRO



DIESELPLUS 20W40 Cf4

20W40 Cf4is an advanced full synthetic engine oil designed to keep your engine running like new by providing exceptional wear protection, cleaning power and overall performance. 5W-30 meets or exceeds the requirements of the industry's toughest standards and outperforms our conventional oils. technology comes as standard equipment in many different vehicles, including select high-performance vehicles.

DIESEL PLUS



Pack size:- 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr



Pack size: - 500ml, 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr

PCO 5W40 SYNTH. TECH.

5W40 SYNTH. with Fluid TITANIUM Technology, is strongest oil and the natural choice for drivers who want the best combination of sludge protection, wear protection and maximum engine performance. Unlock maximum performance with every drive.

PCO



PCO 5W30 SYNTH TECH

5W30 SYNTH is an advanced full synthetic engine oil designed to keep your engine running like new by providing exceptional wear protection, cleaning power and overall performance. 5W-30 meets or exceeds the requirements of the industry's toughest standards and outperforms our conventional oils. technology comes as standard equipment in many different vehicles, including select high-performance vehicles.

PCO





Pack size: 500ml, 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr



CAR PRO 20W50

PCO

20W50 with Fluid TITANIUM Technology, is strongest oil and the natural choice for drivers who want the best combination of sludge protection, wear protection and maximum engine performance. Unlock maximum performance with every drive.



Pack size:- 500ml, 1, 3, 3.5, 5, 6, 7.5, 10, 15, 20 ltr





Pack size:- 500ml, 1, 3.5 ltr



Pack size:- 5 ltr, 20 ltr

UTTO

UTTO oil is exclusively designed for multifunctional Agricultural Tractor's transmission, Differential & final drive, Wet multiple disc brake and hydraulic System. It also functions as a power brake, power steering, power take off and implement drive fluid with sufficient friction and heat transfer characteristics to facilitate the efficiency operation of Tractor wet brakes and power take off units.

AD BLU DEF.

DEF is a premium Diesel Exhaust Fluid manufactured as per ISO 22241 & IS 17042 (Part 1) specifications. It is a non-toxic, high quality and highly pure Aqueous Urea Solution that works with SCR (Selective Catalytic Reduction) technology to chemically change harmful nitrogen oxide (NOx) emissions from heavy-duty diesel vehicles into harmless nitrogen and water.

UTTO



AD BLU DEF.





Pack size:- 1, 3, 3.5, 5, 6, 7, 7.5, 10, 15, 20 ltr

Pack size: - 500ml, 1, 3.5 ltr

TRACTOR SPECIAL TSO

TRACTOR SPECIAL TSO Multigrade Diesel engine oils are high performance, shear-stable, thermal stable new generation oils specially formulated for Tractors & mixed fleet working under severe service conditions. Recommended for use in all types of tractors and fleets with both light and heavy-duty engines where multigrade oil is preferred.

PUMPSET SPECIAL

Pump set oil is a superior quality agricultural diesel pump set oil SAE 20W40 specially developed to meet the severe performance requirements of pump sets and other small stationary diesel engines for industrial use. Recommended for use where multi grade oil is preferred for a wide range of diesel pump sets

TRACTOR SPECIAL TSO



PUMPSET SPECIAL







Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

GEAR X 85W140 GL-5

GL-5gear oil is formulated for use in a wide range of gear units with normal, bevel and helical gear designs, including synchromesh manual gearboxes, transmissions and axles under moderately severe load and pressure conditions. These oils meet the requirements of several automotive manufacturers for cars, vans and commercial vehicles and hence recommended for cars, trucks, buses and off highway equipment.

GEAR X 90 GL-4

GL-4 is a specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is designed to match all type of gear applications for both old or new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 gear oil is recommended.

GEAR X



GEAR X





Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

Pack size: - 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

GEAR X 140 Ep140 GL-4

GL-4 gear oil is formulated for use in a wide range of gear units with normal, bevel and helical gear designs, including synchromesh manual gearboxes, transmissions and axles under moderately severe load and pressure conditions. These oils meet the requirements of several automotive manufacturers for cars, vans and commercial vehicles and hence recommended for cars, trucks, buses and off highway equipment.

GEAR X 90EP90 GL-4

GL-4 is a specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is designed to match all type of gear applications for both old or new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 gear oil is recommended.

GEAR X



GEAR X





Pack size: - 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

GEAR X 80W90 GL-4

80W90 GL-4 is specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. Due to its high shear stability they provide excellent protection for gears used in new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 Multigradegear oil is recommended

GEAR X 75W90 GL-4

75W90 GL-4 type gear oil is recommended for all types of gears particularly hypoid gears, axles operating under various combinations of high speed shock loads and low speed high torque conditions. ideal for all types of highway and off highway vehicles working under severe and wide varied temperature conditions. This product is also available with "Limited Slip" properties

GEAR X



GEAR X





Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr



Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr



Pack size:- 500ml, 1, 2.5, 5, 7, 10, 15, 20, 26 ltr

STEERING OIL ATQ

TQ serves as a power transmission fluid in the torque converter, hydraulic fluid in the control and servo systems, as a lubricant for bearings & gears and as a friction - controlling for bands and clutches. Recommended for automatic transmissions, power steering and other hydraulic system. It is having effective frictional characteristics for smooth shifting, reduced foaming and fluid loss under severe service conditions

PETRO COOL

coolant is used to remove heat produced by the engine and transfer it into the cooling system. The coolant receives the heat and circulates it through the radiator, dissipating it back into the atmosphere. A thermostat is used to regulate the temperature of the coolant during the circulation.

STEERING OIL ATQ



PETRO COOL







Pack size:- 500ml, 1, 5, 10, 20, 26 ltr

HYDRA 32/46/68

Hydraulic oils are high quality hydraulic oils, designed to meet the requirements of normal hydraulic & circulating systems. These Series oils are formulated with high quality solvent refined mineral oils and synergistic additives for imparting anti-wear, anti-corrosion, oxidation inhibition and anti-foam properties. Recommended for all types of general mobile hydraulic equipment in control and power transmission systems

HYDRA



HYDRA SPECIAL 32/46/68

Hydraulic oils are high quality hydraulic oils, transmission systems



designed to meet the requirements of normal hydraulic & circulating systems. These Series oils are formulated with high quality solvent refined mineral oils and synergistic additives for imparting anti-wear, anti-corrosion, oxidation inhibition and anti-foam properties. Recommended for all types of general mobile hydraulic equipment in control and power

Pack size:- 500ml, 1, 5, 10, 20, 26 ltr



GREASE

AP-3 GREASE

Ap3 GREASE is a premium quality all purpose automotive grease. Recommended for all types of Wheel bearings used in automobiles e.g Heavy duty, Light commercial, Passenger vehicles. Excellent thermal and oxidation stability. Resistance to water wash out. Superior protection against rusting & corrosion

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20

MP-3 GREASE

Mp3 is a premium quality lithium soap base grease and is recommended for variety of greasing applications in automotive, agriculture, construction and industrial application. It is recommended for lubrication of wheel bearing, chassis, nipple steering linkages, universal joints etc. The grease provides maximum protection by adhering well to the lubricated bearing surfaces sealing them from dirt and abrasive contaminants.

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20

EP-2 GREASE

Extreme pressure (EP) greases are multifunctional extreme pressure lithium soap greases manufactured from high viscosity index base oils and fortified with carefully selected extreme pressure additives for high load bearing capacity. They are recommended for gearboxes, heavily loaded anti-friction and plain bearing on industrial and automotive equipment.

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20

RED GEL GREASE

Red is a long life lithium Red colour gel grease formulated with a specially designed soap system, high viscosity index base oil and carefully balanced additives for lubrication under moderate to heavy loads and intermittent high temperatures. The soap in the grease helps in retaining its structure even under severe service condition and high loads, thereby extends component life through extension of re-lubrication interval.

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20

CHASSIS GREASE

Chassis Grease is a calcium soap grease, having excellent water repellent and good water wash out properties. Recommended for all types of chassis lubrication requirements such as ball joints, suspension, steering gear system, plain bearings, bushings and pins in automotive chassis assemblies.

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20

HIGH TEMPERATURE LITHIUM GREASE ◀

HTL GREASE excellent shear stability, good surface adhesion and antiwear characteristic grease specially formulated from refined, high viscosity index base oils and lithium complex thickener. This grease is fortified with unique additives for long life performance, rust and oxidation inhibitors specially developed for bearing operating under severe heavy shock loads.

Pack Size: 100ml, 200ml, 500ml, 1, 3, 5, 7, 10, 20





GEAR OIL-150 | GEAR OIL-220 | GEAR OIL-320 | HYDRAULIC-100 | LOOMS OIL

WATER SOLUBLE CUTTING OIL | STATE CUTTING OIL | TRANSMISSION OIL | SPINDLE OIL

THERMIC OIL | CNC LUBRICANT WAY-68 | GRINDING OIL | RPO | CONNING OIL | FURNACE OIL | WARPING OIL







BRAKE OIL DOT 3/4

BRAKE OIL DOT 3/4 is a superior quality synthetic fluid meant for the hydraulic brakes of automobiles. It's meets US Dept. of Transportation's stringent specification DOT 3/4. Recommended for all automobiles having hydraulic brakes.

BRAKE OIL DOT 3/4





Pack size:- 100ml, 250ml, 500ml



Pack size:- 175ml

FORK OIL

Shock absorber oil has excellent damping effect, chemical stability, oxidation stability and seal compatibility. Due to low pour point, it can be used round the year in extreme weather.

FORK OIL





