

# Akuvox



## Smart Intercom Catalogue

---

# CONTENTS

---

## 01 The Company

- The Global Leading Provider of Smart Intercom
- Pioneer of Smart Intercom

## 04 Smart Intercom Technologies

- AI
- Cloud
- Android
- SIP
- Security
- Technology Partners

## 11 Smart Intercom Products

- Door Phone
- Indoor Monitor
- 2-Wire Intercom
- Android IP Video Phone
- Access Control
- Akuvox SmartPlus
- Software

## 41 Smart Intercom Solutions

- Residential
- Commercial
- Assisted Care & Hospital
- Public Space

## 50 Accessories

- Overview of Mounting Accessories

## 56 Selection Guide

- Overview of Key Product Features

# Akuvox

---

# The Company

# Pioneer of Smart Intercom

Encompassing Artificial Intelligence, Cloud, Android, SIP, Security, and other advanced technologies, Akuvox continuously drives breakthrough changes in the industry and creatively delivers an unrivaled portfolio of smart intercom products and solutions, allowing more people to take advantage of smart living easily.



AI



Cloud




Android



SIP



Security



---

# Smart Intercom Technologies

# Smart Intercom Technologies-AI

## Leading AI Technologies



### Facial recognition door entry

Your face is your identity. The underlying anti-spoofing liveness detection algorithm makes it hard to be fooled by photos or videos.



### Offline voice control

Use your voice to control intercom devices. The voice data are processed directly on the device, faster and securer compared with an online method.



### Fall detection

Exploring the synergy of image recognition technique and deep neural networks, Akuvox empowers intercoms to increase in-home safety for older individuals.



# Smart Intercom Technologies-Cloud

## Smart Cloud-based Intercom Service

Akuvox SmartPlus, a smart cloud-based intercom service, allows Akuvox's intercom and access control devices to link, communicate, and interact intelligently with one another without any geographical restrictions, making buildings smarter and securer.

- **Mobility:** intercom and building access anywhere, anytime
- **Flexibility:** remote provisioning and maintenance for any scale of systems
- **Stability:** 24/7 self-monitoring with >1 million monitoring tests per month at a 99.99% success rate
- **Security:** triple data backup mechanism ensuring 99.999% data reliability



# Smart Intercom Technologies-Android

## Easy Integration, Deep Customization, Exceptional User Experience

The openness of Android makes it easy to integrate Akuvox's smart intercoms with 3rd-party systems like home automation and security systems.

Akuvox's finely-tuned Android systems are easy to use. The system's high flexibility also allows Akuvox to offer deep customization service to meet bespoke customer needs.

With the Google app store, users can enjoy millions of the latest Android apps and digital content from their indoor monitors.





# Smart Intercom Technologies-SIP

## Better Communication

Akuvox's intercoms are based on SIP, a universal IP communication protocol, allowing you to build an extensive communication system. Compared with a non-SIP system, SIP-based intercoms are easy to learn, use and maintain and are easy to integrate into a phone system.



Premium audio and video quality



Communication between any SIP-supporting systems



Work with mobile phones and landlines



# Smart Intercom Technologies-Security

## Greater Security

Akuvox's smart intercoms can be flexibly connected with various alarm systems such as smoke detectors for greater home security.

Akuvox dedicates itself to improving the robustness of its products against damage caused by external factors. Akuvox's intercoms are certified with IK and IP ratings, which can be as high as IK10 Rating, and feature the tamper-resistant mechanism.

We are also committed to protecting your intangible property through advanced network security measures, such as AES256, HTTPS, Anti-DDoS, and GDPR compliance.



# Work with Global Technology Partners

Together with our valued and trusted partners, Akuvox creates smart intercom and access control solutions that meet our customers' ever-increasing security and convenience needs.

Home Automation		Telephony		Video Management System		Access Control	

---

# Smart Intercom Products





# X915

High-end Smart Door  
Phone for Luxury  
Buildings



German Industrial  
Design



9K10 Vandal  
Resistance Rating




AI-powered  
Facial Recognition



## Akuvox X915S

### Facial Recognition Android Door Phone

- [8" full-color touch display provides ultra-wide viewing angles](#)
- [Visible light facial recognition](#)
- [Anti-spoofing algorithm against photos and videos](#)
- [The primary camera features a built-in HDR mode to tackle a variety of high-contrast scenes](#)
- [Fully compliant with the IK10 Rating](#)
- [Support multiple verification methods, including the face, card, PIN, Bluetooth, and QR code](#)
- [Ability to integrate with an induction loop antenna for users with hearing aids](#)
- [Multiple theme options available to personalize and suit a range of locations](#)






# X912

Vandal-resistant Door  
Phone for High-end  
Buildings

## Akuvox X912S

### Vandal-resistant Door Phone for High-end Buildings

- [Vandal-resistant body, fully compliant with the IK09 Rating](#)
- [4" full-color touch display providing ultra-wide viewing angles](#)
- [Multi-way access feature including face ID, cards, PIN, BLE, QR codes & wave-to-unlock](#)
- [Two-way audio communication over IP networks with echo cancellation feature](#)
- [Comply with SIP standard for easy integration with SIP capable PBXes](#)
- [Comply with ONVIF standard for easy integration with any network surveillance system](#)
- [Slim design for limited installation space](#)







# Akuvox R29

World's First Facial Recognition  
Android Door Phone



Anti-spoofing facial recognition



Touchless building entry



Easy-to-navigate UI

## Akuvox R29C

### Facial Recognition Android Door Phone

- [7" capacitive touch screen supporting glove mode](#)
- [Aluminum panel](#)
- [Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera](#)
- [Support multiple access control methods: facial recognition, NFC, 13.56MHz and 125kHz access cards, Bluetooth, and QR](#)
- [code](#) Cold-resistant version (-40 °C to 55 °C) available
- [Support plasterboard installation](#)
- [Black color version available](#)



# Akuvox E18

## 7" Face Recognition Door Phone



[Building retrofitting-friendly](#)



[User-familiar access control](#)




[Hassle-free management](#)



## Akuvox E18C

### 7" Face Recognition Door Phone

- [Visible light facial recognition](#)
- [Dual cameras with anti-spoofing algorithm against photo and video attacks](#)
- [20,000 face capacity & 20,000 card capacity](#)
- [Face recognition duration less than 0.2s/user, face recognition accuracy rate greater than 99.5%](#)
- [Allow both audio and video communication to an IP phone, mobile client, or softphone](#)
- [Multiple verification methods including: face, PIN, cards NFC, BLE and QR codes](#)
- [Support stand-alone operation](#)
- [Configuration via web browser](#)
- [Support 4G module \(optional\)](#)



# E12

## Smart Video Door Phone

Compact, Stylish and Versatile,  
Perfect for Every Front Door




Space-efficient



IP65 rating



Smart home  
integration



## Akuvox E12

### Compact SIP Video Door Phone

- [Real-time 2-way talk](#)
- [Live camera viewing](#)
- [Cloud or local based storage](#) Rated for outdoor
- [use Mobile app compatible](#)
- [Integrated with any SIP device](#)







## [Akuvox X916S](#)

### [World's First Android Door Phone with Starlight Camera](#)

- [13" capacitive touch screen](#)
- [316-grade stainless steel panel](#)
- [Dual-camera](#)
- [Dual-microphone for noise reduction](#)
- [Support multiple access control methods: facial recognition, NFC, 13.56MHz and 125kHz access cards, Bluetooth, and QR code](#)



## [Akuvox R29C-B](#)

### [Facial Recognition Android Door Phone with Temperature Detection](#)

- [7" capacitive touch screen supporting glove mode](#)
- [Aluminum panel](#)
- [Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera](#)
- [Support multiple access control methods: facial recognition, NFC, 13.56MHz and 125kHz access cards](#)
- [Body temperature measurement of people entering buildings](#)
- [For indoor use only](#)



## [Akuvox R29C-L](#)

### [Facial Recognition Android Door Phone with 4G Technology](#)

- [7" capacitive touch screen supporting glove mode](#)
- [Aluminum panel](#)
- [Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera](#)
- [Support multiple access control methods: facial recognition, NFC, 13.56MHz and 125kHz access cards](#)
- [LTE wireless communication requires the minimum efforts for device installation](#)
- [On-wall mounting only](#)



## [Akuvox R28A](#)

### [SIP Video Door Phone with Numeric Keypad](#)

- [4.3" color TFT LCD](#)
- [Premium audio and video quality](#)
- [Aluminum panel](#)
- [116° wide-angle 2MP camera with automatic lighting](#)
- [Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards](#)
- [Cold-resistant \(-40 °C to 55 °C\)](#)



## **Akuvox R27A**

### **SIP Video Door Phone with Numeric Keypad**

- [Premium audio and video quality](#)
- [Aluminum panel](#)
- [116° wide-angle 2MP camera with automatic lighting](#)
- [Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards](#)
- [Anti-cold version \(-40 °C to 55 °C\) available](#)



## **Akuvox R20K**

### **Compact SIP Video Door Phone with Numeric Keypad**

- [Premium audio and video quality](#)
- [110° wide-angle 2MP camera with automatic lighting](#)
- [Support NFC, 13.56MHz and 125kHz access cards](#)
- [Ideal for environments with limited space](#)



## **Akuvox R20B**

### **Compact SIP Video Door Phone**

- [Five call buttons with nameplates](#)
- [Wide-angle camera: 110° \(H\), 58° \(V\)](#)
- [Two-way audio communication over IP networks with Echo Cancel feature](#)
- [Comply with SIP standard for easy integration with SIP-capable PBXes](#)
- [Comply with ONVIF standard for easy integration with any network surveillance system](#)



## **Akuvox R20A**

### **Compact SIP Video Door Phone**

- [Premium audio and video quality](#)
- [116° wide-angle 2MP camera with automatic lighting](#)
- [Support NFC, 13.56MHz and 125kHz access cards](#)
- [Ideal for environments with limited space](#)





## Akuvox E21V

### SIP Video Emergency Intercom

- [Vandal-resistant with 316-grade stainless steel body](#)
- [Premium audio and video quality](#)
- [116° wide-angle 2MP camera with automatic lighting](#)



## Akuvox E21A

### SIP Emergency Intercom

- [Vandal-resistant with 316-grade stainless steel body](#)
- [IK10 Rating](#)
- [Premium audio quality](#)



## Akuvox E16C

### Facial Recognition Door Phone

- [5" full-color touch display provides ultra-wide viewing angles](#)
- [Visible light facial recognition](#)
- [Anti-spoofing algorithm against photos and videos](#)
- [Support SIP to provide reliable two-way voice & one-way video communication](#)
- [Support multiple verification methods, including the face, card, PIN, Bluetooth, and QR code](#)
- [Support stand-alone operation](#)
- [Optional body temperature detection function](#)
- [Powered by PoE or external power supply](#)



## Akuvox E11R

### Compact SIP Video Door Phone

- [Premium audio and video quality](#)
- [116° wide-angle 2MP camera with automatic lighting](#)
- [Support NFC, 13.56MHz and 125kHz access cards](#)
- [Ideal for environments with limited space](#)



# X933

Luxury Smart Indoor Monitor  
Perfect for Your Home



Italian Industrial  
Design



AI-powered Voice  
Assistant




Smart Home  
Integration

## Akuvox X933

### Android Indoor Monitor for Smart Home Solution

- [7" touch screen with 1280 x 800 resolution](#)
- [Excellent performance with Android 9.0 OS](#)
- [Eight-channel inputs and two built-in relays](#)
- [Dual-microphone for noise reduction](#)
- [Support 3rd-party apps](#)
- [White color housing available](#)
- [In-wall mounting version available](#)



## Smart Indoor Monitor Specially Designed for Older Individuals



AI-powered Voice Assistant



Work with Telecare



Pendants Built-in SIP Server



▲ C319



## Akuvox C319

### Android Indoor Monitor for Smart Home Solution

- [10" capacitive touch screen IPS](#)
- [LCD Optional 1MP camera](#)
- [HD video & audio communication](#)
- [Built-in Bluetooth and Wi-Fi feature \(optional\)](#)
- [Built-in offline voice assistant](#)
- [Eight channel inputs and two embedded relays](#) Support 3rd-party apps installation
- [Support RF433/RF869 and Akuvox EP10 \(optional\)](#)





## Akuvox IT83

### Android Indoor Monitor for Smart Home Solution

- [10" touch screen with 1280 x 800 resolution](#)
- [Eight-channel inputs and two built-in relays](#)
- [Support 3rd-party apps](#)
- [Optional 1MP camera](#)
- [Built-in SIP PBX function](#)
- [Desk mount available](#)



## Akuvox IT82

### Android Indoor Monitor for Smart Home Solution

- 7" touch screen with 1024 x 600 resolution
- Five programmable pushbuttons
- Eight-channel inputs and one built-in relay
- Support 3rd-party apps
- Optional 1MP camera
- Optional RF 433/869 application

Disclaimer: Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



## Akuvox C315

### Android Indoor Monitor for Smart Home Solution

- [7" touch screen with 1024 x 600 resolution](#)
- [Eight-channel inputs and one built-in relay](#)
- [Support 3rd-party apps](#)
- [White color housing available](#)
- [Optional RF 433/869 application](#)






## Akuvox C313

### Budget-friendly Indoor Monitor

- 7" touch screen with 800 x 480 resolution
- Eight-channel inputs and one built-in relay
- White color housing available

# Smart 2-Wire SIP Video Intercom

It's time to upgrade  
your outdated analog systems!

-  Save costs by reusing existing cables
-  Improve user experiences with smart features
-  Fit for projects large or small





## Akuvox R20A-2

### 2-Wire SIP Video Door Phone

- Vandal-resistant body, with a flush button
- Two-pin wire for power supply and network access
- Wide-angle camera: 110° (H), 58° (V)
- IC/ID card reader embedded
- Two-way audio communication over IP networks with echo cancellation & noise suppression
- H.264 video compression



## Akuvox C313W-2

### 2-Wire SIP Indoor Monitor

- 7" touch screen with 800 x 480 resolution
- Eight-channel inputs and one built-in relay
- White color housing available
- Support 2-wire connection



## Akuvox NS-2

### 2-Wire IP Network Switch

- Connect up to six 2-wire IP intercom devices
- Support network and power supply for R20A-2 or C313W-2 through 2-wire cable
- Support multi-level cascade through 2-wire cable
- Long data transmission distance




# Akuvox R49G


## Android IP Video Phone

 [7" touch screen with 1024 x 600 resolution](#)

 [Excellent performance with Android 9.0 OS](#)

 [Premium audio and video quality](#)

**DTMF** [DTMF for remote door opening](#)

 [2MP camera with privacy shutter](#)

 [Built-in Bluetooth, USB, and Wi-](#)

 [Fi Support 3rd-party apps](#)



# SMART ACCESS CONTROL SOLUTIONS


Secure, convenient, and tech-forward access control for residential and office applications



Cloud-based access control



Time & attendance




Multiple verification methods



## Akuvox A03S

### Access Control Terminal

- [Toughened glass & aluminum alloy panel](#)
- [13.56MHz & 125kHz RFID card reader & NFC](#)
- [Small and exquisite, suitable for installation in narrow spaces](#)
- [APIs available for easy integration with 3rd-party systems](#)
- [Support tamper-proof alarm](#)
- [Support up to 20,000 cards and 100,000 card event](#)
- [logs\\_BLE 5.0](#)





## Akuvox A05

### Facial Recognition Access Control Terminal

- [5" full-color display provides ultra-wide viewing angles](#)
- [Visible light facial recognition](#)
- [Anti-spoofing algorithm against photos and videos](#)
- [Support multiple verification methods, including the face, card, and QR code](#)
- [Support stand-alone operation](#)
- [Optional body temperature detection function](#)
- [Powered by PoE or external power supply](#)



## Akuvox A02S

### Access Control Terminal

- [Touch keypad](#)
- [Aluminum alloy panel](#)
- [Support multiple access control methods: PIN codes, NFC, 13.56MHz and 125kHz access cards, and two-factor authentication](#)
- [APIs available for easy integration with 3rd-party systems](#)
- [Support tamper-proof alarm](#)
- [Support up to 20,000 cards and 100,000 card event logs](#)
- [logs](#) [Ideal for environments with limited space](#)



## Akuvox A01S

### Access Control Terminal

- [Toughened glass & aluminum alloy panel](#)
- [Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards](#)
- [APIs available for easy integration with 3rd-party systems](#)
- [Support tamper-proof alarm](#)
- [Support up to 20,000 cards and 100,000 card event logs](#)
- [logs](#) [Ideal for environments with limited space](#)



## Akuvox A092S

### 2 Door Controller



[Support 4 port interfaces for Wiegand readers](#)



[Support 2 port interfaces for input](#)



[Support 2 port interfaces for relay out](#)



[Backlit function icons](#)



[Support backup battery \(battery not supplied\)](#)



[Support RS485, OSDP, and Wiegand](#)



[protocols Support tamper-proof alarm](#)



[Support up to 50,000 cards and 100,000 card event logs](#)



# Akuvox SmartPlus

Akuvox SmartPlus, a smart cloud-based intercom service for residential buildings, caters to the on-the-go lifestyles by offering residents smartphone-based building access and simplifies property access management for property owners and managers.





## SmartPlus App

The SmartPlus App allows residents to see and talk to visitors, open doors, monitor building entrances and issue virtual keys from their smartphones, which offers an elevated building entry experience.

### Preview

See who is at the entrance before answering the call



### Video Calling

See and talk to visitors with live video before buzzing them in remotely



### Door Unlocking

Open doors using the "Open Door" button of the app or Bluetooth or through a standard phone call



### Virtual Key

Issue time-limited QR code keys and guest PINs



### Push Notification


Get instant notifications of incoming calls



### Door Release Log

Access to date- and time-stamped photos of door release events





## Property Management Portal

The web-based property access management portal of Akuvox SmartPlus offers a bunch of remote-working features that greatly enhance building operation efficiency.

- Manage all properties of multiple sites from a single interface
- Access to time- and date- stamped photos of all door entries
- Assign time-limited PINs to delivery or service people
- Easy posting of community announcements
- Easy integration with existing building systems





## Akuvox My MobileKey

### Bluetooth Mobile Credential

- Support wave-to-unlock feature
- Support door opening using the unlocking tab of the app
- Bluetooth credential secured by the AES256 encryption protocol
- Integration with the Akuvox ACMS
- Available for Android & IOS version



## Akuvox Vfone

### SIP Softphone App for Intercoms

- [Audio or video call](#)
- [Remote door unlocking](#)
- [Offline push notification](#)
- [Compatible with mainstream SIP servers](#)



## Akuvox ACMS

### PC-based Access Control Management System for Small and Medium Businesses

- Staff information management
- Device management
- Access control management
- Access to detailed access logs



## Akuvox SDMC

### On-premise Software for Community-wide Intercom System Management

- Batch deployment of devices automatically
- Real-time video monitoring
- Access control management
- Messaging and ad pushing



## Akuvox PC Manager

### PC-based Management Software for Intercom Configuration

- Automatic search and connection of intercom devices
- Addition, modification, and deletion of intercom configuration
- Batch intercom configuration and software upgrading

---

# Smart Intercom Solutions



# Smart Intercom Solution for RESIDENTIAL


As the standard of living improves, there are higher security and convenience requirements for modern residential living. This has posed new challenges to the traditional intercom, which is monofunctional and antiquated or doesn't function.

## Highlights of Akuvox Smart Intercom Solution

- Build an extensive community-wide communication system
- Work with mobile phones and landlines
- Integrate home automation, video surveillance, and property management systems
- Summon elevator for the authorized visitors and send them to the designated floor
- App-based features, including video calls, remote door unlocking, alarm push notifications, and messages from the property management
- Remote system maintenance via a web browser



# Solution Overview




# Smart Intercom Solution for COMMERCIAL

Due to rapid changes in the global economy, enterprises need to overcome more business challenges such as improving competitiveness, reducing costs, and enhancing productivity. Intercom technology has come into play to help maximize the potential business growth by integrating people and technology.

## Highlights of Akuvox Smart Intercom Solution

- Flexible door entry options including facial recognition, NFC, RF cards, and PIN codes
- Integrate access control, existing phone systems, video surveillance, and time & attendance systems
- Mobile app for business communication on the go

# Solution Overview







# Smart Intercom Solution for ASSISTED CARE & HOSPITAL

As the world population ages, the healthcare system of every country faces significant challenges. Safety, trust, and security are the key contributing factors to older individuals' health and well-being, whether in their own homes or in a care home.

## Highlights of Akuvox Smart Intercom Solution

- Converge the latest technologies, including SIP, Android, and
- AI Easy-to-use system specially designed for older individuals
- 100% transmission of SOS signal to service centers with < 10 seconds SOS signal
- delay Telecare pendant for making emergency calls and remote door unlocking via RF
- Connect with various alarm sensors, such as door magnet and smoke detector, for greater home security
- Remote operation and maintenance of a large number of devices
- Easy to upgrade the system for new features

# Solution Overview

## Seek Help in an Emergency

Albert,  
help, help, help!



Use your voice to make an emergency call



Use a telecare pendant to make an emergency call



Automatic alerts raising when an alarm sensor is activated



Home: IT83



24-hour service center



Designated family members

## Convenience for Daily Life



Use a telecare pendant to unlock doors for visitors remotely



Remotely answer a door phone call via a Bluetooth speaker




# Smart Intercom Solution for PUBLIC SPACE

With terrorism and violence on the rise, the issue of safety, security, and real-time information is gaining significance. To protect people, assets, and property in the public space, we urgently need advanced intercom technologies to respond to situations in progress and manage everyday operations, public events, and emergencies.

## Highlights of Akuvox Smart Intercom Solution

- Premium speech quality in any situation
- Vandal-resistant body with IK10 Rating
- Integrate with video surveillance systems
- Direct communication lines to alarm centers or security guards on patrol

# Solution Overview


















Model	X916S	X915S	X912S	R29C	R29C-L	R29C-B	R28A	R27A
Image								
On-Wall Mounting	 X9165BB	 X915XS		 R29XS	 R29XS	 R29XS	 R27R28XS	 R27R28XS
In-Wall Mounting	 X916FBB	 X915XF		 R29XF	 R29XF	 R29XF	 R27R28XF	 R27R28XF
Optional Rain Cover	 X916RH	382915	382912	 R29XRH	 R29XRH	 R29XRHB	 R28RH	 R27RH
Optional Desktop Stand								







Model	R20K	R20B5	R20A	E18C	E16C	E12	E11R	E21V
Image								
On-Wall Mounting								
	R20KS	R20B5S	R20AS					
In-Wall Mounting								
	R20KF	R205F	R20AF					E21XF
Optional Rain Cover								
	R20KH	R20KH	R20AH		E16/A05H			E21XS E21XSBLK E21H
Optional Desktop Stand								



Model	E21A							
Image								
On-Wall Mounting								
In-Wall Mounting	 <p data-bbox="454 858 534 886">E21XF</p>							
Optional Rain Cover	 <p data-bbox="439 1025 571 1116">E21XS E21XSBLK E21H</p>							
Optional Desktop Stand								

Model	X933	IT83	C319	IT82	C315	C313	R49G	
Image								
On-Wall Mounting								
In-Wall Mounting								
Optional Rain Cover								
Optional Desktop Stand		 ITC10	 ITC10					





Model	R20A-2	C313W-2	NS-2					
Image								
On-Wall Mounting	 R20A-2S							
In-Wall Mounting	 R20A-2F							
Optional Rain Cover	 R20AH							
Optional Desktop Stand								

Model	A05	A03S	A02S	A01S	A092S			
Image								
On-Wall Mounting								
In-Wall Mounting								
Optional Rain Cover	E16/A05H							
Optional Desktop Stand								


## Selection Guide

Model	X916S	X915S	X912S	R29C	R29C-L	R29C-B	R28A	R27A
Image								
Display	13"	8"	4"	7"	7"	7"	4.3"	128 x 32 dots
Touch Screen	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Front Panel	Stainless steel	Stainless steel	Stainless steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
PoE	PoE+	PoE+	PoE+	Yes	Yes	Yes	Yes	Yes
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Operating System	Android	Android	Linux	Android	Android	Android	Linux	Linux
Camera	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ONVIF	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wi-Fi	No	No	No	No	No	No	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Biometric Access	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Wiegand	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Temperature Detection	No	No	No	No	No	Yes	No	No
LTE	No	No	No	No	Yes	No	No	No
IP Rating	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
3rd-party Apps	Yes	Yes	No	Yes	Yes	Yes	No	No




Model	R20K	R20B	R20A	E18C	E16C	E12	E11R	E21V
Image								
Display	No	No	No	7"	5"	No	No	No
Touch Screen	No	No	No	Yes	Yes	No	No	No
Front Panel	Aluminum alloy	Aluminum alloy	Aluminum alloy	Plastics	Plastics	Plastics	Plastics	Stainless steel
PoE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Operating System	Linux	Linux	Linux	Linux	Linux	Linux	Linux	Linux
Camera	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ONVIF	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wi-Fi	No	No	No	No	No	Optional	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Biometric Access	No	No	No	Yes	Yes	No	No	No
Wiegand	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Temperature Detection	No	No	No	Optional	Optional	No	No	No
LTE	No	No	No	Optional	No	No	No	No
IP Rating	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65
3rd-party Apps	No	No	No	No	No	No	No	No






## Selection Guide

Model	E21A							
Image								
Display	No							
Touch Screen	No							
Front Panel	Stainless steel							
PoE	Yes							
SIP	Yes							
Operating System	Linux							
Camera	No							
ONVIF	No							
Wi-Fi	No							
PIN / Card Entry	No							
Biometric Access	No							
Wiegand	No							
Temperature Detection	No							
LTE	No							
IP Rating	IP65							
3rd-party Apps	No							

Model	X933	IT83	C319	IT82	C315	C313	R49G	
Image								
Display	7"	10"	10"	7"	7"	7"	7"	
Touch Screen	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Front Panel	Plastics	Aluminum	Plastics	Aluminum	Plastics	Plastics	Plastics	
PoE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Operating System	Android	Android	Android	Android	Android	Linux	Android	
Camera	No	Optional	Optional	Optional	No	No	Yes	
ONVIF	-	-	-	-	-	-	-	
Wi-Fi	Optional	Optional	Optional	Optional	Optional	Optional	Yes	
PIN / Card Entry	-	-	-	-	-	-	-	
Biometric Access	-	-	-	-	-	-	-	
Wiegand	-	-	-	-	-	-	-	
Temperature Detection	-	-	-	-	-	-	-	
LTE	-	-	-	-	-	-	-	
IP Rating	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor	
3rd-party Apps	Yes	Yes	Yes	Yes	Yes	No	Yes	

## Selection Guide

Model	R20A-2	C313W-2	NS-2					
Image								
Display	No	7"	-					
Touch Screen	No	Yes	-					
Front Panel	Aluminum alloy	Plastics	-					
PoE	No	Yes	-					
SIP	Yes	Yes	-					
Operating System	Linux	Linux	-					
Camera	Yes	No	-					
ONVIF	Yes	-	-					
Wi-Fi	No	Yes	-					
PIN / Card Entry	Yes	-	-					
Biometric Access	No	-	-					
Wiegand	Yes	-	-					
Temperature Detection	No	-	-					
LTE	No	-	-					
IP Rating	IP65	For indoor	-					
3rd-party Apps	No	No	-					

Model	A05	A03S	A02S	A01S	A092S			
Image								
Display	5"	No	No	No	No			
Touch Screen	No	No	Yes	No	No			
Front Panel	Plastics	Toughened glass	Toughened glass	Toughened glass	SGCC			
PoE	Yes	Yes	Yes	Yes	No			
SIP	No	No	No	No	No			
Operating System	Linux	Linux	Linux	Linux	Linux			
Camera	Yes	No	No	No	No			
ONVIF	Yes	No	No	No	No			
Wi-Fi	No	No	No	No	No			
PIN / Card Entry	Yes	Yes	Yes	Yes	No			
Biometric Access	Yes	No	No	No	No			
Wiegand	Yes	Yes	Yes	Yes	Yes			
Temperature Detection	Optional	No	No	No	No			
LTE	No	No	No	No	No			
IP Rating	IP65	IP65	IP65	IP65	No			
3rd-party Apps	No	No	No	No	No			