COMPLIANCE REPORT APRIL 2024 - SEPTEMBER 2024

M/S WAYANAD GRANITES

WAYANAD DISTRICT KERALA



Dt.27-12-2024

The Additional Principal Chief Conservator of Forests (C) Ministry of Environment, Forests & Climate Change, 4th Floor, E& F Wing, Kendriya Sadan, Koramangala, Bangalore - 560034

Ref :- File No. 1132/EC/SEIAA/2017

Sub :- Environment Clearance - Quarry project at Vengappally village & Panchayath, Vythiri Taluk, Wayanad District, Kerala. - Compliance Report - First half - Reg.

Respected Sir,

The Quarry (Building stone) project was accorded Environmental Clearance for **5.1625 Ha**. by order No. **1132/EC/SEIAA/2017** dated 29-12-2017 by State Environmental Impact Assessment Authority, Kerala. The compliance report of **First half** (April 2024 to September 2024) to the specific and general conditions of the Environment Clearance order is enclosed.

Wayanad

Thanking you,

Yours respectfully,

For M/s Wayanad Granites

Mr. M.M Thomas
(Managing Partner)

Copy to:-

The Member Secretary


State Environment Impact Assessment Authority (SEIAA), Thiruvananthapuram, Kerala.

Encl: - As Above

9/227 Kodencherykunnu Vengapally, Wayanad 673121

o +914936 204211, +9190488 80990

wayanadgranites@gmail.com



Building stone Quarry Project

Situated at


SURVEY NO. 371/1, 371/2/1, 372/1, 372/4, 372/2 & 373/1 AT VENGAPPALLY VILLAGE, VYTHIRI TALUK, WAYANAD DISTRICT, KERALA

ENVIRONMENTAL CLEARANCE ORDER

NO: 1132/EC/SEIAA/2017

Dated: 29.12.2017

Prepared and Submitted
BY
M/s. Wayanad Granites
Wayanad District
Kerala



INDEX

Sl. No.	Particulars	Page No.
1.	Introduction	05
2.	Specific conditions	06
3.	General conditions	08
4.	Annexure	35

LIST OF ANNEXURES


Annexure	Particulars	Page No.
No.		
1.	Copy of consent to operate from SPCB	36
2.	Copy of EC order	41
3.	Copy of Explosive License issued by the Ministry of Commerce & Industry – Petroleum & Explosives Safety Organization (PESO)	59
4.	Copy of License for quarry operations from Panchayath	61
5.	Copy of lease order from Dept. Mining and Geology.	62
6.	Copy of monitoring report of ambient air	63
7.	Copy of monitoring report of Noise level.	65
8.	Copy of monitoring report of water	67
9.	Copy of the certificate of Mining Mate	69
10.	Copy of the certificate of Second Class Manager	70
11.	Copy of the certificate of Persons with First Aid Certificate	71
12.	Bill copy of planted saplings	73
13.	Details of CSR	76


INTRODUCTION

The quarry project **of M/s Wayanad Granites** is situated at Survey No. 371/1, 371/2/1, 372/1, 372/4, 372/2 & 373/1 at Vengappally village & Panchayath, Vythiri Taluk, Wayanad District, Kerala.

M/s Wayanad Granites was obtained with the Environmental Clearance (EC) by State Environmental Impact Assessment Authority on 29-12-2017. As part of general condition No.37 of Environmental Clearance order and EIA Notification the half yearly compliance report needs to be submitted by the project proponent.


This report contains the compliance of conditions of Environmental Clearance for the period of **April 2024 - September 2024**.






SPECIFIC CONDITIONS

Sl. No	Conditions	Compliance
01	If any rare, endemic	The project proponent had conducted a
	and threatened plant	bio diversity study and submitted the
	species are noticed,	report at State Environmental Impact
	they shall be properly	Assessment Authority (SEIAA), Kerala.
	protected insitu or	The identified species of endemic to
	transplanted to a	Western Ghats will be properly
	suitable site inside the	protected. There is no RET species in the
	lease area.	project site.
02	All condition suggested	As part of mitigation measure, all the
	by the field inspection	conditions suggested by the field
	reports as noted above	inspection reports has been strictly
	should be strictly	implemented
	implemented before	
	starting mining.	





GENERAL CONDITIONS

S1. No	Conditions	Compliance
01	Rain Water Harvesting	The proponent has developed rain water
	capacity should be	harvesting pond in the project site to
	installed as per the	collect rain water falling in the entire
	prevailing provisions of	mining area. The storm water from all
	KBR / KPBR, unless	mining areas is properly channelized to
	otherwise specified.	this pond. It is situated in the lowest
		level of quarry area. The rain water is
		used for irrigation purposes, watering of
		plants, wetting of roads and for dust
		suppression system (mainly sprinklers
		system).

02	Environme	ent Monitoring	The Envir	on	mental Monitoring Cell
	Cell (EM	C) as agreed	(EMC) form	ed	and made functional with
	under the	affidavit filed	Mr. Peter T	V	as head of the monitoring
	by the pro	oponent should	cell. The	E	CMC meeting Convenes
	be forme	ed and made	regularly for	r a	sustainable environment.
	functional	•	as head of t	he	monitoring cell.
	Sl. No.	Post			Name
	1.	Head of the mon	itoring cell	:	Peter T V
	2.	Member		:	Ajeesh Thomas
	3.	Member		:	Vimal Madhav

03	Suitable avenue trees	To reduce air and noise pollution, the
	should be planted along	project proponent has planted suitable
	either side of the tarred	avenue trees along either side of the
	road and open parking	road. There is also natural vegetation
	areas, if any, inclusive of	including trees, shrubs and climbers
	approach road and internal	are presents in the project area. Bill



roads.

copies of planted saplings is attached as **Annexure No. 12**



Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.

The project proponent has installed solar panels in the project site to generate and utilize maximum renewable energy. The photograph of the same is attached below.





O5 Sprinklers shall be installed and used in the project site to contain dust emissions.

The project proponent splashes the haulage road and critical areas with the help of vehicles in regular intervals to arrest dust emissions from the road while transportation of materials.

O6 Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

The eco restoration and the mine closure plan will be done at the own cost of the project proponent as per the approved mining plan. Concurrent planting of tree saplings is progressing.

O7 At least 10 percent out of the total excavated pit area should be retained as water storage areas and

The project proponent will retain 10 percent of total excavated pit as rain water storage area. The remaining area will be reclaimed with stacked dumping



the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the EC.

of overburden and top soil. As part of its eco - restoration plan, the project will plant indigenous plant species that are eco - friendly on the reclaimed area.

08 Corporate Social Responsibility (CSR) agreed upon the proponent should be implemented.

The project proponent has carrying out many activities for social integration and community development. The details are given below in Annexure No.13. To improve the status of downtrodden people, the project proponent has spent Rupees 9.17 lakh for extending its supporting hands to community under Corporate Social Responsibility.

09 The lease area shall be fenced off with barbed maximum wires to а height of 4ft around, before starting of mining. **A11** boundary the indicators (boards, stores, markings etc) shall be protected at all times and shall be conspicuous.

To demarcate the lease area and safety, the project proponent has installed fencing with a height of 4 ft. around mine lease area All the boundary indicators (boards, stores, markings etc) are being protected in the project site.



10

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.

To comply condition stipulated by Explosive department and Environmental clearance order, the project proponent has installed warning alarm (Siren) in the quarry site.



11 Control measures on noise and vibration prescribed by KSPCB should be implemented.

As part of reducing noise level in the project site, the project proponent has implemented mitigate masseurs. The major noise generating sources from the quarry are:-

- Drilling by Jack hammers
- Blasting
- ➤ Breaking by JCB/Hitachi
- > Transportation

The following control measures are undertaken to bringing down the noise



levels:-

- Proper maintenance of machinery and equipment
- Controlled blasting technique is adopted in this project in order to reduce blast vibrations.

Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.

To reduce the adverse impact of the quarry to the local community, quarrying activities are limited to day time only as per KSPCB guidelines.

Blasting should be done in a controlled manner as specified by the regulations of explosives department or any other concerned agency.

The blasting is done in controlled manner by using Nonel technology. All blasting activities are carrying out with the specified regulations of explosive department.

A licensed person should supervise/control the blasting operations.

The project proponent has appointed Second class manager and Mining Mate in the site to supervise/control exploitation of minor minerals including blasting at the project site. All activities of licensed persons are under the supervision of Environment Monitoring Cell. The certificate of mining mate is attached as **Annexure No.9 &** certificate of Second class manager is attached as **Annexure No.10.** The project proponent also appointed persons with first Aid



Certificate and the same is attached as **Annexure no. 11.**

Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

To contain dust emissions and for the trouble free transportation of materials, the project proponent has tarred the access road to the quarry site and maintaining in good manner. The project proponent splashes water on the road to arrest the dust production during summer season.



Overburden materials
should be managed within
the site and used for
reclamation of mine pits
as per mine closure plan/

There was no old quarry in the site for restoration. The overburden materials are stored within the site at designated place. This is being used for landfill, haulage road construction and to specific conditions.

restore the exploited area in future.

Height of the benches should not exceed 5m, and width should not be less than 5m, if there is no mention is the mining plan/specific conditions.

All mining activities are progressing under the supervision of qualified personals. To enhance safety and to make environment friendly quarrying, the excavation activity in the project is progressing by creating benches of 5m width x 5m height



Mats to reduce fly rock
blast to a maximum of 10
PPV should be provided.

The project proponent is using blasting mat to reduce fly rocks during blasting. The project proponent is using ordinary delayed detonator for blasting therefore there is no issue with fly rock in the community and the project proponent also assure the maximum PPV is under 10.

19	Maximum	depth	of The	mining	depth	does	not	exceed
----	---------	-------	--------	--------	-------	------	-----	--------



mining from general ground level at site shall not exceed 10m.

beyond 10 meter from general ground level.

No mining operations should be carried out at places having a slope greater than 45°.

No mining operation is carrying out with a slope greater than 450.

21 enclosures Acoustic should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB..

To reduce the impact of Noise to the labours in the unit, the project proponent has provided ear plugs. Vegetation around the mining area is helping to reduce noise and pollution. This helps the noise level kept within prescribed standards. The project proponent has been enhancing the vegetative cover by planting more tree saplings.

The workers on the site should be provided with the required protective equipments such as ear muffs, helmet, etc.

The project proponent has provided adequate Personnel Protective Equipment (PPE) such as helmets, ear muffs, safety belts, glows, etc. to ensure the safety of workers in working site

Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.

The project has constructed storm water drains in the lower slopes of the project area for effective management of storm water. This helps to channelize the storm water to the rain water collection



pond and the most of the debris is being settled down in the bottom of the pond.

The transportation of minerals should be done in covered trucks to contain dust emissions.

To avoid dust emission from the vehicle while transportation of materials the project proponent assure that the trucks are covered before leaving the site.

25 The proponent should plant trees at least 5 times of the loss that has occurred while clearing the land for the project.

The project proponent has started to plant various saplings in the project area as a compensation of loss of trees while the project is clearing the land for mining. The project proponent is planning to plant more tree saplings in the project site.



Disposal of spent oil from diesel engines should be as specified under relevant Rules / Regulations.

The project proponent is using the used oil as lubricant for machineries and other equipment. Disposal of spent oil from diesel engines is being sold only to the approved recyclers as specified



under relevant Rules/Regulations.


Explosives should be stored in magazines in isolated place specified and approved by the explosives department.

As part of safety, Explosives are stored in magazine. The magazine situated in an isolated place specified and approved by the explosives department.



A minimum buffer distance of 100m meter from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

To keep a the safe zone to residents, community resource and public infrastructure, the norms of Kerala State Pollution Control Board distance regarding the criteria houses, roads, rivers and worship places is adhered by the project. There is 102 meter distance to the nearest house from the boundary of mining area.



29	100 m buffer distance	There is no forest near to the project
	should be maintained	site. The nearest forest is Chembara
	from forest boundaries.	Forest which is 12 km away from the
		project site.

Pollution Control Board under Water and Air Act(s) should have been obtained before initiating activity.

The project proponent has obtained consent from KSPCB under Water and Air Act(s). The copy of certificate of "Consent to Operate" (Renewal) from Kerala State Pollution Control Board is provided in **Annexure No.1.**

31 **A11** other statutory clearances should have obtained. been as project applicable, by proponents from the respective competent authorities including that for blasting and storage of explosives.

The certificates obtained from concerned statutory authorities are enclosed in **Annexure No. 1, 2, 3, 4 &**

Name of the Statutory Name of the Statutory authority approval **Environmental** State Environmental Impact Assessment Clearance order Authority, Kerala "Consent to Operate" Kerala State Pollution Control Board **Explosive License** Ministry of Commerce & Industry -& Petroleum **Explosives** Safety Organization (PESO) License for quarry Grama Panchayat operations



Lease AgreementMining and Geology Dept.

32 the In case of any change(s) in the scope of extent the project, quantity, process of mining technology involved or in any way affecting the environemental parameters/impacts assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.

At present the project is running as per plan submitted in Environmental Impact Assessment Authority, Kerala. There is no change in the scope of the project. The project will seek for a new Environmental clearance in case of any change(s) in the scope of the project.

33 The Authority reserves the add right to additional safe guard measures subsequently, if found necessary, and to action including take revoking of the environment clearance under the provisions of the **Environmental** (Protection) Act 1986, to

The project proponent is willing to add all possible additional safe guard measures subsequently if the authority found necessary.



ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

34 stipulations The by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

stipulations The by Statutory Authorities under different Acts and complied Notifications are with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

35 The project proponent should advertise in at least two local news papers widely circulated in the region, one which (both advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded

An advertisement in two local daily newspapers (English and Malayalam) regarding Environmental Clearance accorded to the quarry project was given within the stipulated period and the copy of the same was submitted at SEIAA Kerala.

Environmental Clearance and copies of clearance letters are available with the Department of **Environment and Climate** Change, Govt. of Kerala and may also be seen on website of the the Authority www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and the copy of the same signed in all pages should be forwarded to the office of this authority as confirmation.

36 **letter shall be sent by the** letter proponent to concerned Grama/District Panchayath / Municipality Corporation / Urban Local Body and also to the Local NGO, if any from whom suggestions representations, if any while received were

A copy of the clearance A copy of the environmental clearance was submitted to Grama office. There Panchayat were suggestions/representations received while processing the proposal.

processing the proposal.

The Environmental

Clearance shall also be
put on the website of the
company by the
proponent.

37 The proponent shall six monthly submit compliance of stipulated EC conditions including results monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall the update same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the **Environment** State **Impact Assessment**

The proponent shall The compliance report is being submit six monthly reports on the status of compliance of the stipulated EC conditions including results of Monthly of Annexure No. 6, 7 & 8.

Authority (SEIAA) office.



38 The details of Environmental Clearance be prominently displayed in a metallic board of 3 ft x 3ft with background green and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall depicted at be entrance of the quarry, visible to the public.


The detail of the Environmental Clearance has displayed on metallic board in the project site. The metallic board installed as specified in the conditions of Environmental Clearance order.

39 The proponent should notarized provide affidavit (indicating the number and date of **Environmental Clearance** proceedings) that all the conditions stipulated in EC the shall be scrupulously followed...

An assurance in the form of affidavit was already submitted to SEIAA Kerala.

40 No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modification in the mine shall be

At present, the project proponent is not intending to expand the area of mine, technology and scope of working. The project proponent will appear SEIAA for Environment Clearance if the project proponent wants to expand its scope. The mining is progressing as per



carried out without prior approval of the SEIAA, as applicable.

submitted plan.

41 The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any originating from the mine lease shall be taken.

There is no such natural water course or "thodu" is flowing along the project site. The project proponent will ensure the natural runoff of storm water. No stream is originating from the lease area.

42 Monitoring of Ambient air Quality to be carried based out on the notification 2009. as amended from time to the time by Central Pollution Control Board. Water sprinkling should be increased at places loading and un loading points & transfer point to reduce fugitive emissions.

The project proponent has monitored the ambient air quality as per National Ambient Air Quality Standard (NAAQS), during the time of appraisal of the project. The project proponent is intending to increase splashing of water and installation of sprinklers at loading, unloading and transfer points.

The top soil, if any, shall be temporarily be stored at earmarked site(s) only

To prevent the soil erosion, the top soil and overburden are stacked in designated place within the project site.

for the topsoil shall be used for land reclamation and plantation. The Over Burden (OB) generated during the mining operations shall be staked at earmarked dump site(s) The only. maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall maintained to 45°. OB should dumps be scientifically vegetated suitable with native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the bump. The entire excavated area be shall backfilled. Monitoring and management rehabilitated areas should continue until vegetation becomes selfsustaining.

Only topsoil will be used for plantation. Overburden will be used for landfill and to construct haulage roads in the mining area. The excess will be stored in a designated place as per the direction of State Environment Impact Assessment Authority (SEIAA). The Environment Monitoring Cell monitors the execution of eco restoration. Geo textiles has provided to prevent slide of soil slippage.





44 Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc., The drains shall be regularly de silted particularly after monsoon and maintained

The project proponent has constructed effective garland drains to catch all the storm water during the time of monsoon season. These channels directed the water to the rain water collection pond. All sediments and silts are settling at the bottom of the pond and only cleared water is letting out. The water from the pond can be used for splashing of water on roads to arrest the dust. The project proponent indenting to create de siltation chambers along with catch drains.

45 Effective safeguard measures such as regular water sprinkling shall be

properly.

The project proponent is regularly checking the pollution of all vehicles in the site and spraying water in critical



carried critical out prone to air areas pollution and having high levels of PM_{10} and $PM_{2.5}$ such as haul road, loading an un loading points and transfer points - it shall be ensured that the Ambient Quality **Parameters** confirm the norm prescribed by Central **Pollution** the Control Board in this regard.

areas prone to air pollution with the help of vehicle. The project proponent installed sprinklers in critical area to reduce the dust emission such as loading and unloading points, haul roads and transfer points. The ambient air quality is being monitored with the help of an approved laboratory.

46 **Fugitive**

dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer point should be provided and properly maintained.

The project proponent splashes water in critical area to reduce the dust emission such as loading and unloading points, haul roads and transfer points. The vehicle sprinklers and for water spraying are properly maintained.

47

Measures should be taken for control of noise levels below 85 dBA in the work environment.

The main sound generating activities are the playing of jack hammer, vehicles breaker, and blasting operations. The level noise from all these activities does not go beyond 85dBA. The project proponent has been taking appropriate measures to reduce



the noise, These are mentioned under the condition number 11.

48 Management Cell with suitable qualified personal should be set up under the control of a senior executive, who will report directly to the Head of the Organization.

A separate Environmental To monitor all conditions stipulated in the Environment Clearance and environment Management Plan, the project proponent has constituted an Environment Monitoring Cell with Mr. Peter T V as the head of the Cell.


49 The funds earmarked for environmental protection and CSR activities should be kept in separate account and should not diverted for other be purpose. Year wise expenditure should be reported to State the **Environment Impact** assessment authority

(SEIAA) office.

The project proponent could execute many activities under Corporate Social Responsibility (CSR) for community development. To implement these activities in a good manner, the project proponent has opened an account for keeping the funds earmarked for environmental protection and CSR.

50 The Regional Office of MoEF &CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s)

The project proponent will extent all possible cooperation to the officers form regional office of MoEF & CC and produce data/information/reports when they are asking for.



of the regional Office by furnishing the requisite data/information/monitoring reports.

51 **environmental clearance** issued at NGT within 30 days. shall lie with the National Green Tribunal, preferred within a period of 30 days as prescribed under section 16 of the National Green tribunal Act, 2010.

Any appeal against this There was no appeal against the EC

52 Concealing the factual data or submission of false/ fabricated data and data submitted were true. failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the action under provisions **Environment** (Protection) Act, 1986.

The PA does not conceal any data during appraisal of the project and all

53 The SEIAA may revoke or implementation any of the specific or this

The project proponent is willing to **suspend the order, for** implement the conditions stipulated in the Environment Clearance order. The project can execute all possible anv of the above conditions is not satisfactory. The **SEIAA** reserves the right alter/modify the above conditions or stipulate any further condition in interest environment protection.

implementation of any of measures in the project site for the conservation of environment.

54 The above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by other authority for the same project.

The project proponent gives priority to stipulated the conditions in Environment clearance Order for its execution.

55 period of 5 years or the expiry date of mine lease period issued by the Govt. of Kerala, whichever is earlier.

This order is valid for a It is noted that this Environmental Clearance order is valid for a period of 5 years or the expiry date of mine lease period issued by the Govt. of Kerala, whichever is earlier. The PP has got one year covid extension and benefit of subsequent amendment in EIA Notification on validity of EC.

environmental There is no pending litigation related to 56 The

clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

the land or project in any court of law.

57 The mining operation shall be restricted to above ground water table and is should not intersect ground water table.

The project proponent restricts its mining operations above the ground water table.

58 **A11** vehicle for used transportation and within the mine shall have "PUC" certificate from authorized pollution taking center. Washing of testing center. all vehicles shall be inside the lease area.

As part of reduce air pollution, the project proponent is monitoring the pollution level of all vehicles playing in the project site. This monitoring conducts only in authorized pollution testing center.

obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project.

Project proponent should At present, the need of prior approval is
 obtain necessary prior not necessary to draw ground water and
 permission of the surface water for the project.



Regular monitoring of flow rates and water quality upstream and

quality upstream and down streams of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six

monthly report to SEIAA.

There is no stream or springs flowing in and around to the mine lease area. The project proponent has installed de siltation traps and other mechanism to prevent sediments and wastes from the mining area to the public drainage system.

Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

The project proponent has conducted occupational health surveillance program for the labours working in mining area in association with Primary Health center.

ANNEXURE

Annexure No.1

wa- DL



KERALA STATE POLLUTION CONTROL BOARD

FILE NO.: KSPCB/WA/ICO/10043517/2023

Date of issue: 04-10-2023

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No: KSPCB/WA/ICO/10043517/2023

Valid upto : 28-12-2028

Ref:Consent No: PCB/WND/CVO/13/2022, Date of Issue: 08/03/2022, Valid Upto: 28/12/2023

The Integrated Consent to Operate issued as per reference above to M/s WAYANAD GRANITE QUARRY UNIT , Pinangode (PO) Vengapally Kalpetta Wayanad is hereby renewed up to 28-12-2028 and issued to M/sSri. M M Thomas , Madathinamattathil (H) Kannavam (PO) Chittariparamba Kannur .The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/additions.

I. GENERAL

Sl.No	Items	Description
1	Category	Red
2	Capital Investment	65 Lakhs
3	Annual Fees	Rs.18000/-
4	Fee Remitted	Rs.90000/-
5	Validity	28/12/2028
6	Activity	Quarrying Unit

SPECIFIC CONDITIONS

2. CONDITIONS AS PER

The Water (Prevention and Control of Pollution) Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption:500 L/day
- 2.3 Effluent generation: 400 L/day
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

SI.NO.	Characteristics	TY-:4	Tolerance Limit	
SI.NO.	Characteristics	Unit	Sewage	Trade Effluent
1	рН	-	6.5 - 8.5	N/A
2	BOD	mg/l	30	N/A
3	Oil & Grease	mg/l	10	N/A
4	TSS	mg/l	100	N/A

2.5 Mode of disposal of treated effluent: Soak pit

3. CONDITIONS AS PER

The Air (Prevention and Control of Pollution) Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack	Sources of Emission	Emission	Stack Height above		Control Equipment
No.	Sources of Emission	Rate(Nm3/Hr)	Ground Level	Roof Level	
	N/A	-	-	-	=

- 3.2 Emission characteristics not exceed ambient air quality specified by national air quality standard. Sound level (Leq) at 1 m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjoining areas.
- 3.3 PM10 in ambient air at the boundary shall not exceed 100 microgram/m3.
- 3.4 PM2.5 in ambient air at the boundary shall not exceed 60 microgram/m3.

3.5 There shall not be any fugitive emission from the premises.

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

- 4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.
- 4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001.
- 4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

- 5.1 This consent is granted subject to the power of the Board to review and make variations in all or any of the conditions as per section 21(6) of the Air (Prevention & Control) of pollution Act 1981 and section 27 of the Water (Prevention & control) of pollution Act 1974.
- 5.2 This consent is granted based on the particulars and affidavit submitted by the Entrepreneur and any violation/non-compliance/submission of false information will lead to cancellation of consent and stringent action against the applicant and occupier. In the case of noncompliance of integrated consent conditions, the consent issued will be withdraw/cancelled, and fee will be forfeit.
- 5.3 The consent issued from the Board will be valid only for a period during the period when all other statutory or necessary clearances from other concerned authorities are valid. The consent issued from the Board is only with respect to the powers vested under the Water Act, 1974, Air Act 1981 and Rules there under. The operation of the unit shall be commenced only after obtaining clearances from all concerned authorities
- 5.4 For renewal of the consent in case of continuance of operation of the industry, application in the prescribed form shall be submitted through the web portal of the Board for renewing the Consent on or before two months in advance to expiry date.
- 5.5 The occupier shall comply with all the environmental rules and the related act stipulated by the government, relevant instructions issued by the Board in time to time for the prevention and control of pollution and protection of environment.
- 5.6 No change or alteration of the unit or equipment capacity shall be made without the prior permission of the Board. Any change in the particulars furnished in the references or in the identity of the occupier / authorized agent is to be intimated to the Board forthwith.

- 5.7 Location of the unit shall be as shown in the drawing attached. No change or alteration to the above shall be made without obtaining prior permission from the board.
- 5.8 A minimum distance of 50 m shall be kept from the boundary of quarry area to residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges etc.
- 5.9 Set back as per building rules shall be provided between the boundary and the buildings.
- 5.10 Hygienic condition and good housekeeping practices shall be maintained in and around the unit.
- 5.11 The consented shall put up a sign board of size 6 ft. X 4 ft. near the main entrance of the unit to display the name of the unit and important consent conditions
- 5.12 Mining shall be only done as per the approved mining plan and approval of District Geologist
- 5.13 Regular wetting of the road in the premises of the unit quarry and approach roads near the quarry shall be done for avoiding excessive dust emission within and outside the boundary.
- 5.14 Quarrying activity shall not be carried out between 6.00 pm to 6.00 am.
- 5.15 Fencing shall be provided around the boundary of quarry and shall be maintained properly.
- 5.16 Quarrying operations shall be started only after obtaining Mining permit/lease from Mining & Geology Department and D & O License under the Kerala Panchayat Raj Act from the concerned Local Self Government.
- 5.17 Adequate safety measures shall be provided in accordance with the fire & safety regulations.
- 5.18 After completion of mining, the mining area shall be reclaimed as per approved mine closure plan.
- 5.19 No other machineries, other than that specified in the consent shall be operated in the quarry without prior Consent of the Board.
- 5.20 This consent become invalid if the Sy.numbers specified in the environmental clearance comes within the ESA.
- 5.21 This consent is granted subject to the final order in OA number 304/2019 before the Hon'ble NGT regarding distance criteria of Quarries.
- 5.22 The consent issued from the Board shall be valid only for a period to which all other statutory or necessary clearances from other concerned authorities are valid.
- 5.23 All requisite licences shall be obtained before functioning the unit.

Signature valid

Digitally signed by SHIJU M A

Date: 2023.10.04 16:28:01 IST

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER

To

M/s M/s WAYANAD GRANITE QUARRY UNIT Pinangode (PO) Vengapally Kalpetta Wayanad E-Mail: wayanadgranites@gmail.com Contact Number:9048880990,

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000
- 2. For verifying this document please go to www.keralapcbonline.com and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Phoenix website.

Copy of Consent form PCB



Validity expires on 28/12/2022

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the quarry project of Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites in Sy. Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala - granted - Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 1132/EC/SEIAA/2017

Dated, Thiruvananthapuram 29/12/2017

Ref:

- Application dated 28.02.2017 from Mr.M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Pinangode Post, Kalpetta, Wayanad District - 673 121
- 2. Minutes of the 76th meeting of SEAC held on 25th & 26th July, 2017.
- 3. Minutes of the 81st meeting of SEAC held on 30th & 31st October, 2017.
- 4. Minutes of the 76th meeting of SEIAA held on 16th November 2017.
- 5. Affidavit received on 4/12/2017 from Mr.M.M.Thomas, Managing Partner of M. Wayanad Granites, Pinangode Post, Kalpetta, Wayanad 673 121.

ENVIRONMENTAL CLEARANCE NO. 109/2017

Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala- 673 121 vide his application dated 28.02.2017 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1, at Vengappally Village, Vythiri Taluk, Wayanad District, Kerala for an area of 5.1625 Ha. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. The project comes under Category B2 as per Notification

Page **1** of **15**

No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows:

BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

	PROJECT DETAILS
File No.	1132/EC/SEIAA/KL/2017
Name /Title of the project	Building Stone Quarry (Minor Mineral) project of M/s Wayanad Granites
Name and address of project proponent.	Mr. M.M. Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala-673121. E-mail:-wayanadgranites@gmail.com
Owner of the land	Private own land
Survey No. District/ Taluk/ and Village etc.	Survey Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala
Category/Sub Category and Schedule	Category B / B2 & Schedule 1(a)
Details of period of lease or permit with number including the beginning and expiry date of lease /permit period (Copy to be attached)	Quarry not working
Present Status of	Quarry not working
the project Date & Year of starting the work of the quarry project.	Quarry not working
Whether the	Quarry not working

Page 2 of 15

quarry is working at present or not? If stopped working since when? Date of Submission of Application Brief description of the project. Brief description of the project of the project during the initial project cost will be about 12 to straight the about 12 to straight the about 12 to straight the project cost will be about 12 to straight the about 12 to straight the project cost will be about 12 to straight the project of the project of the project of the projec		
when? Date	working at present or not?	
submission of Application The building Stone Quarry (Minor Mineral) mining project of M/s Wayanad Granites is situated at Survey Nos. 371/1, 371/2/1, 372/1, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala in area of 5.1625 hectares. The land for the proposed quarry is a private owned land and the land is possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated will be about 11 years. The mining operation will be carried out by opencast semi-mechanized method as per the approved Mining Plan. Latitude (N) = 11°36′51.91″N to 11°37′01.95″N Longitude(E) = 76°02′21.06″E to 76°02′31.71″E Mr. M.M. Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala-673 121. Extent of area in hectares Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21.262°cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude Longitude(E) 76°02′21.06″E to 76°02′31.71″E	working since	Quarry not working
Granites is situated at Survey Nos. 371/1, 371/2/1, 372/1, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala in area of 5.1625 hectares. The land for the proposed quarry is a private owned land and the land is possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated project cost will be about 11 years. The mining operation will be carried out by openeast semi-mechanized method as per the approved Mining Plan. Details of Authorized Signatory and address for correspondence The Latitude (N) = 11°36′51.91″N to 11°37′01.95″N Extent of area in hectares Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21.262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude (N) 11°36′02′21.06″E to 76°02′21.71″E	submission of	
possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated project cost will be about Rs. 3.35 Crores. The expected life of mine estimated will be about 11 years. The mining operation will be carried out by opencast semi-mechanized method as per the approved Mining Plan. Latitude (N) = 11°36′51.91′N to 11°37′01.95′N Longitude(E) = 76°02′21.06′E to 76°02′31.71′E Mr. M.M. Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala-673 121. Extent of area in hectares Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude The land dro the production of mine will be downed franties. The targeted production of mine will be about Rs. 3.35 Crores. The expected life of mine estimated will be about 11 years. The mining operation will be validated project cost will be about 11 years. The mining operation will be about 11 years. The mining operation will be about 11 years. The mining operation will be about 12 years. The mining operation will be about 11 years. The mining operation will be about 12 years. The min		Granites is situated at Survey Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District,
Details of Authorized Signatory and address for correspondence Extent of area in hectares Is the property forest land/own land/patta land Quantity of top soil/over burden produced and managed A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized as soil base for plantation. Latitude and Longitude Longitude(E) = 76°02'21.06"E to 76°02'31.71"E Mr. M.M. Thomas, Managing Partner, M/s Wayanad, Kerala-673 121. E-mail :- wayanadgranites@gmail.com LAND BETAILS 5.1625 hectare Private own land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude (E) 76°02'21.06"E to 76°02'31.71"E	of the project.	possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated project cost will be about Rs. 3.35 Crores. The expected life of mine estimated will be about 11 years. The mining operation will be carried out by opencast semi-mechanized method as
Details of Authorized Signatory and address for correspondence E-mail: - wayanadgranites@gmail.com LAND DETAILS 5.1625 hectare Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Mr. M.M. Thomas, Managing Partner, M/s Wayanad, Kerala-673 121. E-mail: - wayanadgranites@gmail.com LAND DETAILS 5.1625 hectare Private own land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude (N) 11°36'51.91"N to 11°37'01.95"N Longitude (E) 76°02'21.06"E to 76°02'31.71"E	GPS Co-ordinate	
Extent of area in hectares Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude (E) 76°02'21.06"E to 76°02'31.71"E	Authorized Signatory and address for	Mr. M.M. Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala-673 121.
Is the property forest land/ Govt. land/own land/patta land A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Latitude (N) 11°36′51.91″N to 11°37′01.95″N Longitude (E) 76°02′21.06″E to 76°02′31.71″E		
A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude A total quantity of about 21,262 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized as soil base for plantation. Latitude and Longitude (E) 76°02'21.06"E to 76°02'31.71"E		
during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude (E) 76°02'21.06"E to 76°02'31.71"E	forest land/ Govt. land/own	Harden Hart
utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude utilized in spreading over reclaimed areas for plantation as part of ecorestoration. About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized as soil base for plantation. Latitude and Longitude (N) 11°36'51.91"N to 11°37'01.95"N Longitude (E) 76°02'21.06"E to 76°02'31.71"E		during the mining operations. The topsoil excavated from the quarry will be
About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude Longitude About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Latitude and Longitude (N) 11°36'51.91"N to 11°37'01.95"N Longitude (E) 76°02'21.06"E to 76°02'31.71"E	soil/over burden	utilized in spreading over reclaimed areas for plantation as part of eco-
Latitude and Latitude (N) 11°36'51.91"N to 11°37'01.95"N Longitude (E) 76°02'21.06"E to 76°02'31.71"E		About 42,525 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At
Longitude (E) 76°02'21.06"E to 76°02'31.71"E	T -4'411	
	Topography of	9 1/

Page **3** of **15**

land and	with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography
elevation	of the lease area is hilly. As the proposed area is hill rock, the drainage of the lease area is towards West. No habitants are located in the lease area.
Slope analysis	The slope is towards West side.
Will there be any significant land disturbance	Due care will be taken to provide channel all around the foot of the hill to
resulting in soil erosion, subsidence &	
natural drainage.	
Access road to the site width and condition	7m wide road
Will there be any adverse impact on the aesthetics of the proposal site	No, the land used will be fully reclaimed and rehabilitated by backfilling the pond and plantation. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.
Aller Latine	MINING DETAILS
Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 800 m to 760m MSL in conceptual phase.
Life of mine proposed.	About 11 years
Underground mining if any proposed	No underground mining. The working will be carried out by opencast semi- mechanized method as per the approved Mining Plan.
Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan
Distance from the adjacent quarry	There is no quarry in operation within 500m radius.
Cluster condition if any	No cluster condition The
Has "No cluster certificate" submitted?	Yes, cluster certificate is already submitted with Environment Clearance Application.
Distance from nearby habitation	About 102m towards North side
Distance from nearby forest, if applicable	Chembra Forest about 12 km, South
Distance from protected area, Wildlife	Malabar Wildlife Sanctuary about 8 km, SW

Page **4** of **15**

ver about 4 km, W di about 2.50 km, E Dam about 12 km NW
SA S
approved mining plan prepared by RQP is already submitted with lication.
MTA
ing will be done by open cast semi-mechanized method of mining. In height and width will be maintained 5 m. Excavated material is ed to the crusher unit for further processing. The ultimate depth of workings is estimated to reach up to 760m MSL
DETAILS OF PROJECT COST
Crore (All inclusive)
Crore (All inclusive)
Crore (All inclusive)
roject Cost = Rs. 3.35 Crore nsurance = Insurance to the quarry workers would rovide through insurance company. g = Own source & bank loan
 Mining activities will generate certain quantities of dust during drilling blasting loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes.

Page **5** of **15**

		Controlled blasting techniques will be adopted.
		 Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals.
13.36		 Provision of dust filters/ mask to workers working at highly dust prone and affected areas.
		 Provision of green belt all along the periphery of the lease area.
		 Periodical monitoring of ambient air quality in and around the lease area.
		The extracted mineral will be transported from the
		quarry to the end user by adopting following measures so as to minimize dust emissions.
	Alleria estado	 In case of long transportation the trucks after loading will be covered with tarpaulin sheets.
		 Speed of the vehicles will be maintained within the prescribed limits.
		Trucks will not be over loaded and will be maintained to the body level
	Water	Provision of storm water collection pond with an
	Pollution	appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads, landscaping etc. Can be met from the stored rainwater in
	Noise	the pond.
	Noise	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:-
	W.E.W.	• Proper maintenance of machinery, equipments and imparprovement on design of machines.
	AL ENDO	• Use of personal protective devices i.e., earmuffs and earphigs by workers, who are working in high noise generating areas.
	1/2/1	Creation of wide green belt of dense foliage between
		Proper training to personnel to create awareness about adverse noise level effects.
		Planned noise monitoring at suitable locations in the plant and outside location for proper effective
		remedial actions.
	Solid Waste	Topsoil Management
	Management	The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and
	1	subsequently will be utilized in spreading over

Page **6** of **15**

	topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.
	Overburden Management This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. Eco- The year wise programme of eco-restoration for life of mine
	restoration will be made and about 4,200 plants will be planted in an area of 4.2757 ha.
Whether Environment Management Plan or Eco restoration Plan satisfactory?	Detailed Environment Management Plan is already submitted with E.C Application.
Does it suggest mitigation measures for each activity	Detailed Environment Management Plan is already submitted with E.C Application.
Is Pre-Feasibility Report (PFR) satisfactory	Detailed Pre-Feasibility Report (PFR) is already submitted with E.C. Application.
Does it need public hearing	Not Applicable
Details of litigation and Court verdict if any	No litigation pending
Details of public complaint, if any	None
Details of statutory sanction required	 The following Govt. Orders / Policies are to be followed: Kerala Minor Mineral Concession Rules, 2015. Mines Act, 1952 Explosive Rules, 2008 Kerala Panchayat Raj Act, 1994 Environment Protection Act, 1986 EIA Notification, 2006 / 2009 The Kerala Promotion of Tree Growth in Non-Forest Areas (Amendmen Act, 2007.

Page **7** of **15**

If CRZ recommendation	Not Applicable
applicable?	
ENVIRON	PART B MENT IMPACT ASSESSMENT AND MITIGATION MEASURES
Details of water requirement per day in KLD	The total water requirement is about 15 KLD in which 1 KLD is for domestic purpose which would be sourced from open well, 12 KLD for dust suppression in mine with ancillary unit and 2 KLD for plantation purposes and will be sourced from storm water pond.
Water source/sources.	1 KLD is for domestic purpose which would be sourced from open well, 12 KLD for dust suppression in mine with ancillary unit and 2 KLD for plantation purposes and will be sourced from storm water pond.
Expected water use per day in KLD.	15 KLD
Details of water requirements met from water harvesting.	12 KLD for dust suppression in mine with ancillary unit and 2 KLD for plantation purposes and will be sourced from storm water pond.
What are the impact of the proposal on the ground water?	No significant impact envisaged on ground water due to the mining project.
How much of the water requirement can be met from the recycling of treated waste water? (Facilities for liquid waste treatment)	No STP proposed for treatment of waste water.
What is the incremental pollution load from waste water generated from the proposed activities?	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
How is the storm water from within the site managed?	The run-off from the lease area will be suitably collected through channels and will be stored in storm water pond for further utilization in Mine unit. However, all measures will be taken to not to disturb the natural drainage system of the surrounding area.
	ON BIODIVERSITY AND ECO RESTORATION PROGRAMMES
Will the project involve extensive	Due to the mining activities, there will be loss of some native species and vegetation. However, some of these species will be planted at the end use for

Page **8** of **15**

1	eco-restoration.
clearing or modification of	eco-restoration.
vegetation	
(Provide details)	
What ate the	
measures	
proposed to	
minimize the	
likely impact on	The year wise programme of eco-restoration for life of mine will be made and
vegetation	about 4,200 plants will be planted in an area of 4.2757 ha.
(details of	
proposal for tree	
plantation/	
landscaping)	The state of the s
Is there any	
displacement of	
fauna – both	
terrestrial and	N. t. smillechle
aquatic If so	Not applicable
what are the	
mitigation measures?	
Presence of any	No endangered species found at site
endangered	110 citatings of specific
species or red	
listed category	
(in detail)	
	IMPACT ON AIR ENVIRONMENT
	Mining activities will generate certain quantities of dust during drilling,
	blasting, loading and transportation operations. The following measures will
	be taken to mitigate the fugitive dust from different operations.
	• Laying of haul road as per the standards, black topping of permanent haul
	road and service road to avoid or eliminate air – borne dust.
What are the	To avoid the dust generation from the drilling operations, wet drilling
mitigation	method will be adopted.
measures on	Drill machines will be equipped with dust collectors. On blooking and evoiding overcharging of
generation of	· Use of appropriate explosives for blasting and avoiding overcharging of
dust, smoke and	blast holes. Controlled blasting techniques will be adopted.
air quality	• Controlled blasting techniques will be adopted.
	• Watering of haul road and other road at regular intervals.
	Provision of dust filters/ mask to workers working at highly dust prone
	and affected areas.
	Provision of green belt all along the periphery of the lease area. Provision of green belt all along the periphery of the lease area.
	• Periodical monitoring of ambient air quality in and around the lease area.
Details of	The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions.
internal traffic	user by adopting following measures so as to infillinize dust emissions.

Page **9** of **15**

management of the site.	 In case of long transportation the trucks after loading will be covered with tarpaulin sheets. Speed of the vehicles will be maintained within the prescribed limits. Trucks will not be over loaded and will be maintained to the body level
Details of noise from traffic, machines and vibrator and mitigation measures	 The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels: Proper maintenance of machinery, equipments and improvement on design of machines. Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas. Creation of wide green belt of dense foliage between mine areas and residential colonies. Proper training to personnel to create awareness about adverse noise level effects. Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.
Impact of DG sets and other equipments on noise and vibration and ambient air quality around the project site and mitigation measures	No DG Set proposed
Air quality monitoring in detail	The ambient air quality monitoring of the project site was carried out and the copy of report is already submitted with E.C. Application.
* 1 59	ENERGY CONSERVATION
Details of power requirement and source of supply.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity 15 10 10 hr.
Details of renewable energy (non – conventional) used.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
	RISK MANAGEMENT
Are there sufficient measures proposed for risk hazards in case of emergency such	Detailed Environment Management Plan is already submitted with E.C. Application.

Page **10** of **15**

Barbed wire fencing will be done all around the quarry site.
The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.
Top soil and over burden generated from the site will be stored separately or earmarked place and will be used for eco-restoration and internal road development.
SOCIO ECONOMIC IMPACTS
The proposed project will directly / indirectly develop the area by providing employment opportunities. With the proposed development in and around the area there will be supporting facilities/ infrastructure eventually leading to the development of the area.
Part of the proposed land is rocky area with mining activities and there is no vegetation in that area. The remaining land in the proposed land is mostly covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography of the lease area is hilly terrain. The highest elevation of the lease area is 800 m MSL and lowes is 70m. As the proposed area is hill rock, the drainage of lease area is towards West. The project proponent set apart an amount of Rs. 7 Lakhs as recurring
expenses and Rs. 8 Lakhs as Non recurring expenses for CSR activities for the welfare of local community in consultation with the Grama Panchayat.
Due to the mining activity and due to the attached ancillary unit, there will be workers attracted to the project area. It is proposed to employ 16 persons in the project.

Page **11** of **15**

Details of	M/s Environmental Engineers & Consultants Pvt. Ltd.
NABET	(NABET Accredited Consultant Organization)
approved EIA	Head Office :- A1-198, Janak Puri, New Delhi.
Consultant	
engaged-Their	Branch Office:-
name, address	C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.
and accreditation	
details	
	SUMMARY AND CONCLUSION
Overall justification for implementation of the project.	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt, will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely.
Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.

2. The proposal was placed in the 76th meeting of SEAC held on 25th& 26th July, 2017. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1.

The proponent agreed to set apart Rs 10 lake per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. The Committee decided to defer the item for field inspection.

Site visit was conducted on 21.10.2017 by Subcommittee consisting of Dr.Khaleel Chovva & Dr.E.A.Jayson and submitted report

The land for the quarry project is private owned land and is possessed in the name of M/s Wayanad Granites. The targeted production of mine will be 1,00,000 MTA. The estimated project cost is about Rs. 3.35 Crores. The expected life of mine estimated will be about 11 years. The mining operation will be carried out by opencast semi-mechanized method as per the approved Mining Plan.

Page 12 of 15

The proponent and partners were present when the team visited the quarry. The quarry is not working presently. Malabar Wildlife Sanctuary is about 8 km, SW and nearest town Kalpetta is about 5km. This quarry is working in partnership mode. Kabani River is about 4 km from the site. There are four quarries (not working) i.e., Mr. Thomas O.D., Mr. Joseph P.M. & M/s Krishnagiri Stone Crusher (2 quarries) were working with short term permit located within 500m radius and currently there is no working quarry near the site.

No important eco sensitive areas or forests is present within 100m. On field visit, it is suggested that, it is necessary to take precaution to avoid effluent waters entering the nearby areas. This calls for establishing scientifically laid garland drains and settling tanks for settlement of debris. The presently provided pits (two nos.) has to be developed into two settling ponds with sufficient depth with rubble lined side walls. Only filtered water after sedimentation be allowed to flow out of the quarry. The nearby house is located at a distance of 102 meters. Quarters and canteen facility has to be created before the functioning of the quarry. The boundary pillars has to be painted with yellow colour and lat.long. marked on the pillars. Tree planting as per the mining plan to be strictly followed. The application may be favourably considered.

- 3. The proposal was placed in the 81st meeting of SEAC held on 30th & 31st October, 2017. The proposal was appraised by SEAC after considering Form I, Form IA, Conceptual plan, field visit report and all other documents and details provided by the proponent and decided to **Recommend for issuance of EC** subject to general conditions in addition to the following specific condition.
 - 1. If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area
- 4. The proposal was considered in the 76th meeting of SEIAA held on 16th November 2017. The Authority decided to issue EC subject to the submission of the copy of proof for having applied for Wild Life Clearance, with general conditions and the following specific conditions.
 - If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area
 - All condition suggested by the field inspection report as noted above should be strictly implemented before starting mining.

The proponent should set apart Rs.10 lakh per annum (recurring) for CSR activities for the welfare of the local community to be implemented in consultation with the local

Page 13 of 15

Panchayat and the details should be forwarded to SEIAA. A notarised affidavit for the commitment of CSR activities and also agreeing to all the general and specific conditions should be submitted before the issuance of EC. The proponent has submitted an affidavit vide reference 5th cited, satisfying all the above conditions.

- 5. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed building stone quarry project of Mr.M.M Thomas, Managing Partner, M/s Wayanad Granites, Pinangode Post, Kalpetta, Wayanad, Kerala- 673 121 in Sy. Nos. 371/1, 371/2/1, 372/1, 372/4, 372/2, & 373/1 of Vengappally Village & Panchayat, Vythiri Taluk, Wayanad District, Kerala for an area of 5.1625 hectares subject to the specific conditions as recommended by SEIAA in para 4th above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 6. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 10 (Mining), Chapter 10.c (Blasting), Chapter 19(Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 7. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- Compliance of the conditions herein will be monitored by the State Environment Impact
 Assessment Authority or its authorised offices and also by the regional office of the
 Ministry of Environment & Forests, Govt. of India, Bangalore.
 - Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
- Instances of violation if any shall be reported to the District Collector, Wayanad to take legal action under the Environment (Protection) Act 1986.

Page 14 of 15

iii. The given address for correspondence with the authorised signatory of the project is Mr. M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Pinangode Post, Kalpetta, Wayanad – 673 121.

Sd/-P.H.Kurian I.A.S, Member Secretary (SEIAA)

To,

Mr. M.M.Thomas, Managing Partner, M/s.Wayanad Granites, Pinangode Post, Kalpetta, Wayanad – 673 121.

Copy to,

- MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Wayanad
- 6. The District Geologist, Wayanad
- 7. The Tahsildhar, Vythiri Taluk.
- 8. Chairman, SEIAA.
- 9. Website.
- 10. S/f
- 11. O/c



Forwarded /By Order

Administrator(SEIAA)

Page 15 of 15

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- 13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

- 29. 100 m buffer distance should be maintained from forest boundaries.
- Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/
 District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if
 any, from whom suggestions / representations, if any, were received while processing the
 proposal. The Environmental Clearance shall also be put on the website of the company by the
 proponent.
- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and vellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- 51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- 61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala



भारत सरकार | Government of India

ारित सरकार | Gövernment of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (सेसी) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives A और D - विग् ब्लॉक 1-8, दूसरा तल, श्रास्त्री भवन | A & D - Wing, Block 1-8, Ind Floor, Shastri Bhavan 26 हड्डोज्स रोड, नुगब्वकम बेटी | 26 Haddous Road, Nungambakkam Chennai 600006 फोन (Phone):- 28281023 | फैक्स (Fax):- 28284848

संख्या (No.): E/SE/KL/22/234(E120930)

दिनांक (Date): 16/04/2024

Shri M.M.Thomas,

Mg. Partner, Wayanad Granites, Pinangode P.O., Town/Village - Kalpatta District-WAYANAD, State-Kerala, Pincode - 673121

Survey No.373/1, ग्राम Vengappally, Vythiri, जिला WAYANAD, राज्य Kerala में मेसर्स Shri M.M.Thomas द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुस्राद्य से E/SE/KL/22/234(E120930) के संशोधन संदर्भ में।

(आरेखण / सुविधाएं / परिसर में परिवर्तन)

Possession for Use of of Explosives from magazine situated at Survey No.:373/1, Vengappally, Vythiri, Dist. WAYANAD, Kerala -Licence No.: E/SE/KL/22/234(E120930) granted in Form LE-3 of Explosives Rules, 2008 -

(Amendment in Drawings/Facilities/Premises).

महोदय। Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 118810 दिनांक 16/04/2024 का संदर्भ ग्रहण करें। Please refer to your letter no. 118810 dated 16/04/2024.

अनुज्ञापि संख्या ESE/KL/22/234(E120930) usage of Explosives at the Proposed Granite Building Stone Quarry granted to the Licensee Situated at Block No.10, New Re. Survey No. 371/S, 371/2-3, 371/14, 371/10, 371/9, 371/11, 371/13, 371/13, 371/13, 372/14, 372/8, 372/7, 372/S, 372/S, 372/S, 373/4 & 373/S (Derived from Old S.No.371/1, 371/2, 372/1, 372/2, 372/4 & 373/1). Vengapally (Vilb), Vythiri (Tk), Wayanad (Dt), Kerala wide the FORM H, valid up to 19.03.2029 under the following conditions. 1. Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2. Blasting Operations should be reconducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008 and REG and REI3 to be maintained as per the Rules. 6. Other Permissions from the State/Central Government Authorities needed to be obtained by the Licensee/Occupier for the Transportation, Usage of Explosives. Usages of Explosives Rules, 2008. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The Licence No.: E/SE/KL/22/234(E120930) is forwarded herewith duly amended in respect of followings:

usage of Explosives at the Proposed Granite Building Stone Querry granted to the Licensec Situated at Block No.10, New Re. Survey No. 371/5,371/2-2, 371/14, 371/10, 371/0, 371/13, 371/12, 372/1, 372/3, 372/3, 372/6, 3724. & 372/3), Yeignapally (Vill), Venjagnaphy (V

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	3000	Mtrs
3	Ordinary Detonator	6	3	0	5000	Nos.
4	Electric Detonators	6	3	0	2500	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद ३ (ख) और (ग) के अधीन अनुञ्चिति के लिए लागू) ; 15 गुना Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 15 times as above.

यह अनुज्ञप्ति दिनांक 31 **मार्च 2**029 तक प्रवृत्त रहेगी। This Licence shall remain valid till **31st day of March 2029.**

अनुद्वादि के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें। For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(डा.टी.एल.थनुलिंगम | Dr. T. L. THANULINGAM) संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives

दक्षिणांचल, चेन्नै । South Circle, Chennai

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. उप मुख्य विस्फोटक नियंत्रक कोच्ची

The Dy. Chief Controller of Explosives, Kochi

2. District Magistrate, WAYANAD, Kerala with reference to his Noc No: DCWYD/9193/2018-M1 Dated: 07/03/2019

3. Superintendent of Police, WAYANAD, Kerala.

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives दक्षिणांचल, चेन्नै | South Circle, Chennai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट http://peso.gov.in देखें.) (For more information regarding status, fees and other details please visit our website http://peso.gov.in)

अनुज्ञप्ति प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुखेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञस्ति Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/234(E120930) वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri M.M.Thomas (বিমিনানা / Occupier : Shri M.M.Thomas), Mg. Partner, Wayanad Granites, Pinangode P.O., Town/Village Kalpatta, District-WAYANAD, State-Kerala, Pincode - 673121



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Partnership Firm

अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। Licence is valid only for the following purpose.

possess for use of Nitrate Mixture, Safety Fuse, Ordinary Detonator, Electric Detonators, - के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: - (ず) (a)

gp Sr. No. 1. 2.	नाम और विवरण Name and Description Nitrate Mixture Safety Fuse Ordinary Detonator	वर्ग और प्रभाग Class & Division 2 .0 6 ,1 6 ,3	उप-प्रभाग Sub-division 0 0 0	मात्रा किसी एक समय में Quantity at any one time 300 Kg. 3000 Mtrs 5000 Nos.
3. 4.	Electric Detonators	6,3	0	2500 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]:

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/234(E120930) 5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पृष्टि होती है।

दिनांक (Dated) 16/04/2024 The licensed premises shall conform to the following drawing(s): .

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address: Survey No. 373/1 , प्राम (Town/Village) : Vengappally, Vythiri

673121 पिनकोड (Pincode) WAYANAD राज्य (State) जिला (District) ई. मेल (E-Mail) फैक्स (Fax) 9747100956 दूरभाष (Phone)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

Portable Magazines

Portable Magazines
The licensed premises consist of following facilities.
8. अनुज्ञप्ति समय – समय पर् यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions additional conditions and the following Annexures.

omunai conditions and the following Annexures. 1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)। Drawings (showing site, constructional and other details) as stated in serial No. 5 above. 2. अनुज्ञति प्राधिकारी व्याररा हस्ता क्षरित इस अनुज्ञप्ति की शर्ते और अतिरिक्ति शर्ते। Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2024 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2024. भए जानुसारा ताराख 31 माय 2024 तक प्राथमान्य रहाता 1 mis neence snan remain valid in 31st day of March 2024. यह अनुज्ञप्ति, अधिनयम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्देष्ट सेट-VII के अधीन तथा उपविधित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपविध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached

तारीखा The Date - 22/04/2019

उप मुख्य विस्फोटक नियंत्रक | Dy. Chief Controller of Explosives

as above.

Amendments:

- nendments:

 Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 24/05/2019

 Amendment in Drawings/Facilities/Premises dated: 24/08/2023

 Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 24/08/2023

 Amendment in Drawings/Facilities/Premises dated: 16/04/2024

नवीनीकरण के पृष्ठांकन के लिए स्थान

	Space for End	dischement of Renewal
नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
07/02/2024	31/03/2029	Sd/- Dy. Chief Controller of Explosives, Ernakulam


कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा। Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for

Copy of Explosives – license



Gram Panchayath License



FORM H (See Rule 43) QUARRYING LEASE

> DEPT. OF MINING & GEOLOGY MEENANGADI, WAYANAD - 673 59

DISTRICT TREASURY
WAYANAD

O 9 HAR 2010

MALPETTA NICKTORY

AND

PIN: 572 122

(...2)

Copy of Lease Order

Lessor

No..... Value

Date

Stamp





TEST REPORT

ULR No: TC540222000008585F			
LRI No.: SEAAL22091375A	Date: 12-07-2024	Page 1 of 2	

CUSTOMER DETAILS	
Customer Name & Address	Mr. M.M Thomas Managing Partner M/s Wayanad Granites Pinangode, Kalpetta Wayanad District
Customer Reference	Test Request dt : 02-07-2024

	SAMPLE I	DETAILS	
Product Category	Atmospheric Pollution	Sample Code	EN22090668
Sample Name	Ambient Air	Sample Received on	09-07-2024
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	10-07-2024
Sampled by	Lab Authorized Sampler	Test Completed on	13-07-2024
	DETAILS OF	SAMPLING	
Sampling Location	South Side Boundary	Date of Sampling	08-07-2024
Sampling Procedure	SEAAL/ENL/GEN/SOP/02	Humidity	66%
	SAMPLING SI	TE DETAILS	
Survey No	371/1, 371/2/1, 372/1, 372/	4, 372/2, 373/1	
Village	Vengapally	Taluk	Vythiri
District	Wayanad	State	Kerala

	TEST RESULTS- CHEMICAL PARAMETERS				
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	μg/m³	72.5	Max 100

Shency Joy Dy.TM-Chemical Checked by:

Laiju P.N. Laboratory Head

Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





TEST REPORT

ULR No: TC540222000008585F			
LRI No.: SEAAL22091375A	Date: 12-07-2024	Page 2 of 2	

	TEST RESULTS- CHEMICAL PARAMETERS				
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	μg/m³	38.1	Max 60
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	μg/m³	<2.00	Max 80
4	Oxides of Nitrogen as NO2	IS 5182 (Part 6): 2006	μg/m³	3.85	Max 80

Remarks:

End of Report

Standards

Shency Joy Dy.TM-Chemical Checked by: Lapery State Laper

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^s Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

Ambient Air





TEST REPORT

ULR No: TC540222000008586F		
LRI No.: SEAAL22091376A	Date: 12-07-2024	Page 1 of 2

CUSTOMER DETAILS	
	Mr. M.M Thomas
Customer Name & Address	Managing Partner
	M/s Wayanad Granites
	Pinangode, Kalpetta, Wayanad District
Customer Reference	Test Request dt : 02-07-2024

DETAILS OF MONITORING					
Product Category	Atmospheric Pollution	Sample Code	EN22090669		
Sample Name	Ambient Noise	Monitoring Commenced on	08-07-2024		
Monitoring Location	South side Boundary	Monitoring Completed on	09-07-2024		
Test Method	IS 9989:1981 RA:2008	Monitored by	Lab Authorized Sampler		

	SAMPI	ING SITE DETAILS	
Survey No	371/1, 371/2/1, 372	/1, 372/4, 372/2, 373/1	
Village	Vengapally	Taluk	Vythiri
District	Wayanad	State	Kerala

	MONITORING RESULTS - Leq								
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)				
06:00	36.8	14:00	49.3	22:00	35.6				
07:00	39.4	15:00	49.6	23:00	34.2				
08:00	43.6	16:00	50.8	24:00	36.7				
09:00	47.0	17:00	51.2	01:00	37.4				
10:00	49.3	18:00	45.9	02:00	37.1				
11:00	52.3	19:00	42.4	03:00	37.8				
12:00	49.6	20:00	38.7	04:00	36.7				
13:00	48.9	21:00	38.2	05:00	38.5				

Shency Joy Dy.TM-Chemical Checked by: Standard S

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this lest report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





TEST REPORT

ULR No: TC540222000008586F				
LRI No.: SEAAL22091376A	Date: 12-07-2024	Page 2 of 2		

	TEST RESULTS- CHEMICALPARAMETERS					
Sl. No.	PARAMETERS UNIT RESULT					
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	47.7			
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	37.1			

Remarks:

End of Report

Standards

Shency Joy Dy.TM-Chemical Checked by: Standard Co

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

Result of ambient Noise





TEST REPORT

ULR No: TC540222000008587F					
LRI No.: SEAAL22091377A	Date: 12-07-2024	Page 1 of 2			

	CUSTOMER	DETAILS	
Customer Name & Address	Mr. M.M Thomas Managing Partner M/s Wayanad Granites Pinangode, Kalpetta Wayanad District		
Customer Reference	Test Request dt : 02-07-2024		
	SAMPLE I	DETAILS	
Product Category	Water	Sample Code	WT22090400
Sample Name	Ground Water	Sample Received on	09-07-2024
Sample Conditions at Receipt	Fit for Analysis	Temperature @ Receipt	4°C
Sample Quantity& Packing	2L & 125ml Plastic Bottles	Test Commenced on	10-07-2024
Sampled by	Lab Authorized Sampler	Test Completed on	12-07-2024
	DETAILS OF	SAMPLING	
Sample Source	Open Well	Date of Sampling	09-07-2024
Sampling Procedure	SEAAL/ENL/GEN/SOP/01& SEAAL/MBL/SOP/06	Sample Temperature	28 °C
	SAMPLING SI	TE DETAILS	
Survey No	371/1, 371/2/1, 372/1, 372/4	, 372/2, 373/1	
Village	Vengapally	Taluk	Vythiri
District	Wayanad	State	Kerala

	TEST RESULTS- CHEMICAL PARAMETERS							
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012			
1	Colour	IS 3025 (Part 4):1983	Hazen	1.00	Max 5			

Stantal Venner

Shency Joy Dy.TM-Chemical Checked by Salini T.S.
Microbiologist

Authorized Signatory

Laiju P.N.

Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^s Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





TEST REPORT

ULR No: TC540222000008587F				
LRI No.: SEAAL22091377A	Date: 12-07-2024	Page 2 of 2		

	TE	ST RESULTS- CHEMICAL PAR	RAMETERS		
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
2	Odour	IS 3025 (Part 5):2018	1222	Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10):1984	NTU	< 0.10	Max 1
4	рН	IS 3025 (Part 11):1983	(500.1	6.93	6.50 - 8.50
5	Total Dissolved Solids	IS 3025 (Part 16):1984	mg/L	73.0	Max 500
6	Total Hardness as CaCO3	IS 3025 (Part 21):2009	mg/L	30.6	Max 200
7	Calcium as Ca	IS 3025 (Part 40):1991	mg/L	8.80	Max 75
8	Magnesium as Mg	IS 3025 (Part 46):1994	mg/L	1.99	Max 30
9	Chloride as Cl	IS 3025 (Part 32):1988	mg/L	17.0	Max 250
10	Total Alkalinity as CaCO ₃	IS 3025 (Part 23):1986	mg/L	24.1	Max 200
11	Iron as Fe	IS 3025 (Part 53):2003	mg/L	0.10	Max 1
12	Sulphate as SO ₄	IS 3025 (Part 24):1986	mg/L	1.10	Max 200

	TEST RESULTS - BIOLOGICAL PARAMETERS							
Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012			
1	Total Coliform Bacteria	IS 15185 : 2016		Absent/100 ml	Absent/100 ml			
2	E coli	IS 15185 : 2016		Absent/100 ml	Absent/100 ml			

Remarks:

End of Report

Shency Joy Dy.TM-Chemical Checked by

Microbiologist

Authorized Signatory


Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^s Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com


Result of drinking water




Certificate of Mining Mate





Certificate of Second-Class Manager






Certificate of Persons with first Aid Certificate







Bill copy of planted saplings

Wayanad Granites

CSR Donations

Ledger Account

1-Apr-2024 to 31-Oct-2024

Date	P	articulars	Vch Type	Vch No.	Debit	Credi
4-4-2024	То	Petty Cash cash paid to SKSSF vengap medical bed purchase c/o p	• *************************************	99	10,000.00	
17-4-2024	То	Petty Cash CASH PAID TO AJEESH F CHARITY 5000	Payment OR	457	5,000.00	
8-5-2024	То	Petty Cash cash paid csr donation c/o a hospital exp anurag	Payment ajeesh	1082	1,320.00	
11-5-2024	То	Petty Cash cash paid to bijoy m john , photo graph c/o ajeesh	Payment for	1151	1,500.00	
13-5-2024	То	Petty Cash cash paid to peter for hospit -colony	Payment tal exp	1239	2,000.00	
15-6-2024	То	Cash @ Backoffice 13/6-4 labous half duty-157 -4 labour-3150 paid to prah rahul,nayan,kashi c/o ajil		2305	4,730.00	
27-6-2024	То	Petty Cash cash paid to basil for vengue village doanation c/o ajees flood exp)	·	2594	2,000.00	
3-7-2024	То	Agosh Joseph Salary (Cap India) june month salary gokul hi work	Journal puse		20,000.00	
4-7-2024	То	Petty Cash Dontion cash paid to Quary House maintance c/o Ajees		2803	10,000.00	
9-7-2024	То	Noushad VV House 7*7*14 50 rs *250 nos -125	Journal 500	289	12,500.00	
	То	Noushad VV House 1.5 mtr window	Journal	289	2,650.00	
10-7-2024	То	Petty Cash cash paid to Ashokan (Gok House work) .	Payment ul	2997	3,000.00	
11-7-2024	То	Petty Cash cash paid to Ashokan (cash Advance) Gokul House c/c Aneesh .		3016	15,000.00	
		Carried Over		-	89,700.00	

Wa	vana	ad G	ranı	tes

- ·	Ledger Account : 1-Apr-2024 to	31-001-2024	V 1 T	17.	D-1-14	Page :
Date	Particulars		Vch Type	Vch No.	Debit	Cred
	Brought Forward				89,700.00	
2-7-2024	house MKC of frame work to		Payment	3025	12,000.00	
3_7_2024	balance pendir	paid by agosh , ng -2500/-	Payment	3089	13,000.00	
0-1-2024	cash paid to A	shokan (Gokul ny from Faisal) .	,	3000	13,000.00	
		rork (Door kattila paid to Abdusalam. c	Payment	3098	2,500.00	
7-7-2024	To (as per details) CAP India Constructions Petty Cash MANATHAVADY- 2550,FOOD 600,I PLASTIC SHEET +VENGAPALLY 600 + EMILY SITE 8412	3484 GOKUL HOUSE	Payment	3162	600.00	
	To Petty Cash Cash paid to A House work)	Ashokan (Gokul 1500.	Payment	3166	1,500.00	
8-7-2024	To Petty Cash cash paid to As House work).		Payment	3190	3,000.00	
9-7-2024	To Petty Cash Gokul house w. kadappa kall) o Akosh .	rork (Alamara cash paid through	Payment	3205	1,400.00	
	To Petty Cash cash paid to Ashouse work)	shokan (Gokul	Payment	3206	1,000.00	
0-7-2024	To Petty Cash cash paid to As House work).	shokan (Gokul	Payment	3252	12,000.00	
3-7-2024	To Petty Cash 2.5 inch nail 2 through midhul work.	kg .cash paid lesh) Gokul House	Payment	3297	180.00	
	To Petty Cash cash paid to As House work).	shokan LBR (Gokul	Payment	3301	5,000.00	
4-7-2024	To Petty Cash cash paid to As Gokul House w	shokan LBR s (vork)	Payment	3309	5,000.00	
	Carried Over	·			1,46,880.00	

Wavana	d Gran	iites

Date	F	Particulars	Vch Type	Vch No.	Debit	Credi
		Brought Forward			1,46,880.00	
25-7-2024	То	Petty Cash PAID TO ASHOKAN KETTUOANNI	Payment	3330	7,000.00	
		COLONY				
		P H Hardware Pinagode	Journal	PH-24-25/27	7,990.00	
		P H Hardware Pinagode	Journal	PH-24-25/28	2,408.00	
27-7-2024	То	Anil Vegappally Sales 4*7*14 bricks 70 nos * 31 (10-7 -24)	Journal		2,170.00	
	То	Anil Vegappally Sales 4*7*14 bricks 70 nos * 31 (20-7 -24)	Journal		2,170.00	
	То	Noushad VV House 7*7*14 250 nos * 50 and loading 750	Journal		13,520.00	
	То	Petty Cash cash paid to Ashokan LBR c/o Aghosh (gokul house)	Payment	3403	13,000.00	
1-8-2024	То	Petty Cash cash paid to Ashokan (Gokul House work) .	Payment	3451	4,000.00	
2-8-2024	То	Agosh Joseph Salary (Cap India) july month salary gokul house work	Journal		20,000.00	
	То	Petty Cash cash paid to ashokan (Gokul House work) .	Payment	3467	2,000.00	
3-8-2024	То	Noushad VV House 7*7*14 250 nos * 50 and loading 750 31-7-24	Journal		13,520.00	
	То	Petty Cash cash paid to Ashokan (Gokul House work).	Payment	3505	13,000.00	
	То	P H Hardware Pinagode 16 mm TMT bar new ck 18.800 kg	Journal	PH-24-25/36	1,136.00	
	То	P H Hardware Pinagode 8mm TMT bar new ck,ms wire, covering block,bullet cutting wheel 4" green,chalk	Journal	PH-24-25/35	25,536.00	
5-8-2024	То	Petty Cash cash paid to ashokan gokul house	Payment	3530	3,000.00	
	То	P H Hardware Pinagode Fan hook 6 mm	Journal	PH-24-25/37	250.00	
6-8-2024	То	Petty Cash Cash Paid for Gokul House Work 17000 Through Ashokan Contractor	Payment	3539	17,000.00	
		Carried Over			2,94,580.00	

			_		
Wa	IOF	her	c,	an	itac

Date	P	articulars	Vch Type	Vch No.	Debit	Credi
		Brought Forward			2,94,580.00	
		P H Hardware Pinagode CAT KL10AW6171	Journal Journal	PH-24-25/39	17,000.00 3,000.00	
		3*100-Chooralmala			0,000.00	
8-8-2024	То	Petty Cash Cash Paid for Gokul House 1000 Through Ashokan	Payment	3569	1,000.00	
	То	CAT KL10AW6171 2*1000 chooralmala	Journal		2,000.00	
9-8-2024	То	Anil Vegappally Sales 4*7*14 bricks 100 * 31	Journal		3,100.00	
	То	CAT KL10AW6171 Chooralmala 1 hrs	Journal		1,000.00	
10-8-2024	То	Petty Cash cash paid to Ashokan . (gokul House work) .	Payment	3611	8,000.00	
12-8-2024	То	Petty Cash Cash Paid to Ashokan(contractor) for the Work of Gokul House 1000	Payment	3620	1,000.00	
	То	CAT KL10AW6171 Chooralmala 1*1000	Journal		1,000.00	
13-8-2024	То	Petty Cash gokul house nail purchase 2 kg cash paid to agosh	Payment	3632	200.00	
	То	Petty Cash cash paid to ashokan gokul house 1000	Payment	3635	1,000.00	
	То	CAT KL10AW6171 2.5*1000-Chooralmala	Journal		2,500.00	
15-8-2024	То	CAT KL10AW6171 1.5*1000-Chooralmala	Journal		1,500.00	
17-8-2024	То	Petty Cash cash paid to Ashkan Gokul house work (c/o Aneesh and Akosh).	Payment	3671	3,000.00	
	То	Petty Cash cash paid to Ashokan (Gokul House work) .	Payment	3702	4,000.00	
20-8-2024	То	Petty Cash cash paid to ashokan gokul house 7500	Payment	3726	7,500.00	
22-8-2024	То	Petty Cash cash paid to Ashokan c/o Akosh .	Payment	3742	5,000.00	
26-8-2024	То	Petty Cash cash paid to Ashokan (Gokul house work) .c/o Agosh .	Payment	3804	2,000.00	
		Carried Over		_	3,58,380.00	

٧v	ลงล	nad	G	am	ies

SR Donations Ledger Accoun	•	Vala Tuna	\/el- NI-	Debit	Page 5
Date Particulars	<u> </u>	Vch Type	Vch No.		Credi
Brought	Forward			3,58,380.00	
14-9-2024 To Petty Cas	sh	Payment	4101	3,500.00	
	cash paid to babu (Elctrical work) c/o Akosh	•		0,000.00	
16-9-2024 To Petty Cas	sh CSR donation paid usman member vengappally c/o Ajeesh .	Payment	4111	10,000.00	
17-9-2024 To Petty Cas		Payment	4116	4,500.00	
21-9-2024 To Petty Cas	ch Cash paid to Organizations Helping the Deaf and Community in India clo Aneesh	Payment	4227	1,000.00	
23-9-2024 To Petty Cas	Sh CASH PAID TO ANSARI 12000 GOKUL HOUSE PLASTERING C/O AGOSH	Payment	4296	12,000.00	
24-9-2024 To Petty Cas	sh gokul house electrical work cash paid	Payment	4329	4,000.00	
To CAP India Co	nstructions 10 bag cement to gokul house	Journal	433	3,400.00	
25-9-2024 To Petty Cas	sh gokul house plastering 2000 c/o agosh	Payment	4375	2,000.00	
28-9-2024 To Petty Ca s	sh GOKUL HOUSE PLASTERING CASH PAID MUBARAK C/O ANSARI AND AGOSH	Payment	4485	16,000.00	
1-10-2024 To Petty Cas	sh CASH PAID TO GOKUL HOUSE FOR PLASTIC SHEET	Payment	4555	650.00	
4-10-2024 To CAP India C o	nstructions gokul house cement usage	Journal	433	1,700.00	
5-10-2024 To Petty Ca s	sh gogul house plastering to ummer farook 25000(hindi)	Payment	4716	25,000.00	
To Petty Cas	sh gokul house lbr wage prahladh 700 *2 (26-9-2024)	Payment	4723	1,400.00	
9-10-2024 To Petty Ca s	sh cash paid to gogul house plastering c/o agosh	Payment	4804	5,000.00	
Carried (Over		-	4,48,530.00	

5,35,765.00

5,35,765.00

5,35,765.00

5,35,765.00

CSR Donations		: 1-Apr-2024 to 31-Oct-2024			5.12	Page 6
Date	Particulars		Vch Type	Vch No.	Debit	Credit
	Brought F	orward			4,48,530.00	
12-10-2024	To Petty Cas	h plastering work gokul house , payment close total amount 70000(mubarak)	Payment	4932	10,000.00	
15-10-2024	To Petty Cas	h Donation paid c/o Ajeesh	Payment	5003	5,000.00	
17-10-2024	To Petty Cas	h cash paid for gokul house painting	Payment	5061	4,000.00	
21-10-2024	To Petty Cas	h cash paid c/o ajeesh to old person for medicine	Payment	5201	100.00	
25-10-2024	To Petty Cas	h Dust sale to Abubacker c/o Ajeesh	Payment	5339	925.00	
26-10-2024	To Petty Casi	h gogul house tile labours advance paid. C/O ANEESH	Payment	5421	5,000.00	
	To Petty Cas	h Gogul house sink	Payment	5423	1,900.00	
	To State Bank of Indi	a 740 (\$BI) cheque clear to tp tiles centre a/c (gogul house tile payment)	Payment	5435	47,770.00	
28-10-2024	To PH Hardware	Pinagode CEMENT 7 NOS	Journal	PH-24-25/91	2,640.00	
29-10-2024	To Petty Cas	h GOGUL HOUSE TILE WORK PAID TO SUNIL	Payment	5514	5,000.00	
30-10-2024	To Petty Cas	h cash paid to sasi gogul house tile work	Payment	5544	3,000.00	
31-10-2024	To PH Hardware	Pinagode pidifin 2k 15 kg	Journal	PH-24-25/97	1,900.00	

CSR Details

Closing Balance