

SAFETY DATA SHEET

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : GEM-X Brake Cleaner Spray

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cleans the dust and grease on brake parts.

1.3. Supplier

Manufactured or sold by:

LIKYA TRADE INC.

200 Burnhamthorpe Road E, Unit 1203 Mississauga L5A 4L4 ON, CANADA Telephone +1 (416) 434-9017

Email: ela@likyatrade.com Website: www.gem-x.ca

1.4. Emergency telephone number (CHEMTREC)

Emergency number : 800-424-9300 90 (Canada)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Aerosol, Category 1	Extremely flammable aerosol. Pressurized
	container; may burst if heated.
Serious eye damage/eye irritation, Category 2	Causes serious eye irritation.
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness.

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :





Signal word (GHS US) : Danger

Hazard statements (GHS US) : Extremely flammable aerosol

Pressurized container; may burst if heated

Causes serious eye irritation

May cause drowsiness or dizziness

Precautionary statements (GHS US) : If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.



Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Avoid breathing dust, fume, gas, mist, vapours, spray.

Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
acetone; propan-2-one; propanone	CAS-No.: 67-64-	≥ 85 – < 90	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63- 0	≥1-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Carbondioxide	CAS-No.: 124- 38-9	≥1-<5	Press. Gas (Comp.), H280
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	CAS-No.: 64742- 49-0	≥ 1 – < 5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS-No.: 64742- 49-0	≥ 1 – < 5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.



First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eve contact

: Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water.

: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

: Call a poison center or a doctor if you feel unwell. First-aid measures after ingestion

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects

: May cause drowsiness or dizziness.

Symptoms/effects after inhalation

: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. May cause

drowsiness or dizziness.

Symptoms/effects after skin contact

: None under normal conditions.

Symptoms/effects after eve contact Symptoms/effects after ingestion

May cause eye irritation. Eye irritation.

: None under normal conditions. May cause irritation to the digestive tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS THE LEAK CAN BE

STOPPED. Dry chemical, CO2, or water spray or regular foam. Water spray.

Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard

: Extremely flammable aerosol. Pressurised container: May burst if heated. Heating may cause a fire or explosion.

Explosion hazard

: Pressurised container: May burst if heated. Explosion risk in case of fire.

Heating may cause an explosion.

Hazardous decomposition products in

case of fire

: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire

Firefighting instructions

: Keep container tightly closed and away from heat, sparks and flame.

: Fight fire from safe distance and protected location. Eliminate all ignition

sources if safe to do so. Fight fire remotely due to the risk of explosion. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting

: Self-contained breathing apparatus. Do not attempt to take action without

suitable protective equipment. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Eliminate every possible source of ignition. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

Name: GEM-X Brake Cleaner Spray Issue date: 11.08.2025

Version: 1.0 SDS ID: EYS F 831-1-22



6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge to atmosphere.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or

absorbents to prevent migration and entry into sewers or streams. Stop leak

without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of

normal use.

Precautions for safe handling : Obtain special instructions before use. Use only outdoors or in a well-

ventilated area. Prevent the build-up of electrostatic charge. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat. Use only non-sparking

tools. Ground/bond container and receiving equipment.

Storage conditions : Keep cool. Keep only in original container. Keep away from heat, hot

surfaces, sparks, open flames and other ignition sources. No smoking. Keep in fireproof place. Keep container closed when not in use. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Keep container tightly closed.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available



8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation. Ensure good ventilation of

the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless Odour characteristic Odour threshold No data available pΗ No data available Not applicable Melting point Freezing point : No data available Boiling point No data available

Flash point : < 23 °C

Relative evaporation rate : No data available

(butylacetate=1)

Flammability (solid, gas)

Vapour pressure

Relative vapour density at 20°C

Relative density

Solubility



Partition coefficient n-octanol/water (Log : No data available

Pow)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions. Extremely flammable aerosol. Pressurised container: May burst if heated.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. May mass explode in fire. Heating may cause a fire or explosion.

10.4. Conditions to avoid

High temperature. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)	
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat, Remarks on results: other:
LC50 Inhalation - Rat	> 25,2 mg/l air Animal: rat
ATE US (dermal)	2800 mg/kg bodyweight



Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l

acetone; propan-2-one; propanone (67-64-1)		
LD50 oral rat	5800 mg/kg bodyweight Animal: rat, Animal sex: female	
LC50 Inhalation - Rat	76 mg/l air Animal: rat, Animal sex: female, 95% CL: 65,2 - 88,4	
ATE US (oral)	5800 mg/kg bodyweight	

Version: 1.0

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)

STOT-single exposure May cause drowsiness or dizziness.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

STOT-single exposure May cause drowsiness or dizziness.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

acetone; propan-2-one; propanone (67-64-1)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Name: GEM-X Brake Cleaner Spray Issue date: 11.08.2025

SDS ID: EYS F 831-1-22



Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)	
Viscosity, kinematic	0,7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

	·	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
Viscosity, kinematic	0,67 mm ² /s	
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. May cause drowsiness or dizziness.	
Symptoms/effects after skin contact Symptoms/effects after eye contact	None under normal conditions.May cause eye irritation. Eye irritation.	
Symptoms/effects after ingestion	: None under normal conditions. May cause irritation to the digestive tract.	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)		
LOEC (chronic)	0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas

acetone; propan-2-one; propanone (67-64-1)		
LC50 - Fish [1]	11000 mg/l	
EC50 - Crustacea [1]	7635 mg/l	
LOEC (chronic)	> 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≥ 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

12.2. Persistence and degradability

Brake Cleaner Low-Voc AMK-01	
Persistence and degradability	Rapidly degradable

Carbondioxide (124-38-9)	
Persistence and degradability	Rapidly degradable

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)	
Persistence and degradability	Rapidly degradable



Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
Persistence and degradability Rapidly degradable	

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Rapidly degradable

acetone; propan-2-one; propanone (67-64-1)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

acetone; propan-2-one; propanone (67-64-1)	
Partition coefficient n-octanol/water (Log Pow)	-0,24

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations. Waste Management

Regulation published in the Official Journal numbered 29314 on April 2,

2015.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Sewage disposal recommendations

Product/Packaging disposal

recommendations

Additional information
Ecological waste information

: Disposal must be done according to official regulations.

: Disposal must be done according to official regulations.

Do not re-use empty containers.Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

UN-No. (DOT) : Not applicable UN-No. (TDG) : Not applicable

UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable



Proper Shipping Name (TDG) : Not applicable Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1
Danger labels (IATA) : 2.1



14.4. Packing group

Packing group (DOT) : Not applicable Packing group (TDG) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not applicable

TDG

Not applicable

IMDG

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR

CORROSIVE)

Stowage category (IMDG) : None



Stowage and handling (IMDG) : SW1, SW22

Segregation (IMDG) : SG69

IATA

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity : 30kgG

(IATA)

PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

propan-2-ol; isopropyl alcohol; isopropanol CAS-No. 67-63-0 ≥ 1 − < 5%

acetone; propan-2-one; propanone (67-64-1)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

Carbondioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)

Listed on the Canadian DSL (Domestic Substances List)

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Listed on the Canadian DSL (Domestic Substances List)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)



acetone; propan-2-one; propanone (67-64-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Carbondioxide (124-38-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (64742-49-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

acetone; propan-2-one; propanone (67-64-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Carbondioxide(124-38-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
propan-2-ol; isopropyl alcohol; isopropanol(67-63-0)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
acetone; propan-2-one; propanone(67-64-1)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Data sources : Classification according to Regulation (EC) No. 1272/2008 [CLP].

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. ECHA (European Chemicals Agency). Classification according to

Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December

11, 2013.

Other information

Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents.

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration



Abbreviations and acronyms	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

SDS US_FINAL(2024)

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable