


60 x 120 cm
GVT & PGVT

PROZZO®

SELECT \ ENDLESS \ BOOKMATCH
COLLECTION



<https://avab.zonexports.com>



PROZZO® COLLECTION

COLLECTIVE CREATION

The Prozzo Collection is a grand amalgamation of three categories of tiles which include Prozzo Select, Prozzo Endless and Prozzo Bookmatch. Prozzo Select includes urban and unique designs that are crafted to amplify a place. Prozzo Endless is a collection of elegant tiles that gives an endless illusion to a space. Prozzo Bookmatch tiles give a classy look to a space with their grandeur.

PROZZO® SELECT



PROZZO® ENDLESS



Size
60x120cm 60x60cm
 

PROZZO® BOOKMATCH



Size
60x120cm


PROZZO® SELECT

ATTRACTIVE COMBINATIONS FOR SUPERIOR SPACES

It has been more than three years that you all embraced the 'PROZZO' Collection with open arms. It allows the development of aesthetically pleasing spaces without compromising on the technical aspects.

Over the years, we have observed that matching the wall tiles' concepts with floor tiles is challenging while selecting the tiles. Tile selection was challenging because we had to roam from one place to another to get the satisfactory matching combinations of wall and floor tiles' designs.

In these uncertain times, where we have to take utmost care of ourselves while away from home, 'Simpolo' has created a collection that will make the tile selection activity easy and exciting! Each design concept created in 'PROZZO-SELECT' offers more than four matching combinations of wall and floor tiles' concepts in different surface finish.

'PROZZO-2021' will allow you to complete the tile selection only from one place to get the most satisfying design combinations of wall and floor tiles that your spaces deserve.

APPLICATION AREA
BATHROOM

1146

60x120cm

Glossy



1147

60x120cm

Glossy



CRV-1147 | DECOR

60x120cm

Glossy

60x120cm

60x60cm



8147

60x60cm

Matt

6146

60x60cm

Glossy

ONE SET,
MULTIPLE
POSSIBILITIES.

CREATE YOUR BATHROOM IN YOUR STYLE BY
CHOOSING A UNIQUE COMBINATION FROM A
SET OF TILES. DESIGN A CUSTOM THEME WITH
THE USE OF LIGHT, HIGHLIGHTER AND DARK
TILES FOR YOUR BATHROOM.

BATHROOM TILING OPTION - 1



Different ambiances can be created with a combination of Prozzo Select tiles. In this ambient, Highlighter, Light - 60x120cm and Dark - 60x120cm are used as wall tiles and Dark - 60x60cm is used as floor tiles. Light - 60x60cm is not used here.

BATHROOM TILING OPTION - 2

For this style, Dark - 60x120cm and Light - 60x120cm are used for tiling the walls and Dark - 60x60cm is used as floor tiles. Here, Highlighter and Light - 60x60cm are not used.



BATHROOM TILING OPTION - 4

Here, Light - 60x120cm and Light - 60x60cm are not used instead, the bathroom is tilled using Dark - 60x120cm and Highlighter as wall tiles and Dark - 60x60cm as floor tiles.



BATHROOM TILING OPTION - 3

In this tiling style, Dark - 60x120cm and Light - 60x60cm are left out while using Light - 60x120cm and Highlighter to highlight the walls. Dark - 60x60cm is used for flooring.



BATHROOM TILING OPTION - 5

For this decor style, only Light - 60x60cm and Dark - 60x60cm are used.





Floor : 6125
Size : 60x120cm
Surface : Glossy



Wall : 1136 & CRV-1137 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 8137
Size : 60x60cm
Surface : Matt

PROZZO SELECT



1125 Glossy | Random - 12



CRV-1137 DECOR Glossy



1125 Glossy | Random - 12



6125 Glossy | Random - 12



D-8137 Matt

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1136 Glossy | Random - 6



CRV-1137 DECOR Glossy



1137 Glossy | Random - 6



6136 Glossy | Random - 6



8137 Matt | Random - 6

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1130
Size : 60x120cm
Surface : Glossy

Floor : 8131
Size : 60x60cm
Surface : Matt



Wall : 1123
Size : 60x120cm
Surface : Glossy

Floor : 1123 & CRV-1131 DECOR
Size : 60x120cm
Surface : Glossy




1130 Glossy | Random - 8



CRV-1131 DECOR Glossy



1131 Glossy | Random - 8



6130 Glossy | Random - 8



8131 Matt | Random - 8

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1123 Glossy | Random - 6



CRV-1131 DECOR Glossy



1123 Glossy | Random - 6



6123 Glossy | Random - 6



D-8131 Matt

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1127 & CRV-1147 DECOR
Size : 60x120cm
Surface : Glossy


Floor : 1127
Size : 60x120cm
Surface : Glossy



1127 Glossy | Random - 8



CRV-1147 DECOR Glossy | Random - 2



1127 Glossy | Random - 8



6127 Glossy | Random - 8



D-8147 Matt | Random - 2



Scan for Virtual
360°



1146 Glossy | Random - 6



CRV-1147 DECOR Glossy | Random - 2



1146 Glossy | Random - 6




6146 Glossy | Random - 6



8147 Matt | Random - 6



Scan for Virtual
360°



1124 Glossy | Random - 12



CRV-1124 DECOR Glossy



1124 Glossy | Random - 12



6124 Glossy | Random - 12



D-8124 Matt



Scan for Virtual
360°



Wall : 1140 & CRV-1141 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1141
Size : 60x120cm
Surface : Glossy





1140

Glossy | Random - 4




1142

Glossy | Random - 8




1126

Glossy | Random - 8



CRV-1141 DECOR

Glossy



CRV-1143 DECOR

Glossy



CRV-1143 DECOR

Glossy



1141

Glossy | Random - 4



1143

Glossy | Random - 8




1126

Glossy | Random - 8



D-8141

Matt



6142 Glossy | Random - 8



JOINT
TOLERANCE
0-3mm



6140 Glossy | Random - 4



8143 Matt | Random - 8



D-8143


Matt



JOINT
TOLERANCE
0-3mm




6126 Glossy | Random - 8



Scan for Virtual
360°



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1132
Size : 60x120cm
Surface : Glossy

Floor : 1133
Size : 60x120cm
Surface : Glossy




Wall : CRV-1139 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 6138
Size : 60x60cm
Surface : Glossy

PROZZO SELECT




1138 Glossy | Random - 4



CRV-1139 | DECOR Glossy




1139 Glossy | Random - 4



6138 Glossy | Random - 4



8139 Matt | Random - 4



Scan for Virtual
360°



1132 Glossy | Random - 8



CRV-1139 | DECOR Glossy



1133 Glossy | Random - 8



6132 Glossy | Random - 8



8133 Matt | Random - 8



JOINT
TOLERANCE
0-3mm



60x
120cm




60x
60cm



JOINT
TOLERANCE
0-3mm



60x
120cm



60x
60cm




Scan for Virtual
360°




Wall : 1149 & CRV-1149 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1148
Size : 60x120cm
Surface : Glossy

Floor : 1129 & CRV-1149 DECOR
Size : 60x120cm
Surface : Glossy




1148 Glossy | Random - 8




CRV-1149 DECOR Glossy



1149 Glossy | Random - 8



6148 Glossy | Random - 8



8149 Matt | Random - 8


 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1129 Glossy | Random - 8




CRV-1149 DECOR Glossy



1129 Glossy | Random - 8



6129 Glossy | Random - 8



D-8149 Matt

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1144, CRV-1145 DECOR & 1145
Size : 60x120cm
Surface : Glossy

Floor : 8145
Size : 60x60cm
Surface : Matt

PROZZO SELECT



1144 Glossy | Random - 4



CRV-1145 DECOR Glossy



1145 Glossy | Random - 4




6144 Glossy | Random - 4



8145 Matt | Random - 4



Scan for Virtual
360°



1128 Glossy | Random - 4



CRV-1145 DECOR Glossy



1128 Glossy | Random - 4



D-8145 Matt



6128 Glossy | Random - 4



JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



JOINT
TOLERANCE
0-3mm


60x
120cm

60x
60cm

1096
60x120cm
Glossy1097
60x120cm
GlossyCRV-1101 | DECOR
60x120cm
Glossy60x
120cm60x
60cm8097
60x60cm
Matt6096
60x60cm
Glossy

CREATE A BEDROOM AND LIVING SPACE THAT SHOWCASES YOUR SIGNATURE STYLE. DESIGN A CUSTOM THEME WITH THE USE OF LIGHT, HIGHLIGHTER AND DARK TILES FOR YOUR LIVING ROOM OR BEDROOM.

LIVING AND BEDROOM TILING OPTION - 1

Highlighter, 60x120cm
Light, 60x120cm,
Glossy

ONE SET,
DIVERSE
POTENTIAL.

A unique decor can be created with different combinations of the same tiles. For this option, Highlighter is used for the walls and Light - 60x120cm is used for the floors.

LIVING AND BEDROOM TILING OPTION - 2

Here, Highlighter is used for the living room walls. Dark - 60x120cm is used for the living room floor and Light - 60x120cm is used for the bedroom floor.



Highlighter, 60x120cm



Light, 60x120cm,
Glossy



Dark, 60x120cm,
Glossy

LIVING AND BEDROOM TILING OPTION - 4

A light and elegant ambience is created using Highlighter for the walls of the living room along with Light - 60x120cm for the living room floor and Light - 60x120cm for the bedroom floor.



Highlighter, 60x120cm




Light, 60x120cm,
Glossy



Light, 60x60cm,
Glossy

LIVING AND BEDROOM TILING OPTION - 3

In this scenario, Highlighter is used for the living room wall and Dark - 60x120cm is used for the living room floor. Also, Light - 60x60cm is used for the bedroom floor.



Highlighter, 60x120cm



Light, 60x60cm,
Glossy



Dark, 60x120cm,
Glossy

LIVING AND BEDROOM TILING OPTION - 5

In this decor style, Highlighter is used to amplify the living room floors and Light - 60x120cm is used as bedroom flooring.



Highlighter, 60x120cm



Light, 60x120cm,
Glossy



Wall : 1134, CRV-1135 DECOR & 1135
Size : 60x120cm
Surface : Glossy

Floor : 6134
Size : 60x60cm
Surface : Glossy



Wall : 1099
Size : 60x120cm
Surface : Glossy

Floor : 1098
Size : 60x120cm
Surface : Glossy

PROZZO SELECT



1134 Glossy | Random - 8



CRV-1135 DECOR Glossy



1135 Glossy | Random - 8



6134 Glossy | Random - 8




8135 Matt | Random - 8

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1098 Glossy | Random - 8



CRV-1101 DECOR Glossy



1099 Glossy | Random - 8



6098 Glossy | Random - 8



8099 Matt | Random - 8

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°

Wall : 1096 & 1097
Size : 60x120cm
Surface : Glossy

Floor : 1097 & CRV-1101 DECOR
Size : 60x120cm
Surface : Glossy



1096

Glossy | Random - 6



1100

Glossy | Random - 10



CRV-1101 DECOR

Glossy



1097

Glossy | Random - 6



1101

Glossy | Random - 10



6096

Glossy | Random - 6



8097

Matt | Random - 6

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



8101

Matt | Random - 10


 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1087 & 1088
Size : 60x120cm
Surface : Glossy

Floor : 1087
Size : 60x120cm
Surface : Glossy



Wall : 1105 & CRV-1088 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1106
Size : 60x120cm
Surface : Glossy



1087 Glossy | Random - 10




CRV-1088 DECOR Glossy | Random - 2



1088 Glossy | Random - 10



6087 Glossy | Random - 10



8088 Matt | Random - 10

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1105 Glossy | Random - 8




CRV-1088 DECOR Glossy | Random - 2



1106 Glossy | Random - 8



6105 Glossy | Random - 8



8106 Matt | Random - 8


 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1091, CRV-1092 DECOR & 1092

Size : 60x120cm

Surface : Glossy

Floor : 6091

Size : 60x60cm

Surface : Glossy



Wall : 1082
Size : 60x120cm
Surface : Glossy

Floor : 8083
Size : 60x60cm
Surface : Matt

PROZZO SELECT



1091 Glossy | Random - 8



1082 Glossy | Random - 6



CRV-1092 DECOR Glossy



CRV-1092 DECOR Glossy



1092 Glossy | Random - 8



1083 Glossy | Random - 6



6091 Glossy | Random - 8




8092 Matt | Random - 8

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



6082 Glossy | Random - 6



8083 Matt | Random - 6

 JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1115 & CRV-1114 DECOR


Size : 60x120cm

Surface : Glossy

Floor : 1116

Size : 60x120cm

Surface : Glossy




1115 Glossy | Random - 8




CRV-1114 DECOR Glossy | Random - 2



1116 Glossy | Random - 8




6115 Glossy | Random - 8



8116 Matt | Random - 8



Scan for Virtual
360°




1113 Glossy | Random - 6



CRV-1114 DECOR Glossy | Random - 2



1114 Glossy | Random - 6




6113 Glossy | Random - 6



8114 Matt | Random - 6



Scan for Virtual
360°




1093 Glossy | Random - 8



CRV-1114 DECOR Glossy | Random - 2



1094 Glossy | Random - 8



6093 Glossy | Random - 8



8094 Matt | Random - 8



Scan for Virtual
360°



Wall : 1107, CRV-1108 DECOR & 1108
Size : 60x120cm
Surface : Glossy

Floor : 1108
Size : 60x120cm
Surface : Glossy



Wall : 1104 & CRV-1108 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 8108
Size : 60x60cm
Surface : Matt

PROZZO SELECT



1107 Glossy | Random - 10



CRV-1108 DECOR Glossy | Random - 2



1108 Glossy | Random - 10



6107 Glossy | Random - 10



8108 Matt | Random - 10

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm




1104 Glossy | Random - 8



CRV-1108 DECOR Glossy | Random - 2



1104 Glossy | Random - 8



6104 Glossy | Random - 8



D-8108 Matt | Random - 2

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1095
Size : 60x120cm
Surface : Glossy

Floor : 1095
Size : 60x120cm
Surface : Glossy

Wall : CRV-1110 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1110
Size : 60x120cm
Surface : Glossy



1095

Glossy | Random - 8



CRV-1110 DECOR

Glossy | Random - 2



1095

Glossy | Random - 8



6095

Glossy | Random - 8



D-8110 Matt | Random - 2

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm



1109

Glossy | Random - 4




CRV-1110 DECOR

Glossy | Random - 2



1110

Glossy | Random - 4



6109 Glossy | Random - 4

JOINT
TOLERANCE
0-3mm


60x
120cm

60x
60cm




8110 Matt | Random - 4

JOINT
TOLERANCE
0-3mm



Scan for Virtual
360°



Scan for Virtual
360°



Wall : 1086 & CRV-1086 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1086
Size : 60x120cm
Surface : Glossy



PROZZO SELECT




1086 Glossy | Random - 6




CRV-1086 DECOR Glossy | Random - 2



1086 Glossy | Random - 6



6086 Glossy | Random - 6



8085 Matt | Random - 8



Scan for Virtual
360°



1084 Glossy | Random - 8




CRV-1086 DECOR Glossy | Random - 2



1085 Glossy | Random - 8



6084 Glossy | Random - 8



8085 Matt | Random - 8



JOINT
TOLERANCE
0-3mm




60x
120cm



60x
60cm



60x
120cm



60x
60cm

Wall : 1084
Size : 60x120cm
Surface : Glossy

Floor : 1085
Size : 60x120cm
Surface : Glossy



Scan for Virtual
360°




Wall : 1089, CRV-1090 DECOR & 1090
Size : 60x120cm
Surface : Glossy

Floor : 8090
Size : 60x60cm
Surface : Matt



Floor: 1111 & 1112
Size: 60x120cm
Surface: Glossy




1089 Glossy | Random - 8



CRV-1090 DECOR Glossy



1090 Glossy | Random - 8



6089 Glossy | Random - 8




8090 Matt | Random - 8

JOINT
TOLERANCE
0-3mm

60x
120cm


60x
60cm




1111 Glossy | Random - 9




CRV-1112 DECOR Glossy



1112 Glossy | Random - 9



6111 Glossy | Random - 9



8112 Matt | Random - 9

JOINT
TOLERANCE
0-3mm

60x
120cm

60x
60cm




Scan for Virtual
360°



Scan for Virtual
360°



60x
120cm



PROZZO® ENDLESS

CRAFTING AN INFINITE EXPANSE OF THE SPACE

Always giving something new and unique is what thrives us at Simpolo. 'PROZZO ENDLESS' collection is our newest addition to the Prozzo family, which is made to spread magic on your floors and walls with the endless flow of beauty.

We have been able to achieve these seamless designs due to the latest machinery and constant exploration of the materials. Just lay the tiles as per the marked arrow and be ready to get amazed!



Floor : EDL-1150
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS

PROZZO ENDLESS




Floor : EDL-1152
Size : 60x120cm
Surface : Glossy



EDL-1150

Surface - Glossy




Random face - 1
(One Piece Endless)



60x
120cm




Scan for Virtual
360°



EDL-1152

Surface - Glossy



Random face - 1
(One Piece Endless)



60x
120cm



Scan for Virtual
360°



JOINT
TOLERANCE
0-3mm



INSTALL TILES
AS PER MARKED
ARROW



Floor : EDL-1151
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS



Wall : EDL-1153
Size : 60x120cm
Surface : Glossy


Floor : EDL-1153
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS



EDL-1151

Surface - Glossy



Random face - 1
(One Piece Endless)



60x
120cm




Scan for Virtual
360°



EDL-1153

Surface - Glossy



Random face - 2
(Two Piece Endless)




60x
120cm



Scan for Virtual
360°



JOINT
TOLERANCE
0-3mm



INSTALL TILES
AS PER MARKED
ARROW



Wall : EDL-1154
Size : 60x120cm
Surface : Glossy

Floor : EDL-1154
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS

PROZZO ENDLESS




Wall : EDL-1155
Size : 60x120cm
Surface : Glossy

Floor : EDL-1155
Size : 60x120cm
Surface : Glossy



EDL-1154

Surface - Glossy



Random face - 4
(Four Piece Endless)



60x
120cm




Scan for Virtual
360°



EDL-1155

Surface - Glossy



Random face - 4
(Four Piece Endless)




60x
120cm




Scan for Virtual
360°



JOINT
TOLERANCE
0-3mm



INSTALL TILES
AS PER MARKED
ARROW



Wall : EDL-1156
Size : 60x120cm
Surface : Glossy

Floor : EDL-1156
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS




Floor : EDL-1157
Size : 60x120cm
Surface : Glossy



EDL-1156

Surface - Glossy



Random face - 4
(Four Piece Endless)



60x
120cm




Scan for Virtual
360°



EDL-1157

Surface - Glossy



Random face - 4
(Four Piece Endless)



60x
120cm



Scan for Virtual
360°



JOINT
TOLERANCE
0-3mm



INSTALL TILES
AS PER MARKED
ARROW




Wall : EDL-1158
Size : 60x120cm
Surface : Glossy

Floor : EDL-1158
Size : 60x120cm
Surface : Glossy

PROZZO ENDLESS




Surface - Glossy




Random face - 4
(Four Piece Endless)



Scan for Virtual
360°



Surface - Glossy




Random face - 4
(Four Piece Endless)



Scan for Virtual
360°



JOINT
TOLERANCE
0-3mm



INSTALL TILES
AS PER MARKED
ARROW



Bookmatch Pattern - 2



60x
120cm

PROZZO® BOOKMATCH

EXPLORING NEW STANDARDS IN DESIGN AESTHETICS

The concept of 'Bookmatch' has received a good response in recent years. We, at 'Simpolo', are taking this opportunity to expand the 'PROZZO BOOKMATCH' collection with more grand and vibrant designs.

Along with a one-piece bookmatch, we are also adding a two-pieces bookmatch as well. The collection is created for you to select the best suitable bookmatch for your spaces.



Wall : 2014
Size : 60x120cm
Surface : Glossy

Floor : 2014
Size : 60x120cm
Surface : Glossy

PROZZO BOOKMATCH



Floor : 2013
Size : 60x120cm
Surface : Glossy



PROZZO BOOKMATCH

98\99

PROZZO BOOKMATCH



Floor : 2015
Size : 60x120cm
Surface : Glossy

100\101



Wall : 2016
Size : 60x120cm
Surface : Glossy



JOINT
TOLERANCE
0-3mm

PROZZO BOOKMATCH


102\103



Floor : 2018
Size : 60x120cm
Surface : Glossy






2017 Surface - Glossy



2018 Surface - Glossy



2019 Surface - Glossy






Floor : 2020
Size : 60x120cm
Surface : Glossy



Floor : 2021
Size : 60x120cm
Surface : Glossy



PROZZO BOOKMATCH



Floor : 2023

Size : 60x120cm

Surface : Glossy



Floor : 2022
Size : 60x120cm
Surface : Glossy







PROZZO BOOKMATCH



Floor : 2027
Size : 60x120cm
Surface : Glossy

PROZZO BOOKMATCH



COMMONLY AFFECTED

STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

| SR. NO. | SUBSTANCES | NANO TREATED SURFACE | REGULAR SURFACE |
|--|-----------------------|--------------------------|---|
| A. DOMESTIC AREA | | | |
| 1 | GREEN VEGETABLE STAIN | WET COTTON CLOTH | MILD DETERGENT |
| 2 | FRUIT STAIN | WET COTTON CLOTH | MILD DETERGENT |
| 3 | DAL-SAMBHAR | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 4 | CURRY | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 5 | TOMATO SAUCE | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 6 | SOYA SAUCE | WET COTTON CLOTH | MILD DETERGENT/CITRIC ACID/NIMBU |
| 7 | EDIBLE OIL | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| 8 | SINDUR OIL MIX | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| 9 | GHEE | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| 10 | COLD DRINKS | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER |
| 11 | TEA | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION |
| 12 | COFFEE | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION |
| 13 | WAX | WET COTTON CLOTH | PAINT REMOVER |
| 14 | LEAD PENCIL | WET COTTON CLOTH | PLAIN WATER/HYDROCHLORIC ACID |
| 15 | SKETCH PEN | WET COTTON CLOTH | HOUSEHOLD DETERGENT |
| 16 | NORMAL COLOUR PENCIL | WET COTTON CLOTH | HOUSEHOLD DETERGENT |
| 17 | WAX PENCIL | WET COTTON CLOTH | PAINT REMOVER |
| 18 | WATER COLOUR | WET COTTON CLOTH | PLAIN WATER |
| 19 | MARKER | WET COTTON CLOTH | DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE# |
| 20 | NAIL POLISH | NAIL POLISH REMOVER | NAIL POLISH REMOVER |
| 21 | SHOE POLISH LIQUID | WET COTTON CLOTH | HOUSEHOLD DETERGENT |
| 22 | CHERRY SHOE POLISH | WET COTTON CLOTH | WET COTTON CLOTH |
| 23 | HAIR DYE | DILUTE NITRIC ACID | DILUTE NITRIC ACID |
| 24 | HAIR MEHENDI | DILUTE HYDROCHLORIC ACID | DILUTE HYDROCHLORIC ACID |
| 25 | LIPSTICKS | WET COTTON CLOTH | HYDROGEN PEROXIDE/HOUSEHOLD CLEANER |
| 26 | BLUE INK | WET COTTON CLOTH | ACETONE#/TURPENTINE#/TRICHLOROETHYLENE# |
| 27 | BLACK INK | WET COTTON CLOTH | ACETONE#/TURPENTINE#/TRICHLOROETHYLENE# |
| 28 | HAND MEHENDI | WET COTTON CLOTH | DILUTE HYDROCHLORIC ACID |
| 29 | TURMERIC | WET COTTON CLOTH | MILD DETERGENT |
| 30 | GLUE | WET COTTON CLOTH | ACETONE#/TURPENTINE# |
| 31 | UJALA | WET COTTON CLOTH | ACETONE#/TURPENTINE#/TRICHLOROETHYLENE# |
| 32 | TOMATO KETCHUP | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 33 | OLIVE OIL | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| 34 | MUSTARD OIL | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC | | | |
| 1 | DAL | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 2 | CURRY | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 3 | TURMERIC | WET COTTON CLOTH | MILD DETERGENT |
| 4 | CHILLI | WET COTTON CLOTH | MILD DETERGENT |
| 5 | EDIBLE OIL | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE# |
| 6 | PICKLE | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 7 | TOMATO SAUCE | WET COTTON CLOTH | CITRIC ACID/NIMBU |
| 8 | CHILLI SAUCE | WET COTTON CLOTH | BAKING SODA/MILD DETERGENT |
| 9 | SOYA SAUCE | WET COTTON CLOTH | MILD DETERGENT/CITRIC ACID/NIMBU |
| 10 | COLD DRINKS | WET COTTON CLOTH | MILD DETERGENT |
| 11 | FRUIT STAIN | WET COTTON CLOTH | MILD DETERGENT |
| 12 | WINE/ALCOHOL | WET COTTON CLOTH | MILD DETERGENT |
| 13 | TEA | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER |
| 14 | COFFEE | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER |
| 15 | ICE CREAM | WET COTTON CLOTH | MILD DETERGENT/HOUSEHOLD CLEANER |
| 16 | CIGARETTE END | WET COTTON CLOTH | HYDROCHLORIC ACID |

| SR. NO. | SUBSTANCES | NANO TREATED SURFACE | REGULAR SURFACE |
|-------------------------|-----------------------|----------------------|--|
| A. DOMESTIC AREA | | | |
| 1 | PAINT | WET COTTON CLOTH | PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE# |
| 2 | EPOXY/RESIN | WET COTTON CLOTH | TRICHLOROETHYLENE#/DICHLORO METHANE# |
| 3 | GLUE | WET COTTON CLOTH | ACETONE#/TURPENTINE# |
| 4 | RUST | WET COTTON CLOTH | HYDROCHLORIC ACID |
| 5 | TAR | WET COTTON CLOTH | TRICHLOROETHYLENE#/METHYLE ETHYL KETONE# |
| 6 | TYRE MARK | WET COTTON CLOTH | METHYLE ETHYL KETONE# |
| 7 | CEMENT | WET COTTON CLOTH | HYDROCHLORIC ACID |
| 8 | BLOOD | WET COTTON CLOTH | DILUTE NITRIC ACID |
| 9 | GREASE | WET COTTON CLOTH | DETERGENT |
| 10 | MOBIL OIL | WET COTTON CLOTH | DETERGENT |
| 11 | METHYLNE BLUE | WET COTTON CLOTH | PHOSPHORIC ACID#/HYDROCHLORIC ACID |
| 12 | IODINE | WET COTTON CLOTH | HYDROCHLORIC ACID |
| 13 | RED AGENT | WET COTTON CLOTH | WET COTTON CLOTH |
| 14 | GREEN AGENT | WET COTTON CLOTH | WET COTTON CLOTH |
| 15 | POTASSIUM PARMANGANET | WET COTTON CLOTH | HYDROCHLORIC ACID |
| 16 | VARNISH | WET COTTON CLOTH | ACETONE#/TURPENTINE# |



SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm² (granite is 13.8N/mm²), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (< 0.06%) whereas in case of granite, it is 0.15%.



STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

INSTALLATION PROCESS



HANDLING

- To prevent breakage, we recommend to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:

- Minimum length of 1.2 m if the crates are handled resting on the long side.
- Minimum length of 2.1 m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



BACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

• It should be according to BS 8204-1-2003 or DIN 18560 standards.



LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TESI) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.


- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
- On structural connections (structural joints)
- Between the wall and the floor (perimeter joints)
- Between one tile and another (laying joints or gaps)
- Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).

- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 119.8x239.8cm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaid tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla | STANDARD AS PER IS 15622:2017 Gr.Bla | METHOD OF TESTING | MEAN VALUE OF SIMPOLO |
|--|---|---|--------------------------|---|
| Regulatory Properties | | | | |
| Deviation in Length and Width | ±0.30 % (±1.00 mm) | ±0.10 % | ISO 10545-2/IS 13630-1 | ± 0.10 % |
| Deviation in Thickness | ±5.0 % (± 0.50 mm) | ±5.0 % | ISO 10545-2/IS 13630-1 | ± 5.0 % |
| Straightness in Side | ±0.30 % (± 0.80 mm) | ±0.10 % | ISO 10545-2/IS 13630-1 | ± 0.10 % |
| Rectangularity | ±0.30 % (±1.50 mm) | ±0.10% | ISO 10545-2/IS 13630-1 | ± 0.10 % |
| Surface Flatness Central Curvature | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/IS 13630-1 | ± 0.20 % |
| Surface Flatness Edge Curvature | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/IS 13630-1 | ± 0.20 % |
| Surface Flatness Warpage | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/IS 13630-1 | ± 0.10 % |
| Surface Quality | >95% defects free | >95% defects free | ISO 10545-2/IS 13630-1 | >95% defects free |
| Small Color Difference (For Plain Colour) | ΔE <1.00 | N.A. | ISO 10545-16 | ΔE <0.80 |
| Glossiness (Polished) | As per Manufacturer | As per Manufacturer | Gloss Meter 60° | ≥ 90 |
| Glossiness (Satin/Posh) | As per Manufacturer | As per Manufacturer | Gloss Meter 60° | 15 ≤ Gloss Value ≤ 25 |
| Glossiness (Matt/CRV) | As per Manufacturer | As per Manufacturer | Gloss Meter 60° | 7 ≤ Gloss Value ≤ 18 |
| Glossiness @ Value)## | As per Manufacturer | As per Manufacturer | Gloss Meter 60° | ≤ 7 |
| Structural Properties | | | | |
| Water Absorption | ≤0.50 % | ≤0.080 % | ISO 10545-3/IS 13630-2 | ≤0.080 % |
| Bulk Density | As per Manufacturer | Min. 2.20 g/cc | ISO 10545-3/IS 13630-2 | > 2.28 gm/cc |
| Massive Mechanical Properties | | | | |
| Modulus of Rupture | Min. 35.0 N/mm ² | Min. 35.0 N/mm ² | ISO 10545-4/IS 13630-6 | Min. 37.0 N/mm ² |
| Breaking Strength Thickness ≥7.5 mm | Min 1300.0 N | Min 1300.0 N | ISO 10545-4/IS 13630-6 | Min 1500.0 N |
| Surface Mechanical Properties | | | | |
| MOH'S Hardness # | As per Manufacturer | Min. 5 | BS EN 15771/IS 13630-13 | Polished Min 4**/Satin,Posh & Matt,CRV Min 6 |
| Surface Abrasion Resistance # | As per Manufacturer | Min. Class II | ISO 10545-7/IS 13630-11 | Polished Min II**/Satin,Posh & Matt,CRV Min III |
| Thermal Hygrometric Properties | | | | |
| Moisture Expansion | Max. 0.06% (0.6 mm/m) | Max 0.02 mm/m | ISO 10545-10/IS 13630-3 | Max 0.02 mm/m |
| Thermal Expansion(COE) at 100°C | As per Manufacturer | Max. 6.0 x 10-6 | ISO 10545-8/IS 13630-4 | Max. 6.0 x 10-6 |
| Thermal Shock Resistance | Min 10 Cycle | Min 10 Cycle | ISO 10545-9/IS 13630-5 | Min 10 Cycle |
| Impact Resistance(COR) # | Min. 0.55 | Min 0.55 | ISO 10545-5/IS 13630-14 | Min 0.55 |
| Frost Resistance | As per Manufacturer | As per Manufacturer | ISO 10545-12/IS 13630-10 | Frost Proof |
| Crazing Resistance at 7.5 bar | 4 Cycle | 4 Cycle | ISO 10545-11/IS 13630-9 | 4 Cycle |
| Chemical Properties | | | | |
| Resistance to Staining Glazed | Min. Class 3 | Min Class 1 | ISO 10545-14/IS 13630-8 | Min. Class 4/Min. Class 1 |
| Resistance to Household Chemicals & Swimming Pool Salts Glazed | Min Class GB | Min Class AA | ISO 10545-13/IS 13630-8 | Min Class GB/Min Class AA |
| Resistance to Low Concentrate Acid and Alkalies Glazed | As per Manufacturer | As per Manufacturer | ISO-10545-13/IS 13630-8 | Min Class GLB***/ Min Class A*** |
| Resistance to High Concentrate Acid and Alkalies Glazed | As per Manufacturer | As per Manufacturer | ISO-10545-13/IS 13630-7 | Min Class GHB***/ Min Class A*** |
| Safety Properties | | | | |
| Skid Resistance -(DCOF-WET PENDULUM)## | As per Manufacturer | As per Manufacturer | BS 7976-2 | Glossy ≥P0, Satin, Posh ≥P1 Matt/CRV ≥P2 R9 to R13 |
| Slip Resistance -Satin/Posh/ Matt/CRV (DCOF- R Value)## | As per Manufacturer | As per Manufacturer | DIN 51130 | |
| Lead and Cadmium release | As per Manufacturer | N.A. | ISO-10545-15 | Does not yield Pb & Cd |

* Whichever is Lower

** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)

*** Except Hydrofluoric Acid & its compound

Tiles Intended for use on floor

For Floor tiles, as per customer requirement

PACKING DETAILS

| PRODUCT | SIZE | ACTULE SIZE | THICKNESS | TILES / BOX | COVERAGE AREA / BOX |
|----------------------------|---------------------|-------------------------|----------------|------------------|--------------------------------|
| PROZZO SELECT & ENDLESS | 60x120cm 60x60cm | 600x1200mm 600x600mm | 8.5mm 8.5mm | 3 pcs. 4 pcs. | 2.16 sq. mtr. 1.44 sq. mtr. |
| PROZZO BOOKMATCH | 60x120cm | 600x1200mm | 8.5mm | 2 pcs. | 1.44 sq. mtr. |
| | | | | | 15.50 sq. ft. |

