



<https://avab.zonexports.com>



PROZZO® 600x1200mm
195x1200mm | 600x600mm



GVT & PGVT TILES



PROZZO

COLLECTION 2020

600x1200mm
195x1200mm
600x600mm



Carving Effect

THE SILENT ACHIEVER

Many achievers celebrate the success and very rare would wait till the next milestone to celebrate. The Carving effect is for the silent achievers, who celebrate without saying it out loud and goes on discovering the path to their success.

LUXURY MADE AFFORDABLE FOR MODERN SPACES.

PROZZO Collection offers the chance to develop aesthetically pleasing spaces without compromising on technical aspects. The specific qualities of PROZZO allows you to perfectly integrate the material in the surrounding space, making it possible to create an outstanding impression easily and effectively.




Wall
 3024
 CRV 3026
 _Size : 600x1200mm


Floor
 3025
 _Size : 600x1200mm

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



3025




CRV 3026



3024



3019



3022



CRV 3020



CRV 3023




3018



3021

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



CRV 3034



CRV 3037



CRV 3035



CRV 3038




CRV 3033



CRV 3036

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt





CRV 3028



CRV 3031



CRV 3029



CRV 3032



CRV 3027




CRV 3030



Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Wall

CRV 3031, CRV 3032
_Size : 600x1200mm

Floor

8044
_Size : 600x600mm

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Wall

CRV 3039

_Size : 600x1200mm

Floor

CRV 3040

_Size : 600x1200mm

THICKNESS: 9 mm

SURFACE: Matt



600x1200mm



CRV 3040



CRV 3043



CRV 3041



CRV 3044



CRV 3039



CRV 3042



Glazed Vitrified Tiles

THICKNESS: 9 mm

SURFACE: Matt



600x1200mm




Wall
 CRV 3049
 CRV 3050
 _Size : 600x1200mm

Floor
 CRV 3048
 _Size : 600x1200mm

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



CRV 3049



CRV 3050



CRV 3048





CRV 3046 



3052



CRV 3047 



CRV 3053 




CRV 3045 




3051

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



CRV 3055 



CRV 3058 




CRV 3056 



CRV 3059 




CRV 3054 



CRV 3057 

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt





Wall
3001
Glazed Vitrified Tiles
_Size : 600x1200mm

Floor
3002
Glazed Vitrified Tiles
_Size : 600x1200mm

Glazed Vitrified Tiles



3001



3002




3003



3004

THICKNESS: 9 mm
SURFACE: Matt






3008



3012



3009



3013



3010



3014




3011



3015

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



3016




3017



Wall
3009
_Size : 600x1200mm

Floor
8008
_Size : 600x600mm

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Wall

3006

_Size : 600x1200mm

Floor

3005


_Size : 600x1200mm



Glazed Vitrified Tiles



3005



3006



3007

THICKNESS: 9 mm

SURFACE: Matt



600x1200mm



Floor
Terraco Crema
_Size : 600x1200mm

Glazed Vitrified Tiles



THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Terraco Ash



Terraco Natural



Terraco Crema




Floor
Loft Gris
_Size : 600x1200mm

Glazed Vitrified Tiles



THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Loft Gris



Loft Crema



Loft Coffee



Wall
Concrete Natural + Nero
_Size : 600x1200mm

Floor
Concrete Nero
_Size : 600x1200mm

Glazed Vitrified Tiles

**COLOR
BODY**

THICKNESS: 9 mm
SURFACE: Matt



600x1200mm



Concrete Brown



Concrete Natural



Concrete Nero




1061



1063



1060 DECOR



1062 DECOR




1060



1062

Glazed Vitrified Tiles


THICKNESS: 9 mm
SURFACE: Glossy



1069



1071



1068 DECOR



1070 DECOR




1068



1070

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy





Wall
 1067 + 1066
 1066 DECOR
 _Size : 600x1200mm

Floor
 1066
 _Size : 600x1200mm

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy



1067



1066 DECOR



1066



Wall

1048

1048 DECOR

_Size : 600x1200mm

Floor

1049


_Size : 600x1200mm



1049



1047



1048 DECOR



1046 DECOR



1048



1046

Glazed Vitrified Tiles

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



Wall

1040

1040 DECOR

_Size : 600x1200mm

Floor

1040

_Size : 600x1200mm

Glazed Vitrified Tiles



1040



1040 DECOR



1041



1072

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



Wall

1040

1040 DECOR

_Size : 600x1200mm

Floor

1040

_Size : 600x1200mm

Glazed Vitrified Tiles



1000



1039



Carrara Vento



Modern Statuario

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



1045



1053



1044



1052



1051



1055




1050



1054

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy



600x1200mm



1056



1043



1057



1042



1059



1065




1058



1064

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy



600x1200mm



Wall

1005

_Size : 600x1200mm

Floor

1006

_Size : 600x1200mm

Glazed Vitrified Tiles



1003



1004



1005



1006

THICKNESS: 9 mm
SURFACE: Glossy



600x1200mm



Florence White



Ice Dinova



Florence Light Beige



Crema Dinova



Grey Sparkle




1001



1002

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy



1007



1011



1008



1012



1009



1013




1010



1014

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Glossy





Wall

1018

_Size : 600x1200mm

Floor

1017

_Size : 600x1200mm

Glazed Vitrified Tiles



1015



1016



1017



1018

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



1019



1021



1020



1022



Wall

1019 + 1020

_Size : 600x1200mm

Floor

1020

_Size : 600x1200mm

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



1023



1033



1024



1034



1031



1035



1032



1036

Glazed Vitrified Tiles

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



Floor
Pulpis Beige
_Size : 600x1200mm

Glazed Vitrified Tiles

**COLOR
BODY**

THICKNESS: 9 mm
SURFACE: Glossy




600x1200mm



Pulpis Beige



Pulpis Gris



Pulpis Nero



Wall

2011

_Size : 600x1200mm

Floor

2001

_Size : 600x1200mm

THICKNESS: 9 mm

SURFACE: Glossy




600x1200mm



2001 Bookmatch

B

A



2002 Bookmatch

B

A

Glazed Vitrified Tiles - Bookmatch

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



2006 Bookmatch

B

A



2008 Bookmatch

A

B



2007 Bookmatch

A

B




2009 Bookmatch

A

B

Glazed Vitrified Tiles - Bookmatch


THICKNESS: 9 mm
SURFACE: Glossy



600x1200mm

Glazed Vitrified Tiles - Bookmatch

THICKNESS: 9 mm
SURFACE: Glossy



600x1200mm



2010 Bookmatch

A

B



2011 Bookmatch

A

B



Floor

2010

_Size : 600x1200mm

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



2012 Bookmatch

B

A

Glazed Vitrified Tiles - Bookmatch

THICKNESS: 9 mm

SURFACE: Glossy



600x1200mm



CRV Alder Bay 




CRV Alder Hazel 



CRV Alder Olive 

Glazed Vitrified Tiles - Wooden Plank

THICKNESS: 9 mm
SURFACE: Matt



195x1200mm



Floor

CRV Alder Hazel
_Size : 195x1200mm

THICKNESS: 9 mm
SURFACE: Matt



CRV Bruciato Amber 



CRV Bruciato Bay 



CRV Bruciato Hazel 



CRV Curly Amber 



CRV Curly Olive 



CRV Deep Teak 

Glazed Vitrified Tiles - Wooden Plank

THICKNESS: 9 mm
SURFACE: Matt

195x1200mm



Wall

CRV Curly Amber
_Size : 195x1200mm

THICKNESS: 9 mm
SURFACE: Matt


195x1200mm



Floor

CRV Knotty Pine
_Size : 195x1200mm

THICKNESS: 9 mm
SURFACE: Matt



CRV Pearl Wash



CRV Misty Wash



CRV Shine Curl



CRV Knotty Pine



CRV Shared Amber




CRV Antique Slape



Glazed Vitrified Tiles - Wooden Plank

THICKNESS: 9 mm
SURFACE: Matt





Floor

Santo Olive
_Size : 195x1200mm

THICKNESS: 9 mm
SURFACE: Matt



195x1200mm

Glazed Vitrified Tiles - Wooden Plank

THICKNESS: 9 mm
SURFACE: Matt



195x1200mm



Santo Amber



Santo Olive



True Walnut



Country Wood Beige COLOR BODY



Country Wood Coffee COLOR BODY



Art Wood Natural COLOR BODY



Ironwood Beige COLOR BODY



Ironwood Brown COLOR BODY




Ironwood Verde COLOR BODY

Glazed Vitrified Tiles
- Colorbody Wooden Plank




THICKNESS: 9 mm
SURFACE: Matt



Floor
Art Wood Natural
_Size : 195x1200mm

THICKNESS: 9 mm
SURFACE: Matt





Kingwood Beige

COLOR
BODY

Kingwood Brown

COLOR
BODY

Bark Wood

COLOR
BODY




Floor

Kingwood Beige

_Size : 195x1200mm

THICKNESS: 9 mm

SURFACE: Matt



195x1200mm



Slate Nero


COLOR
BODY

**Glazed Vitrified Tiles
- Colorbody Plank**


COLOR
BODY

THICKNESS: 9 mm

SURFACE: Matt



195x1200mm



8006



8007



8005



Wall

8005

_Size : 600x600mm

Floor

8006

_Size : 600x600mm

THICKNESS : 9 mm

SURFACE : Matt



8015



8002



8004



8014



8001



8003



8009



8011



8008



8010


Glazed Vitrified Tiles

THICKNESS : 9 mm

SURFACE : Matt



600x600mm



8019



8021



8017



8018



8020



8016



8022



8025




8023



8024

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt



600x600mm



8027



8026



Wall
8027
_Size : 600x600mm

Floor
8026
_Size : 600x600mm

THICKNESS: 9 mm
SURFACE: Matt



8029



8031



8028



8030



8033



8035



8032



8034

Glazed Vitrified Tiles

THICKNESS: 9 mm
SURFACE: Matt




600x600mm



Wall
8029
_Size : 600x600mm

Floor
8028
_Size : 600x600mm

THICKNESS: 9 mm
SURFACE: Matt



6040



6007



6008



Wall

6007

_Size : 600x600mm

Floor

6008

_Size : 600x600mm

THICKNESS: 9 mm

SURFACE: Glossy




Glazed Vitrified Tiles



6018



6020



6017



6019



6036



6032



6035



6031

THICKNESS: 9 mm

SURFACE: Glossy



600x600mm



6024



6023



Wall

6023

_Size : 600x600mm

Floor

6024

_Size : 600x600mm

THICKNESS: 9 mm

SURFACE: Glossy



6045



6049



6044



6048



6067



6055



6061



6066



6054



6060


Glazed Vitrified Tiles

THICKNESS: 9 mm

SURFACE: Glossy




600x600mm



7005

Bookmatch



7001

Bookmatch




7002

Bookmatch



7003

Bookmatch




7004


Bookmatch

Glazed Vitrified Tiles - Bookmatch

THICKNESS: 9 mm
SURFACE: Glossy




600x600mm



6070 3D



6072 3D



6071 3D




6068 3D



6069 3D

Glazed Vitrified Tiles - Bookmatch & 3D Series

THICKNESS: 9 mm
SURFACE: Glossy



600x600mm

Stain Test

AS PER ISO 13006:2018 Gr. Bla			R VALUE RAMP TEST
PRODUCT NAME	CATEGORY	CLASS	CLASS**
SCS	GLOSSY	CLASS-5	NO CLASS
SCS	SATIN MATT	CLASS-3	R 9
GVT	MATT	CLASS-4	NO CLASS
PGVT	GLOSSY	CLASS-4	NO CLASS
DRY GRANULA	GLOSSY	CLASS-5	NO CLASS
DRY GRANULA	SATIN MATT	CLASS-4	R 9
SSS	SATIN MATT	CLASS-4	NO CLASS
SSS	GLOSSY	CLASS-3	NO CLASS
COPOS / GRANOS	POLISH	CLASS-3	NO CLASS
COPOS / GRANOS	MATT	CLASS-4	R 9
ROCK DECK	R9	CLASS-4	R 9
ROCK DECK	R10	CLASS-3	R 10
ROCK DECK	R11	CLASS-3	R 11
Class-5 Cleaning Agent:	Water / Hot Water		
Class-4 Cleaning Agent:	Colin/Thinner/Weak cleaning agent (a commercial agent), not containing abrasive, with a pH of 6,5 to 7,5.		
Class-3 Cleaning Agent:	Red Harpic/Strong cleaning agent (a commercial cleaning agent), containing abrasive, with a pH of 9 to 10.		

* Immediate cleaning action is the best way
* chemicals reference are for first suggestion for any details contact company personnel
do not use these chemicals without considering expert suggestions
** The group classification give the parameter for determine the sliding resistance:
the group R 9 is less anti-slip, the group R 13 as the maximum effectiveness anti-slipA

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS15622:2017 Gr.Bla	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small color difference	ΔE < 0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (with nano polished)	as per mfg.	as per mfg.	> 90°	Glossmeter 60°
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties				
Water absorption	≤ 0.50 %	≤ 0.080 %	≤ 0.060 %	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3 & IS 13630-2
Massive Mechanical Properties				
Modulus of rupture	Min. 35 N/mm²	Min. 35 N/mm²	Min. 40 N/mm²	ISO 10545-4 & IS 13630-6
Breaking strength thickness <7.5	Min. 700.0 N	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4 & IS 13630-6
Surface Mechanical Properties				
MOH'S hardness #	as per mfg.	Min. 5	PGVT - Min. 4 / GVT - Min. 6	EN 101 & IS 13630-13
Surface abrasion resistance-Glossy #	as per mfg.	Min. Class II	Min. Class 2 / Min. Class II	ISO 10545-7 & IS 13630-11
Surface abrasion resistance-Matt #	as per mfg.	Min. Class II	Min. Class 4 / Min. Class IV	ISO 10545-7 & IS 13630-11
Thermal Hydrometric Properties				
Moisture expansion	Max. 0.06% (0.6mm/m)	Max. 0.02mm/m	Max. 0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	Max. 6.0 x 10 ⁻⁶	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Crazing resistance at 7.5 Bar	as per mfg.	Min. 4 Cycle	Min. 6 Cycle	ISO 10545-11 & IS 13630-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
Chemical Properties				
Resistance to staining glazed	Min. Class 3	Min. Class I	Min. Class 4/Min. Class I	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class AA	Min. Class GA/Min. Class AA	ISO 10545-13 & IS 13630-8
Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GLB***/Min. Class A***	ISO 10545-13 & IS 13630-8
Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GHB***/Min. Class A***	ISO 10545-13 & IS 13630-8
Safety Properties				
Skid resistance(DCOF-DRY)	as per mfg.	as per mfg.	Polished <0.30 Satin/Matt >0.40	ANSI/NFSI B101.3-2012
Slip resistance(DCOF)(R value)##	as per mfg.	as per mfg.	R9 to R13	DIN 51130
Determination of lead & cadmium release for glazed tiles	as per mfg.	N.A.	Dose not yield Pb & Cd	ISO 10545-15
Fire resistance	as per mfg.	as per mfg.	Fire Proof	N.A.

* For Matt & Satin Finished
** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)
*** Except Hydrofluoric Acid & it's compound
Glaze tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
PROZZO	600x1200mm / 60x120cm	9mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	195x1200mm / 19.5x120cm	9mm	6 pcs.	1.40 sq. mtr.	15.07 sq. ft.
	600x600mm / 60x60cm	9mm	4 pcs.	1.44 sq. mtr.	15.50 sq. ft.