HP PageWide Managed Color MFP E77650 Series



HP PageWide delivers a breakthrough low colour cost, maximum uptime, and the strongest security.¹

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



HP PageWide Managed Color MFP E77650dn



HP PageWide Managed Color MFP E77650dns



HP PageWide Managed Color Flow MFP E77650z



HP PageWide Managed Color Flow MFP E77650zs

Affordable colour printing for every office

- Depend on lasting value. Get the results you expect for a game-changing low cost per colour page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.²
- Print even faster—and save even more per page—by setting this printer to General Office mode.³
- Help keep energy costs down with the most efficient printer in its class.⁴

Minimal interruptions. Maximum uptime

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.⁵
- Print speeds up to 50% faster than competitors—as fast as 70 ppm in colour and black-and-white. $^{\rm 6}$
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.⁷

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk. $^{\rm 8}$
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims ² High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982X series Original PageWide Cartridges. Learn more at hp.com/go/learnaboutsupplies ² Comparison based on printing in Professional Mode. ⁴ Energy claim based on TEC data reported on energystar.gov as of March 2017. Data normalized to determine energy efficiency of in-class A3 colour laser printers (\$1500-\$2999) and MFPs (\$3000-\$7499) as of February 2017, excluding other HP PageWide products. Subject to device settings. Actual results may vary. ⁵ Fewer service parts claim based on BLI analysis of leading in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% colour ratio). learn more at hp.com/go/pagewideclaims. ⁴ Comparison of HP PageWide A3 devices with the majority of in-class colour ink/laser MFPs (\$3000-\$7499), and colour ink/laser single function printers (\$1500-\$2999) as of April 2017; market share as reported by IDC as of Q4 2016, excluding other HP PageWide products. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.com/go/printerspeeds ² Requires an Internet connection to the printers. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com ³ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/g

Product walkaround

HP PageWide Managed Color MFP E77650dn shown



Series at a glance



HP PageWide Managed Color MFP E77650dn (J7Z13A)

- Print, scan, copy
- Print speeds: Up to 50/70 ppm. Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®



HP PageWide Managed Color MFP E77650dns (Z5G79A)

- Print, scan, copy
- Print speeds: Up to 50/70 ppm. Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass. two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- 350-sheet inner finisher with stapler



HP PageWide Managed Color Flow MFP E77650z (J7Z08A)

- Print, scan, copy
- Print speeds: Up to 50/70 ppm. Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- Retractable keyboard
- HP EveryPage with ultrasonic detection, embedded OCR
- Automatic page orientation, cropping, and tone adjustment



HP PageWide Managed Color Flow MFP E77650zs (J7Z14A)

- Print, scan, copy
- Print speeds: Up to 0/70 ppm. Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass. two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- 350-sheet inner finisher with stabler
- Retractable keyboard
- HP EveryPage with ultrasonic detection, embedded OCR
- Automatic page orientation, cropping, and tone adjustment

Optional paper-handling accessories



550-sheet paper tray (P1V16A)

Add up to one

Up to 1,200 sheets

(11.7 x 17 inches)



550-sheet paper tray and cabinet (P1V17A)

(11.7 x 17 inches) Add up to one



3x550-sheet paper tray and stand (P1V18A)

(11.7 x 17 inches) Add up to one Up to 2,300 sheets



4,000-sheet HCI paper tray and stand (P1V19A)

Supports up to 297 x 432 mm Supports up to 297 x 432 mm Supports up to 297 x 432 mm Two 2,000-sheet trays that support up to letter (A4) Add up to one Up to 4,650 sheets

Up to 1,200 sheets

Optional

Maximum input capacity3

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. 2 An administrator must enable the easy-access USB port before use. 3 Purchase of optional paper tray required to reach maximum input capacity

Top Features

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack. HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Product

Colour printing is within every business' budget with HP PageWide Technology. Print professional-quality colour for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.¹

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm²—and avoid extra steps with a Flow MFP designed for maximum productivity.

J7Z13A Z5G79A J7Z08A J7Z14A	HP PageWide Managed Color MFP E77650dn HP PageWide Managed Color MFP E77650dns HP PageWide Managed Color Flow MFP E77650z HP PageWide Managed Color Flow MFP E77650zs
Accessories	The Lage Mac Flanagea color Flow File 277 05025
P1V16A	HP PageWide Managed 550-sheet Paper Tray
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Stand
P1V18A	HP PageWide Managed 3x550-sheet Paper Tray and Stand
P1V19A	HP PageWide Managed 4000-sheet HCl Paper Tray and Stand
B5L29A	HP High-Performance Secure Hard Disk (FIPS Drive) (300GB)
B5L28A	HP Internal USB Ports
B5L31A	HP Foreign Interface Harness
E5K48A	HP 1 GB x32 144-pin (800 MHz) DDR3 SODIMM
J8031A	HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
CC487A	HP laserJet MFP Analog Fax Accessory 500

Replacement Cartridges and LC's 3

M0K31XC	HP 993XC Black Contract PageWide Cartridge (22,000)
M0K08XC	HP 993XC Cyan Contract PageWide Cartridge (16,000)
M0K12XC	HP 993XC Magenta Contract PageWide Cartridge (16,000)
M0K27XC	HP 993XC Yellow Contract PageWide Cartridge (16,000)
W1B44A	HP PageWide Service Fluid Container (~150,000 pages)
W1B43A	HP PageWide Printhead Wiper Kit (~150,000 pages)
W1B45A	HP PageWide Roller Kit (~150,000 pages)

Staple Cartridge Kit (dns or zs model only)

HP Care Packs

J8J96A

U9RL1E	HP 1-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
U9RL2E	HP 3-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
U9RL4E	HP 5-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
U9RL5E	HP 3-year 4h9x5w/DMR PageWide Color 776xx Managed SVC
LIODI 7E	HD F year 4b0vEy/DMD DagoWido Color 776vv Managed SVC

U9RL7E HP 5-year 4h9x5w/DMR PageWide Color 776xx Managed SVC U9JT2E HP Installation Service w Network Workgroup Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Recommended Papers⁴

Z7S68A HP PageWide Bro GL A3 100 sheets FSC Paper Z7S67A HP PageWide Bro GL A4 200 sheets FSC Paper

Please visit hp.com/apac/paper for more details.

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP JetAdvantage Security Manager: hp.com/go/securitymanager

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <a href="https://www.ncberstream. hp.com/go/printersecurityclaims ² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software ³ Future firmware updates may support 4608 MB by adding DIMM memory module. 4 Available in selected countries only.

HP PageWide Managed Color MFP E77650 Series

HP PageWide Managed Color MFP E77650dn (J7Z13A)	HP PageWide Managed Color MFP E77650dns (Z5G79A)	HP PageWide Managed Color Flow MFP E77650z (J7Z08A)	HP PageWide Managed Color Flow MFP E77650zs (J7Z14A)				
	Print, copy, sca	n, fax (optional)					
HP PageWide Technology							
Black: Up to 70 ppm (General office mode, A4); Up to 50 ppm (Professional mode, A4); Colour: Up to 70 ppm (General Office mode, A4); Up to 50 ppm (Professional mode, A4); Duplex printing: Black/Colour (Professional mode): Up to 35 ppm							
Plack (bost): Up to 1200 v 12	· · · · · · · · · · · · · · · · · · ·		atta and HD Prochure Mattaly				
Black (best): Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)							
		· · · · · · · · · · · · · · · · · · ·					
HP JetAdvantage Security Manager; HP SMMP Proxy Agent; HP Web JetAdmin Software; HP Ws Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint™, HP Auto-On/Auto-Off technology, HP Color Access Control, HP EasyColor, Front-facing USB printing, store print jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless							
		· · · · · · · · · · · · · · · · · · ·					
		-					
S ingle-sided (A4): Up to 90) ipm (black and colour); Two-sided (A4): Up to	180 ipm (black and colour)	Single-sided (A4): Up to 120 ipm (black and colour); Two-sided (A4): Up to 240 ip (black and colour)				
	24	-bit					
FI			ed				
Copy; E-mail; Fax; Save to			latform (OXP) applications				
PDF, JPEG, TIFF, M	Digital Send: PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (pm, pcl, cht)						
Scan to E-mail; Save-to-Network Folder; Sav			over SSL; Blank Page Removal; Edge Erase				
Black: Up to 70 cpm (General office mo			; Up to 50 cpm (Professional mode, A4)				
,							
Two-sided copying, scalability, image adjustr	ments (darkness, contrast, background cleanup	, sharpness), N-up, N or Z-ordering, content orio	entation, collation, booklet, ID Scan, job build				
Auto scale; Reduce/enlarge from scanner gla	ess (25 to 400 percent); Collate; Auto colour de	tection; Two-sided copying; Image adjustments	(darkness, background cleanup, sharpness)				
Black (best): Up to 300 x	300 dpi (400 x 400 dpi for received faxes only)	; Colour (fine): Up to 300 × 300 dpi (400 × 400 d	lpi for received faxes only)				

Faxing: Optional; Faxing options (ADF): Simultaneous Two-Sided; Auto-Redialling: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax polling supported: Yes (poll to receive only); Auto fax reduction supported: Yes; Fax telephone mode supported: No; Junk barrier supported: Yes;							
PCin			d: No				
20.3 cm (8.0 in) touchscreen, XVA Colour Graphic Display (CGD)							
	2,500 t0 50	0,000 pages					
Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2-5: 210.1 x 148.1 to 297.2 x 431.8 mm; HCl Trays 3 & 4: A4 & Letter Only							
60 to 220 g/m², 300 g/m² Photo Paper Only							
		•					
	60 to 220 g/m², 300	•					
Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin	60 to 220 g/m², 300 g Paper (Plain, Inkjet, Inkjet Brochure/Gloss Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker	g/m² Photo Paper Only	Input (standard): 100-sheet multipurpos tray, 550-sheet input tray; Input (optional 1x550/tray (A3/A4), 1x550/tray (A3/A4), 3x550/stand (A3/A4), HCl (2x2000 sheet A4); Output (standard): 500-sheet outpu bin; 350-sheet stapler stacker				
tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard):	60 to 220 g/m², 300 g Paper (Plain, Inkjet, Inkjet Brochure/Gloss Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4 3x550/stand (A3/A4), HCI (2x2000 shee A4); Output (standard): 500-sheet outpu				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin	60 to 220 g/m², 300 i Paper (Plain, Inkjet, Inkjet Brochure/Gloss Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4) 3x550/stand (A3/A4), HCI (2x2000 shee A4); Output (standard); 500-sheet outpu bin; 350-sheet stapler stacker				
tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxii Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32- & 64-bit editions (excludir	60 to 220 g/m², 300 i Paper (Plain, Inkjet, Inkjet Brochure/Glos: Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4): Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 [7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, SE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15 Ing RT OS for Tablets), Windows 7 all 32- & 64-b	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/ray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4) 3x550/stand (A3/A4), HCI (2x2000 shee A4); Output (standard); 500-sheet output bin; 350-sheet stapler stacker mum: 5632 MB 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), 10.10 Yosemite, OS X 10.11 El Capitan, UNIX ns (excluding RT OS for Tablets), Windows Vis				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxie Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32-8: 64-bit editions (excludir all 32bit e PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 6 800 MHz processor (32-bit only), 2 GB availat any Intel® Pentium® II, Celeron® or 233 MH	60 to 220 g/m², 300 tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 1x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 5E (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15 ng RT OS for Tablets), Windows 7 all 32 - & 64-b ditions (Home Basic, Premium, Professional, et al. 2 the processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet iz compatible processor, 850 MB available hard disk space, Izempatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet iz compatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard de izempatible pro	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/stand (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi GHz 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 10, 16.04, 16.10), OS mac0S 10.12 Sierra, OS X it editions, Windows 8/8.1 all 32- & 64-bit edition	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x50/tray (A3/A4), 1x50				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxie Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32-8: 64-bit editions (excludir all 32bit e PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 6 800 MHz processor (32-bit only), 2 GB availat any Intel® Pentium® II, Celeron® or 233 MH	60 to 220 g/m², 300 tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 1x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 5E (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15 ng RT OS for Tablets), Windows 7 all 32 - & 64-b ditions (Home Basic, Premium, Professional, et al. 2 the processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet iz compatible processor, 850 MB available hard disk space, Izempatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet iz compatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard disk part de izempatible processor, 850 MB available hard de izempatible pro	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/stay (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi GHz 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X it editions, Windows 8/8.1 all 32- & 64-bit edition:	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x550/tray (A3/A4), 1x50/tray (A3/A4), 1x50				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxie Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32- & 64-bit editions (excludir all 32bit e PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 6 800 MHz processor (32-bit only), 2 GB availat any Intel® Pentium® II, Celeron® or 233 MH Mac: Apple® 05 X v10	60 to 220 g/m², 300 i Paper (Plain, Inkjet, Inkjet Brochure/Glos: Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 [7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, SE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15 Ing RT OS for Tablets), Windows 7 all 32- & 64-b dittions (Home Basic, Premium, Professional, etc 4-bit processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet tz compatible processor, 850 MB available hard disk 1.2 Sierra, OS X v10.11 El Capitan, OS X v10.10 y	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/stay (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi GHz 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X it editions, Windows 8/8.1 all 32- & 64-bit edition:	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4) A3x550/stand (A3/A4), A1x550/stand (A3/A4), A1x550/stand (A3/A4), A1x550/stand (A3/A4), A1x50-sheet output (standard): 500-sheet output				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxie Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32- & 64-bit editions (excludir all 32bit e PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 6 800 MHz processor (32-bit only), 2 GB availat any Intel® Pentium® II, Celeron® or 233 MH Mac: Apple® 05 X v10	Paper (Plain, Inkjet, Inkjet Brochure/Gloss Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 [7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, SE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15- ditions (Home Basic, Premium, Professional, et 4-bit processor, 2 GB available hard disk space, Cole hard disk space, CD-ROM/DVD drive or Interne tz compatible processor, 850 MB available hard 1.2 Sierra, OS X v10.11 El Capitan, OS X v10.10 v 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit E Optional, enabled with purchase of HP	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi GHz 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 10, 16.04, 16.10), 05 macOS 10.12 Sierra, OS X te ditions, Windows 8/8.1 all 32- & 64-bit edition:), Windows XP SP3 32-bit editions (XP Home, X D-ROM/DVD drive or Internet connection, USB port et connection, USB port, Microsoft® Internet Exploisis space, CD-ROM/DVD drive or laternet connection connection, USB port, Microsoft® Internet Exploisis space, CD-ROM/DVD drive or laternet connection connection, USB port, Microsoft® Internet connection semite, minimum 1.3 GB available HD space; Internet to 10/100/1000T network; 1 Hardware In letedirect 3000w NFC/Wireless Accessory	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4) ax550/stand (A3/A4), 1x550/stand (A3/A4), Atc) (Cay2000 shee A4); Output (standard): 500-sheet outpi bin; 350-sheet stapler stacker mum: 5632 MB 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), 10.10 Yosemite, OS X 10.11 EL Capitan, UNIV as (excluding RT OS for Tablets), Windows Vis P Pro, etc.) t, Microsoft® Internet Explorer. Windows Vister 8. Windows® XP SP3 or higher (32-bit only on, USB port, Microsoft® Internet Explorer 8; ernet required; USB port				
tray, 550-sheet input tray, Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxie Android, Linux Boss (5.0), Linux Debian (Linux Red Hat Enterprise (6.0, 7.0), Linux SU Windows 10 all 32- & 64-bit editions (excludir all 32bit e PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 6 800 MHz processor (32-bit noly), 2 GB availat any Intel® Pentium® II, Celeron® or 233 MH Mac: Apple® 05 X v10	Paper (Plain, Inkjet, Inkjet Brochure/Gloss Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tsand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 3584 MB 1.2 [7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, SE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15) ng RT OS for Tablets), Windows 7 all 32- & 64-b ditions (Home Basic, Premium, Professional, etc 4-bit processor, 2 GB available hard disk space, CD-ROM/DVD drive or Interne tz compatible processor, 850 MB available hard 1.12 Sierra, 0S X v10.11 El Capitan, 0S X v10.10 y 1.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit E Optional, enabled with purchase of HP HP ePrint, Apple AirPrin	g/m² Photo Paper Only sy), Photo Paper, Envelopes, Labels, Cards Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin Standard/Maxi GHz 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 10, 16.04, 16.10), 05 macOS 10.12 Sierra, OS X te ditions, Windows 8/8.1 all 32- & 64-bit edition:), Windows XP SP3 32-bit editions (XP Home, X D-ROM/DVD drive or Internet connection, USB port et connection, USB port, Microsoft® Internet Exploisis space, CD-ROM/DVD drive or laternet connection connection, USB port, Microsoft® Internet Exploisis space, CD-ROM/DVD drive or laternet connection connection, USB port, Microsoft® Internet connection semite, minimum 1.3 GB available HD space; Internet to 10/100/1000T network; 1 Hardware In letedirect 3000w NFC/Wireless Accessory	tray, 550-sheet input tray; Input (optiona 1x550/tray (A3/A4), 1x550/stand (A3/A4) ax550/stand (A3/A4), 1x550/stand (A3/A4), ACI (2x2000 shee A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker mum: 5632 MB 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), 10.10 Yosemite, OS X 10.11 El Capitan, UNIX as (excluding RT OS for Tablets), Windows Vis P Pro, etc.) t, Microsoft® Internet Explorer. Windows Vista er 8. Windows® XP SP3 or higher (32-bit only on, USB port, Microsoft® Internet Explorer 8; ernet required; USB port				
	Black: Up to 70 ppm (General office model) Black: Up to 70 ppm (General office model) Black (best): Up to 1200 x 12 Colou HP JetAdvantage Security Manager; HP S HP SureStart; Run-time Intrusion detection; Firmware, HP ePrint, Apple AirPrint™, HP Au automatic two-sided printing, print multiple Grayscale and Black Ink On Single-sided (A4): Up to 90 FI Copy; E-mail; Fax; Save to PDF, JPEG, TIFF, N Scan to E-mail; Save-to-Network Folder; Sav Black: Up to 70 cpm (General office model) Two-sided copying, scalability, image adjustr Auto scale; Reduce/enlarge from scanner glack Black (best): Up to 300 x Faxing: Optional; Faxing options (ADF) supported: Yes; Fax polling support PC in	E77650dn (J7Z13A) E77650dn (ZSG79A) Print, copy, sca Automatic HP PageWid Black: Up to 70 ppm (General office mode, A4); Up to 50 ppm (Professional mode, A4); Up to 50 ppm (Professional mode, A4); Black (A4, ready): As fast as 7.1 seconds; Black (best): Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Colour (best): Up to 2400 x 1200 optimised dpi from Module: HP J Firmware, HP Perint, Apple Alprini*, HP ADD-On/Alu-of technology, HP Color Access Colour (best): Up to 300 in University (best): Up to 300 ppi; Optical: Up Firmware, HP Perint, Apple Alprini*, HP ADD-On/Alu-of Itechnology, HP Color Access Colour (best): Up to 300 ppi; Optical: Up Flatbed: 297 x 432 mm; ADF: 297 x 432 mm; Up 240 ppi; Optical: Up Flatbed: 297 x 432 mm; ADF: 297 x 432 mm; Up 240 ppi; Optical: Up Flatbed: 297 x 432 mm; ADF: 297 x 432 mm; Up 240 ppi; Optical: Up 140 ppi;	E77650dn (JŽ213A) Print, copy, scan, fax (aptional) Automatic (standard) Automatic (standard) HP PageWide Technology Black Up to 70 ppm (General office mode, A4); Up to 50 ppm (Professional mode, A4); Colour: Up to 70 ppm (General Office mode, A4); Up to 50 ppm (Professional mode); Up to 57 ppm (General Office mode, A4); Up to 50 ppm (Professional mode); Up to 57 ppm (General Office mode, A4); Up to 70 ppm (General Office mode, A4); Up to 50 ppm (Professional mode); Up to 57 ppm (General Office mode, A4); Up to 80 ppm (General Office Mode); Up to 100 ppm (General Office Mode); Up to 100 ppm (General Office Professional Mode); Up to 100 ppm (General Office Professional Mode); Up to 90 ppm (General Office Professional Mode); Up to 100 ppm (General Office Mode); Up to 90 ppm (General Office Mode);				

HP PageWide Managed Color MFP E77650 Series

Technical specifications	HP PageWide Managed Color MFP E77650dn (J7Z13A)	HP PageWide Managed Color MFP E77650dns (Z5G79A)	HP PageWide Managed Color Flow MFP E77650z (J7Z08A)	HP PageWide Managed Color Flow MFP E77650zs (J7Z14A)		
Dimensions (W x D x H)	Operating: 813 × 616 × 680 mm (32 × 24.25 × 26.75 in); Maximum: 896 × 718 × 680 mm (35.25 × 28.25 × 26.75 in)	Operating: 813 x 616 x 791 mm (32 x 24.25 x 31.125 in); Maximum: 896 x 718 x 791 mm (35.25 x 28.25 x 31.125 in)	Operating: 813 x 616 x 680 mm (32 x 24.25 x 26.75 in); Maximum: 896 x 718 x 680 mm (35.25 x 28.25 x 26.75 in)	Operating: 813 x 616 x 791 mm (32 x 24.25		
Weight	69 kg (153 lb)	82 kg (181 lb)	69 kg (153 lb)	82 kg (181 lb)		
Environmental						
Operating environment		range: 17 to 25° C (63 to 77° F); Non-operatin	range: 30 to 70% RH; Operating temperature g humidity range: 10 to 80% RH; Storage befor setup (Purged): 0 to 60° C (32 to 140° F)			
Acoustic	Acoustic power emissions: 6.7 B(A); Acous Acoustic power emissions (ready): Inaudit (printing at 51 ppm); Acoustic pressure	ole; Acoustic pressure emissions: 53 dB(A)	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (active copy); 7.0 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 54 dB(A) (printing at 54 ppm); Acoustic pressure emissions Bystander (ready): Inaudible ; Acoustic power emissions (active scan); 7.2 B(A) (scanning at 129 ppm with ADF running); Acoustic pressure emissions bystander (active scan); 57 dB(A) (scanning at 129 ppm with ADF running)	Acoustic power emissions: 6.6 B(A); Acoustic power emissions (active copy): 6.8 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 51 dB(A) (printing at 51 ppm); Acoustic pressure emissions Bystander (ready): Inaudible; Acoustic power emissions (active scan): 7.2 B(A) (scanning at 129 ppm with ADF running); Acoustic pressure emissions bystander (active scan): 58 dB(A) (scanning at 129 ppm with ADF running)		
Power specifications	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC, 50/60 Hz; Power consumption*: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEC)*: BA: 1.97 kWh/Week; ES: 2.03 kWh/Week; Blue Angel (Sleep mode): Test 2 (Blue Angel); Blue Angel (Normal mode): Test 3 (Blue Angel); Energy-saving features: HP Auto-On/Auto-Off Technology					
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals					
Warranty	90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to					

To learn more, visit

© 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. To the extent allowed by law, HP shall not be liable for technical or editorial errors or omissions contained herein

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc.

