



◆ Curtain Wall Aluminium Profiles

◆ New national standard windows and doors

◆ ground-bouncing door



One-stop **actuals** operation center



只为一个更宁静、温暖、 安全的空间!

JUST FOR A MORE QUIET, WARM, SAFE SPACE!

AAG Aluminium is located in AAG Industrial City, National Hi-Tech Industrial Development Zone, Da Wang, Zhaoqing, Guangdong Province, and is one of the world's largest and best-equipped manufacturers of aluminium profiles. Since its establishment in 1990, the company has been committed to the design and manufacture of high-precision, sharp aluminium extrusion profiles, through years of unremitting efforts and perseverance, the products from a single architectural doors, windows, curtain wall type aluminium profiles to expand to include all kinds of industrial profiles, aerospace, rail transportation, automobile manufacturing, electronic appliances, communications technology, IT and other fields, AAG Aluminium products are very popular in the world.

With the continuous development and growth of the enterprise, in order to ensure product quality and production efficiency, the company spent a huge amount of money to update and increase a number of imported automated equipment from the die to extrusion until the surface treatment, the annual production capacity of more than 600,000 tonnes, and has become a leading enterprise in the industry.

With an excellent leadership team, high-quality staff, modern management mode, excellent technology, scientific production process control and strict quality inspection, AAG Aluminium is able to meet customers' demand for high-quality aluminium profile products within a short production cycle. Its stable product quality and all-round after-sales service have won numerous praises and set up a large number of landmark buildings represented by Dubai Tower, Sailing Hotel, Bird's Nest, Water Cube and National Grand Theatre.

Outstanding product quality and excellent enterprise management have also won various awards from local to national to international. 2005, the company successfully passed the TS16949 automotive profile system certification, DNV classification society certification, etc., and has become one of the early adopters of international advanced standards in the aluminium profile industry. At the same time, the "Nanya" brand trademark has been identified as "China Well-known Trademark", and "AAG Aluminium" brand has been awarded "Top Ten Aluminium Profiles in China" for many times. The brand "AAG Aluminium" has also been awarded "China's Top Ten Aluminium Profiles", "Top Ten Preferred Brands in the Industry" and other honourable titles.

Looking into the future, AAG Aluminium will continue to be guided by the enterprise spirit of "pioneering and enterprising, scaling new heights", and led by the enterprise philosophy of "people-oriented, mutual respect, integrity, and responsibility", and will strive to return to China with better quality products and more considerate services, with honour and responsibility. With honour and responsibility, we are striving to give back to our customers and society with better quality products and more considerate service.



AAG幕墙战略合作伙伴

与世界知名品牌合作， 装配优质五金配件，
专注高端的生活与体验感， 只有产品， 更确保每一个细节的舒心无忧，
点缀家更呵护你。

cooperate with world-renowned brands to assemble high-quality hardware accessories,
Focus on high-end life and experience, only products, more to ensure that every detail of
comfort, embellishment home more care for you.





幕墙型材 现货运营中心

中国·佛山

40极窄幕墙系列

40极窄幕墙装配图	12
40极窄平推窗装配	14
40极窄幕墙简图	15

65明框幕墙系列(100-200)

明框幕墙装配图	18
明框（隔热）幕墙装配图	20
明框转角装配图	21
明框立柱-套芯	22
明框（隔热）立柱-套芯	24
明框通用简图	25

65隐框幕墙系列(100-200)

隐框装配图	28
隐框转角装配图	29
隐框立柱-套芯	30
隐框通用简图	32

65竖明横隐幕墙(100-200)

竖明横隐装配图	34
竖明横隐转角装配图	36
竖明横隐立柱-套芯	37
竖明横隐（隔热）立柱-套芯	39
竖明横隐通用简图	40
竖明横隐加工图	42

65竖隐横明幕墙(100-200)

竖隐横明装配图	44
竖隐横明转角装配图	45
竖隐横明立柱-套芯	46
竖隐横明通用简图	48
竖隐横明加工图	50

80x180明框幕墙

80x180明框幕墙装配图	52
80x180明框幕墙	54

80x180隐框幕墙

80x180隐框幕墙装配图	56
80x180隐框幕墙	57

65/80钢结构幕墙系列

钢结构明框装配图	60
钢结构明框转角装配图	61
钢结构隐框装配图	62
钢结构隐框转角装配图	63
65钢结构幕墙简图	64
80钢结构幕墙简图	65

简易幕墙系列

简易幕墙装配图	67
简易幕墙简图	68

明框幕墙(隔热)(100-200)

明框幕墙（隔热）装配图	69
明框（隔热）立柱	70
明框通用简图	71

订货型号

order type

订货型号	72
------	----

46地弹门系列

46地弹门装配图	73
46地弹门（明框幕墙）装配图	74
46地弹门（隐框幕墙）装配图	75
46地弹门简图	76

幕墙五金配件

幕墙系列五金配件	77
----------	----

新国标工装门窗系列

65内开（内倒）窗装配图	81
65外开窗装配图	82
65外开窗（外装压线）装配图	83
65外开门（带固定）装配图	84
65对开门（外开）装配图	85
65对开门（内开）装配图	86
65内开门（带固定）装配图	87
65内开门（带固定）装配图	88
55-75系列变转	89
平开门窗简图	91




工字.百叶.压线压座

工字.百叶.压线压座	93
------------	----

方管大全

square pipe




方管大全	94
------	----



CURTAIN WALL

40极窄明框拼装图

40 Very Narrow Frame Assembly Drawing



CURTAIN WALL


65明框拼装图

65 Frame Assembly Drawing



65明框断桥拼装图




65 Open Frame Broken Bridge Assembly Drawing



CURTAIN WALL

65隐框拼装图


65 Hidden Frame Assembly Drawing




CURTAIN WALL

65 竖明横隐拼装图


65 Vertical Horizontal Hidden Assembly Drawing



65 Vertical Hidden Horizontal Bright Assembly Drawing



橫面型材





豎面型材


EXTREMELY NARROW CURTAIN VWALL

40極窄明框幕牆


40极窄幕墙装配图

40 Extremely Narrow Curtain Wall Assembly Drawing






橫面型材



豎面型材



EXTREMELY
NARROW
SLIDING WINDOW

40極窄明框平推窗



40极窄平推窗装配图

40 Very Narrow Flat Window Assembly Drawing



MQ-ZK12	
100极窄立柱	
壁厚: 3.0 mm	
米重: 3.08 kg/m	

MQ-ZK13	
100极窄芯套	
壁厚: 3.0 mm	
米重: 2.119kg/m	

可装弹簧稍钉

MQ-ZK01	
140极窄立柱	
壁厚: 3.0 mm	
米重: 3.71 kg/m	

配套芯MQ-ZK02

MQ-ZK02	
140极窄芯套	
壁厚: 3.0 mm	
米重: 2.6 kg/m	

MQ-ZK03	
40极窄横梁	
壁厚: 2.5 mm	
米重: 2.91 kg/m	

配盖板MQ-M6501

MQ-M6501	
横梁盖板	
壁厚: 1.2 mm	
米重: 0.22 kg/m	

MQ-ZK04	
横梁连接件	
壁厚: 3.0 mm	
米重: 1.13 kg/m	

MQ-ZK05	
极窄开启收边	
壁厚: 1.2 mm	
米重: 0.21 kg/m	

MQ-ZK06	
40压板	
壁厚: 3.0 mm	
米重: 0.43 kg/m	

配MQ-ZK07

MQ-ZK07	
40压盖	
壁厚: 1.5 mm	
米重: 0.31 kg/m	

配MQ-ZK06

MQ-K01	
开启框	
壁厚: 2.0 mm	
米重: 0.88 kg/m	

MQ-K04	
明框开启扇	
壁厚: 2.0 mm	
米重: 1.17 kg/m	

不喷涂面

40极窄幕墙简图

40 Very Narrow Curtain Wall Schematic

MQ-K06	
开启玻璃托	
壁厚: 2.0 mm	
米重: 0.36 kg/m	

MQ-K05	
上悬铰链垫块	
壁厚: 3.0 mm	
米重: 0.22 kg/m	



MQ-ZK09	
平推框	
壁厚: 2.0 mm	
米重: 1.36 kg/m	


MQ-ZK10	
平推扇	
壁厚: 2.0 mm	
米重: 1.983kg/m	

MQ-ZK11	
窗扇玻璃托	
壁厚: 2.0 mm	
米重: 0.368kg/m	


MQ-ZK14	
子弹头装饰盖	
壁厚: 1.6 mm	
米重: 0.796kg/m	

配MQ-ZK06







橫面型材




豎面型材

BRIGHT FRAME CURTAIN VWALL 65明框幕牆





橫面型材








豎面型材


BRIGHT
FRAME
CURTAIN VWALL
65明框（隔热）幕墙


明框（隔热）幕墙装配图

Frame (Heat Insulation) Curtain Wall Assembly Drawing






MQ-1001	
100立柱	
壁厚: 2.0 mm	
米重: 2.35 kg/m	


MQ-1002	
100套芯	
壁厚: 2.5 mm	
米重: 2.16 kg/m	


基材

MQ-1101	
110立柱	
壁厚: 2.5 mm	
米重: 2.96 kg/m	


MQ-1102	
110套芯	
壁厚: 2.5 mm	
米重: 2.26 kg/m	


基材

MQ-1201	
120立柱	
壁厚: 3.0 mm	
米重: 3.59 kg/m	


MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	

基材

MQ-1301	
130立柱	
壁厚: 3.0 mm	
米重: 3.76 kg/m	

MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	

基材

MQ-1401	
140立柱	
壁厚: 3.0 mm	
米重: 3.92 kg/m	

MQ-1402	
140套芯	
壁厚: 3.0 mm	
米重: 2.99 kg/m	

基材

MQ-1501	
150立柱	
壁厚: 3.0 mm	
米重: 4.08 kg/m	


MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	

基材

MQ-1601	
160立柱	
壁厚: 3.0 mm	
米重: 4.62 kg/m	


MQ-1602	
160套芯	
壁厚: 3.0 mm	
米重: 3.28 kg/m	


基材

MQ-1701	
170立柱	
壁厚: 3.0 mm	
米重: 4.46 kg/m	


MQ-1702	
170套芯	
壁厚: 3.0 mm	
米重: 3.45 kg/m	


基材

MQ-1804	
180立柱	
壁厚: 3.0 mm	
米重: 4.62 kg/m	

MQ-1805	
180套芯	
壁厚: 3.0 mm	
米重: 3.61 kg/m	

基材


MQ-2001	
200立柱	
壁厚: 3.0 mm	
米重: 5.28 kg/m	


MQ-2002	
200套芯	
壁厚: 3.0 mm	
米重: 3.92 kg/m	


基材

MQ-M36	
65压板	
壁厚: 3.0 mm	
米重: 0.67 kg/m	

单玻或隔热用 基材 配盖板MQ-M37

MQ-M37	
65压盖	
壁厚: 1.5 mm	
米重: 0.472kg/m	


MQ-1521	
152立柱	
壁厚: 4.0 mm	
米重: 5.3 kg/m	

明框(隔热)立柱-套芯

Open Frame (Heat Insulation) Post - Sleeve Core

MQ-12503	
125隔热立柱	
壁厚: 2.4 mm	
米重: 3.194kg/m	




MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	




基材

MQ-1303	
130隔热立柱	
壁厚: 3.0 mm	
米重: 3.771kg/m	




MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	




基材

MQ-1503	
150隔热立柱	
壁厚: 3.0 mm	
米重: 4.098kg/m	




MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	




基材

MQ-1703	
170隔热立柱	
壁厚: 4.0 mm	
米重: 5.649kg/m	




MQ-1702	
170套芯	
壁厚: 3.0 mm	
米重: 3.45 kg/m	




基材

MQ-M6503	
隔热明框横梁	
壁厚: 2.5 mm	
米重: 2.636kg/m	




配盖板MQ-M6501

MQ-M6505	
65x85横梁	
壁厚: 2.5 mm	
米重: 2.957kg/m	




订货
配盖板MQ-M8001

MQ-M18	
横梁玻璃托	
壁厚: 2.0 mm	
米重: 0.23 kg/m	
















基材
隔热专用

PA66-29x16	
尼龙条	
壁厚: 1.8 mm	
米重: 0.23 kg/m	




可代替穿条工艺





MQ-M15




基材
配盖板MQ-M15

MQ-M14

明90度阴转角压板

壁厚: 3.0 mm

米重: 0.81 kg/m




配盖板MQ-M14

MQ-M15

明90度阴转角压盖

壁厚: 1.6 mm

米重: 0.42 kg/m



基材

LJ30x40


30x40角铝

壁厚: 3.6 mm

米重: 0.68 kg/m



MQ-M17




基材
配盖板MQ-M17

MQ-M16

明135度阴转角压板

壁厚: 3.0 mm

米重: 0.7 kg/m




配盖板MQ-M16

MQ-M17

明135度阴转角压盖

壁厚: 1.6 mm

米重: 0.45 kg/m




MQ-M20

明框单玻转换料

壁厚: 2.0 mm

米重: 0.27 kg/m




订货
配盖板MQ-M8001

MQ-M8004

65x80明框横梁

壁厚: 2.5 mm

米重: 2.66 kg/m




订货

MQ-M8001

80横梁盖板

壁厚: 1.4 mm

米重: 0.29 kg/m




配盖板MQ-M6501

MQ-Y14

阴转角辅料

壁厚: 2.5 mm

米重: 2.46 kg/m




配压块MQ-M03

MQ-M04A

滴水压盖

壁厚: 1.5 mm

米重: 0.43 kg/m



配压块MQ-M03

MQ-M04B

装饰压盖

壁厚: 1.2 mm

米重: 0.86 kg/m




配压块MQ-M03

MQ-M04C

65灯带压盖

壁厚: 1.5 mm

米重: 0.612 kg/m




配压块MQ-M03

MQ-M04D

加高压盖

壁厚: 1.3 mm

米重: 0.86 kg/m




配压块MQ-M03

MQ-M04E

加高压盖

壁厚: 1.5 mm

米重: 1.493 kg/m



MQ-M19


隐转明辅料

壁厚: 2.5 mm

米重: 0.78 kg/m




橫面型材





豎面型材


HIDDEN FRAME CURTAIN VWALL

65隱框幕牆




中空玻璃: 6mm+12A+6mm







隐框立柱-套芯


Hidden Frame Column - Sleeve Core

MQ-Y1001	
100立柱	
壁厚: 2.0 mm	
米重: 1.98 kg/m	


MQ-1002	
100套芯	
壁厚: 2.5 mm	
米重: 2.16 kg/m	


基材

MQ-Y1101	
110立柱	
壁厚: 2.5 mm	
米重: 2.57 kg/m	


MQ-1102	
110套芯	
壁厚: 2.5 mm	
米重: 2.26 kg/m	


基材

MQ-Y1201	
120立柱	
壁厚: 3.0 mm	
米重: 3.22 kg/m	


MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	


基材

MQ-Y1301	
130立柱	
壁厚: 3.0 mm	
米重: 3.38 kg/m	

MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	

基材

MQ-Y1401	
140立柱	
壁厚: 3.0 mm	
米重: 3.54 kg/m	

MQ-1402	
140套芯	
壁厚: 3.0 mm	
米重: 2.99 kg/m	

基材

MQ-Y1501	
150立柱	
壁厚: 3.0 mm	
米重: 3.7 kg/m	

MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	

基材

MQ-Y1601	
160立柱	
壁厚: 3.0 mm	
米重: 4.27 kg/m	

MQ-1602	
160套芯	
壁厚: 3.0 mm	
米重: 3.28 kg/m	

基材

MQ-Y1701	
170立柱	
壁厚: 3.0 mm	
米重: 4.03 kg/m	

MQ-1702	
170套芯	
壁厚: 3.0 mm	
米重: 3.45 kg/m	

基材

MQ-Y1804	
180立柱	
壁厚: 3.0 mm	
米重: 4.19 kg/m	

MQ-1805	
180套芯	
壁厚: 3.0 mm	
米重: 3.61 kg/m	

基材

MQ-Y2001	
200立柱	
壁厚: 3.0 mm	
米重: 4.94 kg/m	

MQ-2002	
200套芯	
壁厚: 3.0 mm	
米重: 3.92 kg/m	

基材


MQ-YZ1403	
140隱框轉角	
壁厚: 3.0 mm	
米重: 4.15 kg/m	

MQ-YZ1404	
隱框轉角壓塊	
壁厚: 3.0 mm	
米重: 0.69 kg/m	

基材

MQ-M26	
隱框轉角壓塊	
壁厚: 3.0 mm	
米重: 0.69 kg/m	

--	--



配盖板MQ-M6501

MQ-Y6502

隐框横梁

壁厚: 2.5 mm

米重: 2.03 kg/m



MQ-Y6501

横梁盖板

壁厚: 1.2 mm

米重: 0.22 kg/m



MQ-Y15

隐框玻璃托

壁厚: 3.5 mm

米重: 0.69 kg/m

基材



MQ-Y02

65玻璃附框

壁厚: 2.0 mm

米重: 0.44 kg/m



MQ-Y03

双边压码

壁厚: 4.0 mm

米重: 0.498 kg/m

基材




MQ-Y04

单边压码

壁厚: 4.0 mm

米重: 0.357 kg/m

基材




MQ-K01

开启框

壁厚: 2.0 mm

米重: 0.88 kg/m



MQ-K02

隐框开启扇

壁厚: 2.0 mm

米重: 1.34 kg/m




MQ-K06

开启玻璃托

壁厚: 2.0 mm

米重: 0.36 kg/m



MQ-K03

隐框开启收边

壁厚: 2.0 mm

米重: 0.41 kg/m



MQ-Y09

隐框收边

壁厚: 1.4 mm

米重: 0.53 kg/m




MQ-K05

上悬铰链垫块

壁厚: 3.0 mm

米重: 0.22 kg/m

基材




MQ-Y12

90度阳转角辅料

壁厚: 2.5 mm

米重: 0.42 kg/m



MQ-Y13

135度阳转角辅料

壁厚: 2.5 mm

米重: 0.4 kg/m



MQ-Y14

阴转角辅料


壁厚: 2.5 mm

米重: 2.46 kg/m

配盖板MQ-M6501




橫面型材




豎面型材

HIDDEN FRAME CURTAIN VWALL

65豎明橫隱幕墻




中空玻璃：6mm+12A+6mm






橫面型材



豎面型材


HIDDEN
FRAME
CURTAIN VWALL


65豎明橫隱平推窗




竖明横隐转角装配图


Vertical Horizontal Hidden Angle Assembly Drawing



MQ-1001	
100立柱	
壁厚: 2.0 mm	
米重: 2.35 kg/m	


MQ-1002	
100套芯	
壁厚: 2.5 mm	
米重: 2.16 kg/m	


基材

MQ-1101	
110立柱	
壁厚: 2.5 mm	
米重: 2.96 kg/m	


MQ-1102	
110套芯	
壁厚: 2.5 mm	
米重: 2.26 kg/m	


基材

MQ-1201	
120立柱	
壁厚: 3.0 mm	
米重: 3.59 kg/m	


MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	

基材

MQ-1301	
130立柱	
壁厚: 3.0 mm	
米重: 3.76 kg/m	


MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	

基材

MQ-1401	
140立柱	
壁厚: 3.0 mm	
米重: 3.92 kg/m	

MQ-1402	
140套芯	
壁厚: 3.0 mm	
米重: 2.99 kg/m	

基材


MQ-1501	
150立柱	
壁厚: 3.0 mm	
米重: 4.08 kg/m	

MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	


基材

竖明横隐立柱-套芯


Vertical Horizontal Hidden Column - Sleeve Core


MQ-1601		160立柱
壁厚: 3.0 mm		
米重: 4.62 kg/m		


MQ-1602		160套芯
壁厚: 3.0 mm		
米重: 3.28 kg/m		
		基材


MQ-1701		170立柱
壁厚: 3.0 mm		
米重: 4.46 kg/m		

MQ-1702		170套芯
壁厚: 3.0 mm		
米重: 3.45 kg/m		
		基材

MQ-1804		180立柱
壁厚: 3.0 mm		
米重: 4.62 kg/m		


MQ-1805		180套芯
壁厚: 3.0 mm		
米重: 3.61 kg/m		
		基材

MQ-2001		200立柱
壁厚: 3.0 mm		
米重: 5.28 kg/m		

MQ-2002		200套芯
壁厚: 3.0 mm		
米重: 3.92 kg/m		
		基材

		
---	--	--

		
---	--	--

MQ-1521		152立柱
壁厚: 4.0 mm		
米重: 5.3 kg/m		
		订货

		
---	--	--

MQ-12503	
125隔熱立柱	
壁厚: 2.4 mm	
米重: 3.194kg/m	

MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	

基材

MQ-1303	
130隔熱立柱	
壁厚: 3.0 mm	
米重: 3.771kg/m	

MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	

基材

MQ-1503	
150隔熱立柱	
壁厚: 3.0 mm	
米重: 4.098kg/m	

MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	

基材

MQ-1703	
170隔熱立柱	
壁厚: 4.0 mm	
米重: 5.649kg/m	


MQ-1702	
170套芯	
壁厚: 3.0 mm	
米重: 3.45 kg/m	

基材



竖明横隐通用简图

Vertical Light Horizontal Hidden General Schematic



配盖板MQ-M6501

MQ-Y6502

隐框横梁

壁厚: 2.5 mm

米重: 2.03 kg/m



MQ-Y6501

横梁盖板

壁厚: 1.2 mm

米重: 0.22 kg/m



MQ-Y15

隐框玻璃托

壁厚: 3.5 mm

米重: 0.69 kg/m

基材



MQ-Y02

65玻璃附框

壁厚: 2.0 mm

米重: 0.44 kg/m



MQ-Y03

双边压码

壁厚: 4.0 mm

米重: 0.498 kg/m

基材




MQ-Y04

单边压码

壁厚: 4.0 mm

米重: 0.357 kg/m

基材




配盖板MQ-M04

MQ-M03

65压板

壁厚: 3.0 mm

米重: 0.59 kg/m



MQ-M04

65压盖

壁厚: 1.5 mm

米重: 0.41 kg/m




MQ-K06

开启玻璃托

壁厚: 2.0 mm

米重: 0.36 kg/m




MQ-K01

开启框

壁厚: 2.0 mm

米重: 0.88 kg/m




MQ-K02

隐框开启扇

壁厚: 2.0 mm

米重: 1.34 kg/m




MQ-K04

明框开启扇

壁厚: 2.0 mm

米重: 1.17 kg/m




MQ-M07

明框开启收边

壁厚: 2.0 mm

米重: 0.32 kg/m




MQ-K03

隐框开启收边

壁厚: 2.0 mm

米重: 0.41 kg/m




MQ-Y09


隐框收边

壁厚: 1.4 mm


米重: 0.53 kg/m




MQ-M08 **明90度阳转角辅料**
壁厚: 2.5 mm 米重: 0.25 kg/m




MQ-M11 **明135度阳转角辅料**
壁厚: 2.5 mm 米重: 0.23 kg/m



LJ30x40 **30x40角铝**
壁厚: 3.6 mm 米重: 0.68 kg/m




MQ-M09 **明90度阳转角压板**
壁厚: 3.0 mm 米重: 1.27 kg/m



MQ-M10 **明90度阳转角压盖**
壁厚: 1.6 mm 米重: 1.48 kg/m




MQ-Y06 **附框玻璃托**
壁厚: 2.0 mm 米重: 0.32 kg/m




MQ-M19 **隐转明辅料**
壁厚: 2.5 mm 米重: 0.78 kg/m







橫面型材




豎面型材


VERTICAL HIDING TRANSVERSE LIGHT CURTAIN VWALL

65豎隱橫明幕墻

竖隐横明装配图


Vertical Hidden Horizontal Bright Assembly Drawing







竖隐横明立柱-套芯


Vertical Hidden Transverse Light Column - Sleeve Core

MQ-Y1001	
100立柱	
壁厚: 2.0 mm	
米重: 1.98 kg/m	


MQ-1002	
100套芯	
壁厚: 2.5 mm	
米重: 2.16 kg/m	


基材

MQ-Y1101	
110立柱	
壁厚: 2.5 mm	
米重: 2.57 kg/m	


MQ-1102	
110套芯	
壁厚: 2.5 mm	
米重: 2.26 kg/m	


基材

MQ-Y1201	
120立柱	
壁厚: 3.0 mm	
米重: 3.22 kg/m	


MQ-1202	
120套芯	
壁厚: 3.0 mm	
米重: 2.67 kg/m	


基材

MQ-Y1301	
130立柱	
壁厚: 3.0 mm	
米重: 3.38 kg/m	

MQ-1302	
130套芯	
壁厚: 3.0 mm	
米重: 2.83 kg/m	

基材

MQ-Y1401	
140立柱	
壁厚: 3.0 mm	
米重: 3.54 kg/m	


MQ-1402	
140套芯	
壁厚: 3.0 mm	
米重: 2.99 kg/m	

基材

MQ-Y1501	
150立柱	
壁厚: 3.0 mm	
米重: 3.7 kg/m	


MQ-1502	
150套芯	
壁厚: 3.0 mm	
米重: 3.15 kg/m	


基材


MQ-Y1601	
160立柱	
壁厚: 3.0 mm	
米重: 4.27 kg/m	


MQ-1602	
160套芯	
壁厚: 3.0 mm	
米重: 3.28 kg/m	基材


MQ-Y1701	
170立柱	
壁厚: 3.0 mm	
米重: 4.03 kg/m	

MQ-1702	
170套芯	
壁厚: 3.0 mm	
米重: 3.45 kg/m	基材

MQ-Y1804	
180立柱	
壁厚: 3.0 mm	
米重: 4.19 kg/m	

MQ-1805	
180套芯	
壁厚: 3.0 mm	
米重: 3.61 kg/m	基材


MQ-Y2001	
200立柱	
壁厚: 3.0 mm	
米重: 4.94 kg/m	

MQ-2002	
200套芯	
壁厚: 3.0 mm	
米重: 3.92 kg/m	基材



竖隐横明通用简图

Vertical Hidden Horizontal Light General Schematic



配盖板MQ-M6501

MQ-M6504

明框横梁

壁厚: 2.5 mm

米重: 2.47 kg/m




MQ-M6501

横梁盖板

壁厚: 1.2 mm

米重: 0.22 kg/m




MQ-M07

明框开启收边

壁厚: 2.0 mm

米重: 0.32 kg/m




基材
配盖板MQ-M04

MQ-M03

65压板

壁厚: 3.0 mm

米重: 0.59 kg/m



MQ-M04

65压盖

壁厚: 1.5 mm

米重: 0.41 kg/m



基材

MQ-K05

上悬铰链垫块

壁厚: 3.0 mm

米重: 0.22 kg/m



MQ-Y02

65玻璃附框

壁厚: 2.0 mm

米重: 0.44 kg/m




基材

MQ-Y03

双边压码

壁厚: 4.0 mm

米重: 0.498 kg/m




基材

MQ-Y04

单边压码

壁厚: 4.0 mm

米重: 0.357 kg/m




MQ-K01

开启框

壁厚: 2.0 mm

米重: 0.88 kg/m




MQ-K02

隐框开启扇

壁厚: 2.0 mm

米重: 1.34 kg/m




MQ-K04

明框开启扇

壁厚: 2.0 mm

米重: 1.17 kg/m




MQ-K03

隐框开启收边

壁厚: 2.0 mm

米重: 0.41 kg/m




MQ-Y09

隐框收边

壁厚: 1.4 mm

米重: 0.53 kg/m




MQ-K06

开启玻璃托

壁厚: 2.0 mm

米重: 0.36 kg/m




MQ-Y12	90度阳转角辅料
壁厚: 2.5 mm	米重: 0.42 kg/m



MQ-Y13	135度阳转角辅料
壁厚: 2.5 mm	米重: 0.4 kg/m



MQ-Y14	阴转角辅料
壁厚: 2.5 mm	米重: 2.46 kg/m




配盖板MQ-M6501

MQ-Y6502	隐框横梁
壁厚: 2.5 mm	米重: 2.03 kg/m



MQ-M19	隐转明辅料
壁厚: 2.5 mm	米重: 0.78 kg/m



基材

LJ30x40	30x40角铝
壁厚: 3.6 mm	米重: 0.68 kg/m




竖隐横明角码螺丝靠内侧





橫面型材




豎面型材


FRAMED CURTAIN WALL


80x180明框幕牆

80x180明框幕墙装配图


80x180 Frame Curtain Wall Assembly Drawing



MQ-1801	
180明框立柱	
壁厚: 4.0 mm	
米重: 6.19 kg/m	

MQ-1802	
180立柱套芯	
壁厚: 3.0 mm	
米重: 3.82 kg/m	


基材


MQ-M05	
80压板	
壁厚: 3.0 mm	
米重: 0.71 kg/m	

80x180专用


MQ-M06	
80压盖	
壁厚: 1.5 mm	
米重: 0.47 kg/m	

80x180专用


MQ-M8002	
明框横梁	
壁厚: 2.5 mm	
米重: 2.891kg/m	


MQ-M8001	
80横梁盖板	
壁厚: 1.4 mm	
米重: 0.29 kg/m	



MQ-1801	
180明框立柱	
壁厚: 4.0 mm	
米重: 6.19 kg/m	




MQ-K06	
开启玻璃托	
壁厚: 2.0 mm	
米重: 0.36 kg/m	


MQ-M07	
明框开启收边	
壁厚: 2.0 mm	
米重: 0.32 kg/m	

80x180明框幕墙

80x180 Open Frame Curtain Wall




MQ-K01 开启框
壁厚: 2.0 mm 米重: 0.88 kg/m




MQ-K04 明框开启扇
壁厚: 2.0 mm 米重: 1.17 kg/m




MQ-K05 上悬铰链垫块
壁厚: 3.0 mm 米重: 0.22 kg/m



MQ-M08 明90度阳转角辅料
壁厚: 2.5 mm 米重: 0.25 kg/m




MQ-M09 明90度阳转角压板
壁厚: 3.0 mm 米重: 1.27 kg/m




MQ-M10 明90度阳转角压盖
壁厚: 1.6 mm 米重: 1.48 kg/m




MQ-M11 明135度阳转角辅料
壁厚: 2.5 mm 米重: 0.23 kg/m



MQ-M12 明135度阳转角压板
壁厚: 3.0 mm 米重: 0.98 kg/m




MQ-M13 明135度阳转角压板
壁厚: 1.6 mm 米重: 0.73 kg/m



MQ-M14 明90度阴转角压板
壁厚: 3.0 mm 米重: 0.81 kg/m




MQ-M15 明90度阴转角压盖
壁厚: 1.6 mm 米重: 0.42 kg/m




LJ30x40 30x40角铝
壁厚: 3.6 mm 米重: 0.68 kg/m




MQ-M16 明135度阴转角压板
壁厚: 3.0 mm 米重: 0.7 kg/m




MQ-M17 明135度阴转角压盖
壁厚: 1.6 mm 米重: 0.45 kg/m



MQ-M20 明框单玻转换料
壁厚: 2.0 mm 米重: 0.27 kg/m



橫面型材




豎面型材

HIDDEN FRAME CURTAIN WALL



80x180隱框幕牆


80x180隐框幕墙装配图


80x180 Hidden Frame Curtain Wall Assembly Drawing




中空玻璃: 6mm+12A+6mm




MQ-Y1801	
180隱柱立柱	
壁厚: 4.0 mm	
米重: 5.83 kg/m	

MQ-1802	
180立柱套芯	
壁厚: 3.0 mm	
米重: 3.82 kg/m	

基材

MQ-Y8002	
80橫梁	
壁厚: 2.5 mm	
米重: 2.473kg/m	


配盖板MQ-M8001

MQ-M8001	
80橫梁盖板	
壁厚: 1.4 mm	
米重: 0.29 kg/m	




80x180隐框幕墙


80x180 Hidden Frame Curtain Wall



MQ-K01 开启框
壁厚: 2.0 mm 米重: 0.88 kg/m



MQ-K02 隐框开启扇
壁厚: 2.0 mm 米重: 1.34 kg/m




MQ-K06 开扇玻璃托
壁厚: 2.0 mm 米重: 0.36 kg/m



立柱MQ-1801专用

MQ-Y07 80玻璃附框
壁厚: 2.0 mm 米重: 0.51 kg/m




基材

MQ-Y03 双边压码
壁厚: 4.0 mm 米重: 0.498 kg/m




基材

MQ-Y04 单边压码
壁厚: 4.0 mm 米重: 0.357 kg/m



基材


MQ-Y15 隐框玻璃托
壁厚: 3.5 mm 米重: 0.69 kg/m



MQ-K03 隐框开启收边
壁厚: 2.0 mm 米重: 0.41 kg/m



MQ-Y09 隐框收边
壁厚: 1.4 mm 米重: 0.53 kg/m




MQ-Y12 90度阳转角辅料
壁厚: 2.5 mm 米重: 0.42 kg/m



MQ-Y13 135度阳转角辅料
壁厚: 2.5 mm 米重: 0.4 kg/m



MQ-Y14 阴转角辅料
壁厚: 2.5 mm 米重: 2.46 kg/m




基材

LJ30x40 30x40角铝
壁厚: 3.6 mm 米重: 0.68 kg/m






橫面型材





豎面型材


STEEL FRAME CURTAIN VWALL


钢结构明框幕墙





中空玻璃: 6mm+12A+6mm









中空玻璃: 6mm+12A+6mm






65钢结构幕墙简图


65 Steel Curtain Wall Diagram



MQ-M01 **65底座**
壁厚: 3.0 mm 米重: 1.34 kg/m




基材
配盖板MQ-M04
MQ-M03 **65压板**
壁厚: 3.0 mm 米重: 0.59 kg/m



MQ-M04 **65压盖**
壁厚: 1.5 mm 米重: 0.41 kg/m




MQ-Y02 **65玻璃附框**
壁厚: 2.0 mm 米重: 0.44 kg/m




基材
MQ-Y03 **双边压码**
壁厚: 4.0 mm 米重: 0.498 kg/m



基材
MQ-Y04 **单边压码**
壁厚: 4.0 mm 米重: 0.357 kg/m




MQ-M21 **65断桥底座**
壁厚: 3.0 mm 米重: 0.92 kg/m




MQ-M07 **明框开启收边**
壁厚: 2.0 mm 米重: 0.32 kg/m




基材
MQ-K05 **上悬铰链垫块**
壁厚: 3.0 mm 米重: 0.22 kg/m




MQ-K01 **开启框**
壁厚: 2.0 mm 米重: 0.88 kg/m




MQ-K02 **隐框开启扇**
壁厚: 2.0 mm 米重: 1.34 kg/m




MQ-K04 **明框开启扇**
壁厚: 2.0 mm 米重: 1.17 kg/m




MQ-K03 **隐框开启收边**
壁厚: 2.0 mm 米重: 0.41 kg/m



MQ-Y09 **隐框收边**
壁厚: 1.4 mm 米重: 0.53 kg/m



MQ-K06 **开扇玻璃托**
壁厚: 2.0 mm 米重: 0.36 kg/m



MQ-M02

80底座

壁厚: 3.0 mm

米重: 1.45 kg/m



MQ-M06


180*80专用
配盖板MQM05

MQ-M05

80压板

壁厚: 3.0 mm

米重: 0.71 kg/m



MQ-M06

180*80专用
配盖板MQM05

80压盖

壁厚: 1.5 mm

米重: 0.47 kg/m




立柱MQ-1801专用

MQ-Y07

80玻璃附框

壁厚: 2.0 mm

米重: 0.51 kg/m



MQ-Y03

双边压码

壁厚: 4.0 mm

米重: 0.498 kg/m




MQ-Y04

单边压码

壁厚: 4.0 mm

米重: 0.357 kg/m



MQ-M07

明框开启收边

壁厚: 2.0 mm

米重: 0.32 kg/m



MQ-K05

上悬铰链垫块

壁厚: 3.0 mm

米重: 0.22 kg/m




OBG01

欧标槽杆

壁厚: 2.5 mm

米重: 0.115 kg/m




MQ-K01

开启框

壁厚: 2.0 mm

米重: 0.88 kg/m




MQ-K02

隐框开启扇

壁厚: 2.0 mm

米重: 1.34 kg/m




MQ-K04

明框开启扇

壁厚: 2.0 mm

米重: 1.17 kg/m




MQ-K03

隐框开启收边

壁厚: 2.0 mm

米重: 0.41 kg/m




MQ-Y09

隐框收边

壁厚: 1.4 mm

米重: 0.53 kg/m




MQ-K06

开扇玻璃托


壁厚: 2.0 mm

米重: 0.36 kg/m




基材


MQ-M09	明90度阳转角压板
壁厚: 3.0 mm	米重: 1.27 kg/m



MQ-M10	明90度阳转角压盖
壁厚: 1.6 mm	米重: 1.48 kg/m




MQ-M11	明135度阳转角辅料
壁厚: 2.5 mm	米重: 0.23 kg/m



MQ-Y12	90度阳转角辅料
壁厚: 2.5 mm	米重: 0.42 kg/m




MQ-Y13	135度阳转角辅料
壁厚: 2.5 mm	米重: 0.4 kg/m




配盖板MQ-M6501

MQ-Y14	阴转角辅料
壁厚: 2.5 mm	米重: 2.46 kg/m




配盖板MQ-M13

MQ-M12	明135度阳转角压板
壁厚: 3.0 mm	米重: 0.98 kg/m




配盖板MQ-M12

MQ-M13	明135度阳转角压板
壁厚: 1.6 mm	米重: 0.73 kg/m




配盖板MQ-M15

MQ-M14	明90度阴转角压板
壁厚: 3.0 mm	米重: 0.81 kg/m




配盖板MQ-M14

MQ-M15	明90度阴转角压盖
壁厚: 1.6 mm	米重: 0.42 kg/m



配盖板MQ-M17

MQ-M16	明135度阴转角压板
壁厚: 3.0 mm	米重: 0.7 kg/m




配盖板MQ-M16

MQ-M17	明135度阴转角压盖
壁厚: 1.6 mm	米重: 0.45 kg/m




MQ-Y06	附框玻璃托
壁厚: 2.0 mm	米重: 0.32 kg/m





MQ-M20	明框单玻转换料
壁厚: 2.0 mm	米重: 0.27 kg/m






中空玻璃: 6mm+12A+6mm




简易幕墙简图


Simple Curtain Wall Schematic



MQ-M27 **100立柱**
壁厚: 1.9 mm 米重: 1.803 kg/m



MQ-M28 **明框横梁**
壁厚: 1.9 mm 米重: 1.366 kg/m




MQ-M6501 **横梁盖板**
壁厚: 1.2 mm 米重: 0.22 kg/m




基材
配盖板MQ-M04


MQ-M29 **50压板**
壁厚: 2.5 mm 米重: 0.383 kg/m



MQ-M30 **50压盖**
壁厚: 1.2 mm 米重: 0.306 kg/m



MQ-M31 **50底座**
壁厚: 3.0 mm 米重: 1.188 kg/m



MQ-K01 **开启框**
壁厚: 2.0 mm 米重: 0.88 kg/m




MQ-K04 **明框开启扇**
壁厚: 2.0 mm 米重: 1.17 kg/m




基材


MQ-K05 **上悬铰链垫块**
壁厚: 3.0 mm 米重: 0.22 kg/m



MQ-M32 **100边框**
壁厚: 2.0 mm 米重: 1.286 kg/m




MQ-M33 **100中柱**
壁厚: 2.0 mm 米重: 1.637 kg/m




MQ-M34 **压线**
壁厚: 1.1 mm 米重: 0.299 kg/m





15x15 **方管**
壁厚: 1.2 mm 米重: 0.181 kg/m



内装玻璃幕墙



中空玻璃：6mm+12A+6mm



明框（隔热）立柱

Open Frame (Heat Insulation) Post

MQ-1001	
100立柱	
壁厚: 2.0 mm	
米重: 2.35 kg/m	

MQ-1101	
110立柱	
壁厚: 2.5 mm	
米重: 2.96 kg/m	

MQ-1201	
120立柱	
壁厚: 3.0 mm	
米重: 3.59 kg/m	

MQ-1301	
130立柱	
壁厚: 3.0 mm	
米重: 3.76 kg/m	

MQ-1401	
140立柱	
壁厚: 3.0 mm	
米重: 3.92 kg/m	

MQ-1501	
150立柱	
壁厚: 3.0 mm	
米重: 4.08 kg/m	

MQ-1601	
160立柱	
壁厚: 3.0 mm	
米重: 4.62 kg/m	













MQ-1701	
170立柱	
壁厚: 3.0 mm	
米重: 4.46 kg/m	


MQ-1804	
180立柱	
壁厚: 3.0 mm	
米重: 4.62 kg/m	

MQ-2001	
200立柱	
壁厚: 3.0 mm	
米重: 5.28 kg/m	

MQ-M35	
补偿块	
壁厚: 2.8 mm	
米重: 0.101kg/m	

--	--





JH-CY210

明框底座

壁厚: 3.0 mm

米重: 1.96 kg/m




JH-CY211

明框扣盖

壁厚: 3.0 mm

米重: 0.79 kg/m



JH-CY212

明框扣盖

壁厚: 1.8 mm

米重: 0.26 kg/m




MQ-9001

90压块

壁厚: 3.0 mm

米重: 0.79 kg/m




MQ-9002

90灯带压盖

壁厚: 1.5 mm

米重: 0.86 kg/m




MQ-9003

灯带铝盖

壁厚: 1.2 mm

米重: 0.11 kg/m




MQ-M23

装饰线

壁厚: 2.5 mm

米重: 4.65 kg/m




MQ-M24

装饰线

壁厚: 2.5 mm

米重: 4.54 kg/m



MQ-M25

装饰线底座

壁厚: 4.0 mm

米重: 4.85 kg/m




MQ-Y1602

160立柱

壁厚: 3.0 mm


米重: 4.604kg/m







46地弹门(明框幕墙)装配图

46 Ground Spring Door (Open Frame Curtain Wall) Assembly Drawing






中空玻璃：6mm+12A+6mm




46地弹门简图


46 Ground Spring Door Schematic




DTM01 光企
壁厚: 2.2 mm 米重: 1.21 kg/m




DTM02 上下方
壁厚: 2.2 mm 米重: 1.54 kg/m




DTM03 中横
壁厚: 2.2 mm 米重: 1.11 kg/m




DTM04 光企
壁厚: 2.2 mm 米重: 1.505 kg/m



DTM05 双玻压线
壁厚: 1.0 mm 米重: 0.13 kg/m




DTM06 单玻压线
壁厚: 1.0 mm 米重: 0.16 kg/m




100x50 方管
壁厚: 2.0 mm 米重: 1.59 kg/m




JH-090 固玻压线
壁厚: 1.1 mm 米重: 0.34 kg/m




JH-6805 方压线
壁厚: 1.0 mm 米重: 0.222 kg/m



JZM100-13 固玻底座
壁厚: 1.5 mm 米重: 0.356 kg/m




JH-068 框压线
壁厚: 1.0 mm 米重: 0.311 kg/m



JH-M12027 框压线
壁厚: 1.2 mm 米重: 0.301 kg/m






对开门窗 = (门洞 - 15) ÷ 2

单开门窗 = 门洞 - 10



温馨提示:

- 1、此提料表中配件数量为1樘双扇门所需配件数量，单扇门所需配件数量减半；
- 2、此配置适用最大门重为100KG，根据门宽、门重选择地弹簧；
- 3、拉手安装尺寸请根据实际情况模拟；
- 4、配件安装门扇需开孔，请知悉。


配置坚朗五金				
序号	产品名称	产品代号	数量	备注
1	HD101	环保型地弹簧	2	根据门宽、门重选择地弹簧
2	DY05	中心摇臂	2	
3	DX05	轴底座	2	
4	DS05	上枢轴座	2	
5	KLS20412	拉手	2	
6	KMS51230	型材门锁	2	型材厚度44mm



执手, 传动杆, 中间锁块节点图



滑撑节点图




温馨提示:

- 1、此配置需框扇间距为17mm;
- 2、下单前请务必装样窗确认, 批量下单表示客户已经装样并已接受样窗使用效果。

配置坚朗五金

序号	产品名称	产品代号	数量	备注
1	执手	CZS619	1件	舌长外露30mm
2	传动杆	LG01	1件	规格根据窗型而定
3	锁座	SK32B	2件	
4	滑撑	FJ600A	2件	规格根据窗型而定
5	中间锁块	LSK76	1套	
6	防坠块	1630FJS-16	4件	
7	风撑	SC320/FC200	2件	规格根据窗型而定



温馨提示:

- 1、此配置要求框扇间距为21mm;
- 2、传动杆的长度比竖向滑撑至少长100mm以上, 否则无法正常使用;
- 3、下单前请务必装样窗确认, 批量下单表示客户已经装样并已接受样窗使用效果。

配置坚朗五金				
序号	产品名称	产品代号	数量	备注
1	执手	CZS619	2件	舌长外露30mm
2	传动杆	LG01	1件	规格根据窗型而定
3	锁座	SK32B	2件	
4	滑撑	HC820-19	2件	分左右
5	滑撑	HC820-40	2件	

幕墙系列五金配件


Curtain Wall Series Hardware Accessories



钢板 200x250x8

后置侧埋件 Q235B镀锌角码

备注: 用于侧装立柱连接件安装



角码 50+100x100x8

侧连接件 Q235B镀锌

备注: 用于立柱侧连接



100x100x2

橡胶垫 橡胶

备注: 用于后埋件安装及侧装连接件安装



圆孔直径为14mm

40x40x3

40方垫片 Q235B镀锌

备注: 用于后埋件安装及侧装连接件安装



M12x120

M12外六角头螺栓组 304

备注: 用于连接件与立柱安装



M12x160

M12化学锚栓组 Q235


备注: 用于后埋件安装



钢板 200x300x10

后置顶底埋件 Q235B镀锌

备注: 用于顶底立柱连接件安装



LJ63x100x6-75

顶底连接件 Q235B镀锌

备注: 用于立柱顶底连接



M6x90

M6x90对穿螺丝组 304

备注: 用于立柱与横梁连接



M6x20

M6x20外六角机丝组 304

备注: 用于明框压块与立柱横梁连接



M6x25

M6x25外六角机丝组 304

备注: 用于隐框幕墙压块与立柱横梁连接



M4x15

M4x16外六角机丝组 304

备注: 用于极窄压块与立柱横梁连接



泡沫棒

备注: 用于隐框幕墙填缝



6x10双面胶

备注: 用于隐框玻璃副框



6x20双面胶

备注: 用于玻璃开启扇



14.3x1.0x1.5冲点

不锈钢组角片 304

备注: 用于幕墙开启框扇



14C槽

C槽盖 PVC

备注: 用于开启框槽盖



240米/10kg/卷

0345

开启扇胶条 EPDM发泡复合

备注: 用于开启位密封



100米/10kg/卷

4349

明框胶条 EPDM

备注: 用于立柱与横梁内侧







175米/10kg/卷

4350


隐框胶条 EPDM


备注: 用于隐框副框内侧



65外开窗装配图





65 Exterior Window Assembly Drawing






65外开门（带固定）装配图


65 Outer Door Opening (With Fixed) Assembly Drawing









65对开门（内开）装配图


65 Pairs Of Door Opening (Internal Opening) Assembly Drawing






65内开门 (带固定) 装配图


65 Inner Door Opening (With Fixed) Assembly Drawing




55系列




60系列




65系列




70系列



75系列








配压线JH-M6505

JH-M6501	外框
壁厚: 1.8 mm	米重: 1.25 kg/m




配压线JH-M6505


JH-M6502	中框
壁厚: 1.8 mm	米重: 1.37 kg/m




JH-M6503	内开窗扇
壁厚: 1.8 mm	米重: 1.44 kg/m




JH-M6504	转换框
壁厚: 1.8 mm	米重: 1.19 kg/m




JH-M6513	外开窗扇
壁厚: 1.8 mm	米重: 1.73 kg/m



JH-M6514	对开假中框
壁厚: 1.5 mm	米重: 1.18 kg/m




JH-M6523	内开门扇
壁厚: 2.2 mm	米重: 2.07 kg/m




JH-M6521	低门槛
壁厚: 1.8 mm	米重: 1.12 kg/m



JH-M6533	外开门扇
壁厚: 2.2 mm	米重: 2.07 kg/m




JH-M6505	压线
壁厚: 1.1 mm	米重: 0.29 kg/m



JH-M6515	外开扇压线
壁厚: 1.1 mm	米重: 0.29 kg/m




JH-M6506	低门槛收边
壁厚: 1.3 mm	米重: 0.13 kg/m




JH-M6531	门外框
壁厚: 2.2 mm	米重: 1.34 kg/m







JH-M7007 外框
壁厚: 1.35 mm 米重: 1.277 kg/m




JH-M7008 中框
壁厚: 1.35 mm 米重: 1.375 kg/m




JH-M7009 窗扇
壁厚: 1.35 mm 米重: 1.632 kg/m




JH-M6511 压线
壁厚: 1.1 mm 米重: 0.303 kg/m




JH-M5503 玻扇
壁厚: 1.1 mm 米重: 1.365 kg/m




JH-M5504 压线
壁厚: 1.0 mm 米重: 0.192 kg/m



JH-M6515A 外开扇压线
壁厚: 1.1 mm 米重: 0.336 kg/m




JH-M6505A 外开扇压线
壁厚: 1.1 mm 米重: 0.339kg/m



JH-M6510 压线
壁厚: 1.1 mm 米重: 0.306kg/m







50x25 方管
壁厚: 1.2 mm 米重: 0.48 kg/m



JH-BY01 百叶
壁厚: 1.0 mm 米重: 0.29 kg/m




JH-BY03 百叶
壁厚: 1.0 mm 米重: 0.319 kg/m




JH-BY02 百叶底座
壁厚: 1.2 mm 米重: 0.21 kg/m




JH-090 固玻底座
壁厚: 1.1 mm 米重: 0.34 kg/m




JH-6805 方压线
壁厚: 1.0 mm 米重: 0.222 kg/m




JZM100-13 固玻底座
壁厚: 1.5 mm 米重: 0.356 kg/m




JH-GD01 隔断中柱
壁厚: 1.4 mm 米重: 1.087 kg/m




JH-GD02 隔断中柱
壁厚: 1.4 mm 米重: 1.264 kg/m




JZM100-14 方压线
壁厚: 1.2 mm 米重: 0.22 kg/m



JH-GD03 斜压线
壁厚: 0.8 mm 米重: 0.14 kg/m



JH-068 框压线
壁厚: 1.0 mm 米重: 0.311 kg/m



JH-M12027 框压线
壁厚: 1.2 mm 米重: 0.301 kg/m



寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
10	10	1.00	0.098
		1.20	0.115
13.5	13.5	1.20	0.161
15	15	1.20	0.179
18	18	1.00	0.183
		1.20	0.222
20	10	1.00	0.167
20	15	1.00	0.178
20	16	0.80	0.800
20	20	0.70	0.150
		0.80	0.167
		1.00	0.200
		1.20	0.250
		1.40	0.283
		1.50	0.300
		1.90	0.383
25	12	1.20	0.217
25	13	0.90	0.180
25	15	1.20	0.245
25	20	1.40	0.319
25	25	0.80	0.200
		1.00	0.283
		1.20	0.333
		1.40	0.357
		1.50	0.380
		1.60	0.350
		2.00	0.483
		3.00	0.717
26.5	12	0.80	0.162
28	17	1.10	0.250
		1.30	0.293
30	10	0.70	0.150
30	20	1.00	0.263
		1.20	0.313
		1.0	0.283
30	25	0.80	0.217
30	30	0.80	0.255
		1.20	0.380
		1.30	0.400
		1.40	0.467
		1.46	0.457
		1.50	0.500

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
30	30	2.00	0.613
		2.00	0.633
		3.00	0.867
		3.05	0.967
31	10	1.00	0.220
32	25	1.10	0.330
32	32	1.20	0.400
		1.40	0.467
33	21	1.13	0.295
35	15	1.40	0.357
35	16	1.00	0.300
35	20	1.45	0.412
35	35	1.50	0.550
37	23	1.50	0.443
38	25	0.55	0.183
		0.60	0.200
		0.65	0.220
		0.80	0.217
		0.75	0.253
		0.85	0.283
		0.90	0.300
		1.00	0.300
		1.20	0.400
		1.40	0.462
		1.50	0.483
38	38	2.00	0.647
		2.80	0.880
		0.80	0.325
		0.94	0.378
		1.00	0.417
		1.10	0.467
		1.20	0.500
39	38	1.40	0.562
		1.60	0.650
		1.90	0.833
		1.00	0.410
40	15	0.90	0.262
		1.20	0.341
40	20	0.90	0.284
		1.20	0.383
40	30	1.00	0.367
		1.20	0.445

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
40	30	1.50	0.533
		1.80	0.633
		2.00	0.713
40	40	1.00	0.400
		1.20	0.510
		1.30	0.583
		1.40	0.592
		1.60	0.559
		2.00	0.850
		3.05	1.235
42	30	2.95	1.067
44	44	1.00	0.467
		1.20	0.583
		1.40	0.660
45	30	1.10	0.433
45	45	1.10	0.530
47	23	1.00	0.417
48	20	0.80	0.290
		0.90	0.327
		1.20	0.378
48	25	1.20	0.46
50	20	0.90	0.333
		1.10	0.400
		1.30	0.467
		3.00	1.037
50	21	1.15	0.461
50	25	0.50	0.300
		0.64	0.258
		0.70	0.283
		0.72	0.290
		0.85	0.342
		0.90	0.367
		1.00	0.417
		1.08	0.433
		1.20	0.467
		1.30	0.517
		1.40	0.567
		1.55	0.610
		1.80	0.700
		2.00	0.775
		2.40	0.923
		3.00	1.118

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
50	30	0.93	0.397
		1.00	0.427
		1.80	0.724
		1.85	0.768
		2.00	0.917
		3.00	1.199
50	38	1.00	0.472
		1.10	0.517
		2.00	0.920
50	40	1.00	0.483
		1.50	0.660
		2.00	0.918
50	50	0.80	0.367
		0.90	0.483
		1.00	0.500
		1.20	0.617
		1.40	0.717
		1.60	0.883
		1.80	0.933
		2.00	1.083
		2.50	1.333
54	54	3.05	1.570
		1.70	0.961
		1.40	0.667
55	35	1.90	0.933
		1.00	0.396
60	15	1.00	0.396
60	20	1.00	0.483
		1.15	0.583
		1.50	0.700
60	25	1.00	0.450
		1.20	0.550
60	30	1.00	0.483
		1.20	0.583
		1.40	0.700
		1.50	0.855
60	40	1.15	0.633
		1.40	0.767
		1.60	0.850
		2.00	1.000
		3.00	1.600
		5.00	2.440
60	50	1.40	0.867

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
60	50	3.00	1.700
60	52	1.20	0.720
60	56	2.00	1.383
60	60	1.00	0.600
		1.10	0.717
		1.25	0.800
		1.40	0.900
		1.50	1.000
		2.00	1.283
		2.90	1.783
		3.00	1.850
		3.50	1.538
		4.05	2.483
		5.00	3.00
		5.08	3.048
		6.00	3.510
63	35	2.00	1.050
64	25	0.70	0.333
		0.80	0.383
64	40	1.05	0.587
65	56	2.00	1.383
65	62	2.00	1.328
68	25	1.20	0.590
68	26	3.00	1.440
68	48	1.20	0.740
68	66	1.20	0.930
70	10	1.40	0.558
70	25	1.20	0.560
70	30	1.00	0.533
		1.20	0.633
70	45	1.20	0.740
73	23	0.65	0.333
		0.75	0.388
		1.20	0.617
74	23	0.90	0.467
76	25	0.80	0.417
		0.94	0.506
		1.00	0.500
		1.20	0.617
		1.40	0.75
		2.00	1.100
76	30	1.00	0.564

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
76	44	0.80	0.517
		1.00	0.650
		1.20	0.800
		1.40	0.900
		2.00	1.383
		2.80	1.755
		3.00	2.000
76	76	1.00	0.867
		1.20	1.067
		2.00	1.617
		3.00	2.500
80	25	0.80	0.417
		0.85	0.483
		0.88	0.500
		1.00	0.500
		1.20	0.633
		1.37	0.767
		1.40	0.783
80	30	2.00	1.200
80	40	1.00	0.633
		1.50	0.917
80	44	0.80	0.533
		1.00	0.633
		1.20	0.800
		1.40	0.950
		1.43	0.950
		1.50	1.000
		2.00	1.367
		2.05	1.350
		3.00	1.940
80	50	0.80	0.583
		1.20	0.883
		1.50	1.033
		2.00	1.367
80	60	1.40	1.050
		1.80	1.333
80	80	1.00	0.883
		1.20	1.083
		1.50	1.300
		2.00	1.667
		3.00	2.500
84	20	1.00	0.600

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
85	55	2.00	1.257
		3.00	2.179
86	23	1.20	0.683
86	25	1.00	0.597
		1.20	0.713
86	44	1.00	0.700
		1.20	0.833
		3.00	2.100
86	62	4.00	3.067
88	25	1.10	0.667
88	25	1.20	0.730
88	44	1.10	0.783
88	88	1.20	1.142
90	25	0.80	0.500
		1.00	0.617
		1.20	0.783
90	35	1.20	0.800
90	44	1.20	0.820
90	56	2.00	1.917
90	90	2.00	1.950
96	23	0.80	0.500
		1.00	0.633
		1.20	0.783
100	20	1.80	1.150
100	25	0.80	0.500
		0.85	0.567
		1.00	0.633
		1.10	0.717
		1.20	0.800
		1.40	0.883
		2.00	1.367
100	30	1.20	0.827
		1.00	0.700
		1.90	1.300
100	40	0.90	0.717
100	40	1.20	0.917
		1.40	1.033
		1.50	1.100
100	44	1.00	0.800
		1.20	0.967
		1.40	1.100
		2.00	1.583

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
100	44	3.00	2.333
100	50	1.00	0.817
		1.10	0.890
		1.20	0.983
		1.50	1.250
		1.60	1.300
		1.80	1.433
		2.00	1.583
		3.00	2.500
		4.00	3.033
100	60	1.00	0.967
		1.70	1.464
		2.00	1.667
		2.90	2.450
100	70	1.20	1.102
100	75	1.20	1.120
100	100	1.20	1.300
		1.30	1.407
		1.40	1.550
		2.00	2.200
		2.10	2.220
		2.70	2.700
		3.00	3.154
		4.00	4.336
102	45	1.00	0.800
110	42	10.00	7.233
110	110	2.00	2.330
117	80	2.00	2.110
120	20	1.00	0.600
120	30	1.80	1.610
120	38	3.00	2.300
120	40	3.10	2.167
120	48	1.30	1.160
120	50	1.15	1.041
120	50	1.00	0.900
		1.10	1.000
		3.00	2.667
120	55	3.00	2.749
120	60	1.50	1.023
		2.00	1.908
		2.00	1.933
		3.00	2.829

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
120	64	1.30	1.280
120	66	1.30	1.290
120	68	1.50	1.500
120	80	2.20	2.380
120	120	1.80	2.306
		1.90	2.450
		2.00	2.558
		3.00	3.805
125	125	3.0	3.965
126	60	2.00	1.870
		3.00	2.810
130	130	2.00	2.818
		2.50	3.480
		3.00	4.180
		5.00	7.040
140	25	1.00	0.870
		1.20	1.050
140	35	1.10	1.030
140	70	2.00	4.160
150	25	2.30	2.328
150	30	1.30	1.258
150	44	1.90	1.980
150	50	1.30	1.391
		1.40	1.490
		1.80	1.937
		2.00	2.120
		3.00	3.240
150	60	2.00	2.250
		3.00	4.414
150	75	2.00	2.310
		3.00	3.561
150	100	1.30	1.750
		1.90	2.535
		2.0	2.690
		3.00	3.930
150	150	3.00	4.810
		2.00	3.252
		2.30	3.710
		3.00	4.878
160	80	2.00	2.549
180	75	3.00	4.080
		10.00	12.830

寬A (mm)	高B (mm)	壁厚T (mm)	重量 (kg/m)
200	50	2.00	2.686
		2.10	2.950
		2.50	3.344
		2.80	3.736
200	60	2.00	2.800
		2.50	4.025
		3.00	4.190
200	80	3.00	4.510
200	100	2.50	3.948
		3.00	4.878
		4.00	6.377
200	145	2.50	5.116
200	200	3.00	6.410
		4.00	8.560
250	50	3.00	4.810
250	100	3.00	5.635
		4.00	7.520
250	150	3.50	7.510
250	200	3.90	9.416
300	30	2.50	4.190
300	50	2.50	4.760
		3.00	5.730
300	100	2.50	5.550
		3.00	6.690
		3.60	7.850
300	150	3.00	7.270
		3.60	8.850
		4.00	9.650
300	200	3.50	9.420
		4.00	10.92
300	300	4.00	13.32
		4.60	15.08
400	50	3.50	8.530
		3.60	8.990
400	100	4.50	12.26
400	200	5.75	18.78
500	100	6.00	19.58
500	200	5.00	19.14

注意事项：

*由于印刷关系，图片与实物颜色有所差异，一切均以产品实物为准，图片仅供参考；

*产品铝型材之间存在轻微色差属正常；

*由于生产工艺原因，不同批次的铝型材厚度有 $\pm 0.1\text{mm}$ 偏差属正常；

*本公司有权更改与完善产品的外形与性能，请以实物为准，本公司将不另行通知。



Asiaalum Group
address:Nanhai District
Foshan City Guangdong
prowince
E-mail: info@gdaa
-
cn.com
Phone:+8618578386361

