

G.C.E. (A/L) Examination – March 2019 Conducted by Field Work Centre, Thondaimanaru. In Collaboration with

FWC

Northern Provincial Education Department

Grade: - 12(2020)

Information & Communication Technology

Time: 3.00 hours

Part I

Instructions:

- Answer all the questions.
- Write your Index Number in the space provided in the answer sheet.
- In each of the questions 1 to 40, pick one of the alternatives from (1), (2), (3), (4), (5) which is correct or most appropriate and mark your response on the answer sheet with a cross (×) in accordance with the instructions given on the back of the answer sheet.
- Use of calculators is not allowed.
- 01. Which of the followings is correct regarding evolution of computing devices?
 - 1. EDVAC was developed by Maurice Wilkes.
 - 2. ENIAC was designed by John Mauchly and Gottfried Wilhelm von Leibniz.
 - 3. UNIVAC was introduced by Howard Aiken.
 - 4. EDVAC was the first full size stored program digital computer.
 - 5. The Pascaline was introduced by Charles Babbage.
- 02. When the grade 11 progress report of a student is given in grade 13. Which of the followings qualities of data is it related to?
 - 1. Timely
 - 2. Understandable
 - 3. Relevant
 - 4. Accurate
 - 5. Complete
- 03. The G.C.E (A/L) 2018 result was released in December 2018. When will this result be higher value of information for the students who sat for the exam?
 - 1. During the period of viewing result sheet in schools.
 - 2. During the period of viewing the results in websites.
 - 3. During the period of knowing the results from friends.
 - During the period of publishing the results in department of examination website.
 - 5. During the period of informing to students by teacher through telephone.
- 04. Birth month of a person that is considered by the numeric value and that lie between 1 to
 - 12. Which validation types used here?
 - 1. Presence and format check
 - 2. Range and format check
 - 3. Range and data type check
 - 4. Length and range check
 - 5. Data type and length check

- 05. Which of the following storage device that has highest data access time?
 - 1. Internal hard disk
 - 2. External hard disk
 - 3. Compact disc
 - 4. Register
 - 5. Random access memory
- 06. Consider the following statements regarding ROM:
 - A ROM stores essential programs such as the program that boots the computer by computer system developers.
 - B Able to write new data or program in ROM by users.
 - C ROM capacity is more compare to RAM in most computers.
 - D ROM is a non-volatile memory.

Which of the above statements/s is/are true?

- 1. A, C only.
- 2. A, D only.
- 3. A, C, D only.
- 4. A, B, D only.
- 5. All of the above.
- 07. Consider the following numbers with different bases:
 - A 12.28
 - $B 1010.01_2$
 - C-A.416

Which of the above statement/s is/are equivalent/s to Decimal 10.25?

- 1. A only.
- 2. A, B only.
- 3. B, C only.
- 4. A, C only.
- 5. All of the above
- $08.101_2 + 633_8 =$
 - 1. 1A0₁₆
 - 2. 19116
 - 3. 20016
 - 4. 19F₁₆
 - 5. 191616
- 09. Two's complement of (-9) and (+6) respectively,
 - 1. 11110110₂, 11111001₂
 - 2. 11110110₂, 111111010₂
 - 3. 11110111₂, 11111010₂
 - 4. 11110110₂, 00000110₂
 - 5. 11110111₂, 00000110₂


- 10. Which of the following is the input device that is used to input data efficiently?
 - 1. Keyboard
 - 2. Magnetic stripe reader
 - 3. Flatbed scanner
 - 4. Mouse
 - 5. Joystick
- 11. The area of law that deals with protecting the rights of those who create original works is called,
 - 1. Software piracy.
 - 2. Copyright.
 - 3. Plagiarism.
 - 4. Stealing.
 - 5. Privacy.
- 12. Which one is correct regarding off the shelf software?
 - 1. It is developed for particular requirements.
 - 2. Cost is always high.
 - 3. Failure is high.
 - 4. Always satisfied user's requirements.
 - 5. Cost of production share among buyers.

13. Consider the following truth table:

Α	В	A OR B	A XNOR B	NOT B	((A OR B) AND (NOT B)) XOR A XNOR B
0	0	0	1	1	K
0	1	1	0	0	L
1	0	1	0		M
1	1	1	1	0	N

Which is the correct order of values for the labels K,L,M and N?

- 1. 1,0,1,0
- 2. 1,0,1,1
- 3. 0,1,0,1
- 4. 1,0,0,1
- 5. 0,0,1,1
- 14. Which is the following is the output F that denotes the following logic circuit?
 - 1. P̄+Q̄
 - 2. P+Q
 - 3. P+Q
 - 4. 1
 - 5. 0



- 15. Number of processes completed per unit time is called,
 - 1. Turnaround Time
 - 2. Waiting Time
 - 3. Response Time
 - 4. Throughput
 - Average Waiting Time

16. Which of the following scheduler is related to swapping?					
Long term scheduler					
2. Very long term scheduler					
3. Mid-term scheduler					
Short term scheduler					
very short term scheduler					
17. If a virtual memory using 12bits for their addressing, what is the range of unique					
addresses?					
1. 1 - 212					
2. $0 - (10^{12}-1)$					
3. $1 - (10^{12} - 1)$					
4. $0 - (2^{12}-1)$					
5. 1 - 10 ¹²					
18. Consider the following statements:					
A – OS decides to let another task run.					
B – A higher priority process comes.					
C – Process time out.					
Which of the above statement/s is/are reason/s for switch the process from running state					
to ready state?					
1. C only.					
2. B, C only.					
3. A, B only.					
4. A, C only.					
5. All of the above.					
19. Consider the following statements regarding FAT and NTFS:					
A – NTFS is more secure compare to FAT.					
B – Maximum length of file name is limited in NTFS.					
C – FAT, support to Unicode.					
Which of the above statement/s is/are true?					
1. A only.					
2. B only.					
3. A, C only.					
4. B, C only.					
5. All of the above.					
Co					
20. Consider the following statements with blanks:					
A – Multiprogramming,					
B – Time-sharing,					
Which of the followings are the correct terms for the labels P and Q respectively?					
1. Maximizes, maximizes.					
2. Minimizes, maximizes.					
3. Maximizes, minimizes.					
4. Minimizes, minimizes.					
5. Minimizes, maximizes then minimizes.					

- 21. Sub process of a process is called,
 - 1. Context Switching
 - 2. Process Control Block
 - 3. Thread
 - 4. Program Counter
 - 5. Task
- 22. Which of the followings is the correct statement regarding simple batch processing system?
 - 1. Single user system.
 - 2. No operating system.
 - 3. Use of high-level languages.
 - 4. Programmer/User acts as the operator and interacted with the hardware.
 - 5. Paper Tapes for the program and I/O.
- 23. Which of the following is not an example for Real time operating system?
 - 1. Airline ticket reservation.
 - 2. Playing games in the Computer.
 - 3. Credit card payments.
 - 4. Pre-paid mobile usage.
 - 5. Payroll
- 24. Which of the following is the simplified result of the Boolean expression

$$\overline{A.B} + \overline{A.C} + \overline{A.B.C}$$


- 1. 0
- 2. 1
- 3. \bar{A} , \bar{B} , \bar{C}
- 4. \bar{A} . $(\bar{B} + \bar{C})$
- 5. $\bar{A} + (\bar{B}.\bar{C})$
- 25. Which of the followings is simplified Boolean expression that is represents the k-map?

5

- 1. $y.z+w.\bar{z}+x.z$
- 2. $z \cdot (y + \overline{w} + x)$
- 3. $z.(y+w+\bar{x})$
- 4. $y.z + \overline{w}.\overline{y}.z + w.x.\overline{y}.z$
- 5. $x.z + \overline{w}.z + w.\overline{x}.y.z$

	ÿ̄z̄	ÿz	yz	уz̄
$\overline{w}\overline{x}$	0	1	1	0
$\overline{w}x$	0	1	1	0
wx	0	1	1	0
wx	0	0	1	0

- 26. Which modulation type is shown through the following diagram?
 - 1. AM (Amplitude Modulation)
 - 2. FM (Frequency Modulation)
 - 3. PM (Phase Modulation)
 - 4. ASK (Amplitude Shift Keying)
 - 5. FSK (Frequency Shift Keying)



- 27. Which of the followings is the protocol that is used to prevent data collision in the Ring topology?
 - 1. CSMA/CD
 - 2. Token Ring
 - 3. ALOHA
 - 4. Slotted ALOHA
 - 5. Telnet
- 28. Consider the following IP addresses:
 - A 10.120.15.87
 - B 172.15.90.174
 - C 172.31.121.5
 - D-192.169.10.128

Which of the above are examples for private IP addresses?

- 1. A, C only.
- 2. B, D only.
- 3. A, C, D only.
- 4. B, C, D only.
- 5. All of the above.
- 29. A LAN uses the subnet mask 255.255.252.0. How many different IP addresses can be assigned to devices in this LAN?
 - 1. 254
 - 2. 510
 - 3. 2046
 - 4. 1022
 - 5. 4094
- 30. Presentation layer of OSI reference model provides,
 - 1. Routing data packets forward.
 - 2. Error detection and error correction.
 - 3. Responsible for application services.
 - 4. Data encryption and decryption.;
 - 5. Flow control.
- 31. Which of the following device is related to data link layer?
 - l. Hub
 - 2. Router
 - 3. Repeater
 - 4. Network Switch
 - 5. Cables
- 32. Which of the statement is correct regarding IP addresses, MAC address and subnet mask?
 - 1. IPV4 address is 128 bit long.
 - 2. MAC address is 32 bits long.
 - 3. 255.255.255.0 is a class C IP address.
 - 4. 256 IP addresses are available with 192.200.159.0/24.
 - 5. 255.255.255.252 is a class C default subnet mask.

- 33. Local Area Network (LAN) has 160 network devices. What is the most appropriate subnet mask for this computer network?
 - 1. 255.255.255.128
 - 2. 255.255.254.0
 - 3. 255.255.255.192
 - 4. 255.255.252.0
 - 5. 255.255.255.0
- 34. Consider the following statements regarding ISDN and ADSL:
 - A Upload and download speeds are same in both.
 - B Both provide digital communication.
 - C ISDN transfer data at high speed compare to ADSL.

Which of the above statement/s is/are true?

- 1. B only.
- 2. C only.
- 3. A, C only.
- 4. B, C only.
- 5. All of the above.
- 35. Consider the following statement:

'Any signal is a combination of many sinusoidal waves, which have different frequencies. Therefore, the signal wave components travel with different velocities and reach the destination at different times'

Which of the followings is the data communication impairment which is described in the above statement?

- 1. Noise
- 2. Distortion
- 3. Cross talk
- 4. Attenuation
- 5. Bending loss
- 36. Respiratory system is,
 - 1. Natural open.
 - 2. Natural close.
 - 3. Artificial open.
 - 4. Artificial close.
 - 5. Natural hybrid.
- 37. Consider the following models,
 - A Network
 - B Spiral
 - C Hierarchical
 - D Prototyping

Which of the above model/s is/are software process model?

- 1. A, C only.
- 2. B, D only.
- 3. A, B, D only.
- 4. B, C, D only.
- 5. All of the above.

38. Consider the following:

- A Knowledge base
- B Inference engine
- C User interface

Which of the above is/are basic component/s of expert system?

- 1. A only.
- 2. A, B only.
- 3. A, C only.
- 4. B, C only.
- 5. All of the above.

39. Which of the followings is not an example for Transaction processing system?

- 1. Sales order records
- 2. Airline ticket reservation
- 3. Joomla
- 4. Payroll
- 5. Employee records

40. Consider the following table:

			T 4 W	
	Column A			Column B
Γ	(X)	Content Management	P	Computer applications that use artificial
		System		intelligence.
Γ	Ŷ	Smart system	Q	Make decisions based on the available data in a
				predictive or adaptive manner, by means of
L				sensing, actuating and controlling.
	Ø	Expert system	R	Computer applications that support the creation
L				and modification of digital content.

Which of the following is the correct matching with Information system given in the column A to description in the column B?

- 1. $\otimes \rightarrow \otimes$, $\otimes \rightarrow \mathbb{P}$, $\mathbb{Z} \rightarrow \mathbb{R}$
- 2. \otimes -> \mathbb{P} , \otimes -> \mathbb{R} , \mathbb{Z} -> \mathbb{Q}
- 3. $\otimes \rightarrow \mathbb{R}$, $\otimes \rightarrow \mathbb{Q}$, $\mathbb{Z} \rightarrow \mathbb{P}$
- 4. ⊗ → ℚ, ⊙ → ℝ, ⊘ → ℙ
- 5. $\otimes \rightarrow \mathbb{R}$, $\otimes \rightarrow \mathbb{P}$, $\mathbb{Z} \rightarrow \mathbb{Q}$