



## Sample Mac #1

|          |                       |           |              |                    |              |
|----------|-----------------------|-----------|--------------|--------------------|--------------|
| Lab ID:  | BBL_8132              | Matrix:   | Tincture     | Analyses Executed: | CAN          |
| Company: | Victory Pluz          | Lot ID:   | MAC12852501  | Reported:          | 12 Jun, 2025 |
| Phone:   | 512-988-2049          | Received: | 30 May, 2025 |                    |              |
| Address: | Bastrop TX            |           |              |                    |              |
| Email:   | victorypluz@proton.me |           |              |                    |              |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, DB-iso-THC, DB-THCV and D10-THC are not AZLA accredited.


## Cannabinoid Profile Analysis

Analyzed 02 Jun, 2025 | Instrument HPLC-PDA | Method TM-101  
Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte                               | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/mL   | mg/oz   |
|---------------------------------------|-----------|-----------|----------|---------------|---------|---------|
| Cannabidiolic acid (CBDA)             | 0.030     | 0.080     | ND       | ND            | ND      | ND      |
| Cannabidiol (CBD)                     | 0.030     | 0.150     | ND       | ND            | ND      | ND      |
| Cannabidiol acid (CBDA)               | 0.040     | 0.110     | ND       | ND            | ND      | ND      |
| Cannabigerolic acid (CBGA)            | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabigerol (CBG)                    | 0.080     | 0.230     | ND       | ND            | ND      | ND      |
| Cannabidol (CBD)                      | 0.060     | 0.190     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabinol (THCV)           | 0.080     | 0.240     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabinolic acid (THCVA)   | 0.050     | 0.160     | ND       | ND            | ND      | ND      |
| Cannabinol (CBN)                      | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabidiol acid (CBNA)               | 0.080     | 0.250     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinol (D9-THC)      | 0.120     | 0.360     | 0.9991   | 9.991         | 8.2935  | 497.61  |
| D8-Tetrahydrocannabinol (D8-THC)      | 0.140     | 0.430     | ND       | ND            | ND      | ND      |
| Cannabicyclol (CBL)                   | 0.210     | 0.640     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinolic acid (THCA) | 0.130     | 0.400     | 0.6305   | 6.305         | 5.2338  | 314.628 |
| Cannabichromene (CBC)                 | 0.090     | 0.280     | ND       | ND            | ND      | ND      |
| Cannabichromenic acid (CBCA)          | 0.350     | 1.060     | ND       | ND            | ND      | ND      |
| Total THC (THCA * 0.877 + THC)        |           |           | 1.552    | 15.5205       |         |         |
| Total CBD (CBDA * 0.877 + CBD)        |           |           | ND       | ND            |         |         |
| Total CBG (CBGA * 0.877 + CBG)        |           |           | ND       | ND            |         |         |
| Total Cannabinoids                    |           |           | 1.6296   | 16.296        | 13.5273 | 811.638 |

Volume: 60.0000 mL, Density: 0.8301

## Sample Photography



NR: Not Reportable  
ND: Not Detected  
N/A: Not Applicable  
NT: Not Tested  
LOD: Limit of Detection  
LOQ: Limit of Quantification  
<LOQ: Detected  
>ULDL: Above upper limit of linearity  
CFU/g: Colony Forming Units per 1 gram  
TNTC: Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Think Ngo

Think Ngo  
Laboratory Director  
12 Jun, 2025 02:22:23 PM



## FVI - Filth &amp; Foreign Matter Inspection Analysis

Analyzed 12 Jun, 2025 | Instrument Microscope | Method TM-108

| Analyte Name                                                           | Result   |
|------------------------------------------------------------------------|----------|
| > 1/4 of the total sample area covered by sand soil cinders or dirt    | Negative |
| > 1/4 of the total sample area covered by mold                         | Negative |
| > 1 insect fragment 1 hair or 1 count mammalian excreta per 3g         | Negative |
| > 1/4 of the total sample area covered by an imbedded foreign material | Negative |

## HME - Heavy Metals Detection Analysis

Analyzed 30 May, 2025 | Instrument ICP-MS | Method TM-105  
Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte      | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005     | 0.015     | ND          |      |            |
| Cadmium (Cd) | 0.005     | 0.016     | ND          |      |            |
| Mercury (Hg) | 0.004     | 0.013     | ND          |      |            |
| Lead (Pb)    | 0.075     | 0.224     | ND          |      |            |

## MIB - Microbial Testing Analysis

Analyzed 30 May, 2025 | Instrument PCR/ Plating | Method TM-109

| Analyte                                | Limit (CFU/g) | Result CFU/g | Flag |
|----------------------------------------|---------------|--------------|------|
| Salmonella SPP                         |               | Neg          |      |
| Total Yeast & Mold                     |               | <10          |      |
| Aspergillus fumigatus                  |               | Neg          |      |
| Aspergillus flavus                     |               | Neg          |      |
| Aspergillus niger                      |               | Neg          |      |
| Aspergillus terreus                    |               | Neg          |      |
| Shiga toxin-producing Escherichia Coli |               | Neg          |      |

## MTO - Mycotoxin Testing Analysis

Analyzed 12 Jun, 2025 | Instrument LCMS-MS | Method Subcontracted

| Analyte          | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1     | 0.000     | 0.010     | N D                |      |             |
| Mycotoxin B2     | 0.010     | 0.030     | N D                |      |             |
| Mycotoxin G1     | 0.010     | 0.020     | N D                |      |             |
| Mycotoxin G2     | 0.010     | 0.040     | N D                |      |             |
| Ochratoxin A     | 0.020     | 0.060     | N D                |      |             |
| Total Mycotoxins |           |           | N D                |      |             |

## PES - Pesticides Screening Analysis

NR Not Reportable  
ND Not Detected  
NA Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOQ Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
12 Jun, 2025 02:22:23 PM

# Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Analyzed 30 May, 2025 | Instrument LCMS-MS | Method Subcontracted



Bluebonnet Labs

| Analyte             | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin           | 0.110     | 0.330     | N D         |      |            |
| Acephate            | 0.230     | 0.700     | N D         |      |            |
| Acequinocyl         | 0.110     | 0.320     | N D         |      |            |
| Acetamiprid         | 0.020     | 0.050     | N D         |      |            |
| Aldicarb            | 0.020     | 0.050     | N D         |      |            |
| Azoxystrobin        | 0.020     | 0.060     | N D         |      |            |
| Bifenazate          | 0.010     | 0.030     | N D         |      |            |
| Bifenthrin          | 0.020     | 0.060     | N D         |      |            |
| Boscalid            | 0.060     | 0.170     | N D         |      |            |
| Captafen            | 3.096     | 9.383     | N D         |      |            |
| Carbaryl            | 0.010     | 0.040     | N D         |      |            |
| Carbofuran          | 0.010     | 0.020     | N D         |      |            |
| Chlorantraniliprole | 0.010     | 0.030     | N D         |      |            |
| Chlorpyrifos        | 0.010     | 0.030     | N D         |      |            |
| Clofentezine        | 0.010     | 0.040     | N D         |      |            |
| Coumaphos           | 0.040     | 0.120     | N D         |      |            |
| Cyfluthrin          | 2.320     | 7.020     | N D         |      |            |
| Cypermethrin        | 0.370     | 1.130     | N D         |      |            |
| Daminozide          | 0.550     | 1.650     | N D         |      |            |
| Dichlorvos          | 0.050     | 0.140     | N D         |      |            |
| Dimethoate          | 0.010     | 0.020     | N D         |      |            |
| Dimethomorph        | 0.010     | 0.030     | N D         |      |            |
| Ethoprophos         | 0.020     | 0.050     | N D         |      |            |
| Etofenprox          | 0.010     | 0.040     | N D         |      |            |
| Etoxazole           | 0.010     | 0.020     | N D         |      |            |
| Fenhexamid          | 0.040     | 0.140     | N D         |      |            |
| Fenoxycarb          | 0.020     | 0.060     | N D         |      |            |
| Fenpyroximate       | 0.010     | 0.040     | N D         |      |            |
| Fipronil            | 0.010     | 0.040     | N D         |      |            |
| Fludoxinil          | 0.020     | 0.050     | N D         |      |            |
| Flonicamide         | 0.010     | 0.030     | N D         |      |            |
| Hexythiazox         | 0.010     | 0.020     | N D         |      |            |
| Imazalil            | 0.060     | 0.170     | N D         |      |            |
| Imidacloprid        | 0.040     | 0.110     | N D         |      |            |
| Kresoxim-methyl     | 0.020     | 0.050     | N D         |      |            |
| Malathion           | 0.010     | 0.030     | N D         |      |            |
| Metazachl           | 0.010     | 0.020     | N D         |      |            |
| Methiocarb          | 0.010     | 0.030     | N D         |      |            |
| Methomyl            | 0.020     | 0.050     | N D         |      |            |
| Mevinphos           | 0.060     | 0.180     | N D         |      |            |
| Myclobutanil        | 1.190     | 3.610     | N D         |      |            |
| Naled               | 0.030     | 0.080     | N D         |      |            |
| Oxamyl              | 0.020     | 0.050     | N D         |      |            |
| Pachobutrazole      | 0.020     | 0.060     | N D         |      |            |
| Permethrin          | 0.080     | 0.260     | N D         |      |            |
| Phosmet             | 0.010     | 0.030     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
NA Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU Colony Forming Units per 1 gram  
TWTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Think Ngo

Think Ngo  
Laboratory Director  
12 Jun, 2025 02:22:23 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.  
All reported LOD & Laboratory Quality Control samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC 17025:2017.

# Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

| Analytes                | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Piperonyl butoxide      | 0.010     | 0.040     | N D         |      |            |
| Prallethrin             | 0.100     | 0.300     | N D         |      |            |
| Propiconazole           | 0.070     | 0.220     | N D         |      |            |
| Propoxur                | 0.010     | 0.030     | N D         |      |            |
| Pyrethrin-I             | 0.020     | 0.060     | N D         |      |            |
| Pyridaben               | 0.010     | 0.020     | N D         |      |            |
| Spinetoram              | 0.230     | 0.690     | N D         |      |            |
| Spinosyn A              | 0.010     | 0.020     | N D         |      |            |
| Spinosyn D              | 0.000     | 0.010     | N D         |      |            |
| Spiromesifen            | 0.050     | 0.140     | N D         |      |            |
| Spirotetramat           | 0.010     | 0.030     | N D         |      |            |
| Spiroxamine             | 0.010     | 0.030     | N D         |      |            |
| Tebuconazole            | 0.010     | 0.030     | N D         |      |            |
| Thiacloprid             | 0.010     | 0.030     | N D         |      |            |
| Methyl parathion        | 0.050     | 0.140     | N D         |      |            |
| Thiamethoxam            | 0.010     | 0.040     | N D         |      |            |
| Diazinon                | 0.010     | 0.040     | N D         |      |            |
| Chlordane               | 0.740     | 2.250     | N D         |      |            |
| Trifloxystrobin         | 0.010     | 0.030     | N D         |      |            |
| Chlorfenapyr            | 0.830     | 2.530     | N D         |      |            |
| Pentachloronitrobenzene | 0.060     | 0.170     | N D         |      |            |

NR Not Reportable  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Tested  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULDL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

*Thinh Ngo*

Thinh Ngo  
 Laboratory Director  
 12 Jan, 2025 02:22:23 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

\*This report shall not be reproduced except in full without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples as submitted. Results are reported on an "as received" basis, unless otherwise indicated.  
 All required LQC Laboratory Quality Control samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

# Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

## RES – Residual Solvent Analysis

Analyzed 30 May, 2025 | Instrument HS-GC/MS | Method TM-106

| Analyte            | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane            | 0.470     | 1.410     | N D          |      |            |
| Butane             | 0.200     | 0.610     | N D          |      |            |
| Methanol           | 0.070     | 0.230     | N D          |      |            |
| Pentane            | 0.130     | 0.410     | N D          |      |            |
| Ethanol            | 0.130     | 0.380     | 289374.34    |      |            |
| Ethyl ether        | 0.020     | 0.070     | N D          |      |            |
| Acetone            | 0.060     | 0.180     | N D          |      |            |
| Isopropyl alcohol  | 0.030     | 0.090     | N D          |      |            |
| Acetonitrile       | 0.020     | 0.060     | N D          |      |            |
| Methylene chloride | 0.010     | 0.020     | N D          |      |            |
| Hexane             | 0.030     | 0.080     | N D          |      |            |
| Ethyl acetate      | 0.030     | 0.080     | N D          |      |            |
| Chloroform         | 0.010     | 0.030     | N D          |      |            |
| Benzene            | 0.010     | 0.030     | N D          |      |            |
| 1,2-Dichloroethane | 0.010     | 0.030     | N D          |      |            |
| Heptane            | 0.020     | 0.060     | N D          |      |            |
| Trichloroethene    | 0.010     | 0.030     | N D          |      |            |
| Toluene            | 0.010     | 0.020     | N D          |      |            |
| Isobutane          | 3.900     | 11.820    | N D          |      |            |
| Ethyl benzene      | 1.700     | 5.160     | N D          |      |            |
| m,p-Xylenes        | 0.010     | 0.030     | N D          |      |            |
| o-Xylene           | 0.010     | 0.020     | N D          |      |            |

NR: Not Reportable  
 ND: Not Detected  
 N/A: Not Applicable  
 NT: Not Tested  
 LOD: Limit of Detection  
 LOQ: Limit of Quantification  
 <LOQ: Detected  
 >MLOL: Above upper limit of linearity  
 CFU/g: Colony Forming Units per 1 gram  
 TNTC: Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Think Ngo

Thinh Ngo  
 Laboratory Director  
 12 Jun, 2025 02:22:23 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and methods indicated. Results are reported as is. "No result" does not mean "no result". All samples are analyzed under the supervision of the laboratory and are subject to the acceptance criteria for ISO/IEC 17025:2017.