



# Your IDENTITY Our TECHNOLOGY





EXACT ENGINEERS began in 2015 with a decision to produce the best packaging machinery possible for world-wide market. We are one of the most prominent names among the manufacturers, and suppliers of all type of pouch packing machines.

Our range of Automatic Packing Machine includes VFFS Machine with multi-head Weigher VFFS Machine with volumetric Cup Filler, VFFS Machine with Servo Auger Filler, VFFS Machine for Small Sachet.

Our Engineers are not limited to yesterday's technology. New highly efficient, mechanical and electrical components are available and we are following the latest technology. Every machine component is designed with reliability, longevity, durability and a minimum of operator involvement as its top priorities. Our Machineries are highly appreciated by our clients for its high performance, durability, low maintenance and less power consumption.

EXACT ENGINEERS vision is to be the leading global resource for packaging, and its mission is to improve and promote members abilities to succeed in a global marketplace. We understand the importance and necessity for going the extra mile in today's business environment. We are globally renowned for making the highest quality equipment, offering responsive service and committing to meeting their customers needs. We are able to offer accurate delivery dates, control pricing, reduce our customers parts inventory. We have developed the good working relationships with many of our clients. They are satisfied with our products and after sale services.

# WHY US?







- TOP QUALITY WORK AND MATERIALS
- ASSURED DELIVERY TIME
- LONGTERM COOPERATION
- COMPETITIVE PRICES
- FLEXIBILITY IN SOLVING PROBLEMS

# Exact Engineers



#### **AUTOMATIC VFFS COLLAR TYPE MACHINE WITH MULTIHEAD & INFEED CONVEYOR**

Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack granules items such as Tea, Coffee, Whole Spices, Seeds, Sugar, Rice, Namkeens, Pulses, Snacks, Tofee, Sweets, Chips, Dry fruits, Nuts, Pesticides, Fertilizers etc

Packing Range : 100 gm to 1 kg

Electric control : PLC & Digital Touch Panel HMI

Filling System : MultiHead Weigher

Auger Filler

Load cell

Filling Accuracy : - / + 1%

Type of Sealing : Center Seal

Film Size : 500mm x 380mm

Speed : 50 to 60 bags / Minute

Power : 5-10kw 440v/AC/3Phase/50hz

Weight : 1400kg (Approx)

Compressed Air : 6 CFM @ 6 bar / 6kg per sq.cm.

Optional Attachments: Batch Coding Device

Nitrogen Flushing Unit

Screw Feeder
Outfeed Conveyor

Z Conveyor (bucket elevator)

**Hole Punching Unit** 





#### **AUTOMATIC VFFS COLLAR TYPE MACHINE WITH AUGER FILLER**

Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack Powder items such as Coffee Powder, Powdered Spices, Henna Powder, Wheat Flour, Fine Flour, Milk Powder, Besan, Curry Powder etc

Packing Range : 2 kg to 10 kg

Electric control : PLC & Digital Touch Panel HMI

Filling System : Servo Auger Filler

Load cell

**Volumetric Cup filler** 

MltiHead

Filling Accuracy : - / + 1%

Type of Sealing : Center Seal

Film Size : upto 900mm

Speed : 10 to 15 bags / Minute

Power : 5-10kw 440v/AC/3Phase/50hz

Weight : 1400kg (Approx)

Compressed Air : 6 CFM @ 6 bar / 6kg per sq.cm.

**Optional Attachments: Batch Coding Device** 

**Nitrogen Flushing Unit** 

Screw Feeder
Outfeed Conveyor

Z Conveyor (bucket elevator)

**Hole Punching unit** 

# Exact Engineers













# COLLAR TYPE MACHINE WITH CUP FILLER





















Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack Powder and Granular items such as Coffee Powder, Powdered Spices, Henna Powder, Wheat Flour, Fine Flour, Milk Powder, Besan, Curry Powder, Tea, Coffee, Whole Spices, Seeds, Rice, Pulses, Snacks, Tofee, Sweets, Chips, Dry fruits, Nuts etc

Packing Range : 100gm to 1kg

Electric control : PLC & Digital Touch Panel HMI

Filling System : Servo Auger Filler

Load cell

**Volumetric Cup filler** 

**MltiHead** 

Filling Accuracy : - / + 1%

Type of Sealing : Center Seal

Film Size : upto 500mm

Speed : 40 to 50 bags / Minute

Power : 5-10kw 440v/AC/3Phase/50hz

**QUAD COLLAR TYPE MACHINE** 

WITH CUP FILLER

Weight : 1400kg (Approx)

Compressed Air : 6 CFM @ 6 bar / 6kg per sq.cm.

**Optional Attachments: Batch Coding Device** 

**Nitrogen Flushing Unit** 

Screw Feeder

Outfeed Conveyor

Z Conveyor (bucket elevator)

**Hole Punching unit** 



#### **AUTOMATIC HORIZONTAL FORM FILL & SEAL MACHINE** (FLOW WRAP)

Automatic Packing Machine is suitable to pack Soap, Biscuits, Noodle, Cake, Metal Component, Scratch Cards, Chocolates, Rapid Diagnostics Test-kits etc

Sealing type : Continuous motion **Packing material** : 2 /3 /4 layer laminated roll Electric control : PLC & Digital touch panel HMI

Film width : Upto 350mm Pouch length : Upto 300mm

Speed : 80 to 120 pouches per minute **Power requirement** : 220V AC, Single Phase, 2kw **Optional Attachment** : Batch Coding Unit

Feeding conveyor : 2 Meter long manual feeder

Auto feeder : As Per Product



**AUTOMATIC HORIZONTAL FORM FILL & SEAL MACHINE** (FLOW WRAP)



AUTOMATIC SERVO HORIZONTAL FORM FILL & SEAL MACHINE WITH BOWL FEEDER (3 SERVO FLOW WRAP)

#### **AUTOMATIC 3 SERVO HORIZONTAL FORM FILL & SEAL MACHINE WITH BOWL FEEDER**

Automatic Packing Machine is suitable to pack Soap, Biscuits, Noodle, Cake, Metal Component, Scratch Cards, Chocolates, Rapid Diagnostics **Test-kits etc** 

: Continuous motion Sealing type **Packing material** : 2 /3 /4 layer laminated roll : PLC & Digital touch panel HMI **Electric control** 

Film width : Upto 350mm **Pouch length** : Upto 300mm

Speed : 90 to 150 pouches per minute **Power requirement** : 440V AC, Single Phase, 3kw : Batch Coding Unit **Optional Attachment** 

Feeding conveyor : 2 Metre long Auto feeder : Bowl Feeder

Auto feeder Trolley : Adjustable

: 3 Servo Motors in Horizontal, Motors Vertical and Infeed.

Sealing Jaws : Double **Outfeed Conveyor** : Detachable **Controls** : Motion Cards



# PISTON FILLER MACHINE TO FILL LIQUIDS (PISTON FILLER)

Automatic Filling Machine is suitable to Fill Liquid Soap, Shampoo, Yogurt, Pickle, Greece, Curd, Milk, Ketchup, Cream, Facewash, Oil Sweet Water, Wine etc

Filling type : Liquids Filling Capacity : Upto 500ml

Packing material : 2/3/4 layer laminated roll
Electric control : PLC & Digital touch panel HMI

Pouch length : Any

Speed : 10 to 20 Pouches per Minute
Power requirement : 220V AC, Single Phase, 1kw

Optional Attachment : Batch Coding Unit
Feeding conveyor : As per Requirements
Auto feeder : As Per Product





AUTOMATIC VERTICAL FFS (PNEUMATIC) MACHINE
WITH AUGER FILLER



AUTOMATIC VERTICAL FFS (PNEUMATIC) MACHINE WITH VOLUMETRIC CUP FILLER

## AUTOMATIC FORM FILL &SEAL (PNEUMATIC) MACHINE FOR SMALL POLICHES

Fully Automatic Form Fill seal machine is suitable to Pack Powder & Granules such as Tea, Coffee Powder, Coffee Beans, Tobacco, Spices, Seeds, Rice, Sugar Namkeen, Snacks, Toffee, Sweets, Henna powder, Milk Powder, Nuts, Pesticides, Fertilizers, Granules etc

Sealing Type : centre seal/three side seal /four side seal

Horizontal sealing : Pneumatic Pressure
Vertical sealing : Heated Sealing Jaws
Paper pulling : Rubber Rollers

Packing material : 2 /3 /4 layer laminated roll
Electric control : PLC & digital touch panel HMI

Film Width Pouch Length Speed

Power requirement Compressed air req.

Filling options

Optional Attachment

: Upto 350mm : Upto 180mm

: 60 to 70 pouches per minute : 220V AC, single phase, 1.5kw

: 5 kg / sq.cm

: Volumetric Cup Filler. Servo Auger Filler

Load cell

Liquid piston filler : Batch coding unit

Nitrogen flushing unit Batch coding unit Screw feeder Outfeed conveyor



# HIGH SPEED DOUBLE TRACK FFS (PNEUMATIC) MACHINE WITH VOLUMETRIC CUP FILLER

Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack granules items such as Tea, Coffee, Seeds, Sugar, Namkeens, Snacks, Chips, Dry fruits, Nuts, Pesticides, Fertilizers etc

Sealing Type : Centre Seal
Horizontal Sealing : Pneumatic Pressure
Vertical sealing : Heated Sealing Jaws
Paper pulling : Rubber Rollers

Packing material : 2 /3 /4 layer laminated roll
Electric control : PLC & Digital touch panel HMI

Film width : Upto 350mm Pouch length : Upto 180mm

Speed : 120 to 150 pouches per minute Power requirement : 220V AC, Single phase, 1.5kw

Compressed air req. : 5 kg / sq.cm

Filling options : Volumetric Cup Filler

**Load Cell** 

Optional Attachment : Batch Coding Unit

Nitrogen Flushing Unit Batch coding unit Screw Feeder Outfeed Conveyor



AUTOMATIC VERTICAL DOUBLE TRACK FFS (PNEUMATIC)
MACHINE WITH VOLUMETRIC CUP FILLER



# HIGH SPEED DOUBLE TRACK FFS (PNEUMATIC)

Automatic Packing Machine is suitable to Pack Liquid Soap, Shampoo, Yogurt, Pickle, Greece, Curd, Milk, Ketchup, Cream, Facewash,Oil, Sweet Water, Wine etc

Sealing Type : Centre Seal

Horizontal Sealing : Pneumatic Pressure

Vertical sealing : Heated Sealing Jaws

Paper pulling : Rubber Rollers

**MACHINE WITH LIQUID PUMPING UNIT** 

Packing material : 2 /3 /4 layer laminated roll
Electric control : PLC & Digital touch panel HMI

Film width : Upto 350mm Pouch length : Upto 180mm

Speed : 50 to 60 pouches per Minute Power requirement : 220V AC ,Single Phase, 3kw

Compressed air req. : 5 kg / sq.cm
Filling options : Liquid Piston Filler
Optional Attachment : Batch Coding Unit
Outfeed Conveyor

AUTOMATIC VERTICAL FFS (PNEUMATIC) MACHINE
WITH LIQUID PUMPING UNIT



# AUTOMATIC FORM FILL & SEAL (PNEUMATIC) MACHINE FOR TRIANGULAR POUCHES

Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack granules items such as Tea, Coffee, Seeds, Sugar, Namkeens, Snacks, Chips, Dry fruits, Nuts, Pesticides, Fertilizers etc

Sealing Type : Triangular (Pyramid) type
Horizontal Sealing : Pneumatic pressure
Vertical sealing : Heated Sealing Jaws
Paper pulling : Rubber Rollers

Packing material : 2 /3 /4 layer laminated roll
Electric control : PLC & Digital touch panel HMI

Film width : Upto 250mm Pouch length : Upto 120mm

Speed : 35 to 40 pouches per minute Power requirement : 220V AC ,Single Phase, 1.5kw

Compressed air req. : 5 kg / sq.cm

Filling options : Volumetric Cup Filler

Batch coding unit

Optional Attachment : Nitrogen Flushing Unit

Batch Coding unit Screw Feeder Outfeed Conveyor







AUTOMATIC FORM FILL & SEAL (PNEUMATIC) MACHINE FOR TRIANGULAR POUCHES







#### **AUTOMATIC FORM FILL & SEAL MECHANICAL FFS MACHINE**

Fully Automatic Vertical Form Fill Seal & Machine is suitable to pack granules items such as Tea, Coffee, Seeds, Sugar, Namkeens, Snacks, Chips, Dry fruits, Nuts, Pesticides, Fertilizers etc

Sealing type : Centre seal /Three side seal/ Four side seal.

Horizontal sealing : Mechanical Pressure
Vertical sealing : Heated Rollers
Paper pulling : Heated Rollers

Packing material : 2 /3 /4 Layer Laminated Roll

Film width : Upto 250mm pouch length : Upto 180mm

Speed : 50 to 60 Pouches per Minute Power requirement : 220V AC, single phase, 1.5Kw

Motion : Continuous motion.
Filling options : Volumetric Cup Filler
Optional Attachment : Servo Auger filler

: Batch Coding Unit(ink type)

Screw Feeder
Outfeed conveyor

AUTOMATIC FORM FILL & SEAL (MECHANICAL) MACHINE WITH VOLUMETRIC CUP FILER



# SEMI-AUTOMATIC VACUUMING, NITROGEN FLUSHING & SEALING MACHINE

 This Semi-Automatic Machine is suitable to increase self life of product such as Chips, Dry fruits, Dates, Cheese, Vegetables, food items, Meat etc.

 Any type of Laminated Preformed pouch (Three side/Four side/Center seal Stand-up/Zipper etc) to be used on this machine.

- Timer/plc controlled (vacuum, nitrogen & sealing).
- All three operations can be used separately..

Adjustable Pouch Format Supported / Conveyor for different length(upto 40").

Pouch holding : vertical position Compressed air required : 6kg./sq.cm

Power required : 220V AC, Single Phase, 2kw max

Filling system options : Volumetric Cup Filler

Servo Auger Filler

Load Cell Linear Weigh Filler



SEMI-AUTOMATIC VACUUMING, NITROGEN FLUSHING &SEALING MACHINE



**VERTICAL POUCH SEALING MACHINE(BAND SEALER)** 



HORIZONTAL POUCH SEALING MACHINE(BAND SEALER)

#### **VERTICAL & HORIZONTAL POUCH SEALING MACHINE (BAND SEALOR) WITH FILLING SYSTEMS**

Semi Automatic Pouch Sealing Machine to seal all type of pouches made of laminated as well as virgin films.

Pouch to be placed in vertical position in vertical model.

Pouch to be placed in horizontal position in horizontal model.

continuous heat sealing process.

Adjustable conveyor from 5" to 40".

Conveyor speed 5 to 10 meter per minute.

Power required - 220V AC, single phase 2kw.

#### **Optional filling systems**

#### **Volumetric cup filler**

Suitable for filling grains as Tea, Coffee, Tobacco, Rice, Sugar ,Pulses ,Namkeen , Pesticides, fertilizers etc.

Filling capacity-Upto 10kgs.

Power required- 220V AC ,single phase 1kw.

#### Servo Auger Filler

Suitable for Filling Spices, Wheat Flour, Milk Powder, Besan, Pesticides etc.

Filing capacity-Upto 10kgs.

Power required- 440V AC, single phase 3kw.

Volume controlling-servo motor.

#### Load cell

Suitable to Weigh & Fill free flow materials as Dry fruits Cofee, Tobacco, Whole Spices, Rice, Pulses, Nuts, Namkeen, Wafers etc.

Filling capacity-Upto 25kgs.

Power required- 220V AC, single phase 2kw. Compressed air required- 6kg./sq.cm.







BAND SEALER MACHINE WITH VOLUMETRIC FILLER MACHINE





**4 HEAD LOAD CELL** 







## **Our Clientele FMCG INDUSTRIES**

























## PHARMACEUTICAL INDUSTRIES









## AGRO BASED INDUSTRIES













#### MANUFACTURER OF ALL TYPE POUCH PACKING MACHINE

# Exact Engineers

C-35, SECTOR-10, NOIDA-201301, (UP) INDIA MOBILE: +91-9871483808, +966-0538726857 EMAIL: exactengineers227@gmail.com

WEBSITE: www.exactengineers.co.in
YOUTUBE: https://www.youtube.com/exactengineers

click the links or scan QR code