



FLSPro

LED Sea Port Light



Cargo terminal |



Port |

FEATURES

1,000 HOURS SALT SPRAY 20KV SPD





PRECISELY ADJUSTABLE BRACKET

- Make installation a breeze



OPTICAL


- 25°×130° precise solution for seaport



FEATURES


MODULE DESIGN

- Modules can be quickly installed and replaced



PRECISELY ADJUSTABLE BRACKET

- Make installation a breeze



MOUNTING OPTION



On bracket



Box on pole



Driver inside pole




Cabinet

SPECIFICATIONS


Rated Wattage	240W	480W	720W	960W	1200W
Luminous Flux	33,600lm	67,200lm	100,800lm	134,400lm	168,000lm
Efficiency	>140lm/W				
Rated Voltage	AC100~277V, 50/60Hz				
Beam Angle	12°/30°/60°/25°×130°/40°×130°/60°×130°				
CCT	5000K (3000K/4000K/5700K Optional)				
CRI	Ra70(Ra80/Ra90 Optional)				
IP Rating	IP66				
Warranty	5 years				
Working temperature	-30°C~+55°C				
Net Weight(With Driver)	7.0kg	14.2kg	20.0kg	28.9kg	34.8kg

• *Specifications subject to change without notice.


DIMENSIONS(MM)




240W




480W



720W



960W



1200W