

2024

CABINETS
SPECIFICATION
GUIDE | 2024



CARB2 CERTIFICATION



Sandi Cabinet is proud to be a CARB2 Certified kitchen cabinet manufacturer. Our cabinets comply with the rules and regulations of composite wood products established by the California Code of Regulations, nationally implemented by the EPA.

Items That We Make While...

Many Others don't Carry

- * Small Vanity With Bottom Drawer
VSD24 VSD27 VSD30
- * Vanity Sink Base
VS18 VS21 VS27 VS33
- * Vanity Drawer Base
3VDB21 3VDB24 3VDB27
- * Kitchen Base
BSDC6 BT6 B39 B42
- * Kitchen Drawer Base
3DB27 3DB33 3DB36
2DB30 2DB33 2DB36
- * Kitchen End Base
BOE12 BEC24
- * Kitchen Wall
W3930 W3936 W3942
- * Kitchen Stackable Wall
W2118 W2418 W2718 DCW2418
- * Kitchen Corner Base
BBC36 LSB33 DCSB42 (Corner Sink Base)
- * Kitchen Corner Wall
DCW2736 DCW2742
ERC2430 ERC2436 ERC2442 (90 Degree Corner)
- * Pantry With Odd Height
U1864 U1870 U1876 U1888 U18100
U2464 U2470 U2476 U2488 U24100
- * 36" Pantry With Drawers At the Bottom
U3684 U3690 U3696

TABLE OF CONTENTS

Door Styles	
Milton Black	1
Milton White	1
Milton White	1
Shaker White	2
Shaker Grey	2
Shaker Blue	2
Jade Green	3
Charleston Saddle	3
Charleston Pure White	3
Alton Ivory White	4
Alton Stone Grey	4
Alton Iced Mocha	4
Shaker Espresso	5
York Chocolate	5
Cabinet Construction	6
Wall Cabinets	7
Base Cabinets	20
Tall Cabinets	29
Bath Cabinets	32
Panels and Skins	35
Molding and Trim	41
Roll Outs	34
Trash Can Pull Out	53
Hardware	56
Touch-Up	51
Cleaning, Care, and Maintenance	55
Product and Finish Information	57
Warranty	58

DOOR STYLES


DOOR STYLES

Milton Black

Order Code: **MB**



- Full overlay door style
- Full MDF Door
- Solid wood frame
- One piece drawer front
- Matt Black Paint




Milton White

Order Code: **MW**



- Full overlay door style
- Full MDF Door
- Solid wood frame
- One piece drawer front
- Ivory White Paint




Milton Oak

Order Code: **MO**



- Full overlay door style
- Full MDF Core, Wood Trim
- Solid wood frame
- One piece drawer front
- Stained Natural Wood Skin




DOOR STYLES



Shaker White

Order Code: **SW**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- White paint



Shaker Grey

Order Code: **SG**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Grey paint



Shaker Blue

Order Code: **SB**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Veneered MDF center panel
- Blue satin paint




Jade Green

Order Code: **JG**




- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Green paint



Charleston Saddle

Order Code: **CS**




- Full overlay door style
- Hardwood species
- Solid wood mitered stile and rail
- 5-piece drawer front
- Solid wood center panel
- Mid-tone brown stain with burnishing stain

Discontinued

Charleston Pure White

Order Code: **PW**



- Full overlay door style
- Hardwood species
- Solid wood mitered stile and rail
- 5-piece drawer front
- Solid wood center panel
- Pure white paint



DOOR STYLES


DOOR STYLES



Alton Ivory White

Order Code: **AW**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Classic Ivory Paint
- Unique Easy Clean Profile



Alton Stone Grey

Order Code: **AG**


- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Stained MDF center panel
- Charcoal Grey Stain
- Unique Easy Clean Profile



Alton Iced Mocha

Order Code: **AM**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Stained MDF center panel
- Sandy Tone Stain
- Unique Easy Clean Profile






Shaker Espresso

Order Code: **SE**

- Full overlay door style
- Hardwood species
- Solid wood mortis and tenon stile and rail
- 5-piece drawer front
- Veneered MDF center panel
- Dark brown stain




DOOR STYLES




York Chocolate

Order Code: **YC**

- Full overlay door style
- Hardwood species
- Solid wood mitered stile and rail
- 5-piece drawer front
- Painted MDF center panel
- Brown stain with black glaze



CABINET CONSTRUCTION



1 • INTERIOR

Veneered Natural hardwood interior

2 • FACE FRAME

3/4" solid hardwood face frame

3 • END PANELS

1/2" veneered plywood end panels with white exterior finish

4 • FLOOR & CEILING PANELS

1/2" veneered plywood, captured floor and ceiling panels with natural finish

5 • BACK PANEL

1/2" framed with plywood back

6 • SHELVING

3/4" veneered plywood, full depth, adjustable shelving with metal shelf clips

7 • DOOR FRONT

Full overlay, solid hardwood stile and rail with 6-way adjustable, concealed, soft close hinges

8 • DRAWER BOX

Full overlay drawer front with 3/4" finger jointed hardwood, dovetail drawer box with 3/8" veneered plywood bottom and full extension, undermount, soft close drawer glides (rated 100 lbs.)

9 • CORNER BRACES

7/8" solid wood corner braces

10 • TOE KICK

4 1/2" high and 1/2" thick veneered plywood, unfinished toe kick

WALL CABINETS

CABINET IDENTIFICATION

The letter(s) represent the type of cabinet, the first set of numbers represents the width of the cabinet, and the second set of numbers represents the height of the cabinet.

W 30 12

Wall Cabinet Cabinet Width Cabinet Height

Whenever a cabinet is shorter or deeper than the standard 12" for wall cabinets, it is represented by a third set of numbers.

W 36 18 24

Wall Cabinet Cabinet Width Cabinet Height Cabinet Depth

ORDER CODING

All wall cabinet order coding begins with the door order code
Example: **SW W1830**

SPECIAL NOTES

- Wall cabinetry is 12" deep less otherwise noted
- Single door wall cabinetry is hinged on the right side of the face frame but can be flipped as necessary


AVAILABILITY KEY

●	Indicates availability
●	Indicates no availability



Look for the light bulb for helpful design tips!


If you're looking for other colors' stackable cabinets, please contact us for availability!



Wall Single Door 18" High

Order Code: **W0918**
W1218
W1518
W1818
W2118

	MB
	MW
	MO
	AW
	AG
	AM
●	SW
	SG
	SB
●	JG
	CS
	PW
	SE
	YC



Wall Double Door 18" High

Order Code: **W2418**
W2718
W3018
W3318**
W3618


• No shelf
 (**)*Modified from 0331824*

	MB
	MW
	MO
	AW
	AG
	AM
●	SW
	SG
	SB
●	JG
	CS
	PW
	SE
	YC

Stackable Wall Diagonal Corner 18" High


Order Code: **DCW2418**

- 12" deep, 24" wide
- No shelves



	MB
	MW
	MO
	AW
	AG
	AM
●	SW
	SG
	SB
●	JG
	CS
	PW
	SE
	YC

WALL CABINETS




Wall Bridge Double Door 12" High

Order Code: **W3012**
W3612

- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Wall Bridge Double Door 15" High

Order Code: **W3015**
W3615

- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Wall Bridge Double Door 18" High

Order Code: **W3018**
O3318**
W3618

- No shelf
- **Pls call to check availability

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

WALL CABINETS


Wall Bridge Double Door 21" High

Order Code: **W3021**
03321*
W3621

- No shelf

* Modified from 0332124

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Wall Bridge Double Door 24" High

Order Code: **W3024**
W3324*
W3624

- One adjustable shelf

* Modified from 0332424

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Oven Upper Cabinet Double Door 24" Deep

Order Code:
0331824
0332124*
0332424
0333024


- One adjustable shelf for 24"/30" H
- Can be used as Refrigerator Cabinet

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



* Can be used as Farmer Sink Base

Wall Bridge Refrigerator Double Door 24" Deep




Order Code: **W361224**
W361524
W361824
W362124 *
W362424

• One adjustable shelf (*W362424 Only*)

* Can be used as Farmer Sink Base

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Wall Single Door 30" High




Order Code: **W0930**
W1230
W1530
W1830
W2130

• Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Wall Single Door 36" High



Order Code: **W0936**
W1236
W1536
W1836
W2136

• Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC


WALL CABINETS

Wall Single Door 42" High

Order Code: **W0942**
W1242
W1542
W1842
W2142

- Three adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Wall Double Door 30" High

Order Code: **W2430**
W2730
W3030
W3330
W3630
W3930

- Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





Wall Double Door 36" High

Order Code: **W2436**
W2736
W3036
W3336
W3636
W3936

- Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC






Wall Double Door 42" High

Order Code: **W2442**
W2742
W3042
W3342
W3642
W3942

- Three adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Angled Triangle Wall




Order Code: **AW1230**
AW1236
AW1242

- **AW1230** has two adjustable shelves
- **AW1236** has two adjustable shelves
- **AW1242** has three adjustable shelves

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
	JG
●	CS
●	PW
●	SE
●	YC

End Shelf Wall



Order Code: **OE0930**
OE0936
OE0942

*We still have some OE0630/0636/0642 available
 OE1230/1236/1242
 Please call us to check availability

	MB
	MW
	MO
	AW
●	AG
	AM
●	SW
●	SG
	SB
	JG
●	CS
●	PW
	SE
●	YC

WALL CABINETS



Wall Diagonal Corner 12" Deep

Order Code: **DCW2430**
DCW2436
DCW2442*


- 12" deep, 24" wide
- Two adjustable shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

(* **WDC2442** has three adjustable shelves)



Build out 3" from wall to portray deeper sides (dimensional)



Wall Diagonal Corner
15" Deep


Order Code: **DCW2736** *
DCW2742 *

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

- 15" deep, 27" wide
- Two adjustable shelves
- Design with straggered height wall cabinets, allowing crown on adjacent cabinetry to tie into 15" deep sides

* FRAME/DOOR are the same as DCW2436/2442

TOP VIEW



NOTES


WALL CABINETS

Wall Blind Corner

Order Code: **WBC2730**
WBC2736
WBC2742*


- 27" wide
- Two adjustable shelves
- Can be pulled up to 3" from the adjacent wall for a total of 30" wide
- Cabinet can be flipped for left/right application
- Hinges are located on center stile of the face frame and can be flipped as necessary

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




(* **WBC2742** has three adjustable shelves)


FACE FRAME
OPENING DIMENSIONS




INSTALLATION DIAGRAM



Wall Range Hood Front Structure



INSTALLATION DIAGRAM



NKBA STANDARD COOKING SURFACE CLEARANCE

RECOMMENDED

- Allow 24" of clearance between the cooking surface and a protected, non-combustible surface (e.g. a range hood) above it.

CODE REQUIREMENT

- At least 30" of clearance is required between the cooking surface and an unprotected, combustible surface (e.g. cabinetry) above it.*
- If a microwave hood is used, then the manufacturer's specifications should be followed.

(*) IRC M 1901.1 and IRC G 244705

Source: National Kitchen and Bath Association

WALL CABINETS


Wall Easy Reach

Order Code: **ERC2430***
ERC2436
ERC2442**


- Bi-folding door
- Two adjustable shelves
- Soft close not available

*ERC2430 shares door&frame with LSB36
 (**)ERC2442 has 3 shelves

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




TOP VIEW




Wall Microwave Cabinet*

Order Code: **MO3030**
MO3036
MO3042

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



*They will be discontinued and replaced with MO3018 + W3012/W3018/W3024 (Pg.17)



Wall Microwave


Order Code: **WMR3018 + 3018MO**

- Intended for "countertop" style microwave
- Unfinished interior
- Finished shelf is 5/8" thick and 15" deep

OPENING DIMENSIONS

	WIDTH	HEIGHT	DEPTH
Interior Dimension	28 1/2"	13 1/4"	10 5/8"
Frame Opening w/Shelf	26 3/4"	13"	14 5/8"

● MB
● MW
● MO
● AW
● AG
● AM
● SW
● SG
● SB
● JG
● CS
● PW
● SE
● YC




Wine Rack


Order Code: **WMR3018 + 3018RC
WRC2430**

- Finished interior
- Can be used horizontally or vertically
- Can be used in a wall or base application

*** WRC2430 will be discontinued**



● MB
● MW
● MO
● AW
● AG
● AM
● SW
● SG
● SB
● JG
● CS
● PW
● SE
● YC



Wine Rack

Order Code: **WRC3015**

- * Can be used as Towel Holder cabinet

*** WRC3015 will be discontinued**

MB
MW
MO
AW
AG
AM
● SW
SG
SB
JG
CS
● PW
SE
YC


WALL CABINETS

Wall Plate Rack

Order Code: **PR3015**

- Can hold 10 plates


	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Wine Glass Holder

Order Code: **SGH30**

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
	JG
●	CS
●	PW
●	SE
●	YC




Cut Glass for Door *

Order Code: **GD WXX30**
GD WXX36
GD WXX42

- Glass not included


* Pls call for availability

	MB
	MW
	MO
	AW
●	AG
	AM
●	SW
●	SG
	SB
	JG
●	CS
●	PW
●	SE
●	YC




CABINET IDENTIFICATION

The letter(s) represent the name of the cabinet, and the following set of numbers represents the width of the cabinet.



Whenever a base cabinet has all drawers and no doors, also known as a drawer base, the cabinet code will start with a number. This represents the number of drawers the cabinet has.



ORDER CODING

All base cabinet order coding begins with the door order code

Example: **AG BT9**

SPECIAL NOTES

- Base cabinetry is 24" deep less otherwise noted
- Single and bi-fold door base cabinetry is hinged on the right side of the face frame but can be flipped as necessary

AVAILABILITY KEY

● ●	Indicates availability
	Indicates no availability




Look for the light bulb for helpful design tips!

BASE CABINETS

Base Spice Drawer

Order Code: **BSDC6**

	MB
	MW
	MO
●	AW
●	AG
	AM
	SW
●	SG
	SB
	JG
●	CS
●	PW
●	SE
●	YC




The **BSDC6** is a great cabinet to use for kitchen towels, sponges, and bags, etc.

Base Single Door

Order Code: **BT6** •
BT9 *
B12
B15
B18
B21

- One adjustable shelf
- *We only make Full-Height-Door Base9

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




The **BT9** is a great cabinet to use for storing trays, baking sheets, and cutting boards.

Base Double Door

Order Code: **B24**
B27
B30
B33
B36
B39 *
B42 *


- One adjustable shelf
- *Come with 2 drawers on the top

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



BASE CABINETS

Two Drawer Base



Order Code: **2DB30**
2DB33
2DB36


- Two deep drawers
- Heavy load-bearing, full extension glides
- Rated for 100 lbs.

Great for storing pots and pans near a cooking station.



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Three Drawer Base



Order Code: **3DB12**
3DB15 **3DB18**
3DB21 **3DB24**
3DB27 **3DB30**
3DB33 **3DB36**

- Three deep drawers
- Top drawer aligns with standard base cabinetry

Wider drawer bases are great for storing utensils, pots, and pans near a cooking station.





●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

File Base 18

Order Code: **DFB18**

*** DFB18 will be discontinued**



DRAWER-BOX

Perfect for making office desk out of it.



	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC


BASE CABINETS

Sink Base

Order Code: **SB30**
SB33
SB36

- False drawer front

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Pls check page24 for Farmer Sink Base

Sink Base Diagonal

Order Code: **DCSB42**


- False drawer front
- No shelf

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



When using a corner sink application, it is recommended that a dishwasher be set at least 15" apart from the sink cabinet to allow for standing room and functionality.


TOP VIEW



Lazy Susan *


Order Code: **LSB33**
LSB36

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




- Full shelf
- Full height, bi-folding door
- Soft close not available
- Magnetic door catch attached
- Designed to prevent warpage

TOP VIEW



* Wooden tray are not included, need to be purchased seperately.

When positioning against an appliance, such as a range or refrigerator, place the hinge on the opposite side of the appliance. This allows the door to open past 90 degrees for maximum cabinet access.




Order Code: **TB33-36**

* Wooden tray is sold by piece, not set of 2

- Natural Wood Finish
- Rotating, pie-cut trays
- Trays are made of wood veneered plywood with a solid wood perimeter lip
- Undermount bearings allow for independent rotation and full access to trays


Base Blind Corner

Order Code: **BBC36**




- 27" Wide
- One adjustable shelf
- Door and drawer can be flipped for left or right application
- Hinges are located on the center stile of the face frame and can be flipped as necessary
- Same size door, drawer, and door opening as **BT9**

INSTALLATION DIAGRAM (BBC39 SHOWN)



FACE FRAME OPENING DIMENSIONS




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

BASE CABINETS


Base Blind Corner

Order Code: **BBC39**
BBC42
BBC45

- One adjustable shelf
- Cabinet must be pulled a minimum of 3" from adjacent wall
- Door and drawer can be flipped for left or right application
- Hinges are located on the center stile of the face frame and can be flipped as necessary
- Same size door, drawer, and opening as **B12 / B15 / B18**



BASE CABINETS



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Please Call us for BBC45 availability


Angled End Base

Order Code: **BEC24**

- One adjustable shelf
- Full height door



TOP VIEW



	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	SG
●	SB
	JG
●	CS
●	PW
●	SE
●	YC

*** BEC24** will be discontinued

NOTES


SPECIAL BASE CABINETS

Knee Drawer

Order Code: **VKD36**

- Extended stiles of face frame allow for drawer to be cut down to 24" wide
- Side-mount, epoxy glides only
- Beveled outside edge

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Base Spice Rack

Order Code: **BSPR9 BSPR12**

- 5-piece front
- Full extension glides without soft close
- Hardwood interior
- 20 5/8" shelf depth
- Requires decorative hardware to pull open
- Can hold a variety of spice container sizes

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Base End Shelf

Order Code: **BOE12**

- Pre-assembled
- Stained or Painted to matching color
- Plywood Construction
- Loose TKC is included in the package
- Pre-drilled positioning hole for Loose TKC on TOP & BOTTOM


*** BOE12 will be discontinued**

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
	JG
●	CS
●	PW
●	SE
●	YC



CABINET IDENTIFICATION

The letter or letters represent the type of cabinet, the first set of numbers represent the width of the cabinet, and the second set of numbers represents the height of the cabinet.



ORDER CODING

All tall cabinet order coding begins with door order code.

Example: **SW U1884**

SPECIAL NOTE

- Tall cabinets are 24" deep
- * Our tall pantry is divided into BOTTOM&UPPER two portions, height of bottom portion is fixed at 54"

AVAILABILITY KEY

● ●	Indicates availability
□	Indicates no availability

TALL CABINETS


Utility Pantry Single Door

Order Code: **U1884 (U1854+U1830)**
U1890 (U1854+U1836)
U1896 (U1854+U1842)

- Accepts 18" rollout trays
(RS18 pg. 54) (ordered separately)
- Apply the SCR or BAM or USV2496 to cover the seam.

* Our tall pantry is divided into LOWER&UPPER two portions, height of bottom portion is fixed at 54"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




SKU	UPPER HEIGHTS	# OF SHELVES IN UPPER	# OF SHELVES IN LOWER
UP1884	30"	TWO	THREE
UP1890	36"	ONE	THREE
UP1896	42"	THREE	THREE

NOTES*

•By Stacking different upper portion of pantry, you can creat a pantry with unusal heights

For Example : **U1870 (U1836+U1830+TKC)**

U18118 (U1842+U1836+U1836+TKC)



Utility Pantry Double Door

Order Code: **U2484 (U2454+U2430)**
U2490 (U2454+U2436)
U2496 (U2454+U2442)
U3084 (U3054+U3030)
U3090 (U3054+U3036)
U3096 (U3054+U3042)

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

- 24" wide pantries accept 24" rollout trays (RS24 pg. 54)
- 30" wide pantries accept 30" rollout trays (RS30 pg. 54)
- Apply the SCR or BAM or USV2496 to cover the seam.

* Our tall pantry is divided into LOWER&UPPER two portions, height of bottom portion is fixed at 54"

SKU	UPPER HEIGHTS	# OF SHELVES IN UPPER	# OF SHELVES IN LOWER
U2484	30"	TWO	THREE
U2490	36"	TWO	THREE
U2496	42"	THREE	THREE
U3084	30"	TWO	THREE
U3090	36"	TWO	THREE
U3096	42"	THREE	THREE

* NOTES

•By Stacking different upper portion of pantry, you can creat a pantry with unusal heights


For Example : **U2470 (U2436+U2430+TKC)**

U30118 (U3042+U3036+U3036+TKC)


SPECIAL TALL CABINETS

36" Stacked Utility Pantry


* Filler might be needed to reach expected height



Order Code:
W361824
W362424
W363024




Order Code:
W363024




Order Code:
S2436

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Order Code:


B36



FHB36



3DB36




2DB36

Single Oven Cabinet

Order Code: **03384 (03366+0331824)**
03390 (03366+0332424)
03396 (03366+0333024)

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




* Our Oven is divided into LOWER&UPPER two portions, height of bottom portion is fixed at 66"




CABINET IDENTIFICATION

The letter or letters represent the name of the cabinet, and the following set of numbers represents the width of the cabinet.



Whenever a bath cabinet has all drawers and no doors, also known as a drawer base, the cabinet coding will start with a number. This represents the number of drawers the cabinet has.



ORDER CODING

All bath cabinet order coding begins with the door order code.

Example: **AG VS30**

SPECIAL NOTES

*** Bath cabinetry is 34 1/2" high and 21" deep**

AVAILABILITY KEY

● ●	Indicates availability
○ ○	Indicates no availability


BATH CABINETS

Vanity Sink Base with 1 Door

Order Code: **VS18**
VS21

- No shelf
- For single bowl installation only
- One door
- Top drawer is a false door front

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Vanity Sink Base with 2doors

Order Code: **VS24**
VS27
VS30
VS33
VS36

- No shelf
- For single bowl installation only
- Two doors
- Top drawer is a false door front

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Vanity Combo Two Drawer / Door

Order Code: **V3021DL**(One door only)
V3021DR(One door only)


V3621DL (shown)
V3621DR

- No shelf
- For single bowl installation only
- Drawers remain a constant 12" wide
- Top drawer is a false drawer front
- Finished toe kick included (cut to size)

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Bottom Drawer Vanity Base




Order Code: **VSD24**
VSD27
VSD30

*** VSD will be discontinued**

- * Can be easily modified to be vanity base 24 or 30
- One Functioning Drawer at the bottom

<input type="checkbox"/>	MB
<input type="checkbox"/>	MW
<input type="checkbox"/>	MO
<input checked="" type="checkbox"/>	AW
<input checked="" type="checkbox"/>	AG
<input type="checkbox"/>	AM
<input checked="" type="checkbox"/>	SW
<input checked="" type="checkbox"/>	SG
<input checked="" type="checkbox"/>	SB
<input checked="" type="checkbox"/>	JG
<input checked="" type="checkbox"/>	CS
<input checked="" type="checkbox"/>	PW
<input type="checkbox"/>	SE
<input type="checkbox"/>	YC

Vanity Combo Six Drawer / Two Door




Order Code: **VDDB48**

*** VDDB48 will be discontinued**

- No shelf
- For single bowl installation only
- Drawers remain a constant 12" wide
- Top middle drawer is a false drawer front
- Finished toe kick included (cut to size)

<input type="checkbox"/>	MB
<input type="checkbox"/>	MW
<input type="checkbox"/>	MO
<input type="checkbox"/>	AW
<input type="checkbox"/>	AG
<input type="checkbox"/>	AM
<input type="checkbox"/>	SW
<input checked="" type="checkbox"/>	SG
<input type="checkbox"/>	SB
<input type="checkbox"/>	JG
<input type="checkbox"/>	CS
<input type="checkbox"/>	PW
<input type="checkbox"/>	SE
<input type="checkbox"/>	YC

Vanity Base With Drawers On Top



Order Code: **VSD36**
VSD42
VSD48

*** VSD will be discontinued**

<input type="checkbox"/>	MB
<input type="checkbox"/>	MW
<input type="checkbox"/>	MO
<input checked="" type="checkbox"/>	AW
<input checked="" type="checkbox"/>	AG
<input type="checkbox"/>	AM
<input checked="" type="checkbox"/>	SW
<input checked="" type="checkbox"/>	SG
<input checked="" type="checkbox"/>	SB
<input type="checkbox"/>	JG
<input checked="" type="checkbox"/>	CS
<input checked="" type="checkbox"/>	PW
<input type="checkbox"/>	SE
<input type="checkbox"/>	YC


BATH CABINETS

Vanity Drawer Base Three Drawer

Order Code: **3VDB12**
3VDB15
3VDB18
3VDB21
3VDB24
3VDB27

- Two deep drawers
- Top drawer aligns with standard base cabinetry


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Vanity Roll Out

Order Code: **SBROXX**

- Pre-assembled, Hand Polished
- 3/4" thick, solid wood
- Under Mount Rail



Item Code	Net Width (W1)	Width (With Rails)
SY-SBR024	20" (508mm)	20-5/8" (524mm)
SY-SBR027	23" (584mm)	23-5/8" (600mm)
SY-SBR030	26" (660mm)	26-5/8" (676mm)
SY-SBR033	29" (736mm)	29-5/8" (752mm)
SY-SBR036	32" (812mm)	32-5/8" (828mm)


ORDER CODING

All panel and skin order coding begins with door order code.

Example: **PW DWR**

SPECIAL NOTES

- Consider grain direction when designing
- Use **BAM,OCM** and **SCR** to finish seams, end of runs, and corners where panels meet



Dishwasher Panel

Order Code: **DWR**

- Intended for use next to a dishwasher
- 3/4" thick, veneered plywood panel, finished on outside
- Panel bored for assembly along one unfinished side
- 3/4" thick, solid wood return filler, finished on front and sides

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

TOP VIEW



PANELS AND SKINS

Refrigerator Panel


Order Code: **REPV2496**

**+
F1.5 ***

- Intended for use next to or flanking a refrigerator to conceal sides and support wall cabinetry above the appliance
- 1/2" thick, veneered plywood panel, finished on both sides
- Panel bored for assembly along one side
- 3/4" thick, solid wood return filler, finished on front and sides

***F1.5** needs to be ordered separately.

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



TOP VIEW




Refrigerator panels can be cut to fit in the field and used as a shelving solution for many design situations.

Matching Color Shelf Board

Order Code: **S2496**


- Both Sides are finished
- All Edges are finished
- 3/4" Thick

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



(*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.

PANELS AND SKINS



Wall Skin*


Order Code: **WSV42**

- 1/4" thick
- One finished side
- Intended for skinning sides of wall cabinetry
- Cut width and height to fit
- Used to make sure side of cabinet is flush with frame

Use **WSV42** to flush sides before applying a decorative wall false door.



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Base Skin*


Order Code: **BSV**

- 1/4" thick
- One finished side
- Intended for skinning sides of base cabinetry
- Cut width and height to fit
- Notch for toe kick in field as necessary
- Used to make sure side of cabinet is flush with frame

Use **BSV** to flush sides before applying a decorative base false door.



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Tall Skin*

Order Code: **USV2496**

- 1/4" thick
- One finished side
- Intended for skinning sides of tall cabinetry
- Cut width and height to fit
- Notch for toe kick in field as necessary
- Used to make sure side of cabinet is flush with frame

Use **USV42** to flush sides before applying a decorative pantry false door.



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

PANELS AND SKINS



(*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.

Island Back Skin*

Order Code: **FPV3696** Actual size 34 1/2" x 96"
FPV4296

- 1/4" thick
- One finished side
- Intended for skinning exposed backs of peninsulas, islands, and other design applications

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




PANELS AND SKINS

Island Back Skin Beadboard*


Order Code: **BBFPV4296**

- 1/4" thick
- One finished side
- Intended for skinning exposed backs of peninsulas, islands, or exposed sides of cabinetry
- A bead pattern is created by two routed grooves in the finished side of the skin
- Panels require trimming in the field

	MB
	MW
	MO
	AW
	AG
	AM
●	SW
	SG
	SB
	JG
●	CS
●	PW
●	SE
●	YC




TOP VIEW



When butting two panels side-by-side, disguise the cut in a routed groove or apply **BAM** (pg. 46) for seam coverage.



(*) For stained finish, construction is either veneered plywood or MDF core. For painted finish, construction is MDF core.



Wall Decorative Door**

Order Code: **WDEP30**
WDEP36
WDEP42


- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **WSV42** (pg. 39) to sit flush on cabinet side

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

ACTUAL DOOR SIZES

SKU	WIDTH	HEIGHT	DEPTH
WDEP30	11 1/2"	29 1/2"	3/4"
WDEP36	11 1/2"	35 1/2"	3/4"
WDEP42	11 1/2"	41 1/2"	3/4"

(**) There is a plus or minus 1/4" tolerance on **WDEP**. Use to finish the backs of islands for a complete design.



Base Decorative Door**

Order Code: **BDEP/TDEP30**

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **BSV** (pg. 39) to sit flush on cabinet side

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

ACTUAL DOOR SIZES

SKU	WIDTH	HEIGHT	DEPTH
BDEP	23 1/2"	29 1/2"	3/4"

(**) There is a plus or minus 1/4" tolerance on **BDEP**. Use to finish the backs of islands for a complete design.





PANELS AND SKINS

Pantry Decorative Door**

Order Code: **TDEP2484** (TDEP2454+TDEP2430)
TDEP2490 (TDEP2454+TDEP2436)
TDEP2496 (TDEP2454+TDEP2442)

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **USV2496** to sit flush on cabinet side

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



(**) There is a plus or minus 1/4" tolerance on **TDEP**. Use to finish the backs of islands for a complete design.

Vanity Base Decorative Door**


Order Code: **VDEP / W2130-D**

- False door matches ordered door style
- 3/4" thick, decorative door panel for finishing sides of exposed cabinetry
- Back of the panel is flat and requires a **BSV** to sit flush on cabinet side

ACTUAL DOOR SIZES

SKU	WIDTH	HEIGHT	DEPTH
VDEP	20 1/2"	29 1/2"	3/4"

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




ORDER CODING

All molding and trim order coding begins with door order code.
 Example: **PW CM8**

MOLDING CONSTRUCTION KEY

Solid wood




Angled Crown Molding

Order Code: **ACM8**


- Solid wood
- Molding comes in a single 8' piece

●	CS
●	JG
●	SE



 **Milton Series Only Carry Angled Crown Molding**

ACM2.5	● MB
ACM3.5	● MW
ACM4.5	● MO




Crown Molding

Order Code: **CM8**

- Solid wood
- Molding comes in a single 8' piece

	MB
●	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





MOLDING AND TRIM

Decorative Crown Molding

Order Code: **DCM**

- Solid wood
- Molding comes in a single 8' piece

	MB
●	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





Insert Crown Molding

Order Code: **ICM**

- Solid wood
- Molding comes in a single 8' piece
- 7/8" section accepts applied decorative inserts

	MB
●	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





Rope Molding


Order Code: **ROPE**

- Solid wood
- Molding comes in a single 8' piece

	MB
●	MW
	MO
●	AW
●	AG
	AM
●	SW
●	SG
	SB
	JG
●	CS
●	PW
●	SE
●	YC



Can be applied to **ICM**.



Cove Molding

Order Code: **COV**

- Solid wood
- Molding comes in a single 8' piece
- Contemporary Style


* SG has COV2.5 and COV 3.5 available

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Countertop Edge Molding

Order Code: **CTM8**

- Solid wood
- Molding comes in a single 8' piece





💡 * **CTM8** also can be used as Light Rail Molding, or Crown Molding, or Edge Molding for skinning the wall bottom

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Outside Corner Molding

Order Code: **OCM**

- Solid wood
- Molding comes in a single 8' piece



Intended to finish outside corners concealing the seams where two skins or panels meet. 💡

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



MOLDING AND TRIM

Batten Molding

Order Code: **BAM**

- Solid wood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





Intended to finish seams where two skins or panels meet.

Shoe Molding

Order Code: **SHM**

- Solid wood
- Molding comes in a single 8' piece

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





Intended to finish the base of cabinetry, backs of islands, or peninsulas where skin or toe kick meets flooring.

Scribe Molding

Order Code: **SCR**

- Solid wood
- Molding comes in a single 8' piece


●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Toe Kick

Order Code: **TK8**

- 1/2" thick, veneered plywood
- Molding comes in a single 8' piece




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Furniture Base Molding


Order Code: **FBM**

- Solid wood
- Designed for use as a decorative baseboard, or a starter molding for stacking crown to the ceiling




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



CROWN INSTALL DIAGRAM



BASE INSTALL DIAGRAM



MOLDING AND TRIM



Traditional Light Rail

Order Code: **LRM**

- Solid wood
- Molding comes in a single 8' piece
- Light rail is intended to be applied to the bottom of a wall cabinet

	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC


LRM can be inverted and used as a unique top molding as well.



Traditional Angled Light Rail

Order Code: **ALRM**

- Solid wood
- Molding comes in a single 8' piece
- Light rail is intended to be applied to the bottom of a wall cabinet




	MB
	MW
	MO
●	AW
	AG
	AM
●	SW
	SG
	SB
	JG
	CS
	PW
	SE
	YC

Classic Corbel

Order Code: **CBT**

• Solid wood




●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC

Simple Corbel

Order Code: **CB9**

• Solid wood



●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC


MOLDING AND TRIM

3" Wall Filler

Order Code: **WF342**

- Solid wood
- Also used as wall and tall filler
- Finished on all sides

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Arched Valance

Order Code: **VA48**

- Solid wood
- Can be cut down on either side

	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC





6" Wall Filler

Order Code: **WF642**

- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC






Base Filler

Order Code: **BF336**

- 3/4" thick solid wood
- Finished front, back, and sides
- Cut width/height to fit as necessary
- Must be used with full overlay door to prevent doors and hardware from binding on adjacent walls, deeper adjacent cabinetry, or corner applications

Order **WF342** (pg. 50) for base filler applications not requiring the attached toe kick. 

●	MB
●	MW
●	MO
●	AW
	AG
●	AM
●	SW
	SG
	SB
	JG
●	CS
●	PW
●	SE
●	YC




Tall Filler

Order Code: **TF396**
TF696

- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary
- Must be used with full overlay door to prevent doors and hardware from binding on adjacent walls, deeper adjacent cabinetry, or corner applications

Can be used as starter molding to build crown to the ceiling. 

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Tall Flute Filler

Order Code: **FF396**

- 3/4" thick solid wood
- Finished front and sides
- Cut width/height to fit as necessary
- Must be used with full overlay door to prevent doors and hardware from binding on adjacent walls, deeper adjacent cabinetry, or corner applications

	MB
	MW
	MO
●	AW
●	AG
	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC


MOLDING AND TRIM

Decorative Leg

Order Code: **CLDL**

- Solid wood

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC




Decorative Leg

Order Code: **FLDL**

- Solid wood


	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
	JG
●	CS
●	PW
●	SE
●	YC



Split Decorative Leg * Pls call for availability

Order Code: **SDL**

- Solid wood
- Trimmable up to 6" from the top
- When installing on a 3 1/2" wide filler, be sure to adjust hinges on adjacent doors to eliminate possible binding on the decorative leg
- Shadows indicate trimmable areas



	MB
	MW
	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
	CS
●	PW
	SE
	YC

Bun Feet



* Pls call for availability

Order Code: **BFT**

- Solid wood

STYLE	HEIGHT	WIDTH
Squared	4 1/2"	4 1/2"

	MB
	MW
	MO
	AW
●	AG
	AM
●	SW
●	SG
●	SB
	JG
	CS
●	PW
	SE
	YC




Touch-Up Marker

Order Code: **KIT**

- Felt-tipped marker filled with stain or paint
- For small scuffs or scratches

●	MB
●	MW
●	MO
●	AW
●	AG
●	AM
●	SW
●	SG
●	SB
●	JG
●	CS
●	PW
●	SE
●	YC



Roll outs

ORDER CODING

Example: **RS30**

SPECIAL NOTE

- Sold separately from cabinets

Roll Out Tray


Order Code:

RS21
RS27
RS33

RS18

RS24
RS30
RS36



- Solid wood, dovetail construction
- 2 1/2" high sides
- Sidemount, full extension glides
- For 24" deep cabinets



Trash Pull Out Single Standard Base

Order Code: **BTP015**

- Solid wood, dovetail base support
- Undermount, full extension glides with soft close
- Comes with one 35 quart waste container
- Can be fitted in B15



Trash Pull Out Double Standard Base

Order Code: **BTP018**

- Solid wood, dovetail base support
- Undermount, full extension glides with soft close
- Comes with two 30 quart waste containers
- Can be fitted in B18

HARDWARE • Sold separately from cabinets

Bar Pull

Order Code: **AC-H625**



Stainless Steel Bar Pull

LENGTH	WIDTH	PROJECTION	CTC	QTY.
6 1/8"	1/2"	1 3/8"	3 3/4"	25

6-Way Adjustable, Soft Close Hinge


Order Code: **AC-SCH125**

- Built-in, soft close feature



Soft Close, Undermount Glide Pair

Order Code: **AC-RAIL15**
AC-RAIL18
AC-RAIL21



- Full extension
- Undermount
- Soft close
- Numbers indicate cabinet depth not glide depth

How to Clean Your Cabinets

The finish on Sandi Cabinet cabinetry is just like that of a high quality piece of furniture. Although it is designed to protect against normal, every day home use, general upkeep, and cleanliness are very important. With proper care, your cabinetry will look great for generations to come.

Dusting

Dust your cabinets frequently with a soft, lint-free cloth. If need be, slightly dampen the cloth with water or a spray-type dust remover.

Spills

Clean spills and splatters immediately. Prolonged exposure to spills, including food, water, oil, grease, and other liquids, can cause permanent discoloration and/or damage to your cabinet's finish. To clean spills, use a clean, soft cloth dampened with mild soap. Dry immediately with another clean, soft cloth.

Cleaning

Use a clean, soft cloth dampened with mild soap to clean your cabinets. Dry immediately with another clean, soft cloth. There are also a variety of wood cleaning products available for use on cabinetry.

Waxing & Polishing

Waxing your cabinets is not required or recommended. Over time, the wax will build up on the surface of the cabinet. This can cause a hazy, streaky, or yellowed appearance, as well as attract dust particles. The wax can become very difficult to remove. We recommend that you clean and polish your cabinets once or twice each year. To polish your cabinets, use a light coat of quality furniture polish.

Glass Doors

If you have glass panels installed in your cabinet doors, you will want to clean them periodically. To clean the glass, you can use any commercial glass cleaner. Never apply glass cleaner directly to the glass. Spray a small amount of cleaner onto a clean, soft cloth or paper towel, then wipe the glass. Be careful not to damage the cabinet finish or hardware while cleaning.

Hardware

You will want to periodically clean knobs, pulls, or handles installed on your cabinet doors/drawers. To do so, use a clean, soft cloth dampened with mild soap. Thoroughly dry all hardware joints, surfaces, and the surrounding area with another clean, soft cloth.

Products to Avoid

- Harsh chemicals
- Solvents or petroleum-based products, such as mineral spirits, nail polish removers, or paint thinners
- Abrasive cleaning products
- Ammonia or cleaning products that may contain ammonia
- Bleach or cleaning products that may contain bleach

CLEANING, CARE, AND MAINTENANCE

How to Care for Your Cabinets

Self-Cleaning Appliances

Self-cleaning appliances use intense heat during the clean cycle. During installation and with age, the integrity of the seal or gasket on the appliance can be compromised. Because of this, Sandi Cabinet recommends the removal of any cabinet doors and/or drawers located adjacent to or directly above the appliance during a cleaning cycle.

Heat-Producing Appliances

Mounting or placing heat-producing appliances beneath cabinets is not recommended. The excess heat and moisture from appliances, such as coffee makers and toaster ovens, can damage your cabinets.

UV Effects

Ultraviolet light rays from natural sunlight can affect the appearance of your cabinets. The appearance of your cabinet(s) may change over time depending on the natural characteristics of wood and the applied finish, the amount/direction of light exposure, and the portion of the cabinet that receives light.

Cabinet Maintenance

No matter how careful you are with your cabinetry, normal wear and tear from everyday use is inevitable. This is why Sandi Cabinet has made it easier than ever to keep your cabinets looking brand new.

Touch-Up

We offer touch-up markers and fill sticks that have been specially formulated for each of our high-quality cabinet finishes. Your Sandi Cabinet design professional can assist you in how to order and how to use these products.

NOTE: *Substantial repairs may require the help of a professional refinisher.*

Adjusting Your Cabinetry Hardware

Over time, the door hinges, soft close pistons, drawer glides, and decorative hardware on your cabinetry may need to be tightened or adjusted. All of our hardware has been designed to be easily adjusted with a Phillips-head (crosshead) screwdriver. Soft close pistons are adjusted by simply turning the small dial on the backside of the piston with your finger.

PRODUCT AND FINISH INFORMATION

Because we use real wood in our products, there are certain characteristics and qualities with which you may not be familiar. Because your satisfaction is our number one priority, we want to make sure you are fully aware of the important information listed below regarding our cabinetry and the applied finish.

Expansion & Contraction

Because half of the weight of freshly cut wood is water, these natural properties are such that they can react to climate or humidity changes in your home. Sandi Cabinet doors and face frames are manufactured from solid wood that has been carefully kiln-dried, retaining just enough moisture for proper construction and finishing. The center panels of the Sandi Cabinet doors are either wood or medium density fibreboard. As a product of nature, solid hardwoods continue to react to their surroundings long after the manufacturing process has been completed. When wood cabinet doors are in a warm, moist environment (high humidity), the wood expands. In a dry, colder environment (low humidity), the wood will contract. Even with humidity regulation, this phenomenon can be controlled, but it can never be completely eliminated.

Door panels are prone to minor expansion and contraction as seasonal temperature and humidity changes occur in a home. The contraction (shrinkage) of the center door panel during low humidity periods may result in the appearance of an unfinished line along the edge of the center panel. Sandi Cabinet does not consider the appearance of an unfinished line as a defect and will not replace doors due to this situation. It is recommended that a humidity control system is incorporated in a home to reduce the possibility of expansion and contraction in wood products. Touch-up markers are made available to cover this edge line. Oftentimes, touch-up for this issue may only be necessary within the first year.

Sandi Cabinet is not responsible for any of these conditions and variations.

Finishes

Over time, wood species in all finishes will exhibit color changes when exposed to different types of light and environment. Such color changes are to be expected and are not defects. Due to the natural variation and aging process of wood, minor differences may be observed in color match when replacing doors or adding cabinets at a later date. It is a characteristic of stained and painted wood finishes to age over time when exposed to smoke, sunlight, or general household cleaning chemicals.

Graining differences, mineral streaks, and wood color variations are expected in wood cabinetry and are not classified as defects. A newly installed kitchen could have these minor color variations.

Sandi Cabinet offers several types of painted finishes on cabinetry. Painted finishes are exceedingly different from the standard stained finish. Since normal movement is typical in wood products, certain climatic conditions can cause finish breaks, recesses, and joint/panel lines. Joint separation can be more visible on mitered doors. Consequently, in places and environments of extremely high or extremely low humidity, painted finishes are not recommended. Joint lines and variations are common attributes of painted finishes and will not be considered sufficient reasons for product replacement.

Some of our products have glaze finishes. Since glaze detailing is hand applied then hand wiped off, glaze may “hang up” or remain in any corners of the door or drawer profile. Because the glaze is a hand applied procedure, detailing can differ from piece to piece.

NOTE: *Independent testing has shown that discoloration will develop on doors, drawers, and cabinet parts after continued exposure to tobacco smoke. This is remarkably apparent on white and lighter finishes. We do not warrant discoloration in our products due to exposure to smoke.*

Joint Lines

Expansion and contraction in doors and face frames can cause visible lines at the joints. The finish will still protect the surface, and the structural integrity of the joint will not be affected. An open joint line is not considered a defect.

WARRANTY

I. Description of Warranty

This warranty applies only to the original purchaser and is not transferrable. From the time of purchase, Sandi Cabinet offers an Industrial Standard 2-Years Warranty on all of its cabinetry. In addition to cabinetry, all drawers, shelves, roll out trays, and mechanical components are covered under the warranty as well. In the event that any Sandi Cabinet product fails during the course of normal use, Sandi Cabinet, at its discretion, will either repair or replace the defective product.

Whether the work was performed by a contractor, Sandi Cabinet authorized dealer, or you; any expenses involved in the shipping, removal, installation, or consequent damage of the defective product is not covered under this warranty. This warranty does not apply to products installed in mobile homes or recreational vehicles.

II. Intended Use of Product

To be covered by this warranty, the product must be used only for its intended purpose(s). Cabinets that have been improperly stored, installed, misused, modified, mishandled, and/or subject to excessive moisture or extreme temperature and humidity levels are not covered under this warranty. In addition, any damage caused by smoking and/or environmental/chemical effects are also not covered under this warranty.

III. Anticipated Variance in Product

The Sandi Cabinet warranty only applies to product defects and does not apply to properties of natural wood that are inherent in natural wood species. Any time you have a natural wood product, occurrences such as pinholes, knots, and variances in color or grain are normal and are not covered under this warranty.

Because half of the weight of freshly cut wood is water, its natural properties are such that they can react to climate and/or humidity changes in your home. Sandi Cabinet doors and face frames are manufactured from solid wood that has been carefully kiln-dried, retaining just enough moisture for proper construction and finishing. These hardwoods continue to react to their surroundings long after the manufacturing process has been completed. When wood cabinet doors are in a warm, moist environment (high humidity), the wood expands. In a dry, colder environment (low humidity), the wood will contract. Even with humidity regulation, this phenomenon can be controlled, but it can never be completely eliminated.

Door panels may also be prone to this minor expansion and contraction as seasonal temperature and humidity changes occur in your home. The contraction (shrinkage) of the center door panel during periods of low humidity may result in the appearance of an unfinished line along the edge of the center panel. Sandi Cabinet does not consider the appearance of this line as a defect and will not replace doors due to this situation. Touch-up markers are made available to cover this edge line. The installation of a humidity control system is recommended to reduce the possibility of expansion and contraction in wood products.

All Sandi Cabinet doors are manufactured in moisture-controlled environments under precise specifications. Although slight door warpage can be common in one or two doors within a newly installed kitchen, any door that has not been through a complete heating and cooling cycle has the possibility of warping. Slight warpage can be eliminated through hinge adjustments. Any warping that continues to occur should be further examined by removing the door from the cabinet and placing it on a flat surface. Hinge spacers are available through your authorized Sandi Cabinet dealer in cases where the

warping cannot be eliminated through hinge adjustments. If warping cannot be eliminated through hinge adjustments or the use of hinge spacers, and if the doors have been through a complete heating and cooling cycle, and if all of the cabinets are true and plumb; then Sandi Cabinet will consider replacement.

As mentioned above, normal movement in wood products is typical. In addition to issues listed above, climate conditions can cause finish breaks, recesses, and joint/panel lines. An open joint line is not considered a defect and is not covered under this warranty.

Cabinet has been subject to improper temperature, moisture and/or humidity extremes is not covered under this warranty.

(Temperature outside the range of 50-85F and humidity outside the range of 30-55% are considered extreme)

IV. Product Repair or Replacement

Throughout the duration of the warranty period, Sandi Cabinet's sole obligation is to repair or replace any defective product at no charge. This warranty only applies to cabinets and affiliated products sold by Sandi Cabinet offered through an authorized Sandi Cabinet dealer. In the event that a claim is filed after the original product has been discontinued or cancelled, Sandi Cabinet will honor the warranty, at its discretion, subject to the availability of the product, by either:

- Repairing or replacing the defective product with a new product of the same style

OR

- Repairing or replacing the defective product with a product of equal value and complementary style in order to maintain the appearance of the original cabinetry purchase.

An exact match between the finish of the original purchased product and the replacement or repaired product is not guaranteed.

V. Rights of Consumer

There are no other warranties, disclosed or indicated, associated with this product. This document serves as a description of the consumer's definitive legal rights within the transaction and is the exclusive warranty of Sandi Cabinet. The exclusion or partial limitation of contingent or substantial damages is not permissible in some states. The consumer may also have further rights from state-to-state which are not cited in this warranty.

VI. Submission of a Claim

All claims must be submitted to the authorized Sandi Cabinet dealer where the cabinets were originally purchased. Claims are to be submitted in writing. Every claim must include a dated copy of the original sales receipt as proof of purchase. Unless and until the product is specifically requested by the Sandi Cabinet Claims Department, please do not send the defective item(s).



909•590•8844 | sandicabinet.com
14368 Central Ave, Chino, CA 91710