



1300 ALSPEC (257732) alspec.com.au

# Alspec's Alu-Grille®

Alspec offer a wide range of window and door grille options that will improve the security of your home. Alu-Grille<sup>®</sup> is perfectly suited to a wide range of window applications as well as both hinged and sliding doors.

## Alu-Grille<sup>®</sup> Design

Alu-Grille<sup>®</sup> has a 7mm strand thickness and has been tested to Australian Security Standard AS5041 and meets the requirements of AS5039. To obtain maximum benefit from Alu-Grille<sup>®</sup>, all doors made incorporating these grilles should also be installed to comply with AS5040.

Alu-Grille doors are available with the option of restricted vision mesh, ideal if added privacy is required. Restricted vision mesh allows you to see out through your door at the same time as reducing the visibility into your house from the outside.








A117 Small Diamond

Standard 7mm Diamond



## The Complete Range

Alspec now offers the complete range of screening systems from our top of the range Invisi-Gard® 316 Stainless Steel Security Screens, through to Alu-Gard®, Federation® Cast Panels, Alu-Grille® Diamond Grilles, Vision-Gard<sup>™</sup> one way vision security screen, fibreglass and aluminium insect screen and all the associated accessories. For a history of great service and quality built products when considering an aluminium screen door system, there's only one place that has all the solutions - Alspec.

## Wide Product Range

Alu-Grille® Security Screens are primarily designed for front door security. However they are suitable for a wide range of residential applications including the following:

- Hinged Doors
- Sliding Doors
- Security Window Screens

## **Choice of Stylish Colours**

With Alu-Grille<sup>®</sup> products, matching the colour to existing door and window frames is not a problem. All of our frames are available from your Alu-Grille<sup>®</sup> fabricator in a full range of powder coated colours along with anodised finishes or decorative imaging.

## **Custom Built**

All Alu-Grille<sup>®</sup> products are custom built by your local fabricator, made to measure to suit your exact requirements.

### **Key Features**

- Made from special tempered aluminium for greater strength and increased peace of mind.
- Alu-Grille® for custom-made sliding doors provides optimum protection and smooth operation. Adjustment screws for rollers face inside the door out of an intruders reach.
- Half door panels add to protection from the weather, pets and intruders. Available in a range of pre-finished colours.
- Security doors made from quality Alu-Grille® can be fitted with the extra feature of a 3 Point Safety Lock. Three interlocking security hinges deter even the most persistent intruder.

## **Tested Performance**

#### Security

Australian Standard AS5041 – 2003 Methods of Test – Security Screen Doors and Window Grilles



#### **Child Fall Prevention**

Australian Standard AS5203 – 2016 Protection of Openable Windows/Fall Prevention – Test Sequence & Compliance Method



## **Technical Specifications**

| Material Grade | Tempered Aluminium |
|----------------|--------------------|
| Thickness      | 8mm                |
| Strand Width   | 7mm                |
| Paint          | Dulux Black Matt   |





1300 ALSPEC (257732) alspec.com.au



STRENGTH, SECURITY AND DURABILITY WITH EXCELLENT DIRECT CLARITY OF VISION.



1300 ALSPEC (1300 257 732) alspec.com.au

## Alspec's Alu-Gard®

The All-Aluminium security screening solution for Australian conditions. Alu-Gard is a perforated aluminium sheet retained in an extruded aluminium frame.

Alu-Gard not only provides security, clarity of vision and strength, it is also corrosion resistant and looks great.

### **Key Features**

- Tested and passed Australian Standards.
- Choice of retention systems.
- Manufactured in Australia.
- Part of a wide range of security and screening solutions.

## **Alu-Gard Design**

Alu-Gard utilises a strong (1.6mm thick) aluminium sheet that is perforated and powder coated in Australia to standards. The sheet is retained in a frame with riveted aluminium infill retention system. The resulting screen is strong, extremely resistant to corrosion and provides excellent direct clarity of vision.

## The Complete Range

Alspec now offers the complete range of screening systems from our top of the range Invisi-Gard® 316 Stainless Steel Security Screens, through to Alu-Gard®, Federation® Cast Panels, Alu-Grille® Diamond Grilles, Vision-Gard<sup>™</sup> one way vision security screen, fibreglass and aluminium insect screen and all the associated accessories. For a history of great service and quality built products when considering an aluminium screen door system, there's only one place that has all the solutions - Alspec.

## **Choice of Stylish Colours**

With Alu-Gard products, matching the colour to existing door and window frames is not a problem. A full range of powder coated colours along with anodised finishes or decorative imaging are readily available from your Alu-Gard dealer.



## **Custom Built**

All Alu-Gard products are custom built, made to measure to suit your exact requirements.


Alu-Gard Security Screens are suitable for a wide range of residential and commercial applications including the following:

- Hinged Doors
- Sliding Doors
- Security Window Screens
- Balustrade
- Fencing

## **Tested Performance**

#### Security

Australian Standard AS5041 – 2003 Methods of Test – Security Screen Doors and Window Grilles



#### Child Fall Prevention

Australian Standard AS5203 – 2016 Protection of Openable Windows/Fall Prevention – Test Sequence & Compliance Method



#### Bushfire

2mm hole diameter meets bushfire requirements up to BAL-29




#### **Fire Attenuation**


Australian Standard AS1530.4-2014 Appendix B7

Achieves a fire attenuation rating of up to 56% at 40kW/m<sup>2</sup> incident energy


## **Technical Specifications**

| Material Grade | 5005 H34         |
|----------------|------------------|
| Thickness      | 1.6mm            |
| Hole Diameter  | 2.0mm            |
| Paint          | Dulux Black Matt |
| % Open Area    | 40%              |









1300 ALSPEC (1300 257 732) alspec.com.au



## **Alspec's Federation Cast Panels**

Designed to suit all of Alspec's door and window screen frames, the Federation® Aluminium Cast Panels offer a wide range of styles, patterns and colours.

### **Federation Design**

Federation® Cast Panels feature unique designs with Australian Design Registrations. The Federation® Cast Panel range offers a selection of traditional and contemporary designs in an extensive range of colour finishes. Manufactured from the highest quality of recyclable aluminium, Federation® Cast Panels are a stylish and durable means to finish off your window and door screen.


## The Complete Range


Alspec now offers the complete range of screening systems from our top of the range Invisi-Gard® 316 Stainless Steel Security Screens, through to Alu-Gard®, Federation® Cast Panels, Alu-Grille® Diamond Grilles, Vision-Gard<sup>™</sup> one way vision security screen, fibreglass and aluminium insect screen and all the associated accessories. For a history of great service and quality built products when considering an aluminium screen door system, there's only one place that has all the solutions - Alspec.

### **Custom Built**

All screen doors using Federation Cast Panels are custom built, made to measure to suit your exact requirements. Federation Cast Panels are suitable for a wide range of residential door and window applications including: Hinged Doors, Sliding Doors and Window Screens.

## **Cast Panel Combination Options**






SA

SΔI

#### Hinged Doors









## **Choice of Stylish Colours**

With Federation® Cast Panels, matching the colour to your existing door and window frame is not a problem. A full range of powder coated colours are readily available from your Federation® Dealer.

- All Federation® Cast Panels are pre-finished and come with a 2 year powder coat warranty.
- A full range of powder coated custom colours can be ordered as requested.
- Please note that stocked colour ranges vary between branches.

#### Alspec Colour Disclaimer

Colour representations in this brochure are for **illustrative purposes only**. You should request actual samples before placing your order.



| ltem<br>Name | Size Exc.<br>Lugs (HxW) | Size Inc.<br>Lugs (HxW) | Vertical<br>Lugs (H) | Horizontal<br>Lugs (W) |
|--------------|-------------------------|-------------------------|----------------------|------------------------|
| SA1          | 900 x 615               | 970 x 795               | 70                   | 90                     |
| SA2          | 900 x 615               | 970 x 795               | 70                   | 90                     |
| SA4          | 1000 x 615              | 1070 x 795              | 70                   | 90                     |
| SA5          | 695 x 615               | 765 x 795               | 70                   | 90                     |
| SA6          | 1000 x 390              | 1070 x 500              | 70                   | 55                     |
| SA7          | 700 x 390               | 770 x 500               | 70                   | 55                     |
| SA8          | 1000 x 620              | 1070 x 800              | 70                   | 90                     |
| SA10         | 1055 x 620              | 1125 x 800              | 70                   | 90                     |
| SA11         | 745 x 615               | 815 x 795               | 70                   | 90                     |
| SA12         | 900 x 385               | 970 x 505               | 70                   | 60                     |
| SA101        | 900 x 995               | 1000 x 1095             | 50                   | 50                     |

\* Panel sizes are to be used as a guide only.

SA10

SALL

All sizes are in millimetres and include a tolerance of 5mm.





## POWERED BY ALSPEC

# **KEEPING YOUR FAMILY SAFE**




1300 INVISI (1300 468 474) invisi.com.au



# WHY CHOOSE INVISI-GARD?


Invisi-Gard is the premium security screen solution by Alspec — an Australian owned, market leader for over 45 years in the design of innovative aluminium systems to architectural, residential, industrial and home improvement markets.



# CARE AND MAINTENANCE

Your Invisi-Gard<sup>®</sup> Stainless Steel Security Screen should only ever need to be washed down with a soft brush using warm water and a mild detergent. Rinse well with fresh water to remove any detergent residue. Do not use strong detergents or abrasive cleaners as they may scratch or damage the surface finish.

The frequency of this maintenance is determined by the location of the product. Refer to the suggested maintenance table.



**RECOMMENDED MAXIMUM MAINTENANCE INTERVAL** 



# STAINLESS STEEL SECURITY

Combining the strength of Marine Grade 316 Stainless Steel with the beauty, strength and "flexibility of aluminium, INVISI-GARD<sup>®</sup> Security Screens offer unparalleled clarity of vision with enhanced security.

#### **Stainless Steel Mesh - The Facts**

When buying a stainless mesh product, ensure that you are purchasing only the highest quality. INVISI-GARD® screens offer you that quality with a woven wire product that is manufactured using a marine grade 316 High Tensile (900MPa) Stainless Steel Wire. This is then pre-treated and powder coated, with the highest quality powder coating available.

#### **Confidence in Security**

Using the unique, patented INVISI-GARD® Pressure Retention and Isolation Method, you can be assured that the Stainless Steel Mesh will defy the most determined attack from both intruders and corrosion.

INVISI-GARD® Stainless Steel Security products do not require screws to secure the mesh into the perimeter frame. As a result, the potential for corrosion through dissimilar metal contact is avoided.


Tested and approved in accordance with Australian Standards, INVISI-GARD® delivers confidence in security.

#### What does it mean for me?

There are many stainless steel mesh products on the market that do not meet the requirements of Australian Standards. Typically these products:

- Are not using high tensile stainless steel wire (900MPa)
- Do not track the composition of the wire through Chemical Certifications
- Are lacking in pre-treatment for corrosion prior to powder coating
- Do not use the highest quality outdoor UV resistant powder coat

INVISI-GARD<sup>®</sup> uses only the highest quality of mesh available to the market and supports this with a lifetime warranty allowing you peace of mind for many years to come.



## YOUR LICENSED INVISI-GARD® DEALER:

# 1300 INVISI (1300 468 474) invisi.com.au



POWERED BY ALSPEC

KEEPING YOUR FAMILY SAFE



alspec.com.au



ACCREDITED MEMBER:



ssa.org.au





1300 ALSPEC (257732) alspec.com.au

# Alspec's Vision-Gard<sup>™</sup>

Vision-Gard<sup>™</sup> Screens are a new addition to the Alspec range of screening options. Vision-Gard<sup>™</sup> screens not only secure your home but also provide a degree of privacy from people outside your home looking in. Vision-Gard<sup>™</sup> screens provide security, privacy and strength, as well as being corrosion resistant and looking great.

## Vision-Gard<sup>™</sup> Design

Vision-Gard<sup>™</sup> Screens utilise a strong (1.6mm thick) aluminium sheet that is perforated and powder coated in Australia to exacting standards. This mesh works by limiting the field of vision for people on the outside looking in. Vision-Gard<sup>™</sup> works if there is correct lighting allowing a person on the inside to see outside and not be seen from the visitor's side.

The mesh has two options for retaining in the frame:

Retention with our bespoke Wedge PVC pressure retention system.
Retention using rivets into a frame with a covering strip to conceal the rivets.

The resulting screen is strong, extremely resistant to corrosion and provides excellent clarity of vision from the inside looking out.

## The Complete Range

Alspec now offers the complete range of screening systems from our top of the range Invisi-Gard® 316 Stainless Steel Security Screens, through to Alu-Gard®, Federation® Cast Panels, Alu-Grille® Diamond Grilles, Vision-Gard™ one way vision security screen, fibreglass and aluminium insect screen and all the associated accessories. For a history of great service and quality built products when considering an aluminium screen door system, there's only one place that has all the solutions - Alspec.

## **Bushfire Prone Areas**

Vision-Gard  $^{\rm \tiny M}$  complies with the mesh aperture for screening of openable parts to doors and windows up to BAL-29 conditions.

## Wide Product Range

Vision-Gard<sup>™</sup> Security Screens are primarily designed for front door security and privacy. However they are suitable for a wide range of residential applications including the following:

- Hinged Doors
- Sliding Doors
- Security Window Screens

## **Choice of Stylish Colours**

With Vision-Gard<sup>™</sup> products, matching the colour to existing door and window frames is not a problem. All of our frames are available from your Vision-Gard<sup>™</sup> fabricator in a full range of powder coated colours along with anodised finishes.

## **Custom Built**

All Vision-Gard<sup>™</sup> products are custom built by your local fabricator, made to measure to suit your exact requirements.




#### **Key Features**

- Reduces the vision into the home.
- Clarity of vision from the inside.
- High corrosion resistance.
- Aperture of less than 2mm meets bushfire requirements up to BAL-29.
- Tested and passed Australian Standards.
- Choice of retention systems.
- Manufactured in Australia.
- Part of a wide range of security and screening solutions.

## **Tested Performance**

#### Security

Australian Standard AS5041 – 2003 Methods of Test – Security Screen Doors and Window Grilles



#### **Child Fall Prevention**

Australian Standard AS5203 – 2016 Protection of Openable Windows/Fall Prevention – Test Sequence & Compliance Method



#### **Fire Attenuation**

Australian Standard AS1530.4-2014 Appendix B7

Achieves a fire attenuation rating of up to 75% at 40kW/m<sup>2</sup> incident energy

#### e attenuation o 75% at V dent energy

## **Technical Specifications**

| Material Grade | 5005 H34         |
|----------------|------------------|
| Thickness      | 3mm              |
| Paint          | Dulux Black Matt |
| % Open Area    | 17%              |
| Aperture       | 1mm x 4mm        |









