



CHAINPRO SOLUTIONS

CERTIFIED. SECURE. RELIABLE

MASTER LINKS & SUB-ASSEMBLIES

The Max-Alloy® lifting system from ChainPro Solutions is designed for toughness and durability, backed by unparalleled technical support and meeting the highest quality control standards. Our master links and sub-assemblies are used to construct steel wire rope and chain sling assemblies for both local and international markets. These components are engineered specifically for demanding sectors, including construction, oil and gas, utilities, and general lifting applications, ensuring reliable performance across industries.

ChainPro Solutions offers a range of DNV type-approved products, fully certified for safe lifting in the offshore oil and gas industry. This product line includes master links, quad assemblies, chain, and fully welded chain slings, all available in a ZincTough™ finish for enhanced durability. DNV (Det Norske Veritas) is the world's leading classification and certification authority, providing standards across industries such as maritime and offshore oil and gas. ChainPro's DNV-approved products support the offshore oil and gas sector by ensuring safety and effective risk management in critical lifting operations.



GRADE 8 MASTER LINKS CHAIN SLINGS - ONSHORE							
PRODUCT CODE	MASTER LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH	GR80 CHAIN SIZE 1 LEG	GR80 CHAIN SIZE 2 LEGS
G8-0806-MLCS	14,5	0,47	2,24	MA0806MLGR80	BLACK POWDER COATED	7-8mm	6-7mm
G8-1008-MLCS	16	0,68	3,36	MA1008MLGR80	BLACK POWDER COATED	10mm	8mm
G8-1310-MLCS	22	1,47	5,36	MA1310MLGR80	BLACK POWDER COATED	13mm	10mm
G8-1613-MLCS	28	2,95	9,44	MA1613MLGR80	BLACK POWDER COATED	16mm	13mm
G8-2016-MLCS	32	5,02	13,60	MA2016MLGR80	BLACK POWDER COATED	20mm	16mm
G8-2220-MLCS	36	6,46	21,25	MA2220MLGR80	BLACK POWDER COATED	22mm	20mm
G8-2226-MLCS	40	8,46	25,50	MA2622MLGR80	BLACK POWDER COATED	26mm	22mm
G8-3226-MLCS	50	16,54	44,90	MA3226MLGR80	BLACK POWDER COATED	32mm	26mm
G8-3632-MLCS	65	33,02	64,80	MA3632MLGR80	BLACK POWDER COATED	36mm	32mm
G8-4036-MLCS	75	48,98	88,40	MA4036MLGR80	BLACK POWDER COATED	40mm	36mm

GRADE 8 MASTER SUB ASSEMBLIES CHAIN SLINGS - ONSHORE								
PRODUCT CODE	MASTER LINK DIAMETER (MM)	SUB LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH	GR80 CHAIN SIZE 3 LEG	GR80 CHAIN SIZE 4 LEGS
G8-06-MSACS	16	14,5	1,62	2,32	MA06SAGR80	BLACK POWDER COAT	7mm	6mm
G8-08-MSACS	22	16	2,84	4,24	MA08SAGR80	BLACK POWDER COAT	8mm	7mm
G8-10-MSACS	28	22	5,89	6,72	MA10SAGR80	BLACK POWDER COAT	10mm	10mm
G8-13-MSACS	32	22	7,96	11,20	MA13SAGR80	BLACK POWDER COAT	13mm	13mm
G8-16-MSACS	36	28	12,35	16,80	MA16SAGR80	BLACK POWDER COAT	16mm	16mm
G8-20-MSACS	45	36	25,09	26,88	MA20SAGR80	BLACK POWDER COAT	20mm	20mm
G8-22-MSACS	50	40	33,46	32,00	MA22SAGR80	BLACK POWDER COAT	22mm	22mm
G8-26-MSACS	65	45	57,37	50,00	MA26SAGR80	BLACK POWDER COAT	26mm	26mm
G8-32-MSACS	75	50	82,06	70,00	MA32SAGR80	BLACK POWDER COAT	32mm	32mm




GRADE 8 + GRADE 10 MASTER LINKS CHAIN SLINGS - ONSHORE							
PRODUCT CODE	MASTER LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH	GR80/100 CHAIN SIZE 1 LEG	GR80/100 CHAIN SIZE 2 LEGS
G8+10-0806-MLCS	14,5	0,47	2,80	MA0806MLGR8+10	BLUE POWDER COATED	7-8mm	6-7mm
G8+10-1008-MLCS	16	0,68	4,20	MA1008MLGR8+10	BLUE POWDER COATED	10mm	8mm
G8+10-1310-MLCS	22	1,47	6,70	MA1310MLGR8+10	BLUE POWDER COATED	13mm	10mm
G8+10-1613-MLCS	28	2,95	11,80	MA1613MLGR8+10	BLUE POWDER COATED	16mm	13mm
G8+10-2016-MLCS	32	5,02	17,00	MA2016MLGR8+10	BLUE POWDER COATED	20mm	16mm
G8+10-2220-MLCS	36	6,46	22,70	MA2220MLGR8+10	BLUE POWDER COATED	22mm	20mm
G8+10-2226-MLCS	40	8,46	30,10	MA2622MLGR8+10	BLUE POWDER COATED	26mm	22mm

GRADE 8 + GRADE 10MASTER SUB ASSEMBLIES CHAIN SLINGS - ONSHORE								
PRODUCT CODE	MASTER LINK DIAMETER (MM)	SUB LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH	GR80/GR100 CHAIN SIZE 3 LEG	GR80/GR100 CHAIN SIZE 4 LEGS
G8+10-06-MSACS	16	14,5	1,62	2,90	MA06SAGR80+10	BLUE POWDER COAT	7mm	6mm
G8+10-08-MSACS	22	16	2,84	5,30	MA08SAGR80+10	BLUE POWDER COAT	8mm	7mm
G8+10-10-MSACS	28	22	5,89	8,40	MA10SAGR80+10	BLUE POWDER COAT	10mm	10mm
G8+10-13-MSACS	32	22	7,96	14,10	MA13SAGR80+10	BLUE POWDER COAT	13mm	13mm
G8+10-16-MSACS	36	28	12,35	21,00	MA16SAGR80+10	BLUE POWDER COAT	16mm	16mm
G8+10-20-MSACS	45	36	25,09	33,60	MA20SAGR80+10	BLUE POWDER COAT	20mm	20mm
G8+10-22-MSACS	50	40	33,46	40,00	MA22SAGR8+10	BLUE POWDER COAT	22mm	22mm



WIRE ROPE SLINGS- ONSHORE - GR8 ENLARGED OBLONG - HEAVY DUTY					
PRODUCT CODE	MASTER LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH
G8-16-WRS	16	0,68	4,10	MA16ML GR80	YELLOW POWDER COATED
G8-22-SWRS	22	1,47	11,00	MA22MLS GR80	YELLOW POWDER COATED
G8-22-WRS	22	2,28	7,00	MA22ML GR80	YELLOW POWDER COATED
G8-28-SWRS	28	2,95	19,50	MA28MLS GR80	YELLOW POWDER COATED
G8-28-WRS	28	3,78	14,50	MA28ML GR80	YELLOW POWDER COATED
G8-32-WRS	32	5,02	19,00	MA32ML GR80	YELLOW POWDER COATED
G8-36-WRS	36	6,46	26,00	MA36ML GR80	YELLOW POWDER COATED
G8-40-WRS	40	8,46	30,50	MA40ML GR80	YELLOW POWDER COATED
G8-45-WRS	45	12,18	40,00	MA45ML GR80	YELLOW POWDER COATED
G8-45-LWRS	45	17,67	24,70	MA45MLL GR80	YELLOW POWDER COATED
G8-50-WRS	50	16,54	51,00	MA50ML GR80	YELLOW POWDER COATED
G8-60-WRS	65	33,02	75,00	MA65ML GR80	YELLOW POWDER COATED
G8-70-WRS	75	48,98	100,00	MA75ML GR80	YELLOW POWDER COATED

WIRE ROPE SLINGS- ONSHORE - GR8 ENLARGED SUB-ASSEMBLIES - HEAVY DUTY						
PRODUCT CODE	MASTER LINK DIAMETER (MM)	SUB LINK DIAMETER (MM)	WEIGHT (KG)	WLL TON	EMBOSSING	FINISH
G8-16-WRSA	16	14,5	1,62	4,10	MA16QA GR80	YELLOW POWDER COAT
G8-22-SWRSA	22	22	4,41	11,00	MA22QAS GR80	YELLOW POWDER COAT
G8-22-WRSA	22	22	5,22	7,00	MA23QA GR80	YELLOW POWDER COAT
G8-28-SWRSA	28	22	5,89	14,50	MA28QAS GR80	YELLOW POWDER COAT
G8-28-WRSA	28	22	6,73	14,50	MA26QA GR80	YELLOW POWDER COAT
G8-32-WRSA	32	28	10,92	19,00	MA32QA GR80	YELLOW POWDER COAT
G8-36-WRSA	36	28	12,35	26,00	MA36QA GR80	YELLOW POWDER COAT
G8-40-WRSA	40	32	18,5	30,50	MA40QA GR80	YELLOW POWDER COAT
G8-45-WRSA	45	36	25,09	40,00	MA45QA GR80	YELLOW POWDER COAT
G8-45-LWRSA	45	30	23,92	24,70	MA45QAL GR80	YELLOW POWDER COAT
G8-50-WRSA	50	45	40,89	51,00	MA50QA GR80	YELLOW POWDER COAT
G8-60-WRSA	65	50	66,10	75,00	MA65QA GR80	YELLOW POWDER COAT
G8-70-WRSA	75	65	115,02	100,00	MA75QA GR80	YELLOW POWDER COAT





**CHAINPRO
SOLUTIONS**

CERTIFIED. SECURE. RELIABLE

ACCOUNTS@CHAINPROSOLUTIONS.CO.ZA

MIDDELBURG, MPUMALANGA, 1050

CHAINPROSOLUTIONS.CO.ZA