

LOG ALLOY CHAIN

The Super X Short Link Chain is a high-performance steel chain specifically engineered to endure the demanding and extreme conditions prevalent in the sugar and forestry industries. Its unique properties make it an excellent choice for a range of applications, including bundling chains, spiller trailer chains, log skidding, and timber bundling. Chainpro Solutions ensures that this chain delivers exceptional strength and durability for even the toughest tasks.



Timber Bundling Chains

- Versatile Applications: Ideal for bundle transport and stockpiling at loading sites and mills.
- Chain Options: Bundling chains are available in 13mm Grade 8 alloy, 10mm Grade 10 alloy, and 11.2mm Super 6® chains to suit various operational needs.
- Expert Consultation: Contact a Chainpro Solutions representative for further details and tailored assistance.



Conveyor Chain

Grade 800 HA / LHC Chain

The Chainpro Log Haul Chain is a calibrated, hardened, and tempered alloy steel conveyor chain initially developed for the timber industry. It is also highly suitable for various other conveyor applications, offering exceptional durability and performance in demanding environments.

G800 CONVEYOR CHAINS								
CHAIN SIZE (MM)	BREAK FORCE (Kn)	NOM PITCH	WIDTH (MIN)	LINKS PER METRE	APPROX MASS (KG/M)			
10,0	126	51,1	14,0	19,7	1,82			
14,0	246	89,3	24,0	11,2	3,37			
16,0	322	90,3	24,0	11,2	4,50			
20,0	504	96,3	27,0	10,4	7,29			

Sugar and Timber Bundling Chains

• Total Mass with Grip Trip:


o 10.0mm: 26kg

。 13.0mm: 39kg

• Standard Length: 9m

· Lug Ring: 50mm at each end

SUGAR AND TIMBER BUNDLING CHAINS									
			APPROX MASS		FACTOR OF				
CODE	CHAIN SIZE	DESCRIPTION	KG/M	WLL	SAFETY				
STBC-01	10MM	GRADE 10	2,35	4000KG	(4:1)				
STBC-02	13MM	GRADE 8	3,76	4000KG	(4:1)				
STBC-03	11,2MM	GRADE 6	2,79	3200KG	(4:1)				





ACCOUNTS@CHAINPROSOLUTIONS.CO.ZA MIDDELBURG, MPUMALANGA, 1050 CHAINPROSOLUTIONS.CO.ZA