



www.ecowotech.com

**WOTECH
HEAT PUMP
CATALOGUE**

BR- A1 series

- Designed with cooling and heating function, suitable for commercial and industrial use, compact structure, quiet and easy to install



High COP



Patented corrosion resistant titanium exchanger



Environmental friendly



Dual speed fan



Heating and cooling with reversible defrosting



Code		WBR-45.0H-A1-S	WBR-55.0H-A1-S	WBR-90.0H-A1-S	WBR-135.0H-A1-S	WBR-200.0H-A1-S
*Heating Capacity	KW	42.2	52.2	76.3	117.6	203.56
*Input Power	KW	7.15	9.05	14.64	22.75	39.68
*Running Current	A	12.80	16.18	26.20	40.69	70.98
*COP		5.9	5.77	5.21	5.17	5.13
**Heating Capacity	KW	32.64	39.49	62.16	94.06	167.44
**COP		4.74	4.66	4.57	4.19	4.79
Power Supply	V/Ph/Hz	380/3/50				
Max Heating Current	A	15.99	20.23	32.75	50.86	88.73
Condenser		Titanium Coil				
No.s of Compressor		2	2	3	4	4
Compressor		Scroll				
Noise @1 meter	dB(A)	60	60	62	65	72
Water Connection	inch	2	2	2-1/2	3	Dn125
Average Flow	m ³ /h	19.3	23.6	38.7	58.0	86.0
Advised pool size (with cover)	m ³	250	350	500	750	1000
Net Dimension	L/W/H mm	1450*705*1270		2150*765*1300	2150*1000*1930	2000*1685*2065
Packing Dimension	L/W/H mm	1530*775*1420		2250*845*1450	2230*1080*2085	2110*1775*2255
Weight	N.W/G. W KG	243/278	259/294	408/455	660/712	1114/1200

* Heating A24/W26: Outdoor air temp (DB/WB):24°C/19°C, Water temp (in): 26°C

** Heating A15/W26: Outdoor air temp (DB/WB):15C/11C, Water temp (in): 26°C

ISO9001

ISO14001

ISO45001

C E

CB



SGS



GUANGDONG WOTECH RENEWABLE ENERGY AND TECHNOLOGY CO., LTD

Tel: +86-757-2221 7099

Web: www.ecowotech.com

Email: wotech@wotech.cn

Stock Code: 835751

Add: No.34, South Road, Yongfeng Industrial Park, Lunjiao, Shunde, Foshan, Guangdong PRC.

