

HISTORICAL

Sway-brace Devices, Rigid Type for Sprinkler Systems

COMPANY

Utterly Intelligent Technology Co Ltd
 No.66, Limin Road,Wangliu Street,Weicheng District,
 Weifang, Shandong Sheng 261021 China

EX28155

Sway-brace Fittings

Model	Bracing Member Type	Bracing Member Size, in.	Sprinkler Pipe Type	Sprinkler Pipe Size, NPS	Bracing Direction	Load Rating, lbf	Description/Comments
Sway-brace fitting							
UTT18	Sch 40	1	Sch 10,Sch 40,GB/T 3091,JIS G3454	1-1/2, 2, 2-1/2, 3, 4	Lateral	680	-
				5		1090	-
				6,8		1370	-
UTT20	Sch 40	1	Sch 10,Sch 40,GB/T 3091,JIS G3454	2,2-1/2,3,4	Longitudinal, Lateral	680	-
				5		1090	-
				6,8		1370	-
UTT20Q	Sch 40	1	Sch 10,Sch 40,GB/T 3091,JIS G3454	2,2-1/2,3,4	Longitudinal, Lateral	680	-
				5		1090	-
				6,8		1370	-
UTT13	Sch 40	1	Sch 10,Sch 40,GB/T 3091,JIS G3454	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	Lateral	680	-
				5		1090	-
				6,8		1370	-

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)

Model	Bracing Member Type	Bracing Member Size, in.	Bracing Direction	Load Rating, lbf	Description/Comments
Structure-attachment fitting or Adapter					
				<input type="button" value="Cookies Settings"/>	<input type="button" value="Reject All"/>
				<input type="button" value="Accept All Cookies"/>	


UTT10	Sch 40	1	N/A	1370	-
UTT10Q	Sch 40	1	N/A	1370	-
UTT071	Sch 40	1	N/A	1090	-
H10	Sch 40	1	N/A	1370	-
Structure-attachment adapter					
UTT11	N/A	N/A	1090	X, Y, Z	For use with the model UTT071 structure attachment fittings on minimum 16 mm thickness I-beam .

NPS = Nominal Pipe Size

X = Horizontal flange with parallel load

Y = Horizontal flange with perpendicular load

Z = Vertical flange

Trademark and/or tradename: **UTTERLY Rejoint** 

Last Updated on 2021-04-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)