

LET THE MASTER DO THE JOB



info@rety.com.tr
www.rety.com.tr
+90 (216) 307 13 23
+90 (532) 575 76 74
+90 (552) 778 39 23

CONVEYOR MIX



The Rety Conveyor Mix product range comes as the complete category of air compressed screed conveyors. Our long-year experience in the industry has led us to meet all customer requirement and to implement any technologic advancement through precise research and development studeies in the production of our mechanis. Keeping close track of customer needs, our company has taken any step to ensure perfect operability and high performance of our products at our customers convenience the control panel has been designed specifically for user friendly operation the special desing of the hood ensures maximum level ventilation and cooling for the engine while the mobile panel fitted near radiator facilitates convenient cleaning and maintenance compared to equivalent products the highly powerful engine and compressor offer the customers a challenging quality

Technical Data

Engine : DEUTZ Diesel Engine Type	: Deutz Diesel Engine Type : D2011LO3 36,5 kW 2750 cycles
Compressor	: Rotair 5,5 / minutes operating pressure 7 bar
Compression and Mixing Vessel	: 200 Liters net volume
Sound Level	: 98 dB
Tank Capacity	: 80 Liters
Use on public roads permitted	: 80 km/h
Weight	: 1725 kg
L/W/H	: 4762 MM / 1600 MM / 1620 MM

CONVEYOR MIX - SKIP



The filler skip operated by the hydraulic lifting / lowering system increases the machine capacity at 3/1 while the skip is prepared and filled during the machine transfer status, thus, saving considerable time. Consequently, the operating process yields higher performance since the skip filling position is at a lower level than the vessel input

Technical Data

Engine : DEUTZ Diesel Engine Type	: Deutz Diesel Engine Type : D2011LO3 36,5 kW 2750 cycles
Compressor	: Rotair 5,5 / minutes operating pressure 7 bar
Compression and Mixing Vessel	: 200 Liters net volume
Sound Level	: 98 dB
Tank Capacity	: 80 Liters
Use on public roads permitted	: 80 km/h
Weight	: 1905 kg
L/W/H	: 4762 MM / 1600 MM / 1700 MM

CONVEYOR MIX - SKIP/SCRAPER



Our skip/scrapper models facilitate the filling operation through an electronically controlled scraper which is pulled towards the skip by a 10 meter long steel rope from the control panel positioned on top of, thus, completing the filling process.

benefit: Highly cost and time efficient since the skip is filled with the batch material directly by the scraper, requiring no further equipments.

Technical Data

Engine : DEUTZ Diesel Engine Type	: Deutz Diesel Engine Type : D2011LO3 36,5 kW 2750 cycles
Compressor	: Rotair 5,5 / minutes operating pressure 7 bar
Compression and Mixing Vessel	: 200 Liters net volume
Sound Level	: 98 dB
Tank Capacity	: 80 Liters
Use on public roads permitted	: 80 km/h
Weight	: 1985 kg
L/W/H	: 4762 MM / 1600 MM / 2620 MM