




产品画册

PRODUCT BROCHURE

美工刀和刀片

CUTTERS & BLADES



宁波克林索思电子科技有限公司

NINGBO KLEANSOURCE ELECTRONIC TECHNOLOGY CO.,LTD

公司介绍

宁波克林索思电子科技有限公司是一家集开发、科研、制造、销售于一体，专业生产LED汽车灯、摩托车灯，自行车灯的公司，本公司拥有一支技术精湛、团结合作的高素质技术队伍，拥有自己的研发中心，凭借过硬的产品质量和优良的服务以及员工长期的共同努力，产品已经出口或配套出口欧盟，北美，澳大利亚，等全球市场。我们一直本着“以质量为基石、以诚信为根本、以用户为中心、以市场为导向、以管理为保障、以科技为先导”的经营理念，立志为客户提供高可靠性，高性价比的产品及具有创新性的解决方案。全力打造具有核心竞争。

We are founded in 1997 for a professional vehicle LED light manufacturer. Kleansource is very good at designing and manufacturing environmentally friendly low power usage, long life led lights for motorcycle, E-scooters, bikes, truck, trailer and other vehicles and boats.

At present, we have 3 factories: the mould factory, the PCBA factory and the LED light factory. We can develop new moulds, provide PCBA solution and produce LED lights with good quality and reasonable price.

Please contact with us for any requirements.



NEW LAUNCH

- 锌刀片外壳，铝制手柄。
- 人体工程学手柄，手感舒适。
- 左手和右手都适合。
- 带折叠式安全扣，使用更安全。

- Zinc blade housing and aluminum handle.
- Ergonomic handle, comfortable feeling.
- Suitable for both the right handed and left handed.
- With folding safety buckle, it is safer to use.



KS-1207 (多功能折叠刀/Mulifunction folding knife)

材质: 铝/锌合金手柄, ABS
Material: Aluminum / Zinc alloyhandle with ABS

尺寸: 19x61mm
Size

适配刀片: KS-108A(T型刀片) KS-522(牛角刀片)
Adaptive blade: KS-108A(T-blade) KS-522(Hooking blade)

重量: 110g/ 151g
Weight

装箱数量: 12/96pcs
Qty/Ctn

装箱尺寸: 50.5 * 44.5 * 24cm
MEAS.(CM)



角度锁止按钮
Angle lock button

2片备用刀片(T型刀片)
2 spare blades (T - blade)

快拆刀片
Quick-release blade

割绳口
Cutting edge

2螺丝刀头(十字+一字)
2 screwdriver bit

KS-1209 (自卸式美工刀/Self-loaded utility knife)

材质: 铝/锌合金手柄, ABS+TPR
Material: Aluminum / Zinc alloyhandle with ABS

尺寸: 19x61mm
Size

适配刀片: KS-108A(T型刀片) KS-522(牛角刀片)
Adaptive blade: KS-108A(T-blade) KS-522(Hooking blade)

重量: 110g/ 177g
Weight

装箱数量: 12/144pcs
Qty/Ctn

装箱尺寸: 50.5 * 44.5 * 24cm
MEAS.(CM)



刀片推钮
Blade push button

3片备用刀片 (T型刀片)
3 Spare Blades (T - blade)

割绳口
Cutting edge

■ KS-020 (多功能折叠刀/Mulifunction folding knife)

材质: 铝合金手柄
Material: Aluminum alloy handle


尺寸: 19x61mm
Size

适配刀片: KS-108A(T型刀片) KS-522(牛角刀片)
Adaptive blade: KS-108A(T-blade) KS-522(Hooking blade)

重量: 51g
Weight

装箱数量: 12/144pcs
Qty/Ctn

装箱尺寸: 50.5 * 44.5 * 24cm
MEAS.(CM)



■ KS-1701 (8mm雕刻刀/Engraving blade)

尺寸: 8mm
Size

重量: 18g
Weight

装箱数量: 800pcs
Qty/Ctn




Tail with magnet
尾部带磁



G-001



G-002



G-003



G-004



G-005

■ KS-1209-1 (铝合金美工刀/Aluminum alloy utility knife)


材质: 铝合金+TPR手柄
Material: Aluminum alloy+TPR handle

尺寸: 18mm
Size


重量: 89.5g
Weight

装箱数量: 12/144pcs
Qty/Ctn

装箱尺寸: 50.5 * 44 * 24cm
MEAS.(CM)



防滑手柄 握感舒适



SK2/SK5刀片 锋利无比

■ KS-2588 (25mm 刀片实用刀/25mm blades utility knife)



材料: ABS+TPR外壳
Material: ABS+TPR case

尺寸: 25mm
Size

重量: 129g
Weight

装箱数量: 6/72pcs
Qty/Ctn

装箱尺寸: 40.5 * 36.5 * 27cm
MEAS.(CM)



包胶设计 握感舒适



SK2/SK5刀片 锋利无比

■ KS-088-1 (重型刮板/Heavy duty scraper)

材质: 铝合金

Material: Aluminum / Zinc alloy handle with ABS+TPR

尺寸: 300mm

Size

重量: 230.5g

Weight

装箱数量: 6/72pcs

Qty/Ctn

装箱尺寸: 50x36.5x54.5cm

MEAS.(CM)



K1801

18mm顺滑推钮美工刀

防擦设计，人体工程学设计，结实耐用

Anti-friction design, ergonomic design,
strong and durable



SK2/SK5刀片 锋利无比



推钮自锁 刀片不脱落



备用刀片仓 有备无患



加厚包胶 握感舒适



推荐刀刃

18mm ^{BS-18}

Please use 18mm blades

■ K1801RB/K1801RB-B

18mm顺滑推钮美工刀

颜色: 红身+黑钮 (Black+Red)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•银鞘银刀



•黑鞘黑刀

■ K1801BR/K1801BR-B

18mm顺滑推钮美工刀

颜色: 黄身+黑钮 (Yellow+Black)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•银鞘银刀



•黑鞘黑刀

■ K1801BR/K1801BR-B

18mm顺滑推钮美工刀

颜色: 黑身+红钮 (Black+Red)
Colour



产品尺寸: 153.7*42.3*22.8mm
Dimension

产品重量: 86.8g
Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)
Blade Dimension

刀片材质: SK2/SK5
Blade Quality

可折刀头: 7
Number of Segments



■ K1801BB

18mm顺滑推钮美工刀

颜色: 黑身+黑钮 (Black+Black)
Colour


产品尺寸: 153.7*42.3*22.8mm
Dimension

产品重量: 86.8g
Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)
Blade Dimension

刀片材质: SK2/SK5
Blade Quality

可折刀头: 7
Number of Segments



K1802

18mm大锁力旋钮美工刀

旋钮款大锁力，
人体工程学设计，结实耐用

Knob type large locking force
ergonomic design,
strong and durable

推荐刀刃

BS-18A
18mm

Please use 18mm blades



SK2/SK5刀片 锋利无比



旋钮锁定 锁力更强



备用刀片仓 有备无患



加厚包胶 握感舒适



■ K1802RB/K1802RB-B

18mm旋钮款大锁力美工刀

颜色: 红身+黑钮 (Black+Red)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)



Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•银鞘银刃



•黑鞘黑刃

■ K1802BR/K1802BR-B

18mm旋钮款大锁力美工刀

颜色: 黄身+黑钮 (Yellow+Black)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•银鞘银刃



•黑鞘黑刃

■ K1802BR/K1802BR-B

18mm旋钮款大锁力美工刀

颜色: 黑身+红钮 (Black+Red)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•银鞘银刃



•黑鞘黑刃

■ K1802BB

18mm旋钮款大锁力美工刀

颜色: 黑身+黑钮 (Black+Black)

Colour

产品尺寸: 153.7*42.3*22.8mm

Dimension

产品重量: 86.8g

Weight

刀片规格: 108*18*0.5mm(推荐搭配: BS-18 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 7

Number of Segments



•黑鞘黑刃



K0902

9mm美工刀

结构设计紧凑，外形简洁优美

Compact structure design, simple and beautiful appearance

推荐刀刃

BS-09 A
9mm

Please use 9mm blades



SK2/SK5刀片 锋利无比



推钮自锁 刀片不脱落



■ K0902BR/K0902BR-B

颜色: 黑身+红钮 (Black+Red)

Colour

产品尺寸: 151.9*23.8*12.9mm

Dimension

产品重量: 29.9g

Weight

刀片规格: 82.8*9*0.4mm(推荐搭配: BS-09 A)



Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 12

Number of Segments



•银鞘银刀

•黑鞘黑刀

■ K0902RB/K0902RB-B

颜色: 红身+黑钮 (Red + Black)

Colour

产品尺寸: 151.9*23.8*12.9mm

Dimension

产品重量: 29.9g

Weight

刀片规格: 82.8*9*0.4mm(推荐搭配: BS-09 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 12

Number of Segments



•银鞘银刀

•黑鞘黑刀

■ K0902YB/K0902YB-B

颜色: 黄身+黑钮 (Yellow + Black)

Colour

产品尺寸: 151.9*23.8*12.9mm

Dimension

产品重量: 29.9g

Weight

刀片规格: 82.8*9*0.4mm(推荐搭配: BS-09 A)


Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 12

Number of Segments



■ K0901B/K0901B-B

颜色: 黑身+黑钮 (Black+Black)

Colour

产品尺寸: 139.95*11.10*10.74mm

Dimension

产品重量: 14.8g

Weight

刀片规格: 82.8*9*0.4mm(推荐搭配: BS-09 A)

Blade Dimension

刀片材质: SK2/SK5

Blade Quality

可折刀头: 12

Number of Segments



■ K0901BR/K0901BR-B

颜色: 黑身+红钮 (Black+Red)

Colour

产品尺寸: 139.95*11.10*10.74mm

Dimension

产品重量: 14.8g

Weight

刀片规格: 82.8*9*0.4mm(推荐搭配: BS-09 A)



Blade Dimension

刀片材质: SK2/SK5



Blade Quality

可折刀头: 12

Number of Segments



BS-09 (30°) (黑刃美工刀片: 10片黑刃/塑盒 100片/彩盒)




9 mm

SK5



角度/Angle: 30° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-09 (30°) (银刃美工刀片: 10片银刃/塑盒 100片/彩盒)



9 mm

SK5



角度/Angle: 30° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-09 (30°) (9+1美工刀片: 9片银刃+1片黑刃/塑盒 100片/彩盒)




9 mm

SK5





角度/Angle: 30° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-09 (60°) (黑刃美工刀片: 10片黑刃/塑盒 100片/彩盒)




角度/Angle: 60° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-09 (60°) (银刃美工刀片: 10片银刃/塑盒 100片/彩盒)




角度/Angle: 60° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-09 (60°) (9+1美工刀片: 9片银刃+1片黑刃/塑盒 100片/彩盒)



角度/Angle: 60° 刀片规格/Blade Dimension: 80*9mm 厚度/Thickness: 0.4mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 12

BS-18 (60°) (黑刃美工刀片: 10片黑刃/塑盒 100片/彩盒)




18 mm

SK5





角度/Angle: 60° 刀片规格/Blade Dimension: 100*18mm 厚度/Thickness: 0.5/0.6mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

BS-18 (60°) (银刃美工刀片: 10片银刃/塑盒 100片/彩盒)




18 mm

SK5



角度/Angle: 60° 刀片规格/Blade Dimension: 100*18mm 厚度/Thickness: 0.5/0.6mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

BS-18 (60°) (9+1美工刀片: 9片银刃+1片黑刃/塑盒 100片/彩盒)




18 mm

SK5




角度/Angle: 60° 刀片规格/Blade Dimension: 100*18mm 厚度/Thickness: 0.5/0.6mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

■ **BS-25 (60°)** (黑刃美工刀片: 10片黑刀/塑盒 100片/彩盒)




25
mm

SK5




角度/Angle: 60° 刀片规格/Blade Dimension: 125*25mm 厚度/Thickness: 0.7mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

■ **BS-25 (60°)** (银刃美工刀片: 10片银刀/塑盒 100片/彩盒)




25
mm

SK5



角度/Angle: 60° 刀片规格/Blade Dimension: 125*25mm 厚度/Thickness: 0.7mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

■ **BS-25 (60°)** (9+1美工刀片: 9片银刃+1片黑刃/塑盒 100片/彩盒)



25
mm

SK5



角度/Angle: 60° 刀片规格/Blade Dimension: 125*25mm 厚度/Thickness: 0.7mm
刀片材质/Blade Quality: SK2/SK5 可折刀头/Number of Segments: 7

■ **KS-108A** (黑刃梯形刀片/Trapezoidal blades 10片/塑盒 200片/彩盒)



19
mm

SK5




厚度/Thickness: 0.6mm 尺寸/Size: 61x19mm
槽宽/Slot width: 3.5mm 刀片材质/Blade Quality: SK5

■ **KS-108A** (银刃梯形刀片/Trapezoidal blades 10片/塑盒 200片/彩盒)



19
mm

SK5




厚度/Thickness: 0.6mm 尺寸/Size: 61x19mm
槽宽/Slot width: 3.5mm 刀片材质/Blade Quality: SK5

■ **KS-108A** (9+1梯形刀片/Trapezoidal blades 10片/塑盒 200片/彩盒)



19
mm

SK5




厚度/Thickness: 0.6mm 尺寸/Size: 61x19mm
槽宽/Slot width: 3.5mm 刀片材质/Blade Quality: SK5

■ **KS-522** (牛角刀片/Hooking blades 10片/塑盒 200片/彩盒)



19
mm


SK5



厚度/Thickness: 0.6mm 尺寸: 51x19mm


刀片材质/Blade Quality: SK5

■ **KS-508** (保安刀片/single Edge Blades 5片黑刃/塑盒)



19
mm

SK5



长度/Length: 38.5mm 夹子厚度/Clip thickness: 0.55mm

厚度/Thickness: 0.25mm 刀片材质/Blade Quality: SK5

■ **KS-509** (保安刀片/single Edge Blades 5片黑刃/塑盒)



19
mm

SK5



长度/Length: 39mm 宽度/Width: 19mm

厚度/Thickness: 0.25mm 刀片材质/Blade Quality: SK5

■ HSP01 (小号削皮器/Small peeler)

产品尺寸: 165x23mm
Dimension

材质: 手柄PP+不锈钢刀片
Material: Handle PP+ stainless steel blade

刀片: 单刃口的小刀片
Blade: A small blade with a single cutting edge



不发霉



易清洗



■ HSP02 (中号削皮器/Medium peeler)

产品尺寸: 160x23mm
Dimension

材质: 手柄PP+不锈钢刀片
Material: Handle PP+ stainless steel blade

刀片: 单刃口的小刀片
Blade: A small blade with a single cutting edge



不发霉



易清洗



■ HSP03 (大号削皮器/Large peeler)

产品尺寸: 160x39mm
Dimension

材质: 手柄PP+不锈钢刀片
Material: Handle PP+ stainless steel blade

刀片: 双刃口的大刀片
Blade: A large double-edged blade



不发霉



易清洗



■ KS-G13 (兵工铲/Ordnance shovel)

重量: 1.04kg
Weight

铲面宽度: 9cm
Shovel width

铲子总长: 61cm (三节)
Total length of shovel

铲身材质: 420高级碳钢
Shovel body material: 420 high-grade carbon steel

铲柄材质: 航空铝材
Shovel handle material: aviation aluminum



■ KS-G17 (兵工铲/Ordnance shovel)

重量: 1.04kg
Weight

铲面宽度: 9cm
Shovel width

铲子总长: 48.5cm (二节)
Total length of shovel

铲身材质: 420高级碳钢
Shovel body material: 420 high-grade carbon steel

铲柄材质: 航空铝材
Shovel handle material: aviation aluminum



■ KS-G18 (兵工铲/Ordnance shovel)

重量: 1.04kg
Weight: 1.04kg

侧面尺寸: 13cm
Side size: 13cm

铲子总长: 65.5cm (三节管)
Total length of shovel

材质: 420高级碳钢
Material: 420 high-grade carbon steel

铲柄材质: 航空铝材
Shovel handle material: aviation aluminum



■ KS-G21 (兵工铲/Ordnance shovel)

材质: 不锈钢
Material: Stainless steel

商品尺寸 (长 x 宽 x 高): 83 x 16 x 12.7cm
Product dimensions (L x W x H)

商品重量: 1.06 千克
Product weight: 1.06 kg

样式: 铲子
Style: Shovel

手柄材料: 铝合金
Handle material: Aluminum alloy

可折叠: 是
Foldable: Yes





KLEANSOURCE

模具工厂: 宁波海曙高桥芦港

PCBA工厂: 宁波市江北高新科技园区庆丰路777号内28幢45号

电话: 0086-0574-87056293/927

车灯工厂: 宁波市海曙区高桥镇高家888号

电话: 0086-574-28806298/99/96

手机: 13306639600/13386677309

1688: nbkleansource.1688.com

QQ: 15771676

邮件: admin@nbunique.com

Http: www.nbunique.com

Mould Factory: Lugang, Ningbo

Mobile: 13306639600/13386677309

PCBA Factory: NO. 777 QingFeng Road, Hi-Tech Zone
JiangBei District Ningbo

Tel: 0086-0574-87056293/927

Lights Factory: 888# Gao Village GaoQiao Town HaiShu
District Ningbo China

Tel: 0086-0574-2880629/99/66

1688: nbkleansource.1688.com

QQ: 15771676

Email: admin@nbunique.com

Http: www.nbunique.com