

INTRODUCTION

The project titled **e-Tendering System** as it is the process through which organizations will seek respond to a particular need, such as the supply of goods and services, and will select an offer or tender that meets their needs and provides the best value for money.

The project “**e-Tendering System**” is developed in java, which mainly focuses on basic operations in a Tender like adding tender, register tender, tender form, open tender and updating new information such as search tender and much other facility required in the process of tender.

“Tender Processing System” is a web applications runs on a web browser designed to help users maintain and organize tender process in an effective manner. Our software is easy to use for both beginners and advanced users. It features a familiar and well thought-out, an attractive user interface, combined with strong searching Insertion and reporting capabilities.

OBJECTIVE

- The main objective of the Tender Project was to create a favorable image of the organization by improving public procurement process.
- The system should introduce a paperless environment in the organization by covering end-to-end activities in the tendering process and yet
- provide enough control over planning and management of different tendering activities .
- e-Tendering system offers many flexible and convenient features, allowing **Cost savings for supplier and sourcing agency Improved communication, Expanding the accessibility of Tender Notice / advertisement.**
- Tender Processing System gives the all detailed information about Tender, Bid status tracking, Filling of bids by suppliers, Submission of bids by suppliers
- receipt of bids in electronic tender box.

Why we need it:

- Improved customer service through greater access to accurate information.
- Increased productivity and job satisfaction among staff members as it eliminates duplication of effort.
- More economical and safer means of storing and keeping track of information.
- Easier access to Information like management reports and stock etc, as well as more accurate and faster results from statistical analyses.
- Reduces errors and eliminating the ennui of long and repetitive manual processing.
- Greater accountability and transparency in operations.
- Improved efficiency and effectiveness in administration and management as it has unprecedented access to real-time information.
- More reliable security for sensitive and confidential information.
- Appropriate knowledge-based action and intervention can now take place in a timelier manner.

PROJECT MODULE

The software e- TendeRing System has four main modules.

Insertion to Database Module – User friendly input screen.

Extracting from Database module – Attractive Output Screen.

Report Generation module – add-tender, register-tender & view tender.

Search Facility system – search for Tender by title ,Tender-code ,Tender-type .

PROJECT TYPE

This Project “**e-Tendering System**” is a database web application projects run on a Server either on local Machine or remote machine.

SYSTEM REQUIREMENTS

Language Used

Front end : PHP, HTML, CSS, JavaScript, Bootstrap5

Back end : My SQL

Hardwar Requirements

Processor : Intel® Core™ i5 CPU M350@ 2.27GHz

Ram : 2GB or above

Software Requirements

Operating System : Windows 10 or above

Web Browser : Any web browser

Server : Tomcat Apache

TOOLS, PLATFORM AND APPLICATIONS USED

1. Platform: This Project is platform independent ,it can run on WINDOWS,LINUX and MAC.
2. Tools And Applications used:

IDE-Dreamweaver,Netbeans

Dreamweaver : adobe **Dreamweaver** (formerly **Macromedia Dreamweaver**) is a proprietary web development application developed by Adobe Systems. Dreamweaver was originally developed by Macromedia, until Macromedia was acquired by Adobe Systems in 2005.^[1]

Adobe Dreamweaver is available for both Mac and Windows operating systems.

Following Adobe's acquisition of the Macromedia product suite, releases of Dreamweaver subsequent to version 8.0 have been more compliant with W3C standards. Recent versions have improved support for web technologies such as CSS, JavaScript, and various server-side scripting languages and frameworks including ASP (ASP JavaScript, ASP VBScript, ASP.NET C#, ASP.NET VB), ColdFusion, Scriptlet, and PHP.^[2]

Features :-

Adobe Dreamweaver is a web design and development application that provides a visual WYSIWYG editor (colloquially referred to as the Design view) and a code editor with standard features such as syntax highlighting, code completion, and code collapsing as well as more sophisticated features such as real-time syntax checking and code introspection for generating code hints to assist the user in writing code.^[3] The Design view facilitates rapid layout design and code generation as it allows users to quickly create and manipulate the layout of HTML elements. Dreamweaver features an integrated browser for previewing developed webpages in the program's own preview pane in addition to allowing content to be open in locally installed web browsers. It provides transfer and synchronization features, the ability to find and replace lines of text or code by search terms or regular expressions across the entire site, and a templating feature that allows single-source update of shared code and layout across entire sites without server-side includes or scripting. The behaviors panel also enables use of basic JavaScript without any coding knowledge, and integration with Adobe's Spry Ajax framework offers easy access to dynamically-generated content and interfaces.

Dreamweaver can use third-party "Extensions" to extend core functionality of the application, which any web developer can write (largely in HTML and JavaScript). Dreamweaver is supported by a large community of extension developers who make extensions available (both commercial and free) for most web development tasks from simple rollover effects to full-featured shopping carts.

Dreamweaver, like other HTML editors, edits files locally then uploads them to the remote web server using FTP, SFTP, or WebDAV. Dreamweaver CS4 now supports the Subversion (SVN) version control system.

Syntax highlighting :-

As of version 5, Dreamweaver supports syntax highlighting for the following languages out of the box:

- ActionScript
- Active Server Pages (ASP).
- ASP.NET (no longer supported as of version CS4 - <http://kb2.adobe.com/cps/402/kb402489.html>)
- C#
- Cascading Style Sheets (CSS)
- ColdFusion
- EDML
- Extensible HyperText Markup Language (XHTML)
- Extensible Markup Language (XML)
- Extensible Stylesheet Language Transformations (XSLT)
- HyperText Markup Language (HTML)
- Java
- JavaScript
- JavaServer Pages (JSP) (no longer supported as of version CS4 - <http://kb2.adobe.com/cps/402/kb402489.html>)
- PHP: Hypertext Preprocessor (PHP)
- Visual Basic (VB)
- Visual Basic Script Edition (VBScript)
- Wireless Markup Language (WML)

Netbeans : The NetBeans Platform is a broad Java framework on which you can base large desktop applications. NetBeans IDE itself is one of the hundreds of applications based on the NetBeans Platform. The NetBeans Platform contains APIs that simplify the handling of windows, actions, files, and many other things typical in applications.

Each distinct feature in a NetBeans Platform application can be provided by a distinct NetBeans module, which is comparable to a plugin. A NetBeans module is a group of Java classes that provides an application with a specific feature.

You can also create new modules for NetBeans IDE itself. For example, you can write modules that make your favorite cutting-edge technologies available to users of NetBeans IDE. Alternatively, you might create a module to provide an additional editor feature.

Client side scripting-HTML,CSS,JAVASCRIPT,JQUERY

HTML : the main markup language for creating web pages and other information that can be displayed in a web browser.HTML is written in the form of HTML elements consisting of tags enclosed in angle brackets (like <html>), within the web page content. HTML tags most commonly come in pairs like <h1> and </h1>, although some tags, known as *empty elements*, are unpaired, for example . The first tag in a pair is the *start tag*, the second tag is the *end tag* (they are also called *opening tags* and *closing tags*). In between these tags web designers can add text, tags, comments and other types of text-based content.

The purpose of a web browser is to read HTML documents and compose them into visible or audible web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page.

HTML elements form the building blocks of all websites. HTML allows images and objects to be embedded and can be used to create interactive forms. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. It can embed scripts written in languages such as JavaScript which affect the behavior of HTML web pages.

CSS : **Cascading Style Sheets (CSS)** is a style sheet language used for describing the presentation semantics (the look and formatting) of a document written in a markup language. Its most common application is to style web pages written in HTML and XHTML, but the language can also be applied to any kind of XML document, including plain XML, SVG and XUL.

CSS is designed primarily to enable the separation of document content (written in HTML or a similar markup language) from document presentation, including elements such as the layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple pages to share formatting, and reduce complexity and repetition in the structural content (such as by allowing for tableless web design). CSS can also allow the same markup page to be presented in different styles for different rendering methods, such as on-screen, in print, by voice (when read out by a speech-based browser or screen reader) and on Braille-based, tactile devices. It can also be used to allow the web page to display differently depending on the screen size or device on which it is being viewed. While the author of a document typically links that document to a CSS style sheet, readers can use a different style sheet, perhaps one on their own computer, to override the one the author has specified.

CSS specifies a priority scheme to determine which style rules apply if more than one rule matches against a particular element. In this so-called *cascade*, priorities or *weights* are calculated and assigned to rules, so that the results are predictable.

JavaScript : **JavaScript (JS)** is an interpreted computer programming language. It was originally implemented as part of web browsers so that client-side scripts may interact with the user, control the browser, communicate asynchronously and alter the document content that is

displayed. JavaScript is a prototype-based scripting language that is dynamic, weakly typed and has first-class functions. It uses syntax influenced by the language C. JavaScript copies many names and naming conventions from Java, but the two languages are otherwise unrelated and have very different semantics. The key design principles within JavaScript are taken from the Self and Scheme programming languages. It is a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles.

JavaScript's use in applications outside of web pages — for example in PDF documents, site-specific browsers, and desktop widgets—is also significant. Newer and faster JavaScript VMs and frameworks built upon them (notably Node.js) have also increased the popularity of JavaScript for server-side web applications.

JavaScript was formalized in the ECMAScript language standard and is primarily used in the form of client-side JavaScript (as part of a web browser). This enables programmatic access to computational objects within a host environment.

JQuery : **JQuery** is a multi-browser JavaScript library designed to simplify the client-side scripting of HTML.^[4] It was released in January 2006 at BarCamp NYC by John Resig. It is currently developed by a team of developers led by Dave Methvin. Used by over 55% of the 10,000 most visited websites, jQuery is the most popular JavaScript library in use today.^{[5][6]}

jQuery is free, open source software, licensed under the MIT License.^[7] jQuery's syntax is designed to make it easier to navigate a document, select DOM elements, create animations, handle events, and develop Ajax applications. jQuery also provides capabilities for developers to create plug-ins on top of the JavaScript library. This enables developers to create abstractions for low-level interaction and animation, advanced effects and high-level, theme-able widgets. The modular approach to the jQuery library allows the creation of powerful dynamic web pages and web applications.

Query includes the following features:

- DOM element selections using the multi-browsers open source selector engine *Sizzle*, a spin-off out of the jQuery project^[12]
- DOM traversal and modification (including support for CSS 1-3)
- DOM manipulation based on CSS selectors that uses node elements name and node elements attributes (id and class) as criteria to build selectors
- Events
- Effects and animations
- AJAX
- Extensibility through plug-ins
- Utilities - such as user agent information, feature detection
- Compatibility methods that are natively available in modern browsers but need fall backs for older ones - For example the `inArray()` and `each()` functions.
- Multi-browser (not to be confused with cross-browser) support.

Server side scripting-PHP

PHP: PHP is an open-source server-side scripting language designed for Web development to produce dynamic Web pages. It is one of the first developed server-side scripting languages to be embedded into an HTML source document rather than calling an external file to process data. The code is interpreted by a Web server with a PHP processor module which generates the resulting Web page. It has also evolved to include a command-line interface capability and can be used in standalone graphical applications. PHP can be deployed on most Web servers and also as a standalone shell on almost every operating system and platform, free of charge. PHP was a competitor to Microsoft's Active Server Pages (ASP) server-side script engine and similar languages, but gradually received better acceptance and is now installed on more than 20 million Web sites and 1 million Web servers.

PHP was originally created by Rasmus Lerdorf in 1995. The main implementation of PHP is now produced by The PHP Group and serves as the formal reference to the PHP language. PHP is free software released under the PHP License, which is incompatible with the GNU General Public License (GPL) due to restrictions on the usage of the term *PHP*.

While PHP originally stood for *Personal Home Page*, it is now said to stand for *PHP: Hypertext Preprocessor*,

Database-MySQL

MySQL :MySQL is the world's most used open source relational database management system (RDBMS) as of 2008 that runs as a server providing multi-user access to a number of databases.

It is named after co-founder Michael Widenius' daughter, My. The SQL phrase stands for Structured Query Language.

The MySQL development project has made its source code available under the terms of the GNU General Public License, as well as under a variety of proprietary agreements. MySQL was owned and sponsored by a single for-profit firm, the Swedish company MySQL AB, now owned by Oracle Corporation.

MySQL is a popular choice of database for use in web applications, and is a central component of the widely used LAMP open source web application software stack (and other 'AMP' stacks). LAMP is an acronym for "Linux, Apache, MySQL, Perl/PHP/Python." Free-software-open source projects that require a full-featured database management system often use MySQL.


Web Server-WAMP server

XAMP server : **XAMPs** are packages of independently created programs installed on computers that use a Microsoft Windows operating system.


WAMP is an acronym formed from the initials of the operating system Microsoft Windows and the principal components of the package: Apache, MySQL and one of PHP, Perl or Python. Apache is a web server. MySQL is an open-source database. PHP, Perl and Python are scripting languages that can manipulate information held in a database and generate web pages dynamically each time content is requested by a browser. Other programs may also be included in a package, such as phpMyAdmin which provides a graphical user interface for the MySQL database manager.

DATA FLOW DIAGRAM


CONTEXT DIAGRAM:





1ST LEVEL DFD



2ND LEVEL DFD



E-R DIAGRAM



DATABASE STRUCTURES

Table Name (ADMIN)

Fieldname	Data Type	Size	Constraints
username	varchar2	20	primary key
password	varchar2	20	primary key

TENDER

Field Name	Data Type	Size	Constraints
tender_code	varchar2	12	primary key
Title	varchar2	100	-
description	varchar2	400	-
Type	varchar2	13	-
dt_of sub	varchar2	10	-
dt_of open	varchar2	10	-
work type	varchar2	60	-
info_path	varchar2	100	-

CONTRACTOR

Field Name	Data Type	Size	Constraints
Contractor_no	number	-	primary key
Licence_no	varchar2	20	-
Name	varchar2	40	-
address	varchar2	200	-
contact no	varchar2	13	-
e-mail	varchar2	50	-


APPLICATION

Field Name	Data Type	Size	Constraints
app_no	number	-	primary key
contractor_no	number	-	foreign key
tender_code	varchar2	12	foreign key
dt_of apply	varchar2	10	-
Amount	number	-	-

RESULT

Field Name	Data Type	Size	Constraints
Sl_no	number	-	primary key
Tender_code	varchar2	12	foreign key
contractor_no	number	-	foreign key
dt_of result	varchar2	10	-

e-Tendering System



Index.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering:index</title>
```

```
    <?php include("./templates/inc.php"); ?>
```

```
  </head>
```

```
<body>
```

```
  <!-- Header Start-->
```

```
  <?php include("./templates/header.php"); ?>
```

```
  <!-- Header End-->
```

```
  <!--Menu Start-->
```

e-Tendering System

```
<?php include("./templates/menu.php"); ?>
<!--Menu End-->
<!--Content Start-->
<?php include("./templates/content.php"); ?>
<!--Content End-->
<!--Footer Start-->
<?php include("./templates/footer.php"); ?>

<!--Footer End-->
</body>
</html>
```

Inc.php

```
<link rel="icon" type="image/x-icon" href="./images/favicon.ico">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css">
<!-- jQuery library -->
<script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></script>

<!-- Popper JS -->
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></script>

<!-- Latest compiled JavaScript -->
```

e-Tendering System

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min.js"></s  
cript>
```

```
<script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
```

```
<link href="/css/style.css" type="text/css" rel="stylesheet" />
```

```
<script src="/js/scripts.js" type="text/javascript" language="javascript"></script>
```

Header.php

```
<div class="header">
```

```
    <div class="content-box">
```

```
        
```

```
    </div>
```

```
</div>
```

Menu.php

```
<!-- menu start-->
```

```
<div class="menu">
```

```
    <!--content-box1 start-->
```

```
        <div class="content-box1">
```

```
            <!--row start-->
```

```
                <div class="row">
```

```
                    <div class="col-md-3">
```

```
                </div>
```

```
                    <div class="col-md-7">
```

```
                        <center>
```

e-Tendering System

```
<a href="/index.php" title="home">Home</a>
<a href="/activetender.php" title="activetender">Active Tenders</a>
<a href="/tendercd.php" title="tendercd">Tenders by closing date</a>
<a href="/result.php" title="result">Results</a>
<a href="/contact.php" title="contact">Contact</a>

</div>

</center>

<div class="col-md-2"></div>

</div>

<!--row end-->

</div>

<!--content-box1 end-->

<!--content-box2 start-->

<div class="content-box2">

    <marquee width="100%" direction="left" height="100px" id="notice"
onmouseover="this.stop();" onmouseout="this.start();" scrolldelay="100">

        Tender application for furniture supply is Live , check if you are interested or
        bidding.

    </marquee>


</div>

<!--content-box2 end-->

</div>

<!--menu end-->
```

Active Tender



Activetender.php

```
<html>
```

```
<head>
```

```
<title>E-Tendering:Active Tenders</title>
```

```
<?php include("../templates/inc.php"); ?>
```

```
</head>
```

```
<body>
```

```
<!-- Header Start-->
```

```
<?php include("../templates/header.php"); ?>
```

```
<!-- Header End-->
```

```
<!--Menu Start-->
```

```
<?php include("../templates/menu.php"); ?>
```

e-Tendering System

```
<!--Menu End-->
```

```
<!--Content Start-->
```

```
<div class="activetender">
```

```
<div class="row">
```

```
<div class="col-md-1"></div>
```

```
<div class="col-md-10">
```

```
<br>
```

```
<center>
```

```
<h4>Active Tenders</h4>
```

```
</center>
```

```
<br>
```

```
<!-- Table with stripped rows -->
```

```
<table class="table datatable">
```

```
<thead>
```

```
<tr>
```

```
<!--<th scope="col">Member Id</th> -->
```

```
<th scope="col">tender_code</th>
```

```
<th scope="col">Title</th>
```

```
<th scope="col">Description</th>
```

```
<th scope="col">Type</th>
```

```
<th scope="col">Dt_of_sub</th>
```

```
<th scope="col">Dt_of_open</th>
```

```
<th scope="col">Work_type</th>
```

```
<th scope="col">Info_path</th>
```

```
<th scope="col">Status</th>
```

```
</tr>
```

e-Tendering System

```
</thead>
<tbody>

<?php
require "conn.php";
// $catid = $_SESSION['catid'];
$sql = "select * from tender";
$rs = mysqli_query($conn, $sql);
while ($row = mysqli_fetch_assoc($rs)) {
    echo "<tr>";
    echo '<td>' . $row['tender_code'] . '</td>';
    echo '<td>' . $row['title'] . '</td>';
    echo '<td>' . $row['description'] . '</td>';
    echo '<td>' . $row['type'] . '</td>';
    echo '<td>' . $row['dt_of_sub'] . '</td>';
    echo '<td>' . $row['dt_of_open'] . '</td>';
    echo '<td>' . $row['work_type'] . '</td>';
    echo '<td>' . $row['info_path'] . '</td>';
    echo '<td>' . $row['status'] . '</td>'
    echo "</tr>";
}
?>
</tbody>
</table>
</div>
</div>
```

e-Tendering System

</div>

</div>

</div>

</section>

<!-- Table end -->

<div class="col-md-1"></div>

</div>

</div>

<!--Content End-->

<!--Footer Start-->


<?php include("../templates/footer.php"); ?>

<!--Footer End-->

</body>

</html>

Tender By Closing Date



```
<html>
```

```
<head>
```

```
  <title>E-Tendering:Tenders by Closing Date</title>
```

```
  <?php include("./templates/inc.php"); ?>
```

```
</head>
```

```
<body>
```

```
  <!-- Header Start-->
```

```
  <?php include("./templates/header.php"); ?>
```

```
  <!-- Header End-->
```

```
  <!--Menu Start-->
```

```
  <?php include("./templates/menu.php"); ?>
```

```
  <!--Menu End-->
```

```
  <!--Content Start-->
```

```
  <div class="tendercd">
```

```
    <div class="row">
```

```
<div class="col-md-1"></div>
<div class="col-md-10">
  <br>
  <center>
    <h4>Tenders By Closing Date</h4>
  </center>
<br>
<!-- Table with stripped rows -->
<table class="table datatable">
  <thead>
    <tr>
      <!--<th scope="col">Member Id</th> -->
      <th scope="col">tender_code</th>
      <th scope="col">Title</th>
      <th scope="col">Description</th>
      <th scope="col">Type</th>
      <th scope="col">Dt_of_sub</th>
      <th scope="col">Dt_of_open</th>
      <th scope="col">Work_type</th>
      <th scope="col">Info_path</th>
      <th scope="col">Closing Date</th>
    </tr>
  </thead>
  <tbody>

    <?php
```

```
require "conn.php";

// $catid = $_SESSION['catid'];

$sql = "select * from ten

$rs = mysqli_query($conn, $sql);

while ($row = mysqli_fetch_assoc($rs)) {

    echo "<tr>";

    echo '<td>' . $row['tender_code'] . '</td>';

    echo '<td>' . $row['title'] . '</td>';

    echo '<td>' . $row['description'] . '</td>';

    echo '<td>' . $row['type'] . '</td>';

    echo '<td>' . $row['dt_of_sub'] . '</td>';

    echo '<td>' . $row['dt_of_open'] . '</td>';

    echo '<td>' . $row['work_type'] . '</td>';

    echo '<td>' . $row['info_path'] . '</td>';

    echo '<td>' . $row['dt_of_close'] . '</td>';

    echo "</tr>";

}

</tbody>

</table>

</div>

</div>

</div>

</div>

</div>
```

e-Tendering System

</section>

<!-- Table end -->

<div class="col-md-1"></div>

</div>

</div>

<!--Content End-->

<!--Footer Start-->

<?php include("./templates/footer.php"); ?>


<!--Footer End-->

</body>

</html>

e-Tendering System

Result



Result.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering:Results</title>
```

```
    <?php include("./templates/inc.php"); ?>
```

```
</head>
```

```
<body>
```

```
  <!-- Header Start-->
```

```
  <?php include("./templates/header.php"); ?>
```

```
  <!-- Header End-->
```

```
  <!--Menu Start-->
```

```
  <?php include("./templates/menu.php"); ?>
```


```
  <!--Menu End-->
```

e-Tendering System

```
<div class="container">
<br><br><br><br><br><br>
<h2>Result</h2>
<form class="form-inline">
  <label for="email">Tender ID:</label><br>
  <input type="text" class="form-control" id="text" placeholder="Enter Tender ID"
name="tender_id">
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
<br><br><br><br><br><br>
</div>
  </div>
  <div class="col-md-5"></div>
</div>
</div>
<!--result End-->
<!--Footer Start-->
<?php include("./templates/footer.php"); ?>

<!--Footer End-->
</body>
</html>
```

Contact



Contact.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering:Contact</title>
```

```
    <?php include("../templates/inc.php"); ?>
```

```
</head>
```

```
<body>
```

```
  <!-- Header Start-->
```

```
  <?php include("../templates/header.php"); ?>
```

```
  <!-- Header End-->
```

```
  <!--Menu Start-->
```

```
  <?php include("../templates/menu.php"); ?>
```

```
  <!--Menu End-->
```

e-Tendering System

```
<!--Content Start-->
<div class="contact" ><br>
  <div class="row">
    <div class="col-md-3"></div>
    <div class="col-md-6" style="background-color: #ebecf0; border-radius:10px;
padding:5px;" >
      <center><h5><b>Contact Us</b> </h5></center>
      <br>
      <!--container start-->
      <div class="container">
        <label><h5>For any technical related queries please call at 24 x 7 Help Desk
Number<h5></label>
        <br>
        <h6>Support Email:- care@tenderindia.com</h6>
      </div>
      <!--container end-->
    </div>
    <div class="col-md-3"></div>
  </div>
</div>
<br>
<!--Content End-->
<!--Footer Start-->
<?php include("./templates/footer.php"); ?>
<!--Footer End-->
</body>
</html>
```

Content.php

```
<!-- content start-->
```

```
<div class="content">
```

```
  <!--row start-->
```

```
  <div class="row">
```

```
    <!--col-md-3 start-->
```

```
    <div class="col-md-3">
```

```
      <br>
```

```
      <button type="submit" class="form-control" ><a href="downloads.php"
id="login" style="color: black; padding:10px;">Downloads</a></button>
```

```
      <br>
```

```
      <button type="submit" class="form-control" ><a href="announcement.php"
id="login" style="color: black; padding:10px;">Announcements</a></button>
```

```
      <br>
```

```
    </div>
```

```
  <!--col-md-3 end-->
```

```
  <!--col-md-6 start-->
```

```
  <div class="col-md-6">
```

```
    <br>
```

```
    <center>
```

```
    <label>Welcome to e-Tendering System</label>
```

```
  </center>
```

```
    <p><h6>The e-Tendering system of India enables the tenders to
download the tender Schedule free of cost and then submit the bid online through
this portal.</h6></p>
```

e-Tendering System

```
<br>
<div class="form-group">
  <center><label>Latest Tenders</label></center>
</div>
<!--container start-->
<div class="container-fluid">
  <table width="100%" cellspacing="0" cellpadding="0" height="15%">
    <tr>
      <th>Tender Title </th>
      <th>Reference No </th>
      <th>Closing Date </th>
      <th>Bid Opening Date </th>
    </tr>
  </table>
  <!-- marquee start-->
  <marquee direction="up" behaviour="scroll" height="60%"
onmouseover="this.stop();" onmouseout="this.start();" scrolldelay="100">
    <table width="100%" cellspacing="0" cellpadding="0">
      <table class="table datatable">

<?php
require "conn.php";
// $catid = $_SESSION['catid'];
$sql = "select * from tender";

$rs = mysqli_query($conn, $sql);
```

```
while ($row = mysqli_fetch_assoc($rs)) {
    echo "<tr>";
    echo '<td>' . $row['tender_code'] . '</td>';
    echo '<td>' . $row['title'] . '</td>';
    echo '<td>' . $row['description'] . '</td>';
    echo '<td>' . $row['type'] . '</td>';
    echo '<td>' . $row['dt_of_sub'] . '</td>';
    echo '<td>' . $row['dt_of_open'] . '</td>';
    echo '<td>' . $row['work_type'] . '</td>';
    echo '<td>' . $row['info_path'] . '</td>';
    echo '<td>' . $row['status'] . '</td>';

    echo "</tr>";
}
?>
</table>
</marquee>
</div>
<!--conatiner end-->
</div>
<!--col-md-6 end-->
<!--col-md-3 start-->
<div class=" col-md-3">
<br>
<button type="submit" class="form-control" ><a href="login.php" id="login"
style="color: black;">Click here to Login</a></button>
```

e-Tendering System

```
<br>
```

```
<!-- <a href="login.php" id="login" style="display:block;" title="login"
value="login">Click here to LOGIN</a>
```

```
<br><br> -->
```

```
<button type="submit" class="form-control" ><a href="forgetpwd.php"
id="forgetPass" style="color: black;">Generate/Forget Password</a></button>
```

```
<br>
```

```
<button type="submit" class="form-control"><a href="nodal.php"
id="register" style="color: black;">Register Here</a></button>
```

```
<br>
```

```
</div>
```

```
<!--col-md-3 end-->
```

```
</div>
```

```
<!--row end-->
```

```
</div>
```

```
<!--content end-->
```

Vendor Registration

localhost / 127.0.0.1 / etendering... x E-Appointment - Get appointme... x dental clinic.pdf x +

localhost/E-Tendering/nodal.php

e-Tendering System

Home Active Tenders Tenders by closing date Results Contact

Tender application for furniture supply is Live, check if you are interested or bidding.

Online Vendor Registration

Enter Contractor No

Enter Licence No

Enter Name

Enter Email

Enter Mobile Number

Enter Address

Enter Password

Confirm Password

Create Account

kajal.docx kajal.pdf Show all X

Type here to search 26°C Rain showers ENG IN 10:34 PM 7/20/2023

Register.php

```
<html>
  <head>
    <title>E-Appointment - Get appointment on click.</title>
    <?php include("../templates/inc.php"); ?>
  </head>
  <body>
    <!-- Header Start-->
    <?php include("../templates/header.php"); ?>
    <!-- Header End-->
```

e-Tendering System

```
<!--Menu Start-->
<?php include("./templates/menu.php"); ?>
<!--Menu End-->
<!--register Start-->
<div class="register">
  <div class="row">
    <div class="col-md-4"></div>
    <div class="col-md-4">
      <br>
      <center><h5>Online Vendor Registration </h5></center>
      <br>
      <form name="f1" id="f1" method="post" action="nodal-insert.php">
        <div class="form-group input-group">
          <div class="input-group-prepend">
            <span class="input-group-text"></span>
          </div>
          <input name="contractor_no" id="contractor_no" class="form-control"
placeholder="Enter Contractor No" type="text">
        </div>
        <div class="form-group input-group">
          <div class="input-group-prepend">
            <span class="input-group-text"></span>
          </div>
          <input name="licence_no" class="form-control" placeholder="Enter
Licence No" type="text">
        </div>
      </form>
    </div>
  </div>
</div>
```

e-Tendering System

```
<div class="form-group input-group">  
  <div class="input-group-prepend">  
    <span class="input-group-text"></span>  
  </div>  
  <input name="name" class="form-control" placeholder="Enter Name"  
type="text">  
</div>
```

```
<div class="form-group input-group">  
  <div class="input-group-prepend">  
    <span class="input-group-text"></span>  
  </div>  
  <input name="email" class="form-control" placeholder="Enter Email"  
type="email">  
</div>
```

```
<div class="form-group input-group">  
  <div class="input-group-prepend">  
    <span class="input-group-text"></span>  
  </div>  
  <input name="mobile" class="form-control" placeholder="Enter Mobile  
Number" type="number">  
</div>
```

```
<div class="form-group input-group">  
  <div class="input-group-prepend">  
    <span class="input-group-text"></span>
```

e-Tendering System

```
</div>
```

```
<textarea name="address" class="form-control" placeholder="Enter Address"></textarea>
```

```
</div>
```

```
<div class="form-group input-group">
```

```
<div class="input-group-prepend">
```

```
<span class="input-group-text"></span>
```

```
</div>
```

```
<input name="password" class="form-control" placeholder="Enter Password" type="password">
```

```
</div>
```

```
<div class="form-group input-group">
```

```
<div class="input-group-prepend">
```

```
<span class="input-group-text"></span>
```

```
</div>
```

```
<input name="cpassword" class="form-control" placeholder="Confirm Password" type="password">
```

```
</div>
```

```
<div class="form-group">
```

```
<button type="submit" class="btn btn-danger btn-block">Create Account</button>
```

```
</div>
```

```
If allready registered.<a href="login.php">Click Here to Login</a>
```

```
</center>
```

e-Tendering System

```
<br><br>
```

```
</form>
```

```
<div class="col-md-4"></div>
```

```
</div>
```

```
</div>
```

```
<!--register End-->
```

```
<!--Footer Start-->
```


```
<?php include("./templates/footer.php"); ?>
```

```
<!--Footer End-->
```

```
</body>
```

```
</html>
```

Login



```
<html>
```

```
  <head>
```

```
    <title>E-Tendering</title>
```

```
    <?php include("./templates/inc.php"); ?>
```

```
<script
```

```
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function()
```

```
{
```

```
  $("#btnLogin").click(function(){
```

```
    var username=$("#contractorno").val();
```

e-Tendering System

```
var password=$("#password").val();

$.ajax({

    type:'post',
    url: 'login-action.php',
    data: {'username':username,'password':password },
    success: function(data)
    {

        var x=data;
        if(x== "Login")
        {

            window.location="index.php";

        }

        else
        {

            $("#btnLogin").html("Login");
            $("#msg").html(data);
            $("#msg").slideDown("slow");
            $("#msg").slideUp(8000);

        }

    }

});

});

});

</script>

</head>
```


e-Tendering System

```
<body>
  <!-- Header Start-->
  <?php include("./templates/header.php"); ?>
  <!-- Header End-->
  <!--Menu Start-->
  <?php include("./templates/menu.php"); ?>
  <!--Menu End-->
  <!--login start-->
  <div class="login">
    <!--Container start-->
    <div class="container"><br><br><br>
      <center><h3>CONTRACTOR LOGIN</h3></center>
      <!--row start-->
      <form id="f1" name="f1" method="post" action="login-action.php">
        <div class="row">
          <div class="col-md-4"></div>
          <div class="col-md-4">
            <div class="form-group">
              <label for="usr">Contractor No* :</label>
              <input type="text" class="form-control" id="contractorno"
name="contractorno">
            </div>
            <div class="form-group">
              <label for="pwd">Password* :</label>
              <input type="password" class="form-control" id="password" id="password">
            </div>
          </div>
        </div>
      </form>
    </div>
  </div>
```

e-Tendering System

```
<br>
<center>
  <div id="msg"></div>
  <button type="button" class="btn btn-outline-danger" id="btnLogin"
name="btnLogin">Login</button>
  <br><br>
  <a href="forgetpwd.php" >Generate / Forgot Password ?</a>
  <br>
  If not registered.<a href="nodal.php">Create Account</a>
  </center>
  <br><br>
</div>
  <div class="col-md-4"></div>
  <div>
  <!--row end-->
</div>
  <!--Container-->
</div>
</div>
<!--login end-->
  <!--Footer Start-->
  <?php include("./templates/footer.php"); ?>
  <!--Footer End-->
</body>
</html>
```

Forget Password



Forgetpwd.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering</title>
```

```
    <?php include("../templates/inc.php"); ?>
```

```
<script
```

```
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function()
```

```
{
```

```
  $("#btnLogin").click(function(){
```

```
    var username=$("#contractorno").val();
```

```
    var password=$("#password").val();
```

e-Tendering System

```
$.ajax({
  type:'post',
  url: 'login-action.php',
  data: {'username':username,'password':password },
  success: function(data)
  {
    var x=data;
    if(x== "Login")
    {
      window.location="index.php";
    }
    else
    {
      $("#btnLogin").html("Login");
      $("#msg").html(data);
      $("#msg").slideDown("slow");
      $("#msg").slideUp(8000);
    }
  }
});
});
});
</script>

</head>
```

e-Tendering System


```
<body>
  <!-- Header Start-->
  <?php include("./templates/header.php"); ?>
  <!-- Header End-->
  <!--Menu Start-->
  <?php include("./templates/menu.php"); ?>
  <!--Menu End-->
  <!--login start-->
  <div class="login">
    <!--Container start-->
    <div class="container"><br><br><br>
      <center><h3>CONTRACTOR LOGIN</h3></center>
      <!--row start-->
      <form id="f1" name="f1" method="post" action="login-action.php">
        <div class="row">
          <div class="col-md-4"></div>
          <div class="col-md-4">
            <div class="form-group">
              <label for="usr">Contractor No* :</label>
              <input type="text" class="form-control" id="contractorno"
name="contractorno">
            </div>
            <div class="form-group">
              <label for="pwd">Password* :</label>
              <input type="password" class="form-control" id="password" id="password">
            </div>
          </div>
        </div>
      </form>
    </div>
  </div>
```

e-Tendering System

```
<br>
<center>
  <div id="msg"></div>
  <button type="button" class="btn btn-outline-danger" id="btnLogin"
name="btnLogin">Login</button>

  <br><br>
  <a href="forgetpwd.php" >Generate / Forgot Password ?</a>
  <br>
  If not registered.<a href="nodal.php">Create Account</a>
  </center>
  <br><br>
</div>
  <div class="col-md-4"></div>
  <div>
  <!--row end-->
</div>
  <!--Container-->
</div>
</div>
<!--login end-->
  <!--Footer Start-->
  <?php include("./templates/footer.php"); ?>
  <!--Footer End-->
</body>
</html>
```

Downloads



Download.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering</title>
```

```
    <?php include("./templates/inc.php"); ?>
```

```
  </head>
```

```
  <body>
```

```
    <!-- Header Start-->
```

```
    <?php include("./templates/header.php"); ?>
```

```
    <!-- Header End-->
```

```
    <!--Menu Start-->
```

```
    <?php include("./templates/menu.php"); ?>
```

```
    <div class="container" style="height: 100px; width:100%;">
```

```
      <h3>Download Files</h3>
```

```
      <a href="./assets/dental clinic.pdf" target="_blank">Tender Declaration Form</a>
```

```
      <br>
```

```
      <a href="./assets/Hotels.pdf" target="_blank">Contractor Details</a>
```

e-Tendering System

</div>

<!--Footer Start-->


<?php include("./templates/footer.php"); ?>

<!--Footer End-->

</body>

</html>

Announcement



Announcement.php

```
<html>
```

```
  <head>
```

```
    <title>E-Tendering</title>
```

```
    <?php include("./templates/inc.php"); ?>
```

```
</head>
```

```
<body>
```

```
  <!-- Header Start-->
```

```
  <?php include("./templates/header.php"); ?>
```

```
  <!-- Header End-->
```

```
  <!--Menu Start-->
```

```
  <?php include("./templates/menu.php"); ?>
```

e-Tendering System

```
<h3>Announcement</h3>
```

```
<p>
```

```
    The Tender of e-Portal Development will be live on 25 o July 2023.
```

```
</p>
```

```
<!--Footer Start-->
```

```
<?php include("./templates/footer.php"); ?>
```

```
<!--Footer End-->
```

```
</body>
```

```
</html>
```

Footer.php

```
<div class="footer">
```

```
  <div class="content-box">
```

```
    <br>
```

```
    <div class="row1">
```

```
      <div class="colcol-md-3"></div>
```

```
      <div class="colcol-md-6">
```

```
        <center>
```

```
          <h4>Contact Us</h4>
```

```
          <br>
```

```
          <h6>Support Email:- care@tenderindia.com</h6>
```

```
        </center>
```

```
      </div>
```

e-Tendering System

```
        <div class="colcol-md-3"></div>
    </div>
    <br><br>
    <div class="row2">
        <center>
            <a href="#">Terms & Conditions</a>
            <br><br>
            <a href="#">Privacy Policy</a>
            <br><br> Copyright@2022 | Developed By - Aisha and Kajal
        </center>
    </div>


</div>
</div>
```

Conn.php

```
<?php
$conn=mysqli_connect("localhost","root","","etendering_db");
    if($conn!=true)
    {
        exit();
    }

?>
```

Admin panel



Admin Login

Enter your agent id & password to login

Username

@ admin

Password

Remember me

Login

Don't have account? [Create an account](#)



Adminlogin.php

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
<title>Admin</title>
```

```
<meta content="" name="description">
```

```
<meta content="" name="keywords">
```

e-Tendering System

<!-- Favicons -->

<link href="assets/img/favicon.png" rel="icon">

<link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">

<!-- Google Fonts -->

<link href="https://fonts.gstatic.com" rel="preconnect">

<link

href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">

<!-- Vendor CSS Files -->

<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">

<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">

<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">

<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">

<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">

<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">

<!-- Template Main CSS File -->

<link href="assets/css/style.css" rel="stylesheet">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet">

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>

e-Tendering System

```
<script src="scripts/login.js" type="text/jscript" language="javascript"></script>
</head>

<body>

<main>

  <div class="container">

    <section class="section register min-vh-100 d-flex flex-column align-items-center
justify-content-center py-4">
      <div class="container">
        <div class="row justify-content-center">
          <div class="col-lg-4 col-md-6 d-flex flex-column align-items-center justify-
content-center">

            <div class="d-flex justify-content-center py-4">
              <a href="index.html" class="logo d-flex align-items-center w-auto">
                <a href="index.php">
                  <!--  -->
                </a>
                <!-- <span class="d-none d-lg-block">Admin</span> -->
              </a>
            </div><!-- End Logo -->

          <div class="card mb-3">
```

```
<div class="card-body">
```

```
<div class="pt-4 pb-2">
```

```
<h5 class="card-title text-center pb-0 fs-4"> Admin Login</h5>
```

```
<p class="text-center small">Enter your agent id & password to  
login</p>
```

```
</div>
```

```
<form class="row g-3 needs-validation" novalidate>
```

```
<div class="col-12">
```

```
<label for="yourUsername" class="form-label">Username</label>
```

```
<div class="input-group has-validation">
```

```
<span class="input-group-text" id="inputGroupPrepend">@</span>
```

```
<input type="text" name="txtUserName" class="form-control"  
id="txtUserName" required>
```

```
<div class="invalid-feedback">Please enter your username.</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-12">
```

```
<label for="yourPassword" class="form-label">Password</label>
```

```
<input type="password" name="txtPassword" class="form-control"  
id="txtPassword" required>
```

```
<div class="invalid-feedback">Please enter your password!</div>
```

```
</div>
```

e-Tendering System

```
<div class="col-12">
  <div class="form-check">
    <input class="form-check-input" type="checkbox" name="remember"
value="true" id="rememberMe">
    <label class="form-check-label" for="rememberMe">Remember
me</label>
  </div>
</div>
<div class="col-12">
  <div id="msg"></div>
  <button class="btn btn-primary w-100" type="button" id="btnLogin"
name="btnLogin">Login</button>
</div>
<div class="col-12">
  <p class="small mb-0">Don't have account? <a href="pages-
register.html">Create an account</a></p>
</div>
</form>

</div>
</div>

</div>
</div>
</div>
```

e-Tendering System

</section>

</div>

</main><!-- End #main -->

<i class="bi bi-arrow-up-short"></i>

<!-- Vendor JS Files -->

<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>

<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<script src="assets/vendor/chart.js/chart.min.js"></script>

<script src="assets/vendor/echarts/echarts.min.js"></script>

<script src="assets/vendor/quill/quill.min.js"></script>

<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>

<script src="assets/vendor/tinymce/tinymce.min.js"></script>

<script src="assets/vendor/php-email-form/validate.js"></script>

<!-- Template Main JS File -->


<script src="assets/js/main.js"></script>

</body>

</html>

e-Tendering System

Dashboard



Dashboard.php

```
<?php include("auth.php"); ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
  <title>Homesphere: Dashboard</title>
```

```
  <meta content="" name="description">
```

```
  <meta content="" name="keywords">
```

```
<!-- Favicons -->
```

e-Tendering System

```
<link href="assets/img/favicon.png" rel="icon">
```

```
<link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
```

```
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
```

```
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
```

```
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<!-- ===== Header ===== -->
```

```
<?php include 'templates/header.php';?>
```

e-Tendering System

```
<!-- End Header -->
```

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php';?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Admin </h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Admin</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section dashboard">
```

```
<!-- body part -->
```

```
</div>
```

```
</section>
```

```
</main><!-- End #main -->
```

e-Tendering System

```
<!-- ===== Footer ===== -->
```

```
<?php include 'templates/footer.php';?>
```

```
<!-- End Footer -->
```

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i class="bi bi-arrow-up-short"></i></a>
```

```
<!-- Vendor JS Files -->
```

```
<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<script src="assets/vendor/chart.js/chart.min.js"></script>
```

```
<script src="assets/vendor/echarts/echarts.min.js"></script>
```

```
<script src="assets/vendor/quill/quill.min.js"></script>
```

```
<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>
```

```
<script src="assets/vendor/tinymce/tinymce.min.js"></script>
```

```
<script src="assets/vendor/php-email-form/validate.js"></script>
```

```
<!-- Template Main JS File -->
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

MannageTender

The screenshot displays a web browser window with the URL `localhost/E-Tendering/admin/manage-tender.php`. The page is titled "Admin Dashboard" and features a sidebar with navigation options: Dashboard, Manage Tenders, Contractors, Application, Publish Result, Change Password, and Logout. The main content area is titled "Manage Tender" and includes a sub-header "Online Registration for Coporate/Bidder". The form contains several input fields: "Enter Title", "mm/dd/yyyy" (date), "Enter Description", "Enter Work Type", "Enter Type", and another "mm/dd/yyyy" (date). A "Choose Files" button is next to a "No file chosen" text. A green "Submit" button is located at the bottom of the form. The Windows taskbar at the bottom shows the system tray with a temperature of 29°C, the date 7/20/2023, and the time 5:37 PM.

Mannage-tender.php

```
<?php include("auth.php"); ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
  <title>admin Manage-Tender</title>
```

```
  <meta content="" name="description">
```

```
  <meta content="" name="keywords">
```

e-Tendering System

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFIdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jlW3"
crossorigin="anonymous">
```

```
<!-- Favicons -->
```

```
<link rel="icon" type="image/x-icon" href="/jnu.png">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
```

```
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
```

```
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
```

```
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
<!------->
```

```
<script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function() {
```

```
    //Upload image_url
```

```
    $(document).on('change', '#info_path', function() {
```

```
        var name = document.getElementById("info_path").files[0].name;
```

```
        var form_data = new FormData();
```

```
        var ext = name.split('.').pop().toLowerCase();
```

```
        if (jQuery.inArray(ext, ['pdf', 'jpeg', 'jpg', 'png']) == -1) {
```

```
            alert("Invalid Image File");
```

```
        }
```

```
        var oFReader = new FileReader();
```

```
oFReader.readAsDataURL(document.getElementById("info_path").files[0]);
```

```
        var f = document.getElementById("info_path").files[0];
```

```
        var fsize = f.size || f.fileSize;
```

```
        if (fsize > 2000000) {
```

```
            alert("Image File Size is very big");
```

```
        } else {
```

```
            form_data.append("info_path",  
document.getElementById('info_path').files[  
                0]);
```

```
            $.ajax({
```

e-Tendering System

```
        url: "upload.php",
        method: "POST",
        data: form_data,
        contentType: false,
        cache: false,
        processData: false,
        beforeSend: function() {
            $('#uploaded_info_path').html(
                "<label class='text-success'>Uploading...</label>");
        },
        success: function(data) {
            $('#uploaded_info_path').html(data);
        }
    });
}
});
```

```
$("#mebBtn").click(function() {
$("#mebBtn").html("Submitting Data...");

    var title = $("#title").val();
    var description = $("#description").val();
    var type = $("#type").val();
    var dt_of_sub = $("#dt_of_sub").val();
    var work_type = $("#work_type").val();
    var dt_of_open = $("#dt_of_open").val();
```

e-Tendering System

```
$.ajax({
    type: 'post',
    url: 'action.php',
    data: {
        'title': title,
        'description': description,
        'type': type,
        'dt_of_sub': dt_of_sub,
        'work_type': work_type,
        'dt_of_open': dt_of_open,
    },

    success: function(data) {
        alert(data);
        $("#mebBtn").html("Submit");
        $("#msg").html(data);
        $("#msg").slideDown("slow");
        $("#msg").slideUp(8000);
        tender.reload();
    }

});

});

});

</script>
```

e-Tendering System

```
</head>
```

```
<body>
```

```
<!-- ===== Header ===== -->
```

```
<?php include 'templates/header.php'; ?>
```

```
<!-- End Header -->
```

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php'; ?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Manage Tender</h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Manage Tender</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section dashboard">
```

```
<div class="register">
  <div class="row">
    <br>
    <center>
      <h5>Online Registration for Coporate/Bidder</h5>
    </center>
    <br>
    <br>
    <div class="col-md-6">
      <form name="f1" id="f1" method="post">

        <div class="form-group input-group">
          <input name="title" id="title" class="form-control"
placeholder="Enter Title" type="text">
        </div>
        <br>

        <div class="form-group input-group">
          <textarea name="description" id="description" class="form-
control" placeholder="Enter Description" type="text"></textarea>
        </div>
        <br>

        <div class="form-group input-group">
          <input name="type" id="type" class="form-control"
placeholder="Enter Type" type="text">
        </div>
      </form>
    </div>
  </div>
</div>
```

e-Tendering System

```
<br>
<div class="form-group input-group">
    <input name="dt_of_sub" id="dt_of_sub" class="form-control"
placeholder="Submission Date" type="date">
</div>
<br>

</div>
<br>
<br>

<div class="col-md-6">
<div class="form-group input-group">
    <input name="dt_of_open" id="dt_of_open" class="form-control"
placeholder="Enter Open Date" type="date">
</div>
<br>

<div class="form-group input-group">
    <input name="work_type" id="work_type" class="form-control"
placeholder="Enter Work Type" type="text">
</div>
<br>

<div class="form-group input-group">
    <input class="form-control" type="file" id="info_path"
name="info_path" multiple /><br>
    <span id="uploaded_info_path"></span><br>
```

e-Tendering System

```
</div>
```

```
<br>
```

```
</div>
```

```
</div>
```

```
<br><br>
```

```
<center>
```

```
<div id="mgs"> </div>
```

```
<button type="button" id="mebBtn" name="mebBtn" class="btn btn-  
success " style="width: 50%;">Submit</button>
```

```
</center>
```

```
<br>
```

```
</form>
```

```
<br>
```

```
</div>
```

```
<section class="section">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<div class="card">
```

```
<div class="card-body">
```

```
<h5 class="card-title">Tender</h5>
```

```
<div style="overflow: scroll;">
```

```
<!-- Table with stripped rows -->
<table class="table datatable">
  <thead>
    <tr>
      <!--<th scope="col">Member Id</th> -->
      <th scope="col">tender_code</th>
      <th scope="col">Title</th>
      <th scope="col">Description</th>
      <th scope="col">Type</th>
      <th scope="col">Dt_of_sub</th>
      <th scope="col">Dt_of_open</th>
      <th scope="col">Work_type</th>
      <th scope="col">Info_path</th>
    </tr>
  </thead>
  <tbody>

  <?php
  require "conn.php";
  // $catid = $_SESSION['catid'];
  $sql = "select * from tender";

  $rs = mysqli_query($conn, $sql);
  while ($row = mysqli_fetch_assoc($rs)) {
    echo "<tr>";
    echo '<td>' . $row['tender_code'] . '</td>';
```

```
echo '<td>' . $row['title'] . '</td>';  
echo '<td>' . $row['description'] . '</td>';  
echo '<td>' . $row['type'] . '</td>';  
echo '<td>' . $row['dt_of_sub'] . '</td>';  
echo '<td>' . $row['dt_of_open'] . '</td>';  
echo '<td>' . $row['work_type'] . '</td>';
```

```
echo '<td>' . ' </td>';
```

```
echo '<td>' . '<a href="tender-edit.php?tender_code=' .  
$row['tender_code'] . '" class="btn btn-primary">Edit</a>' . '</td>';
```

```
echo '<td>' . '<a href="tender-view.php?pcode=' .  
$row['tender_code'] . '"><input type="button" id="btnView" name="btnView"  
class="btn btn-primary" value="View"/></a></td>';
```

```
echo '<td>' . '<a href="product-delete.php?pcode=' .  
$row['tender_code'] . '"><input type="button" id="btnDelete" name="btnDelete"  
class="btn btn-danger" value="DELETE"/></a></td>';
```

```
echo '</tr>';
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

e-Tendering System

</div>

</div>

</div>

</div>

</section>

</main><!-- End #main -->

<!-- ===== Footer ===== -->

<?php include 'templates/footer.php'; ?>

<!-- End Footer -->

<i class="bi bi-arrow-up-short"></i>

<!-- Vendor JS Files -->

<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>

<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<script src="assets/vendor/chart.js/chart.min.js"></script>

<script src="assets/vendor/echarts/echarts.min.js"></script>

<script src="assets/vendor/quill/quill.min.js"></script>

<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>

<script src="assets/vendor/tinymce/tinymce.min.js"></script>

<script src="assets/vendor/php-email-form/validate.js"></script>

e-Tendering System

<!-- Template Main JS File -->

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MIQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous">
```


```
</script>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

e-Tendering System



The screenshot displays the Admin Dashboard for an e-Tendering System. The dashboard includes a sidebar with navigation options: Dashboard, Manage Tenders, Contractors, Application, Publish Result, Change Password, and Logout. The main content area features a 'Submit' button and a 'Tender' table. The table lists four tenders with columns for tender_code, Title, Description, Type, Dt_of_sub, Dt_of_open, Work_type, and Info_path. Each row includes 'Edit', 'View', and 'DELETE' buttons. The table shows 4 entries, with the first four rows visible.

tender_code	Title	Description	Type	Dt_of_sub	Dt_of_open	Work_type	Info_path
01	road construction	desc	Governmental	2022-06-02	2022-07-04	Construction	
02	Drinking water Supply	Desc	Non-Governmental	2022-04-30	2022-04-30	electronics	
03	computer installation	Desc	Non-Governmental	2022-05-01	2022-04-10	IT projects	
04	Building renovation	Desc	Non-Governmental	2021-04-20	2021-04-25	Construction	

Manage-tender-action.php

```
<?php
```

```
session_start();
```

```
// $cemail = $_SESSION['email'];
```

```
// $agent_id = $_SESSION['agent_id'];
```

```
include "conn.php";
```

```
if($_POST['title'] && $_POST['description'] && $_POST['type'] &&  
$_POST['dt_of_sub']){
```

e-Tendering System

```
$title=$_POST['title'];  
$description=$_POST['description'];  
$type=$_POST['type'];  
$dt_of_sub=$_POST['dt_of_sub'];  
// $info_path=$_POST['info_path'];
```

```
$query = "INSERT INTO `tender`  
(title,description,type,dt_of_sub,)values('$title','$description','$type','$dt_of_sub')";
```

```
$smt = mysqli_query($conn, $query);
```

```
if ($smt) {
```

```
    echo "Sucess ! Your data successfully submitted";
```

```
} else {
```

```
    echo ("Failed ! Error Description: " . mysqli_error($conn));
```


```
}
```

```
} else {
```

```
    echo ("Enter all * Marked Fields. " . mysqli_error($conn));
```

```
}
```

Contractors



Contractor.php

```
<?php include("auth.php"); ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
<title>contractors</title>
```

```
<meta content="" name="description">
```

```
<meta content="" name="keywords">
```

e-Tendering System

```
<!-- Favicons -->
```

```
<link href="assets/img/favicon.png" rel="icon">
```

```
<link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i"
```

```
rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
```

```
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
```

```
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
```

```
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
</head>
```

e-Tendering System

```
<body>
```

```
<!-- ===== Header ===== -->
```

```
<?php include 'templates/header.php';?>
```

```
<!-- End Header -->
```

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php';?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Contractor</h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Contractor</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<div class="card">
```

```
<div class="card-body">
  <h5 class="card-title">Contractor Details</h5>
  <div style="overflow: scroll;">
    <!-- Table with stripped rows -->
    <table class="table datatable">
      <thead>
        <tr>
          <!-- <th scope="col">Member Id</th> -->
          <th scope="col">Contractor_no</th>
          <th scope="col">licence_no</th>
          <th scope="col">Name</th>
          <th scope="col">Address</th>
          <th scope="col">Email</th>
          <th scope="col">Contact_no</th>

        </tr>
      </thead>
      <tbody>
```

```
<?php
require "conn.php";
// $agent_id = $_SESSION['agent_id'];
$sql = "select * from contractor";

$rs = mysqli_query($conn, $sql);
while ($row = mysqli_fetch_assoc($rs)) {
```

e-Tendering System

```
echo "<tr>";
echo '<td>' . $row['contractor_no'] . '</td>';
echo '<td>' . $row['licence_no'] . '</td>';
echo '<td>' . $row['name'] . '</td>';
echo '<td>' . $row['address'] . '</td>';
echo '<td>' . $row['email'] . '</td>';
echo '<td>' . $row['mobile'] . '</td>';
```

```
echo "</tr>";
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</section>
```

```
</main><!-- End #main -->
```

```
<!-- ===== Footer ===== -->
```

```
<?php include 'templates/footer.php';?>
```

e-Tendering System

```
<!-- End Footer -->
```

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i  
    class="bi bi-arrow-up-short"></i></a>
```

```
<!-- Vendor JS Files -->
```

```
<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<script src="assets/vendor/chart.js/chart.min.js"></script>
```

```
<script src="assets/vendor/echarts/echarts.min.js"></script>
```

```
<script src="assets/vendor/quill/quill.min.js"></script>
```

```
<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>
```

```
<script src="assets/vendor/tinymce/tinymce.min.js"></script>
```

```
<script src="assets/vendor/php-email-form/validate.js"></script>
```


```
<!-- Template Main JS File -->
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

Application



application.php

```
<?php include("auth.php"); ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
  <title>Application</title>
```

```
  <meta content="" name="description">
```

```
  <meta content="" name="keywords">
```

e-Tendering System

```
<!-- Favicons -->
```

```
<link href="assets/img/favicon.png" rel="icon">
```

```
<link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i"
```

```
rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
```

```
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
```

```
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
```

```
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
</head>
```

e-Tendering System

```
<body>
```

```
<!-- ===== Header ===== -->
```

```
<?php include 'templates/header.php';?>
```

```
<!-- End Header -->
```

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php';?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Application</h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Application</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section">
```

```
<div class="row">
  <div class="col-lg-12">

    <div class="card">
      <div class="card-body">
        <h5 class="card-title">Application Details</h5>
        <div style="overflow: scroll;">
          <!-- Table with stripped rows -->
          <table class="table datatable">
            <thead>
              <tr>
                <!-- <th scope="col">Member Id</th> -->
                <th scope="col">App_no</th>
                <th scope="col">contractor_no</th>
                <th scope="col">tender_code</th>
                <th scope="col">dt_of_apply</th>

              </tr>
            </thead>
            <tbody>

<?php
require "conn.php";

// $agent_id = $_SESSION['agent_id'];

$sql = "select * from application";
```

e-Tendering System

```
$rs = mysqli_query($conn, $sql);
while ($row = mysqli_fetch_assoc($rs)) {
    echo "<tr>";
    echo '<td>' . $row['app_no'] . '</td>';
    echo '<td>' . $row['contractor_no'] . '</td>';
    echo '<td>' . $row['tender_code'] . '</td>';
    echo '<td>' . $row['dt_of_apply'] . '</td>';

    echo "</tr>";
}
?>
</tbody>
    </table>
    </div>

    </div>
</div>

</div>
</div>

</section>

</main><!-- End #main -->

<!-- ===== Footer ===== -->
```

e-Tendering System

```
<?php include 'templates/footer.php';?>
```

```
<!-- End Footer -->
```

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i  
    class="bi bi-arrow-up-short"></i></a>
```

```
<!-- Vendor JS Files -->
```

```
<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<script src="assets/vendor/chart.js/chart.min.js"></script>
```

```
<script src="assets/vendor/echarts/echarts.min.js"></script>
```

```
<script src="assets/vendor/quill/quill.min.js"></script>
```

```
<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>
```

```
<script src="assets/vendor/tinymce/tinymce.min.js"></script>
```

```
<script src="assets/vendor/php-email-form/validate.js"></script>
```


```
<!-- Template Main JS File -->
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

Result



Result.php

```
<?php include("auth.php"); ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
  <title>Admin : Result</title>
```

```
  <meta content="" name="description">
```

```
  <meta content="" name="keywords">
```

e-Tendering System

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFIdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
```

```
<!-- Favicons -->
```

```
<link rel="icon" type="image/x-icon" href="/jnu.png">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
```

```
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
```

```
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
```

```
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
```

```
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
<!------->
```

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function() {
```

```
    //Upload photo_url
```

```
    $(document).on('change', '#photo_url', function() {
```

```
        var name = document.getElementById("photo_url").files[0].name;
```

```
        var form_data = new FormData();
```

```
        var ext = name.split('.').pop().toLowerCase();
```

```
        if (jQuery.inArray(ext, ['gif', 'png', 'jpg', 'jpeg']) == -1) {
```

```
            alert("Invalid Image File");
```

```
        }
```

```
        var oFReader = new FileReader();
```

```
        oFReader.readAsDataURL(document.getElementById("photo_url").files[0]);
```

```
        var f = document.getElementById("photo_url").files[0];
```

```
        var fsize = f.size || f.fileSize;
```

```
        if (fsize > 2000000) {
```

```
            alert("Image File Size is very big");
```

```
        } else {
```

```
            form_data.append("photo_url",  
document.getElementById('photo_url').files[
```

```
                0]);
```

```
            $.ajax({
```

```
                url: "upload.php",
```

```
                method: "POST",
```

```
                data: form_data,
```

e-Tendering System

```
        contentType: false,
        cache: false,
        processData: false,
        beforeSend: function() {
            $('#uploaded_photo_url').html(
                "<label class='text-success'>Uploading...</label>");
        },
        success: function(data) {
            $('#uploaded_photo_url').html(data);
        }
    });
}
});

// Upload photo_url End

//Upload aadhar_front
$(document).on('change', '#aadhar_front', function() {
    var name = document.getElementById("aadhar_front").files[0].name;
    var form_data = new FormData();
    var ext = name.split('.').pop().toLowerCase();
    if (jQuery.inArray(ext, ['gif', 'png', 'jpg', 'jpeg']) == -1) {
        alert("Invalid Image File");
    }
    var oFReader = new FileReader();
```

```
oFReader.readAsDataURL(document.getElementById("aadhar_front").files[0]);

    var f = document.getElementById("aadhar_front").files[0];

    var fsize = f.size || f.fileSize;

    if (fsize > 2000000) {

        alert("Image File Size is very big");

    } else {

        form_data.append("aadhar_front",
document.getElementById('aadhar_front').files[

        0]);

        $.ajax({

            url: "upload.php",

            method: "POST",

            data: form_data,

            contentType: false,

            cache: false,

            processData: false,

            beforeSend: function() {

                $('#uploaded_aadhar_front').html(

                    "<label class='text-success'>Uploading...</label>");

            },

            success: function(data) {

                $('#uploaded_aadhar_front').html(data);

            }

        });

    }

});
```

```
// Upload aadhar_front End

//Upload aadhar_back
$(document).on('change', '#aadhar_back', function() {
    var name = document.getElementById("aadhar_back").files[0].name;
    var form_data = new FormData();
    var ext = name.split('.').pop().toLowerCase();
    if (jQuery.inArray(ext, ['gif', 'png', 'jpg', 'jpeg']) == -1) {
        alert("Invalid Image File");
    }
    var oFReader = new FileReader();

oFReader.readAsDataURL(document.getElementById("aadhar_back").files[0]);

    var f = document.getElementById("aadhar_back").files[0];
    var fsize = f.size || f.fileSize;
    if (fsize > 2000000) {
        alert("Image File Size is very big");
    } else {
        form_data.append("aadhar_back",
document.getElementById('aadhar_back').files[
    0]);
        $.ajax({
            url: "upload.php",
            method: "POST",
            data: form_data,
            contentType: false,
            cache: false,
```

e-Tendering System

```
        processData: false,  
        beforeSend: function() {  
            $('#uploaded_aadhar_back').html(  
                "<label class='text-success'>Uploading...</label>");  
        },  
        success: function(data) {  
            $('#uploaded_aadhar_back').html(data);  
        }  
    });  
}  
});
```

```
// Upload aadhar_back End
```

```
$("#mebBtn").click(function() {  
  
    $("#mebBtn").html("Submitting Data...");  
    var service_name = $("#service_name").val();  
  
    $.ajax({  
        type: 'post',  
        url: 'services-action.php',
```

e-Tendering System

```
        data: {
            'tender_code': service_name,
        },

        success: function(data) {
            alert(data);
            $("#mebBtn").html("Submit");
            $("#msg").html(data);
            $("#msg").slideDown("slow");
            $("#msg").slideUp(8000);
            location.reload();
        }

    });

});

});
</script>

</head>

<body>

<!-- ===== Header ===== -->
<?php include 'templates/header.php'; ?>
```

e-Tendering System

```
<!-- End Header -->
```

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php'; ?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Results</h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Results</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section dashboard">
```

```
<form>
```

```
<div class="row">
```

```
<div class="container mt-3">
```

```
<center>
```

```
<h5 class="p-2" style="margin-bottom: 1em;background-color: DodgerBlue;color: white;">Publish Result</h5>
```

```
</center>
```

```
<!------- form 2----->
```

```
----->
```

```
<form>
```

```
<div class="row">
```

```
<div class="col-sm-3"></div>
```

```
<div class="col-sm-6">
```

```
<div class="form-group py-2">
```

```
<center><label  
for="exampleFormControllInput1"><b>Tender_code</b></label></center>
```

```
<input type="text" class="form-control" id="service_name"  
name="service_name" placeholder="Enter Tender code ">
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-3"></div>
```

```
</div>
```

```
<center>
```

```
<div id="mgs"> </div>
```

```
<button type="button" id="mebBtn" name="mebBtn" class="btn btn-success ">Submit</button>
```

```
</center>
```

```
</form>
```

```
<br>
```

```
</div>
```

```
<section class="section">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<div class="card">
```

```
<div class="card-body">
```

```
<h5 class="card-title">Result</h5>
```

```
<div style="overflow: scroll;">
```

```
<!-- Table with stripped rows -->
```

```
<table class="table datatable">
```

```
<thead>
```

```
<tr>
```

```
<th scope="col">SL</th>
```

```
<th scope="col">Tender Code</th>
```

```
<th scope="col">Contractor No</th>
```

```
<th scope="col">Opening Date</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
require "conn.php";

$sl = 1;
// $agent_id = $_SESSION['agent_id'];
$sql = "select * from result";

$rs = mysqli_query($conn, $sql);
while ($row = mysqli_fetch_assoc($rs)) {
    echo "<tr>";
    echo '<td>' . $sl . '</td>';
    echo '<td>' . $row['tender_code'] . '</td>';
    echo '<td>' . $row['contractor_no'] . '</td>';
    echo '<td>' . $row['opening_date'] . '</td>';

    echo "</tr>";
    $sl++;
}
?>

</tbody>
</table>
</div>

</div>
```

e-Tendering System

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- section en--->
```

```
</main>
```

```
<!-- End #main -->
```

```
<!-- ===== Footer ===== -->
```

```
<?php include 'templates/footer.php'; ?>
```

```
<!-- End Footer -->
```

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i class="bi bi-arrow-up-short"></i></a>
```

```
<!-- Vendor JS Files -->
```

```
<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<script src="assets/vendor/chart.js/chart.min.js"></script>
```

```
<script src="assets/vendor/echarts/echarts.min.js"></script>
```

```
<script src="assets/vendor/quill/quill.min.js"></script>
```

```
<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>
```

```
<script src="assets/vendor/tinymce/tinymce.min.js"></script>
```

```
<script src="assets/vendor/php-email-form/validate.js"></script>
```

e-Tendering System

```
<!-- Template Main JS File -->
```

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"  
integrity="sha384-  
ka7Sk0Gln4gmtz2MIQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"  
crossorigin="anonymous">
```


```
</script>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

Change password



The screenshot shows a web browser window with the URL `localhost/E-Tendering/admin/change-password.php`. The page is titled "Admin Dashboard" and features a sidebar with navigation options: Dashboard, Manage Tenders, Contractors, Application, Publish Result, Change Password, and Logout. The main content area is titled "Dashboard" and contains a form for changing the password. The form has three input fields: "Current password", "New password", and "Conform password", each with a label above it. A "Submit" button is located below the "Conform password" field. The browser's taskbar at the bottom shows the system tray with a temperature of 29°C, the date 7/20/2023, and the time 5:38 PM.

Changepassword.php

```
<?php include("auth.php"); ?>
```

e-Tendering System

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
<title>Admin- Change Password</title>
```

```
<meta content="" name="description">
```

```
<meta content="" name="keywords">
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFIdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
```

```
<!-- Favicons -->
```

```
<link href="assets/img/favicon.png" rel="icon">
```

```
<link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.gstatic.com" rel="preconnect">
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
```

e-Tendering System

```
<link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
<link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
<link href="assets/vendor/quill/quill.snow.css" rel="stylesheet">
<link href="assets/vendor/quill/quill.bubble.css" rel="stylesheet">
<link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
<link href="assets/vendor/simple-datatables/style.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
```

```
<link href="assets/css/style.css" rel="stylesheet">
```

```
<!-- =====>
```

```
* Template Name: NiceAdmin - v2.2.2
```

```
* Template URL: https://bootstrapmade.com/nice-admin-bootstrap-admin-html-template/
```

```
* Author: BootstrapMade.com
```

```
* License: https://bootstrapmade.com/license/
```

```
===== -->
```

```
</head>
```

```
<body>
```

```
<!-- ===== Header ===== -->
```

```
<?php include 'templates/header.php';?>
```

```
<!-- End Header -->
```

e-Tendering System

```
<!-- ===== Sidebar ===== -->
```

```
<?php include 'templates/sidebar.php';?>
```

```
<!-- End Sidebar-->
```

```
<main id="main" class="main">
```

```
<div class="pagetitle">
```

```
<h1>Dashboard</h1>
```

```
<nav>
```

```
<ol class="breadcrumb">
```

```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a></li>
```

```
<li class="breadcrumb-item active">Dashboard</li>
```

```
</ol>
```

```
</nav>
```

```
</div><!-- End Page Title -->
```

```
<section class="section dashboard">
```

```
<div class="row">
```

```
<!-- body part -->
```

```
</div>
```

```
</section>
```

```
<div class="container">
```

```
<form>
```

e-Tendering System

```
<div class="form-group py-2">
  <label for="exampleFormControlInput1">Enter Your Current password</label>
  <input type="email" class="form-control" id="current" placeholder="Current
password">
</div>

<div class="form-group py-2">
  <label for="exampleFormControlInput1">Enter Your New password</label>
  <input type="email" class="form-control" id="New" placeholder="New password">
</div>

<div class="form-group py-2">
  <label for="exampleFormControlInput1">Enter Your Conform password</label>
  <input type="email" class="form-control" id="conform" placeholder="Conform
password">
</div>

<button type="button" class="btn btn-secondary">Submit</button>

</form>
</div>

</main><!-- End #main -->

<!-- ===== Footer ===== -->
<?php include 'templates/footer.php';?>
<!-- End Footer -->
```

e-Tendering System

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i class="bi bi-arrow-up-short"></i></a>
```

```
<!-- Vendor JS Files -->
```

```
<script src="assets/vendor/apexcharts/apexcharts.min.js"></script>
```

```
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<script src="assets/vendor/chart.js/chart.min.js"></script>
```

```
<script src="assets/vendor/echarts/echarts.min.js"></script>
```

```
<script src="assets/vendor/quill/quill.min.js"></script>
```

```
<script src="assets/vendor/simple-datatables/simple-datatables.js"></script>
```

```
<script src="assets/vendor/tinymce/tinymce.min.js"></script>
```

```
<script src="assets/vendor/php-email-form/validate.js"></script>
```

```
<!-- Template Main JS File -->
```

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"  
integrity="sha384-  
ka7Sk0Gln4gmtz2MIQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"  
crossorigin="anonymous"></script>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

Logout

```
<?php
```

```
session_start();
```

```
session_destroy();
```

```
header("Location:index.php");
```

```
?>
```

CONCLUSION

The software TENDER PROCESSING SYSTEM is developed to automate the details of tender. The project is completely menu driven and user friendly. It has provision of generating report in different format and hence reports are useful in decision making. This package shall prove to be a powerful package in satisfying all the requirements of the organization.

The best tender process is one that is perfectly suited to both your business and your clients at the time of tendering.

SOFTWARE TESTING

Software testing is an investigation conducted to provide stakeholders with information about the quality of the product or service under test. Software testing can also provide an objective, independent view of the software to allow the business to appreciate and understand the risks of software implementation. Test techniques include, but are not limited to, the process of executing a program or application with the intent of finding software bugs (errors or other defects).

Software testing can be stated as the process of validating and verifying that a software program/application/product:

1. meets the requirements that guided its design and development;
2. works as expected;
3. can be implemented with the same characteristics.
4. satisfies the needs of stakeholders

Software testing, depending on the testing method employed, can be implemented at any time in the development process. However, most of the test effort traditionally occurs after the requirements have been defined and the coding process has been completed. Although in the Agile approaches most of the test effort is, conversely, on-going. As such, the methodology of the test is governed by the software development methodology adopted.

Different software development models will focus the test effort at different points in the development process. Newer development models, such as Agile, often employ test driven development and place an increased portion of the testing in the hands of the developer, before it reaches a formal team of testers. In a more traditional model, most of the test execution occurs after the requirements have been defined and the coding process has been completed.

Alpha testing

Alpha testing is simulated or actual operational testing by potential users/customers or an independent test team at the developers' site. Alpha testing is often employed for off-the-shelf software as a form of internal acceptance testing, before the software goes to beta testing.

Beta testing

Beta testing comes after alpha testing and can be considered a form of external user acceptance testing. Versions of the software, known as beta versions, are released to a limited audience outside of the programming team. The software is released to groups of people so that further testing can ensure the product has few faults or bugs. Sometimes, beta versions

e-Tendering System

are made available to the open public to increase the feedback field to a maximal number of future users.

SCOPE AND FEATURES

SCOPE OF THE APPLICATION

- ***Extensibility:-***

This software is extendable in ways that we who are designing this may not expect. The following principle enhances extensibility like hide data structure, avoid traversing multiple links or methods, avoid case statements on object type and distinguish public and private operations.

- ***Reusability:-***

Reusability is possible as and when require in this application. We can update its next version. Reusable software reduces design, coding and testing cost by amortizing effort over several designs. Reducing the amount of code also simplifies understanding, which increases the likelihood that the code is correct. We follow up both types of reusability, sharing of newly written code within a project and reuse of previously written code on new project.

- ***Understand ability:-***

A method is understandable if someone other than the creator of the method can understand the code (as well as the creator after a time lapse). We use the method ,which small and coherent helps to accomplish this.

- ***Cost-effectiveness:-***

Its cost is under the budget and make within given time period. It is desirable to aim for a system with a minimum cost subject to the condition that it must satisfy the entire requirement.

FUTURE SCOPE OF THE APPLICATION

This application can be easily implemented under various situations also in large Organization. We can add new features as and when we require according to our needs as reusability is possible as and when required in this application.

Large organizations usually have to handle multiple procurement needs by applying different kinds of information systems developed by various suppliers ,this software is very useful in handling the process.

Scope of this document is to put down the requirements, clearly identifying the information needed by the user, the source of the information and outputs expected from the system.

LIMITATIONS

Limitations of this software are:

1. It is applicable for applying for one tender only.
2. It can be handled by a trained person unknown to the computer may find it difficult to handle.
3. It can be manipulated and may harm to the property of the organization.
4. It can be hacked.
5. It can be taken by a person and get cracked for use by that without permission of owner and developer.

REFERENCE

1. www.w3school.com
2. www.google.co.in
3. www.wikipedia.com
4. www.javasamples.com
5. HTML Black Book
6. PHP 6 Bible