



A Project REPORT On

EVENT MANAGEMENT SYSTEM
MASTER IN COMPUTER APPLICATION (MCA)
UNDER THE GUIDENCE

SUBMITTED BY:

NAME: - XXXXXXXXXXXX

ROLL.NO:-XXXXXXXXXX

IGNOU THE PEOPLES UNIVERSITY



A PROJECT REPORT

ON

"EVENT MANAGEMENT

SYSTEM"

SUBMITTED BY :

NAME : XXXXXXXXXXX

ROLL NO: XXXXXXXX

EVENT MANAGEMENT SYSTEM

SUBMITTED BY

**ROLL NO-XXXXXXXX
XXXXXXXXXX**

A project report submitted to IGNOU
in partial fulfilment of the requirements for
the degree MCA

2023

Index

1.	Introduction	1
2.	Objectives	2
3.	System Requirement	3
4.	Overview of Brontend&Backend	4-6
5.	DFD	7-10
6.	ERD	11
7.	Flow Chart	12
8.	Data Dictionary	13-19
9.	Coding	20-62
10.	Output	63-70
11.	Testing	71-73
12.	Future scope	74
13.	Conclusion	75
14.	Bibliography	76

INTRODUCTION

The Project titled as “EVENT MANAGEMTN SYSTEM” is a web-based application developed from two point of views-Events and Clients. Due to dual interface of the application it will cater both common people as well as Officials Event organizer simultaneously.

Event management, the most profound form of advertising and marketing, is a glamorous and thrilling profession. It provides an opportunity for unleashing one's creative potential to a very high degree. It demands a lot of hark work and effort but at the same time offers enormous scope.

Event management is a process of organizing a professional and focused event, for a particular target audience.

Most people dread going to local event company when a event experience and service not well.

We involved visualizing concepts, planning, budgeting, organizing and executing events such as fashion shows, musical concerts, corporate seminars, exhibitions, wedding celebrations, theme parties, product launching etc.

OBJECTIVE

The objectives of this project are as follows:

- To create a user-friendly platform for common people who will be able to visit and go through in some easy steps.
- To plan an event that considers the following areas: like planning, budgeting, organizing and executing events, feasibility, promotion, designing, staging, shutdown, event proposal.
- The aim is to plan all the tasks that can be planned so that changes and unforeseen problems can be dealt with in a focused way and maintain the fluidity of event preparation.
- To control the events by looking on the following areas: logistics, negotiations, costing & cash flow, event manual, I.T., decision making and change, risk management.

SYSTEM REQUIREMENTS

Software specification

- Operating System : Windows 11
- Front End : HTML, CSS, JavaScript
- Back End : SQL Server
- Server Side : Internet Information Services(IIS)
- Server : SQL Server 2014
- IDE : .Net framework 4.0/4.5
- Processor : Intel inside Core i3

Hardware Specification

- RAM : 4GB RAM
- Hard Disk : 1 TB
- Browse : Google chrome
- Mouse : 2 buttons
- Keyboard : 104 keys

Tools/Platform Used

- .Net(C#) : Used for developing the frontend
- SQL Server 2014 : Used for Backend.
- .Net Framework : 4.0/4.5.
- Adobe Photoshop CS6 : Used for picture editing & designing
- MS Word : Used for documentation.

Overview of FRONT END (Asp.Net)

ASP.Net is a web development platform, which provides a programming model, a comprehensive software infrastructure and various services required to build up robust web application for PC, as well as mobile devices.

ASP.Net works on top of the HTTP protocol and uses the HTTP commands and policies to set a browser-to-server two-way communication and cooperation.

ASP.Net is a part of Microsoft .Net platform. ASP.Net applications are compiled codes, written using the extensible and reusable components or objects present in .Net framework. These codes can use the entire hierarchy of classes in .Net framework.

The ASP.Net application codes could be written in either of the following

languages: C#

Visual Basic

.Net Jscript

J#

ASP.Net is used to produce interactive, data-driven web applications over the internet. It consists of a large number of controls like text boxes, buttons and labels for assembling, configuring and manipulating code to create HTML pages.

ASP.NET

ASP.NET is a web application framework developed and marketed by Microsoft to allow programmers to build dynamic web sites, web applications and web services. It was first released in January 2002 with version 1.0 of the .NET Framework, and is the successor to Microsoft's Active Server Pages (ASP) technology. ASP.NET is built on the Common Language Runtime (CLR), allowing programmers to write ASP.NET code using any supported .NET language.

ASP.NET is a compiled, .NET-based environment; you can author applications in any .NET compatible language, including Visual Basic .NET, C#, and Script .NET. Additionally, the entire .NET Framework is available to any ASP.NET application. Developers can easily access the benefits of these technologies, which include the managed common language runtime environment, type safety, inheritance, and so on.


ASP.NET has been designed to work seamlessly with WYSIWYG HTML editors and other programming tools, including Microsoft Visual Studio .NET. Not only does this make Web development easier, but it also provides all the benefits that these tools have to offer, including a GUI that developers can use to drop server controls onto a Web page and fully integrated debugging support.

Developers can use Web Forms or XML Web services when creating an ASP.NET application, or combine these in any way they see fit. Each is supported by the same

infrastructure that allows you to use authentication schemes; cache frequently used data, or customizes your application's configuration, to name only a few possibilities.

Major components of .NET

The diagram given below describes various components of .NET Framework



The .NET framework can only be exploited by languages that are compliant with .NET. Most of Microsoft languages have been made to fully comply with .NET.

.NET also introduces Web Forms, Web Services and Windows Forms. The reason why they have been shown separately and not as a part of a particular language are that these technologies can be used by any .NET compliant language. For example Windows Forms is used by VC, VB.NET, and C #all as a mode of providing GUI.

The next component of .NET is the .NET Framework Base Classes. These are the common class libraries (much like Java packages) that can be used by any .NET compliant language. These classes provide the programmers with a high degree of functionality that they can use in their programs. For example there are classes to handle reading, writing and manipulating XML documents, enhanced ADOs etc. The bottom most layer is the CLR - the common runtime language.

BACK END(SQL SERVER 2012)

Microsoft SQL Server is an application used to create computer databases for the Microsoft Windows family of server operating systems. It provides an environment used to generate databases that can be accessed from workstations, the web, or other media such as a personal digital assistant (PDA). Microsoft SQL Server is probably the most accessible and the most documented enterprise database environment right now. This also means that you can learn it a little quicker than most other database environments on the market.

MySQL is a fast, easy-to-use RDBMS being used for many small and big businesses. MySQL is developed, marketed and supported by MySQL AB, which is a Swedish company. MySQL is becoming so popular because of many good reasons –

- MySQL is released under an open-source license. So you have nothing to pay to use it.
- MySQL is a very powerful program in its own right. It handles a large sub-set of the functionality of the most expensive and powerful database packages.
- MySQL uses a standard form of the well-known SQL data language.
- MySQL works on many operating systems and with many languages including PHP, PERL, C, C++, JAVA, etc.
- MySQL works very quickly and works well even with large data sets.
- MySQL is very friendly to ASP, the most appreciated language for web development.
- MySQL supports large databases, up to 50 million rows or more in a table. The default file size limit for a table is 4GB, but you can increase this (if your operating system can handle it) to a theoretical limit of 8 million terabytes (TB).
- MySQL is customizable. The open-source GPL license allows program-mers to modify the MySQL software to fit their own specific environ-ments


DATAFLOW DIAGRAM

Definition:


The Data Flow diagram is also known as bubble chart. It is having the purpose of system requirements and identifying major transformation that will become program in system design. So, it is the starting point of the system design phase that decomposes in the requirement specification down to the lowest level of details. A Data Flow Diagram consists of series of bubbles joined by lines. The bubbles represent data transformation and the lines represent data flow in the line system.

A Data Flow Diagram (DFD) consists of the following components: -

: It rep



: It represents the data flow.



: represents the data store.




nts the external entities.


Levels of DFD: There are some levels in it e.g., level 0, level 1 etc.

- (i) Level 0 □ It is the simplest form of DFD. It could have one process and there will be external entities.
- (ii) Level 1 □ The main process is broken into small sub-processes and number of entity-set and data store is also increased & so on goes the level of DFD.


DATA FLOW DIAGRAM




LEVEL 0 :Client registration



LEVEL 1 :Client login



LEVEL 2 :Client login



LEVEL 3: Admin login

ERD

An entity-relationship diagram (ERD) is a data modeling technique that graphically illustrates an information system's entities and the relationships between those entities. An ERD is a conceptual and representational model of data used to represent the entity framework infrastructure.


The elements of an ERD are:

- Entities
- Relationships
- Attributes

Steps involved in creating an ERD include:

1. Identifying and defining the entities
2. Determining all interactions between the entities
3. Analyzing the nature of interactions/determining the cardinality of the relationships
4. Creating the ERD

ERD Diagram



Is active

E-mail

Mess
age

Data dictionary

A data dictionary lists all the data items appearing in a DFD, i.e. a data dictionary lists all the data flows and the contents of all data items and the definition of all the composite data items in terms of their component data items

A data dictionary is very important in the software development process because of the following reasons

A data dictionary lists standard terminology for all relevant data for use by engineers. Engineers have a tendency to use different terms to refer to the same data, which unnecessarily causes confusion.

The data dictionary provides the analysts with means to determine the definition of different data structures in terms of their component elements.

DATABASE STRUCTURE

USER REGISTRATION Table: To store registration details of the general users.

Field Name	Type	Constraint
User Id	nvarchar(50)	PRIMARY KEY
Name	nvarchar(50)	NOT NULL
Fname	nvarchar(50)	NOT NULL
Lname	nvarchar(50)	NOT NULL
Mobile	nvarchar(50)	NOT NULL
Email	nvarchar(50)	NOT NULL
Photo	Image	NOT NULL
Password	nvarchar (50)	NOT NULL
Created_on	Date	NOT NULL

Admin Login Table: To store Admin details.

Field Name	Type	Constraint
Admin_id	Int(10)	NOT NULL
Fisrtname	nvarchar(50)	NOT NULL
Lastname	nvarchar(50)	NOT NULL
e-Mail	nvarchar(50)	NOT NULL
Mobile	nvarchar(50)	NOT NULL
Password	nvarchar(50)	NOT NULL

Order Deatils: To store Order details .

Field Name	Type	Constraint
Order_Id	Int(10)	PRIMARY KEY
Full Name	nvarchar(50)	NOT NULL
Address	nvarchar(50)	NOT NULL
E-mail	nvarchar(50)	NOT NULL
Mobile	nvarchar(50)	NOT NULL
Pincode	nvarchar(50)	NOT NULL
Created_on	Date	NOT NULL

MessageTable: To store User Messagedetails.

Field Name	Type	Constraint
Message Id	Int(10)	PRIMARY KEY
Name	nvarchar (50)	NOT NULL
E-mail	nvarchar (50)	NOT NULL
Address	nvarchar (50)	NOT NULL
Mail	nvarchar (50)	NOT NULL
Mobile	nvarchar (50)	NOT NULL
Created_on	Date	NOT NULL
Message	nvarchar (50)	NOT NULL

Client Detail: To store Client details .

Field Name	Type	Constraint
Client-Id	Int(10)	PRIMARY KEY
Company -name	nvarchar(50)	NOT NULL
Phone	nvarchar(50)	NOT NULL
e-Mail	nvarchar(50)	NOT NULL
Address	nvarchar(50)	NOT NULL
Photo	Image	NOT NULL
Created-on	Date	NOT NULL

E-Pandit: To store order of E-pandit details .

Field Name	Type	Constraint
order-Id	Integer(11)	PRIMARY KEY
Name	nvarchar(50)	NOT NULL
E-mail	nvarchar(50)	NOT NULL
Mobile	nvarchar(50)	NOT NULL
Puja	nvarchar(50)	NOT NULL
Address	nvarchar(50)	NOT NULL
Order-on	Date	NOT NULL
Orderdate	nvarchar(50)	NOT NULL

Add Pandit: To Add Pandit name in the database.

Field Name	Type	Constraint
Pandit-Id	Int(10)	PRIMARY KEY
Name	nvarchar(50)	NOT NULL
Email	nvarchar(50)	NOT NULL
Password	nvarchar(50)	NOT NULL
Mobile	nvarchar(50)	NOT NULL
Photo	Image	NOT NULL
Per Pujacost	Int(10)	NOT NULL
Is active	nvarchar(50)	NOT NULL
Created-on	Date	NOT NULL
Remarks	nvarchar(50)	NOT NULL

Add Puja List: To Add Puja List name in the database.

Field Name	Type	Constraint
Puja-Id	Int(10)	PRIMARY KEY
Puja_Name	nvarchar (50)	NOT NULL

Order Request E-pandit: To add Order Request in the database.

Field Name	Type	Constraint
Request-Id	Int(11)	PRIMARY KEY
Pandit-id	nvarchar (50)	NOT NULL
Request-person name	nvarchar (50)	NOT NULL

Request-person id	nvarchar (50)	NOT NULL
Request-person-mobile	nvarchar (50)	NOT NULL
Pandit name	nvarchar (50)	NOT NULL
Pandit -email	nvarchar (50)	NOT NULL
Pandit-mobile	nvarchar (50)	NOT NULL
Per-puja cost	nvarchar (50)	NOT NULL
Remarks	nvarchar (50)	NOT NULL
Created-on	Date	NOT NULL
Is-active	Int(10)	NOT NULL
Request message	Varchar (50)	NOT NULL

CODING

FRONTEND CODING

HOME.aspx

```
<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup=
"true"Code File="home.aspx.cs"Inherits="home"%>
<asp:ContentID="Content1"ContentPlaceHolderID="head"runat="Server">
<linkhref="css/aa.css"rel="stylesheet"/>
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"runat="Server">

<section>

<divclass="set">
    <div><imgsrc="bg1/m1.png"height="120px"width="120px"></div>
    <div><imgsrc="bg1/v1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png"height="120px"width="120px"></div>
    <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
    <divclass="set set2">
        <div><imgsrc="bg1/m1.png"height="240px"width="240px"></div>
        <div><imgsrc="bg1/v1.png"height="200px"width="100px"></div>
        <div><imgsrc="bg1/n1.png"height="200px"width="100px"></div>
        <div><imgsrc="bg1/o1.png"height=200px"width="100px"></div>
        <div><imgsrc="bg1/p1.png"height=200px"width="100px"></div>
        <divclass="set set3">
            <div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>
            <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
        </div>
    </div>
</section>

<!-- Start Banner -->
<divclass="home-slider">
<ulclass="rslides">
<li>
<imgsrc="images/cam.jpg"alt=""/></li>
<li>
<imgsrc="images/floor.jpg"alt=""/></li>
<li>
<imgsrc="images/90/l1.jpg"alt=""/></li>
<li>
<imgsrc="images/hh.jpg"alt=""/></li>
<li>
<imgsrc="images/wll.jpg"alt=""/></li>
<li>
<imgsrc="images/Tejasevent pic/gallery-2.jpg"alt=""/></li>
</ul>
</div>
```

```
<li>  
<imgsrc="images/slider-02.jpg"alt=""/></li>  
<li>
```

```
<imgsrc="images/90/mn1.jpg"alt=""/></li>
<li>
<imgsrc="images/front1.jpg"alt=""/></li>
<li>
<imgsrc="images/stage1.jpg"alt=""/></li>
<li>
<imgsrc="images/dj/dj.jpg"alt=""/></li>
<li>
<imgsrc="images/front3.jpg"alt=""/></li>
<li>
<imgsrc="images/90/bg.jpg"alt=""/></li>
<li>
<imgsrc="images/stage2.jpg"alt=""/></li>
<li>
<imgsrc="images/guest2.jpg"alt=""/></li>
<li>
<imgsrc="images/guest1.jpg"alt=""/></li>
<li>
<imgsrc="images/light.jpg"alt=""/></li>
</ul>
</section>
```

```
<divclass="ibox-details">
```

```
<asp:PlaceHolderID="namearea"runat="server">
<h1>
Welcome
<%=HttpContext.Current.Session["first_name"]%>
```

```
</h1>
</asp:PlaceHolder>
<div>
<div>
<h1><fontcolor="white">Are You Planing for</font></h1>
<h2><fontcolor="white">Events</font></h2>
</div>
</div>
```

```
</div></div>
</div>
```

```
<!-- End Banner -->
<!-- start -->
```

```
<divid="story"class="story-box main-timeline-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<br/><br/>
<h2>
```

```
<u><fontcolor="orange">WELL</font><fontcolor="red">COME</font><fontcolor="orange">T
O TEJAS &nbsp;</font><fontcolor="red">INFOTECH</font></u>
```

```
</h2>
<h4>
```

```
<u><i><b><fontcolor="red"><center>READ
```

```
<fontcolor="orange">OUR</font><fontcolor="orange">STORY</font></center></font></b></i></u>
```

```
</h4>
</div>
```

```
</div>
```

```
<divclass="timeLine">  
<divclass="row">  
<divclass="lineHeader hidden-sm hidden-xs"></div>
```

```

</div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">24</span><span>HOUR'S </span><span>SERVICE</span>
</div>
<divclass="image">
<imgsrc="images/hh.jpg"alt=""/>
<divclass="title">
<h2>Best Quality <iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
</div>
</div>
</div>
</div>
</div>
<%--<%test %>--%>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="col-lg-8 col-md-6 col-sm-12">
<h2><center><iclass="fa fa-heart-o"aria-hidden="true"></i>
<span><u><fontcolor="pink">Wellcome</font></u></span><iclass="fa      fa-heart-o"aria-
hidden="true"></i></center></h2><p><center><fontcolor="white">Welcome  to  Tejas
Infotech Tejas Audio Visual Services specializes in Audio Visual System design, supply and
installation services. With our technical expertise in this field, we pride ourselves to be the
trusted one-stop AV solution partners for our clients.

<br/>Our focus is to understand the different AV requirements of our clients, particularly in the
area of projection solutions. With an extensive range of products in hand, you can rest assure
there will always be something available to address your requirements....
</font></center></p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!--mtjjobeta-->
<!-- start video -->

<divid="Div1"class="gallery-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<h2><u><fontcolor="orange">Event's</font><fontcolor="red">Video</font></u></h2>
<p><fontcolor="silver">All kind of events we conduct for you.</font></p>
</div>
</div>
</div>
<divclass="row">
<ulclass="popup-gallery clearfix">
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/Zi1OnsrxBCw"frameb
order=" 0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
</ul>
</div>

```

```
<iframe width=300 height=275 src="https://www.youtube.com/embed/bme8Rb1kTgw" frameb
order="0" allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture" allowfullscreen></iframe>
</li>
<li>
```

```
<iframewidth="300"height="275"src="https://www.youtube.com/embed/Mg4kiy5tn-
E"frameborder="0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/37oeRRS9vpU"frame
border=" 0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/Mg4kiy5tn-
E"frameborder="0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/BwTs06KfMPk"frame
border=" 0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/eubVc7gq35k"frameb
order=" 0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
<li>
<iframewidth="300"height="275"src="https://www.youtube.com/embed/VcKJ79XSdU8"frame
border=" 0"allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-
picture"allowfullscreen></iframe>
</li>
</ul>
</div>
</div>
```

```
</div>
<!-- Start Clients us -->
<divid="events"class="events-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<h2><u><fontcolor="orange">Our</font><fontcolor="red">clients</font></u></h2>
<p>
<h3><fontcolor="pink">These are our guest.Who are persued our service and feeling
satisfied with our service</font></h3>
</p>
</div>
</div>
</div>
<divclass="row">
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="event-inner">
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/dell.jpg"alt=""/>
</div>
<h2><fontcolor="purple">Doctor's Meet</font></h2>
<p><b><fontcolor="blue">It was nice experience to work with and the guys also very
punctual and well behaved...</font></b></p>
```

```
<a href="#">See Reviews <i class="fa fa-angle-double-right" aria-hidden="true"></i></a>
</div>
</div>
<div class="col-lg-4 col-md-6 col-sm-12">
<div class="event-inner">
```

```
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/client1.png"alt=""/>
</div>
<h2><fontcolor="purple">Product launch</font></h2>
<p><b><fontcolor="blue">Very good services in Ranchi and technical staff.My event was
successful due to TEJAS INFOTECH ... </font></b></p>
<a href="#">See Reviews <iclass="fa fa-angle-double-right"aria-hidden="true"></i></a>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="event-inner">
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/client2.png"alt=""/>
</div>
<h2><fontcolor="purple"> GSK Travel Concept </font></h2>
<p><b><fontcolor="blue">The quality & services they are providing is very good technicians
are very punctual &efficent.....</font></b></p>
<a href="#">See Reviews <iclass="fa fa-angle-double-right"aria-hidden="true"></i></a>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="event-inner">
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/client6.jpg"alt=""/>
</div>
<h2><fontcolor="purple">School Chle Ham </font></h2>
<p><b><fontcolor="blue">Very punctual and good technical staff for support during the
meeting</font></b></p>
<a href="#">See Reviews <iclass="fa fa-angle-double-right"aria-hidden="true"></i></a>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="event-inner">
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/logo-toshiba.jpg"alt=""/>
</div>
<h2><fontcolor="purple">Dena Bank </font></h2>
<p><b><fontcolor="blue">AV services & projector's service are good</font></b></p>
<a href="#">See Reviews <iclass="fa fa-angle-double-right"aria-hidden="true"></i></a>
</div>
</div>

<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="event-inner">
<divclass="event-img">
<imgclass="img-fluid"src="images/tejas/client3.png"alt=""/>
</div>

<h2><fontcolor="purple">Pharma Company </font></h2>
<p><b><fontcolor="blue">The quality & services they are providing is very good technicians
are very punctual &efficent .. </font></b></p>
<a href="#">See Reviews <iclass="fa fa-angle-double-right"aria-hidden="true"></i></a>
</div>
</div>
</div>
</div>
<!-- Start Contact us -->
<!--kk-->
```

<divclass="vertical span3 ml-0 fr">
<divid="Div2"class="wedding-box">

```
<divclass="row">
<divclass="col-md-4 col-sm-6">
<divclass="serviceBox">
```

```
<h3class="title"><b><u>Testimonial</u></b></h3>
<h4></h4>
<pclass="description">
<tablewidth="300"border="0"cellspacing="0"cellpadding="0">
<tbody><tr>
<tdcolspan="20"align="left"valign="top"></td>
</tr>
```

```
<marqueeid="test"behavior="scroll"direction="up"height="200"scrolldelay="100"scrollamount
= "2"onMouseOver="document.all.test.stop()"onMouseOut="document.all.test.start()">
```

<p><fontcolor="black">“Since being introduced to by a co-worker you’ve met and exceeded my expectations—providing great customer service and pricing that’s competitive. You’re a great company to work with!”</p>

<p><fontcolor="black">Sweety Kumari</p>
<hr>

<p><fontcolor="black">The amount of time you and your staff put into the implementation, from planning, to set-up, to clean-up was exceptional. It is clear that your work and tending to every little detail has greatly contributed to the success of the show."</p>

<p><fontcolor="black">-----Shubham sanni-----</p>
<hr>

<p><fontcolor="black">“I didn’t think I could find an AV company that could support all of our outdoor events nationwide. The live event business is constantly evolving and you’ve always been able to flex to meet all of my needs. You’re a great company to work with!”</p>

<p><fontcolor="black"> Shubham kumar</p>
<hr>

<p><fontcolor="black">The amount of time you and your staff put into the implementation, from planning, to set-up,was exceptional. It is clear that your work and tending to every little detail has greatly contributed to the success of the show."</p>

<p><fontcolor="black">----- Ayushkumar</p>

```
</marquee>
<tr>
<tdcolspan="2"align="left"valign="top">&nbsp;</td>
</tr>
```

```
</tbody></table>
</p>
</div>
</div>
```

```
</div>
</div>
```

```
<!--bnd kk-- >  
<!--starting about us -- >  
<divid="wedding" class="wedding-box">  
<divclass="container">  
<divclass="row">  
<divclass="col-lg-12">
```

```
<divclass="title-box">
<h2><u><fontcolor="orange">About</font><fontcolor="red">Us</font></u></h2>
```

```
</div>
</div>
</div>
```

```
<divclass="row">
<divclass="col-md-4 col-sm-6">
<divclass="serviceBox">
```

```
<h3class="title"><b><u>About Us</u></b></h3>
```

```
<h4></h4>
```

```
<pclass="description">
```

```
<b>We Provide Conference setup like LCD Projector , Screen , Audio & Visual , lighting ,
Birthday party , Videography , Dj Setup with profesional player alog with console , LEdJ floor
, Led Colourful smoke led </b></font>
```

```
</p>
</div>
</div>
```

```
<divclass="col-md-4 col-sm-6">
```

```
<divclass="serviceBox">
```

```
<h3class="title"><b><u>Office Address</u></b></h3>
```

```
<pclass="description">
```

```
<ulclass="icons">
```

```
<li><iclass="icon-angle-right"></i><b>4B,2nd Floor,</b></li>
```

```
<li><iclass="icon-angle-right"></i><b>Ratan Heights,</b></li>
```

```
<li><iclass="icon-angle-right"></i><b>Harmu,Ranchi</b></li>
```

```
<li><iclass="icon-angle-right"></i><b>Jharkhand-834004</b></li>
```

```
</ul>
```

```
</p>
</div>
</div>
```

```
<divclass="col-md-4 col-sm-6">
```

```
<divclass="serviceBox">
```

```
<h3class="title"><b><u>QUICK CONTACT</u></b></h3>
```

```
<pclass="description">
```

```
<div>
```

```
<iclass="icon-phone icon-2x"></i><span><b>Tel:</b></span>
```

```
<b>+91 7970720363</b>
```

```
<br>
```

```
<br/>
```

```
</div>
```

```
<div>
```

```
<iclass="icon-envelope-alt icon-2x"></i><span><b>Email:</b></span>
```

```
<p>
```

```
<b>tejasgroupofevents@gmail.com<br>
```

```
</b>
```

```
</p>
```

</div>

<divclass="footer-socials">

<i class="icon-facebook icon-2x"></i>

```
<a href="#" class="fl"><i class="icon-twitter icon-2x"></i></a>
<a href="#" class="fl"><i class="icon-linkedin icon-2x"></i></a>
<a href="#" class="fl"><i class="icon-rss icon-2x"></i></a>
</div>
</p>
</div>
</div>
</div>
```

```
</div>
```

```
</asp:Content>
```

FEATURES

GALLERY.aspx

```
<%@Page Title="" Language="C#" MasterPageFile="~/MasterPage.master" AutoEventWireup=
"true" Code File="Gallery.aspx.cs" Inherits="Gallery"%>
```

```
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
<link href="css/aa.css" rel="stylesheet"/>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<section>
<div class="set">
```

```
    <div></div>
    <div class="set set2">
        <div></div>
        <div></div>
        <div></div>
        <div></div>
        <div></div>
        <div class="set set3">
            <div></div>
            <div></div>
            <div></div>
            <div></div>
            <div></div>
```

```
</div>
</section><div id="gallery" class="gallery-box">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="title-box">
                    <h2><b><u><font color="orange">Gallery</font><font color="red">ery</font></u></b></h2>
                    <p><font color="pink">All kind of events we conduct for you. </font></p>
```

```
</div>  
</div>  
</div>
```

```
<divclass="row">
```

```
<ulclass="popup-gallery clearfix">
<li><a href="images/gallery1.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery2.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery3.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery4.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery5.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery6.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery7.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery8.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery9.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery10.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery11.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
<li><a href="images/gallery12.jpg">

<span class="overlay"><i class="fa fa-heart-o" aria-hidden="true"></i></span></a>
</li>
</ul>
</div>
</div>
</div>
```

</asp:Content>

[UPCOMING EVENTS.aspx](#)

```
<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup=
>true"Code File="Upcoming events.aspx.cs"Inherits="Upcoming_events"%>
```

```

<asp:ContentID="Content1"ContentPlaceHolderID="head"Runat="Server">
<linkhref="css/aa.css"rel="stylesheet"/>
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"Runat="Server">
<section>

<divclass="set">
    <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
    <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
    <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
    <divclass="set set2">
        <div><imgsrc="bg1/v1.png" height="240px"width="240px"></div>
        <div><imgsrc="bg1/t4.png" height="200px"width="100px"></div>
        <div><imgsrc="bg1/k1.png" height="200px"width="100px"></div>
        <div><imgsrc="bg1/p1.png" height="200px"width="100px"></div>
        <div><imgsrc="bg1/o1.png" height="200px"width="100px"></div>
        <divclass="set set3">
            <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
            <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
            <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
            <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
            <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
        </div>
    </div>
<divid="story"class="story-box main-timeline-box">
</section>
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
    <divclass="title-box">
<br/><br/><br/>
<h2><b><u><fontcolor="orange">Latest</font><fontcolor="red">Events</font></u></b></h2>
<p><fontcolor="white">For All Kind of Servies We Are Availabel For 24 hours</font></p>
    </div>
</div>
</div>
<divclass="timeLine">
<divclass="row">
<divclass="lineHeader hidden-sm hidden-xs"></div>
<divclass="lineFooter hidden-sm hidden-xs"></div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">01</span><span>March </span><span>2020</span>
</div>
<divclass="image">
<imgsrc="images/latest3.jpg"alt=""/>
<divclass="title">
<h2>Conference Meet <iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
</div>
</div>
<divclass="textContent">

```

<pclass="lead">We met at the wedding of our close friends and immediately found a common language, so a year later our first date happened.</p>
</div>

```

</div>
</div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">03</span><span>April</span><span>2020</span>
</div>
<divclass="image">
<imgsrc="images/latest2.jpg"alt=""/>
<divclass="title">
<h2>Doctor's Cme<iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
</div>
</div>
<divclass="textContent">
<pclass="lead">We met at the wedding of our close friends and immediately found a common
language, so a year later our first date happened.</p>
</div>
</div>
</div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">03</span><span>April</span><span>2020</span>
</div>
<divclass="image">
<imgsrc="images/cam.jpg"alt=""/>
<divclass="title">
<h2>Photography <iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
</div>
</div>
<divclass="textContent">
<pclass="lead">We met at the wedding of our close friends and immediately found a common
language, so a year later our first date happened.</p>
</div>
</div>
</div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">03</span><span>May</span><span>2020</span>
</div>
<divclass="image">
<imgsrc="images/gallery12.jpg"alt=""/>
<divclass="title">
<h2>Dj With Player <iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
</div>
</div>
<divclass="textContent">
<pclass="lead">We met at the wedding of our close friends and immediately found a common
language, so a year later our first date happened.</p>
</div>
</div>
</div>
<divclass="col-lg-6 col-md-6 col-sm-12 col-xs-12 item">
<divclass="caption">
<divclass="star center-block">
<spanclass="h3">04</span><span>June</span><span>2020</span>
</div>
<divclass="image">
<imgsrc="images/latest4.jpg"alt=""/>

```

```
<divclass="title">  
<h2>Led wall <iclass="fa fa-angle-right"aria-hidden="true"></i></h2>
```



```
<asp:HyperLinkID="addClient"runat="server"style="float:right;"NavigateUrl="~/admin/AddClient.aspx"CssClass="btn">Add Client</asp:HyperLink>  
</div>
```

```

<!-- /.panel-heading -->
<divclass="panel-body">
<divclass="flot-chart">
<divclass="flot-chart-content" id="flot-line-chart">

<asp:GridViewID="GridView1"CssClass="table             table-
hover"GridLines="None"runat="server"AutoGenerateColumns="Fals
e">
<Columns>
<asp:BoundFieldDataField="company_name"HeaderText="C
ompany Name"SortExpression="company_name"/>
<asp:BoundFieldDataField="email"HeaderText="Email"SortExpression="email"/>
<asp:BoundFieldDataField="address"HeaderText="Address"SortExpression="address"/>
<asp:BoundFieldDataField="phone"HeaderText="Phone"SortExpression="phone"/>
<asp:BoundFieldDataField="created_on"HeaderText="Created on"SortExpression="created_on"/>
<asp:TemplateFieldHeaderText="Photo">
<ItemTemplate>
<asp:ImageWidth="50px"ID="Image1"ImageUrl='<##String.Format("~/Admin/ClientHandler.a
shx?ch irag={0}",Eval("client_id")) %>'runat="server"/>
</ItemTemplate>
</asp:TemplateField>
<asp:TemplateFieldHeaderText="Edit">
<ItemTemplate>
<asp:HyperLinkID="HyperLink1"runat="server"NavigateUrl='<##String.Format("~/admin/edit
Client.aspx?client_id={0}",Eval("client_id")) %>'>Edit</asp:HyperLink>
</ItemTemplate>
</asp:TemplateField>
</Columns>
</asp:GridView>
</div>
</div>
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
</div>
<!-- /.row -->
</div>

</asp:Content>

```

ABOUT US.aspx

```

<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup=
"true"Code File="aboutus.aspx.cs"Inherits="aboutus"%>

<asp:ContentID="Content1"ContentPlaceHolderID="head"Runat="Server">
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"Runat="Server">
<section>

<divclass="set">

```

```
<div><imgsrc="bg1/m1.png"height="120px"width="120px"></div>  
<div><imgsrc="bg1/v1.png"height="100px"width="100px"></div>  
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>  
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>  
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>  
<div><imgsrc="bg1/p1.png"height="120px"width="120px"></div>
```

```

<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<divclass="set set2">
<div><imgsrc="bg1/m1.png"height="240px"width="240px"></div>
<div><imgsrc="bg1/v1.png"height="200px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="200px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height=200px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height=200px"width="100px"></div>
<divclass="set set3">
<div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>

```

```

</div>

```

```

</section>

```

```

<!-----know about us-->

```

```

<divid="about"class="about-box">

```

```

<divclass="about-a1">

```

```

<divclass="container">

```

```

<divclass="row">

```

```

<divclass="col-lg-12 text-center">

```

```

<divclass="title-box">

```

```

<br/></br/>

```

```

<h2><u><fontcolor="orange">Tejas</font><fontcolor="red">Event</font></u></h2>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<divclass="row">

```

```

<divclass="col-lg-12 col-md-12 col-sm-12">

```

```

<divclass="row align-items-center about-main-info">

```

```

<divclass="col-lg-4 col-md-6 col-sm-12">

```

```

<divclass="about-m">

```

```

<divclass="about-img">

```

```

<imgclass="img-fluid"src="images/about-img-01.jpg"alt=""/>

```

```

</div>

```

```

<ul>

```

```

<li><a href="#"><i class="fa fa-facebook"></i></a></li>

```

```

<li><a href="#"><i class="fa fa-twitter"></i></a></li>

```

```

<li><a href="#"><i class="fa fa-google-plus"></i></a></li>

```

```

</ul>

```

```

</div>

```

```

</div>

```

```

<divclass="col-lg-8 col-md-6 col-sm-12">

```

```

<h2><i class="orange-heart-o" aria-

```

```

hidden="true"></i><span><u><fontcolor="pink">Tejas

```

```

Infotech</font></u></span><i class="fa fa-heart-o" aria-hidden="true"></i></h2>

```

<p><fontcolor="white">We Provide Conference setup like LCD Projector , Screen , Audio & Visual , lighting , Birthday party , Videography , Dj Setup with profesional player along with console , LEDj floor , Led Colourful smoke led </p>

</div>

</div>

<divclass="row align-items-center about-main-info">

<divclass="col-lg-4 col-md-6 col-sm-12">

<divclass="about-m">

<divclass="about-img">

<imgclass="img-fluid"src="images/dj/dj.jpg"alt=""/>

</div>

<i class="fa fa-facebook"></i>

<i class="fa fa-twitter"></i>

```

<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
</div>
<div class="col-lg-8 col-md-6 col-sm-12">
<h2><i class="fa fa-heart-o" aria-hidden="true"></i><span><u><font color="pink">DjTejas</font></u></span><i class="fa fa-heart-o" aria-hidden="true"></i></h2>
<p>
<font color="white">We provide all kind of Dj services 2 shift in a day.We also professional djplayer .Our play taste is of all kind like edmsong,hollywood,bollywood,punjabi.....We have dj floor with colorfull smoke .it is new concept in Ranchi.Sound quality u can judge By taking our Service.Hope you like it..
</font>
</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- end -->
<!-- Start Family -->
<div id="family" class="family-box">
<div class="container">
<div class="row">
<div class="col-lg-12">
<div class="title-box">
<h2><font color="orange">Our Services</font><font color="red"></font></h2>
<p>
<font color="pink">We Provide all kind of events service much we can...Our staff will be always there for your help.We always try make guest more comfortable with our service
</font>
</p>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-lg-4 col-md-6 col-sm-12">
<div class="single-team-member">
<div class="family-img">

</div>
<div class="family-info">
<h4>Pa System </h4>
<p>{DJ }</p>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-6 col-sm-12">
<div class="single-team-member">
<div class="family-img">

</div>
<div class="family-info">
<h4>LCD projector </h4>
<p>{ Projection }</p>
</div>
</div>

```

```
</div>  
</div>  
<divclass="col-lg-4 col-md-6 col-sm-12">
```

```

<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/mike1.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Mike & Sound System </h4>
<p>{ Codeless }</p>
</div>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/cam.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Photography & Videography </h4>
<p>{ All kind }</p>
</div>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/latest3.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Conference Meet </h4>
<p>{ Professional Cme }</p>
</div>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/90/bd1.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Birthday Party </h4>
<p>{ Fun time }</p>
</div>
</div>
</div>
</div>
</div>
</div>

```

<!-- End Family -->

```

<divid="gallery"class="gallery-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<h2><u><fontcolor="orange">Our</font><fontcolor="pink">Team</font></u></h2>
<p><fontcolor="silver">Our talented team crafts the best code and design amazing user
experience for our clients.<br>Here are the team members.. </font></p>
</div>
</div>
</div>
</div>
</div>

```

```
<divclass="col-lg-4 col-md-6 col-sm-12">  
<divclass="single-team-member">
```

```

<divclass="family-img">
<imgclass="img-fluid"src="images/ayush.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Mr.Ayush Kumar </h4>
<p>{ Database Admin }</p>
</div>
</div>
<divclass="serviceBox">
<h3class="title"><b><u>Ayush Kumar</u></b></h3>
<pclass="description"><b> Hello guys, myself Ayush from YogodaSatsangaMahavidyalaya
as a student of B.Sc (Ca-3).I am working as Database admin</b></font>
</p>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/Shubham.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Shubham Kumar </h4>
<p>{ Project Manager }</p>
</div>
</div>
<divclass="serviceBox">
<h3class="title"><b><u>Shubham Kumar</u></b></h3>
<pclass="description"><b>Hello guys, myself Shubham Kumar from
YogodaSatsangaMahavidyalaya as a student of B.Sc (Ca-3). I am working as a Project
Manager </b></font>
</p>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/pop.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Shubham Sanni </h4>
<p>{Developer }</p>
</div>
</div>
<divclass="serviceBox">
<h3class="title"><b><u>Shubham Sanni</u></b></h3>
<pclass="description"><b>Hello guys, myself Shubham Sanni from
YogodaSatsangaMahavidyalaya as a student of B.Com (Ca-3). I am working as a Developer
</b></font>
</p>
</div>
</div>
<divclass="col-lg-4 col-md-6 col-sm-12">
<divclass="single-team-member">
<divclass="family-img">
<imgclass="img-fluid"src="images/swt.jpg"alt=""/>
</div>
<divclass="family-info">
<h4>Sweety Kumari</h4>
<p>{Desigining }</p>

```

</div>

</div>

<divclass="serviceBox">

<h3class="title"><u>Sweety Kumari</u></h3>

```
<pclass="description"><b>Hello guys, myself Sweety Kumari from
YogodaSatsangaMahavidyalaya as a student of B.Sc (It-3). I am working as a Designer
</b></font>
</p>
</div>
</div>
</div>
</div>
</div>
```

```
<!--starting about us-->
```

```
<divid="wedding" class="wedding-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<h2><u><fontcolor="orange">Contact</font><fontcolor="red">Us</font></u></h2>
</div>
</div>
</div>
```

```
<divclass="row">
<divclass="col-md-4 col-sm-6">
<divclass="serviceBox">
```

```
<h3class="title"><b><u>Our Feature's</u></b></h3>
<h4></h4>
<pclass="description">
<b>We Provide Conference setup like LCD Projector , Screen , Audio & Visual , lighting ,
Birthday party , Videography , Dj Setup with profesional player alog with console , LEEdJ floor
, Led Colourful smoke led </b></font>
</p>
</div>
</div>
```

```
<divclass="col-md-4 col-sm-6">
<divclass="serviceBox">
<h3class="title"><b><u>Office Address</u></b></h3>
<pclass="description">
<ulclass="icons">
<li><iclass="icon-angle-right"></i><b>4B,2nd Floor,</b></li>
<li><iclass="icon-angle-right"></i><b>Ratan Heights,</b></li>
<li><iclass="icon-angle-right"></i><b>Harmu,Ranchi</b></li>
<li><iclass="icon-angle-right"></i><b>Jharkhand-834004</b></li>
</ul>
</p>
</div>
</div>
```

```
<divclass="col-md-4 col-sm-6">
<divclass="serviceBox">
```

QUICK CONTACT

Tel:

+91 7970720363

</div>

<div>

<iclass="icon-envelope-alt icon-2x"></i>Email:

<p>

tejasgroupofevent@gmail.com

</p>

</div>

<divclass="footer-socials">

<ahref="https://www.facebook.com/tejasinfotech/"class="fl"><iclass="icon-facebook icon-2x"></i>

<ahref="#"class="fl"><iclass="icon-twitter icon-2x"></i>

<ahref="#"class="fl"><iclass="icon-linkedin icon-2x"></i>

<ahref="#"class="fl"><iclass="icon-rss icon-2x"></i>

</div>

</p>

</div>

</div>

</div>

</div>

</div>

<!-- End About us --></asp:Content>

PANDIT PROFILE

E.Pandit.aspx

<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup="true"Code File="ePandit.aspx.cs"Inherits="ePandit"%>

<asp:ContentID="Content1"ContentPlaceHolderID="head"Runat="Server">

<linkhref="css/aa.css"rel="stylesheet"/>

</asp:Content>

<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"Runat="Server">

<section>

<divclass="set">

<div><imgsrc="bg1/m1.png"height="120px"width="120px"></div>

<div><imgsrc="bg1/v1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/p1.png"height="120px"width="120px"></div>

<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>

<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>

<divclass="set set2">

```
<div><imgsrc="bg1/m1.png"height="240px"width="240px"></div>  
<div><imgsrc="bg1/v1.png"height="200px"width="100px"></div>  
<div><imgsrc="bg1/n1.png"height="200px"width="100px"></div>  
<div><imgsrc="bg1/o1.png"height=200px"width="100px"></div>  
<div><imgsrc="bg1/p1.png"height=200px"width="100px"></div>  
<divclass="set set3">
```

```
<div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
```

```
</div>
</section>
```

```
<divid="about"class="about-box">
```

```
<center>
<divclass="container">
```

```
<divclass="col-md-offset-4 col-md-8 col-md-offset-4">
```

```
<divclass="form-group">
<br/><br/>
```

```
<h1><u><fontcolor="pink">Place Your Order For Your Event</font></u></h1>
```

```
<h3><u><fontcolor="white">Your Event Our Responsibility</font></u></h3>
```

```
<hrcolor="red"/>
```

```
<br/>
```

```
</div>
```

```
<divclass="form-group">
```

```
<asp:LabelID="lblCaptchaMsg"runat="server"Text=""></asp:Label>
```

```
</div>
```

```
<divclass="form-group">
```

```
<asp:LabelID="Label1"runat="server"Text="Your Full Name"></asp:Label>
```

```
<asp:TextBoxID="name"runat="server"class="form-control"placeholder="Enter Your Full Name"></asp:TextBox>
```

```
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator1"runat="server"ErrorMessage="Enter Your Full Name"ControlToValidate="name"></asp:RequiredFieldValidator>
```

```
</div>
```

```
<divclass="form-group">
```

```
<asp:LabelID="Label3"runat="server"Text="Your Mobile Number"></asp:Label>
```

```
<asp:TextBoxID="mobile"runat="server"class="form-control"placeholder="Enter Your Mobile Number"></asp:TextBox>
```

```
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator3"runat="server"ErrorMessage="Enter Your Mobile"ControlToValidate="mobile"></asp:RequiredFieldValidator>
```

```
</div>
```

```
<asp:ScriptManagerID="ScriptManager1"runat="server"></asp:ScriptManager>
```

```
<divclass="form-group">
```

```
<h5>Select Your Puja Details :</h5>
```

```
<asp:UpdatePanelID="updatepanel1"runat="server">
```

```
<ContentTemplate>
```

```
<asp:DropDownListID="ddlpuja"AutoPostBack="true"AppendDataBoundItems="true"runat="server" class="form-control"></asp:DropDownList>
```

```
</ContentTemplate>
```

```
</asp:UpdatePanel>
```

```
</div>
```

```
<divclass="form-group">
```

```
<asp:LabelID="Label5"runat="server"Text="Your Address"></asp:Label>
```

```
<asp:TextBoxID="address"runat="server"class="form-control"placeholder="Enter Your Address"></asp:TextBox>
```

```
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator5"runat="server"Err  
orM          essage="Enter          Your  
address"ControlToValidate="address"></asp:RequiredFieldValidator>  
</div>  
<divclass="form-group">  
<asp:LabelID="Label4"runat="server"Text="Your Event Date"></asp:Label>  
<asp:TextBoxID="date"runat="server"class="form-control"placeholder="Enter          Your  
Event Date"></asp:TextBox>  
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator7"runat="server"Err  
orM          essage="Enter          Your          Event  
Date"ControlToValidate="date"></asp:RequiredFieldValidator>  
</div>
```

```

<divclass="form-group">
<asp:ButtonID="Button1"runat="server"CssClass="btn btn-
primary"Text="Submit"OnClick="Button1_Click"Height="57px"Width="155px
"/>
</div>
</div>
</div></center>
</asp:Content>

```

CONTACT US FOR QUERRY

CONTACTUS.aspx

```

<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup=
>true"Code File="Contact.aspx.cs"Inherits="Contact"%>

```

```

<asp:ContentID="Content1"ContentPlaceHolderID="head"Runat="Server">
<linkhref="css/aa.css"rel="stylesheet"/>
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"Runat="Server">
<section>

```

```

<divclass="set">
<div><imgsrc="bg1/m1.png"height="120px"width="120px"></div>
<div><imgsrc="bg1/v1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="120px"width="120px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>

```

```

<divclass="set set2">
<div><imgsrc="bg1/m1.png"height="240px"width="240px"></div>
<div><imgsrc="bg1/v1.png"height="200px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="200px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height=200px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height=200px"width="100px"></div>
<divclass="set set3">
<div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>

```

```

</div>
</section>
<divid="contact"class="contact-box">
<divclass="container">
<divclass="row">
<divclass="col-lg-12">
<divclass="title-box">
<br/><br/>

```

```
<h2><b><u><fontcolor="orange">Contact</font><fontcolor="red">With</font><fontcol  
or=" orange"> us</font><u></b></h2>  
<p><fontcolor="pink">Our Team is always ready to help you. Feel Free to Contact with  
us.</font></p>  
<asp:LabelID="lblCaptchaMsg"runat="server"Text=""></asp:Label>
```

```

<hr color="red"/>
</div>
</div>
</div>
<div class="row">
<div class="col-lg-12 col-sm-12 col-xs-12">
<div class="contact-block">
<form id="contactForm">
<div class="row">
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="form-group">
<asp:TextBox ID="name" runat="server" class="form-control" placeholder="enter
your name"></asp:TextBox>
<div class="help-block with-errors"></div>
</div>
</div>
<div class="col-md-2"></div>
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="form-group">
<asp:TextBox ID="email" runat="server" class="form-control" placeholder="enter your
email"></asp:TextBox>
<div class="help-block with-errors"></div>
</div>
</div>
<div class="col-md-2"></div>
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="form-group">
<asp:TextBox ID="mobile" runat="server" class="form-control" placeholder="enter
your mobile"></asp:TextBox>
<div class="help-block with-errors"></div>
</div>
</div>
<div class="col-md-2"></div>
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="form-group">
<asp:TextBox ID="address" runat="server" class="form-control" placeholder="enter
your address"></asp:TextBox>
<div class="help-block with-errors"></div>
</div>
</div>
<div class="col-md-2"></div>
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="form-group">
<asp:TextBox ID="message" runat="server" class="form-control" rows="10" style="min-
height: 150px;" placeholder="enter your message"></asp:TextBox>
<div class="help-block with-errors"></div>
</div>
<div class="col-md-2"></div>
<div class="submit-button text-center">
<asp:Button ID="user_submit" class="btn btn-danger btn-block btn-
lg" runat="server" Text="Submit" OnClick="user_submit_Click"/>
<div id="msgSubmit" class="h3 text-center hidden"></div>
<div class="clearfix"></div>
</div>

```

</div>
</div>
</form>

```

</div>
</div>
</div>
</div>
</div>
</div>
<div id="wedding" class="wedding-box">
<div class="container">
<div class="row">
<div class="col-lg-12">
<div class="title-box">
<h2><u><font color="orange">About</font><font color="red">Us</font></u></h2>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-md-4 col-sm-6">
<div class="serviceBox">
<h3 class="title"><b><u>About Us</u></b></h3>
<p class="description">
<b>We Provide Conference setup like LCD Projector , Screen , Audio & Visual , lighting ,
Birthday party , Videography , Dj Setup with profesional player alog with console , LEdDj floor
, Led Colourful smoke led </b></font>
</p>
</div>
</div>
</div>
<div class="col-md-4 col-sm-6">
<div class="serviceBox">
<h3 class="title"><b><u>Office Address</u></b></h3>
<p class="description">
<ul class="icons">
<li><i class="icon-angle-right"></i><b>4B,2nd Floor,</b></li>
<li><i class="icon-angle-right"></i><b>Ratan Heights,</b></li>
<li><i class="icon-angle-right"></i><b>Harmu,Ranchi</b></li>
<li><i class="icon-angle-right"></i><b>Jharkhand-834004</b></li>
</ul>
</p>
</div>
</div>
</div>
<div class="col-md-4 col-sm-6">
<div class="serviceBox">
<h3 class="title"><b><u>QUICK CONTACT</u></b></h3>
<p class="description">
<div>
<i class="icon-phone icon-2x"></i><span><b>Tel:</b></span>
<b>+91 7970720363</b>
<br>
<br>
</div>
<div>
<i class="icon-envelope-alt icon-2x"></i><span><b>Email:</b></span>
<p>
<b>projectmanagementysm@gmail.com<br>
</b>
</p>
</div>
</div>
<div class="footer-socials">
<a href="https://www.facebook.com/tejasinfotech/" class="fl"><i class="icon-facebook icon-2x"></i></a>
<a href="#" class="fl"><i class="icon-twitter icon-2x"></i></a>
<a href="#" class="fl"><i class="icon-linkedin icon-2x"></i></a>

```

<ahref="#" class="fl"><iclass="icon-rss icon-2x"></i>
</div>

```
</p>
</div>
</div>
</div>
</asp:Content>
```

PLACE BOOKING FOR YOUR EVENT

ORDER.aspx

```
<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup=
>true"Code File="orderevent.aspx.cs"Inherits="orderevent"%>
```

```
<asp:ContentID="Content1"ContentPlaceHolderID="head"runat="Server">
<linkhref="css/aa.css"rel="stylesheet"/>
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"runat="Server">
<section>
<divclass="set">
    <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
    <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
    <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
<divclass="set set2">
    <div><imgsrc="bg1/v1.png" height="240px"width="240px"></div>
    <div><imgsrc="bg1/t4.png" height="200px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="200px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="200px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="200px"width="100px"></div>
<divclass="set set3">
    <div><imgsrc="bg1/v1.png" height="120px"width="120px"></div>
    <div><imgsrc="bg1/t4.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/k1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png" height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png" height="100px"width="100px"></div>
</div>
</section>
<divid="about"class="about-box">
<center>
<divclass="container">
<divclass="col-md-offset-4 col-md-8 col-md-offset-4">
<divclass="form-group">
<br/><br/>
<h1><u><fontcolor="pink">Place Your Order For Your Event<font></u></h1>
<h3><fontcolor="white">Your Event Our Responsibility<font></h3>
<hrcolor="red"/>
<br/>
</div>
<divclass="form-group">
```

```
<asp:LabelID="lblCaptchaMsg"runat="server"Text=""></asp:Label>  
</div>  
<divclass="form-group">  
<asp:LabelID="Label1"runat="server"Text="Your Full Name"></asp:Label>
```

```

<asp:TextBoxID="name"runat="server"class="form-control"placeholder="Enter Your
Full Name"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator1"runat="server"Err
orM essage="Enter Your Full
Name"ControlToValidate="name"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label3"runat="server"Text="Your Mobile Number"></asp:Label>
<asp:TextBoxID="mobile"runat="server"class="form-control"placeholder="Enter Your
Mobile Number"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator3"runat="server"Err
orM essage="Enter Your Mobile"ControlToValidate="mobile"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label6"runat="server"Text="Your City"></asp:Label>
<asp:TextBoxID="city"runat="server"class="form-control"placeholder="Enter Your
City"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator4"runat="server"Err
orM essage="Enter Your city"ControlToValidate="city"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label5"runat="server"Text="Your Address"></asp:Label>
<asp:TextBoxID="address"runat="server"class="form-control"placeholder="Enter
Your Address"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator5"runat="server"Err
orM essage="Enter Your
address"ControlToValidate="address"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label4"runat="server"Text="Your Event Date"></asp:Label>
<asp:TextBoxID="date"runat="server"class="form-control"placeholder="Enter Your
Event Date"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator7"runat="server"Err
orM essage="Enter Your
Date"ControlToValidate="date"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label7"runat="server"Text="Your Event Requirements"></asp:Label>
<asp:TextBoxID="details"runat="server"class="form-control"placeholder="Enter Your Detailed
Requirements"></asp:TextBox>
<asp:RequiredFieldValidatorForeColor="Red"ID="RequiredFieldValidator6"runat="server"Erro
rM essage="Enter Your
Details"ControlToValidate="details"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:ButtonID="Button1"runat="server"CssClass="btn btn-
primary"Text="Submit"OnClick="Button1_Click"Height="57px"Width="155px
"/>
</div>
</div>
</div></center>
</asp:Content>

```

SEE YOUR PROFILE BY LOGIN

LOGIN.aspx

```
<%@PageTitle=""Language="C#"MasterPageFile="~/MasterPage.master"AutoEventWireup="true"Code File="login.aspx.cs"Inherits="login"%>
```

```
<asp:ContentID="Content1"ContentPlaceHolderID="head"Runat="Server">  
<linkhref="css/aa.css"rel="stylesheet"/>
```

```

<title>login</title>
</asp:Content>
<asp:ContentID="Content2"ContentPlaceHolderID="ContentPlaceHolder1"Runat="Server">
<section>

<divclass="set">
    <div><imgsrc="bg1/m1.png"height="120px"width="120px"></div>
    <div><imgsrc="bg1/v1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/p1.png"height="120px"width="120px"></div>
    <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
    <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
    <divclass="set set2">
        <div><imgsrc="bg1/m1.png"height="240px"width="240px"></div>
        <div><imgsrc="bg1/v1.png"height="200px"width="100px"></div>
        <div><imgsrc="bg1/n1.png"height="200px"width="100px"></div>
        <div><imgsrc="bg1/o1.png"height=200px"width="100px"></div>
        <div><imgsrc="bg1/p1.png"height=200px"width="100px"></div>
        <divclass="set set3">
            <div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>
            <div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
            <div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
        </div>
    </div>
</section>
<asp:DropDownListID="registration"runat="server"></asp:DropDownList>
<br/>
<br/><br/>
<br/>

<!-- Start login -->

<divid="about"class="about-box">
<divclass="about-a1">
<divclass="container">
<divclass="row">
<divclass="col-md-4 col-md-offset-4"style="margin-left:auto;margin-right:auto;">
<divclass="title-box">
    <divclass="form-group">
<divclass="container-fluid"></div>
<h3style="color:#fff;"><u><b><fontcolor="orange">Log</font><fontcolor="red">in</font></b></u></h3>
<divclass="form-group">
<divclass="container-fluid"></div>
<asp:LabelID="lblMsgReg"runat="server"Text=""></asp:Label>
<divclass="form-group">
<asp:TextBoxID="email"runat="server"class="form-control"placeholder="enter your
email"></asp:TextBox>
</div>
<divclass="form-group">
<asp:TextBoxID="password"runat="server"class="form-
control"TextMode="password"placeholder="enter
password"></asp:TextBox>

```

```
<asp:RequiredFieldValidatorID="RequiredFieldValidator2"runat="server"ErrorMessage="Enter Correct Password"ControlToValidate="password"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
```



```
<divclass="set set3">  
<div><imgsrc="bg1/v1.png"height="120px"width="120px"></div>  
<div><imgsrc="bg1/m1.png"height="100px"width="100px"></div>  
<div><imgsrc="bg1/n1.png"height="100px"width="100px"></div>
```

```
<div><imgsrc="bg1/o1.png"height="100px"width="100px"></div>
<div><imgsrc="bg1/p1.png"height="100px"width="100px"></div>
```

```
</div>
</section>
<br/>
<br/><br/>
<br/>
```

```
<divid="about"class="about-box">
<divclass="about-a1">
<divclass="container">
<divclass="row">
<br/>
<divclass="col-md-4 col-md-offset-4"style="margin-left:auto;margin-right:auto;">
<h3style="text-align:center;color:#fff;"><u><fontcolor="orange">Regist</font><fontcolor=red>ration</font>
<fontcolor="pink">/</font><fontcolor="orange">Log</font><fontcolor="red">in</font></u></h3
>
<divclass="form-group">
<asp:LabelID="lblCaptchaMsg"runat="server"Text=""></asp:Label>
</div>
<divclass="form-group">
02<asp:LabelID="Label1"runat="server"Text="First
Name"></asp:Label>
<asp:TextBoxID="fname"runat="server"class="form-control"placeholder="enter your first
name"></asp:TextBox>
<asp:RequiredFieldValidatorID="RequiredFieldValidator1"runat="server"ErrorMessage="En
ter Your First Name"ControlToValidate="fname"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label2"runat="server"Text="Last Name"></asp:Label>
<asp:TextBoxID="lname"runat="server"class="form-control"placeholder="enter your last
name"></asp:TextBox>
</div>
<divclass="form-group">
<asp:LabelID="Label3"runat="server"Text="Email"></asp:Label>
<asp:TextBoxID="email"runat="server"class="form-control"placeholder="enter your
email"></asp:TextBox>
</div>
<divclass="form-group">
<asp:LabelID="Label4"runat="server"Text="Password"></asp:Label>
<asp:TextBoxID="password"runat="server"class="form-
control"TextMode="password"placeholder="enter
password"></asp:TextBox>
<asp:RequiredFieldValidatorID="RequiredFieldValidator2"runat="server"ErrorMessage="Req
uire dFieldValidator"ControlToValidate="password"></asp:RequiredFieldValidator>
</div>
<divclass="form-group">
<asp:LabelID="Label5"runat="server"Text="Confirm Password"></asp:Label>
<asp:TextBoxID="cpassword"runat="server"class="form-
control"TextMode="password"placeholder="confirm
password"></asp:TextBox>
<asp:CompareValidatorID="CompareValidator1"runat="server"ErrorMessage="Password and
confirm password should be
same."ControlToCompare="password"ControlToValidate="cpassword"ForeColor="Red"></as
p:CompareValidator>
```

```
</div>
<divclass="form-group">
<asp:LabelID="Label6"runat="server"Text="Mobile"></asp:Label>
<asp:TextBoxID="mobile"runat="server"class="form-
control"placeholder="mobile"MaxLength="10"></asp:TextBox
>
</div>
<divclass="form-group">
<asp:FileUploadID="myPhotoUpload"runat="server"/>
</div>
<divclass="form-group">
```


FEATURES

GALLERY.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class Gallery : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }
}
```

BACKEND CODE (ADMIN SITE)

UPCOMINGEVENTS.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class Upcoming_events : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
    }
}
```

CLIENTS.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
```

```
using System.Data.SqlClient;
using System.Data;
```

```
public partial class Clients : System.Web.UI.Page
```

```
{
    SqlConnection con =
    new SqlConnection(System.Configuration.ConfigurationManager.ConnectionStrings["conString"].ConnectionString);
}
```

```

protectedvoid Page_Load(object sender, EventArgs e)
{
    GridView1.PreRender +=
        new EventHandler(GridView1_PreRender); bind();
}

publicvoid bind()
{
    SqlConnection con =
    new SqlConnection(System.Configuration.ConfigurationManager.ConnectionStrings["conString"]. ConnectionString);

    con.Open();

    Stringcmd = "select * from [clients]";

    SqlCommand login = new SqlCommand(cmd,
    con);
    SqlDataAdapter ad =
    new SqlDataAdapter(login);
    DataSet ds =
    new DataSet();
    ad.Fill(ds);
    con.Close();

    GridView1.DataSource =
    ds.Tables[0];
    GridView1.DataBind();
}
protectedvoid GridView1_PreRender(object sender, EventArgs e)
{
    if (GridView1.Rows.Count > 0)
    {
        GridView1.UseAccessibleHeader = true;
        GridView1.HeaderRow.TableSection =
        TableRowSection.TableHeader;
    }
}
}

```

ABOUT US.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

publicpartialclass aboutus : System.Web.UI.Page
{
    protectedvoid Page_Load(object sender, EventArgs e)
    {
    }
}

```

```
}
```

EPANDIT.aspx.cs

```
using System; using  
System.IO;  
using System.Text;  
using System.Collections.Generic;  
using System.Linq;  
using System.Web;  
using System.Web.UI;
```

```

using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration; using
System.Net; using System.Net.Mail;
using System.Security.Cryptography;

public partial class Pandit : System.Web.UI.Page
{
    SqlConnection con =
new SqlConnection(ConfigurationManager.ConnectionStrings["conString"].ConnectionStrin
g); public void Bind_ddlpuja()
{
    con.Open();
    SqlCommand cmd = new SqlCommand("select puja_name,puja_id from pujalist",
con); SqlDataReader dr = cmd.ExecuteReader();
    ddlpuja.DataSource = dr;
    ddlpuja.Items.Clear();
    ddlpuja.Items.Add("--Please Select Puja Details--");
    ddlpuja.DataTextField = "puja_name";
    ddlpuja.DataValueField = "puja_id"; ddlpuja.DataBind();
    con.Close();
}
protected void Page_Load(object sender, EventArgs e)
{
    if (Session["email"] == null)
    {
        Response.Redirect("login.aspx");
    }
    lblCaptchaMsg.Text = Request.QueryString["msg"];
    lblCaptchaMsg.ForeColor = System.Drawing.Color.Red;
    if (!IsPostBack)
    {
        Bind_ddlpuja();
    }
}

protected void Button1_Click(object sender, EventArgs e)
{
    if (con.State == ConnectionState.Closed)
    con.Open();

    string insertCmd = "insert into [epandit](name,email,mobile,address,puja,orderdate,orderon)
values(@name,@email,@mobile,@address,@puja,@orderdate,@orderon)";
    SqlCommand insertUser = new SqlCommand(insertCmd, con);
    insertUser.Parameters.AddWithValue("@name", name.Text);
    insertUser.Parameters.AddWithValue("@email", Session["email"].ToString());
    insertUser.Parameters.AddWithValue("@address", address.Text);
    insertUser.Parameters.AddWithValue("@puja", ddlpuja.SelectedItem.ToString());
    insertUser.Parameters.AddWithValue("@orderdate", date.Text);
    insertUser.Parameters.AddWithValue("@mobile", mobile.Text);
}
}

```

```
insertUser.Parameters.AddWithValue("@orderid", DateTime.Now.ToString("yyyy-MM-dd HH:mm:ss"));
// insertUser.ExecuteNonQuery();
con.Close();
lblCaptchaMsg.Text = "Your Order is Placed successfully. Thankyou";
lblCaptchaMsg.ForeColor = System.Drawing.Color.Red;

Response.Redirect("epandit.aspx?msg='Your Order is Placed Successfully for E-Pandit'");
}
```

```

}

CONTACT US.aspx.cs

using System; using
System.IO;
using System.Text;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration; using
System.Net;

public partial class Contact : System.Web.UI.Page
{
    SqlConnection con =
new SqlConnection(ConfigurationManager.ConnectionStrings["conString"].ConnectionStrin
g); protected void Page_Load(object sender, EventArgs e)
    {
        lblCaptchaMsg.Text = Request.QueryString["msg"];
        lblCaptchaMsg.ForeColor =
        System.Drawing.Color.Red;
    }
    protected void user_submit_Click(object sender, EventArgs e)
    {
        if (con.State == ConnectionState.Closed)
            con.Open();
        string insertCmd = "insert into [contactus](name,email,mobile,address,message,created_on)
values(@name,@email,@mobile,@address,@message,@tyy)";
        SqlCommand insertMessage = new SqlCommand(insertCmd, con);
        insertMessage.Parameters.AddWithValue("@name", name.Text);
        insertMessage.Parameters.AddWithValue("@email", email.Text);
        insertMessage.Parameters.AddWithValue("@mobile", mobile.Text);
        insertMessage.Parameters.AddWithValue("@address", address.Text);
        insertMessage.Parameters.AddWithValue("@message", message.Text);
        insertMessage.Parameters.AddWithValue("@tyy", DateTime.Now.ToString("yyyy-
MM-dd HH:mm:ss"));
        try
        {
            insertMessage.ExecuteNonQuery();
            Response.Redirect("contact.aspx?msg=ThankYou!!! We are Happy to Communicate
with You..");
        }
        finally
        {

```

```
}  
    }  
}
```

LOGIN.aspx.cs

```
using System; using  
System.IO;  
using System.Text;
```

```

using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration; using
System.Net; using System.Net.Mail;
using System.Security.Cryptography;

public partial class login : System.Web.UI.Page
{
    SqlConnection con =
new SqlConnection(ConfigurationManager.ConnectionStrings["conString"].ConnectionStrin
g); protected void Page_Load(object sender, EventArgs e)
    {

    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        String user_id, email_address_db, password_db, first_name_db;
        //if (con.State == ConnectionState.Closed)
        con.Open();
        SqlCommand login = "select email,password,first_name,user_id from [registration] where email=" +
        email.Text.ToString() + " and password=" + MyEncrypt(password.Text.ToString()) + """;
        SqlCommand login = new SqlCommand(cmd, con);
        SqlDataReader read = login.ExecuteReader(); if
        (read.Read())
        {
            email_address_db = read.GetValue(0).ToString();
            password_db = read.GetValue(1).ToString();
            first_name_db = read.GetValue(2).ToString();
            user_id = read.GetValue(3).ToString(); con.Close();
            if (con.State == ConnectionState.Closed)
            con.Open();
            String checkCmd = "select user_id from [registration] where is_active=1";
            SqlCommand login2 = new SqlCommand(checkCmd, con);
            SqlDataReader read2 = login2.ExecuteReader(); if
            (read2.Read())
            {
                con.Close();

                Session["email"] =
                email_address_db.ToString();
                Session["first_name"] =
                first_name_db.ToString(); Session["user_id"] =
                user_id.ToString();
            }
            Response.Redirect("Home.aspx");

        }
    }
}
else

```

```
con.Close();
    {
lblMsgReg.Text = "Your account is inactive. Please activate your account. Please check
your email inbox/spam folder for activation link.";
lblMsgReg.ForeColor = System.Drawing.Color.Red;
    }
else
    {
con.Close();
lblMsgReg.Text = "Invalid credentials. Please try with correct email and password.";
```

```

lblMsgReg.ForeColor = System.Drawing.Color.Red;
    }
}
public static string Base64Encode(string plainText)
{
var plainTextBytes = System.Text.Encoding.UTF8.GetBytes(plainText);
return System.Convert.ToBase64String(plainTextBytes);
}
public static string Base64Decode(string base64EncodedData)
{
var
            base64EncodedBytes
            =
System.Convert.FromBase64String(base64EncodedData);
return
System.Text.Encoding.UTF8.GetString(base64EncodedBytes);
}
private string MyEncrypt(string returnText)
{
string encryptionKey = "E5C2B81A3B2B2";
byte[] clearBytes = Encoding.Unicode.GetBytes(returnText);
using (Aes encryptor = Aes.Create())
{
Rfc2898DeriveBytes pdb = new Rfc2898DeriveBytes(encryptionKey, new byte[] { 0x49, 0x76,
0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
encryptor.Key = pdb.GetBytes(32);
encryptor.IV = pdb.GetBytes(16);
using (MemoryStream ms = new MemoryStream())
{
using (CryptoStream cs = new CryptoStream(ms, encryptor.CreateEncryptor(),
CryptoStreamMode.Write))
{
cs.Write(clearBytes, 0, clearBytes.Length);
cs.Close();
}
}
returnText = Convert.ToBase64String(ms.ToArray());
}
return returnText;
}

private string MyDecrypt(string returnText)
{
string encryptionKey = "E5C2B81A3B2B2";
byte[] cipherBytes = Convert.FromBase64String(returnText);
using (Aes encryptor = Aes.Create())
{
Rfc2898DeriveBytes pdb = new Rfc2898DeriveBytes(encryptionKey, new byte[] { 0x49, 0x76,
0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
encryptor.Key = pdb.GetBytes(32);
encryptor.IV = pdb.GetBytes(16);
using (MemoryStream ms = new MemoryStream())
{
using (CryptoStream cs = new CryptoStream(ms, encryptor.CreateDecryptor(),
CryptoStreamMode.Write))
{
cs.Write(cipherBytes, 0, cipherBytes.Length);
cs.Close();
}
}
returnText = Encoding.Unicode.GetString(ms.ToArray());
}
}

```

```
    }  
    return returnText;  
}
```

```
using System; using
System.IO;
using System.Text;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient; using
System.Net; using System.Net.Mail;
using System.Configuration;
using System.Security.Cryptography;
```

```
public partial class registration : System.Web.UI.Page
{
    SqlConnection con =
    new SqlConnection(ConfigurationManager.ConnectionStrings["conString"].ConnectionStrin
g);
    protected void Page_Load(object sender, EventArgs e)
    {
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        string rbdtext;
        if (RadioButton1.Checked)
        {
            rbdtext = RadioButton1.Text;
        }
        else
        {
            rbdtext = RadioButton2.Text;
        }
        // create bytes array for uploaded file into filebytes. byte[]
        myphoto = myPhotoUpload.FileBytes;
        //Checking session state
        if (con.State == ConnectionState.Closed)
            con.Open();
        // checking session with entered into textbox.
        if (captchaCode.Text.ToLower() == Session["sessionCaptcha"].ToString())
        {
            // Checking email is exist in db or not
            SqlCommand checkemail = new SqlCommand("select email from [registration] where email
            =@email", con);
            checkemail.Parameters.AddWithValue("@email", email.Text.Trim());
            SqlDataReader read = checkemail.ExecuteReader();
            if (read.HasRows)
            {
                lblCaptchaMsg.Text = "Email Address is already exist. Please try with different/correct Email
                Address.";
            }
        }
    }
}
```

```
lblCaptchaMsg.ForeColor = System.Drawing.Color.Red;  
con.Close();  
    }  
else  
    {  
con.Close();
```



```
emailBody += "</tbody>";
emailBody += "</table>";
emailBody += "<table cellspacing='0' cellpadding='0' border='0' width='600' style='font-
family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;margin-left:auto;margin-
right:auto;'>";
emailBody += "<tbody>";
emailBody += "<tr>";
emailBody += "<td valign='top' colspan='2' style='width:600px;padding-left:20px;padding-
right:20px;font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;'>"; emailBody +=
"<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font- size:14px;padding-
top:15px;line-height:22px;margin:0px;font-weight:bold;padding- bottom:5px'>Hi " +
fname.Text + "</p>";
```

```

emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;color:rgb(41,41,41)'>Email: " + email.Text + "</p>"; emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;color:rgb(41,41,41)'>Password: " + password.Text + "</p>"; emailBody += "<p><a href=" + "http://localhost:60425//ActivateAccount.aspx?activation_code=" + activation_code + "&email=" + Base64Encode(email.Text.Trim()) + ">Click here to activate your account.</a></p>";
emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;color:rgb(41,41,41)'>Thanks for reaching us.. We ll contact you ASAP.</p>";
emailBody += "<p>&nbsp;</p><p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;margin:0px'>If you have any additional queries, please feel free to reach out us at +91 7079093870 or drop us an email at <a href='mailto:tejasgroupofevents@gmail.com' style='text-decoration:none;font-style:normal;font-variant:normal;font-weight:normal;font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:normal;color:rgb(162,49,35)' target='_blank'>tejasgroupofevents@gmail.com</a>. We are here to help you.</p>";
emailBody += "<p>&nbsp;</p>";
emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;margin:0px;font-weight:bold'>Best Regards,</p>";
emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;color:rgb(41,41,41);line-height:22px;margin:0px'>Tejasinfotech</p>";
emailBody += "</td>";
emailBody += "</tr>";
emailBody += "</tbody>";
emailBody += "</table>";
emailBody += "</div>";
mail.Body = emailBody;
mail.IsBodyHtml = true;

```

```

SmtpClient smtp = newSmtpClient();
smtp.Port = 587;
smtp.EnableSsl = true;
smtp.UseDefaultCredentials = true;
smtp.Host = "smtp.gmail.com"; //Or Your SMTP Server Address
smtp.Credentials =
newSystem.Net.NetworkCredential("tejasgroupofevents@gmail.com",
"kyakrogejankr");
smtp.Send(mail);

```

```

lblCaptchaMsg.Text = "You Register successfully. Please check your email .We have mailed you by an email of tejasgroupofvents@gmail.com";
lblCaptchaMsg.ForeColor = System.Drawing.Color.Red;
//Response.Redirect("SignUp.aspx");
}
catch (Exceptioner)
{
lblCaptchaMsg.Text = "something going wrong." + er;
lblCaptchaMsg.ForeColor = System.Drawing.Color.Red;
}
finally
{

```

```
        }  
    }  
else  
{  
IblCaptchaMsg.Text = "Please enter correct captcha!";  
IblCaptchaMsg.ForeColor = System.Drawing.Color.Red;
```

```

    }
}
public static string Base64Encode(string plainText)
{
    var plainTextBytes = System.Text.Encoding.UTF8.GetBytes(plainText);
    return System.Convert.ToBase64String(plainTextBytes);
}
public static string Base64Decode(string base64EncodedData)
{
    var base64EncodedBytes = System.Convert.FromBase64String(base64EncodedData);
    return System.Text.Encoding.UTF8.GetString(base64EncodedBytes);
}
private string MyEncrypt(string returnText)
{
    string encryptionKey = "E5C2B81A3B2B2";
    byte[] clearBytes = Encoding.Unicode.GetBytes(returnText);
    using (Aes encryptor = Aes.Create())
    {
        Rfc2898DeriveBytes pdb = new Rfc2898DeriveBytes(encryptionKey, new byte[] { 0x49, 0x76,
        0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
        encryptor.Key = pdb.GetBytes(32);
        encryptor.IV = pdb.GetBytes(16);
        using (MemoryStream ms = new MemoryStream())
        {
            using (CryptoStream cs = new CryptoStream(ms, encryptor.CreateEncryptor(),
            CryptoStreamMode.Write))
            {
                cs.Write(clearBytes, 0, clearBytes.Length);
                cs.Close();
            }
            returnText = Convert.ToBase64String(ms.ToArray());
        }
    }
    return returnText;
}
private string MyDecrypt(string returnText)
{
    string encryptionKey = "E5C2B81A3B2B2";
    byte[] cipherBytes = Convert.FromBase64String(returnText);
    using (Aes encryptor = Aes.Create())
    {
        Rfc2898DeriveBytes pdb = new Rfc2898DeriveBytes(encryptionKey, new byte[] { 0x49, 0x76,
        0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
        encryptor.Key = pdb.GetBytes(32);
        encryptor.IV = pdb.GetBytes(16);
        using (MemoryStream ms = new MemoryStream())
        {
            using (CryptoStream cs = new CryptoStream(ms, encryptor.CreateDecryptor(),
            CryptoStreamMode.Write))
            {
                cs.Write(cipherBytes, 0, cipherBytes.Length);
                cs.Close();
            }
            returnText = Encoding.Unicode.GetString(ms.ToArray());
        }
    }
}
}
}

```

```
returnreturnText;  
    }  
}
```

RESET PASSWORD.aspx.cs

```

using System; using
System.IO;
using System.Text;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration; using
System.Net; using System.Net.Mail;
using System.Security.Cryptography;

public partial class resetPassword : System.Web.UI.Page
{
    SqlConnection con =
    new SqlConnection(ConfigurationManager.ConnectionStrings["conString"].ConnectionStrin
g); protected void Page_Load(object sender, EventArgs e)
    {
        string activation_code = !string.IsNullOrEmpty(Request.QueryString["forgot_otp"]) ?
        Request.QueryString["forgot_otp"] : Guid.Empty.ToString();
        string encryped_email = !string.IsNullOrEmpty(Request.QueryString["email"]) ?
        Request.QueryString["email"] : Guid.Empty.ToString();
        string email_url = Base64Decode(encryped_email.ToString());

        if (con.State == ConnectionState.Closed)
            con.Open();
        SqlCommand checkemail = new SqlCommand("select email from [registration] where email
        =@email and activation_code=@activation_code", con);
        checkemail.Parameters.AddWithValue("@email", email_url);
        checkemail.Parameters.AddWithValue("@activation_code",
        activation_code); SqlDataReader read = checkemail.ExecuteReader();
        if (!read.HasRows)
            {
                lblMsgReg.Text = "Reset Link is expired";
                lblMsgReg.ForeColor = System.Drawing.Color.Red;
                con.Close();
            }
        else
            {
                con.Close();
            }
    }
    protected void MySubmit_Click(object sender, EventArgs e)
    {
        string activation_code = !string.IsNullOrEmpty(Request.QueryString["forgot_otp"]) ?
        Request.QueryString["forgot_otp"] : Guid.Empty.ToString();
        string encryped_email = !string.IsNullOrEmpty(Request.QueryString["email"]) ?
        Request.QueryString["email"] : Guid.Empty.ToString();
        string email_url = Base64Decode(encryped_email);
    }
}

```

```
if (con.State == ConnectionState.Closed)
con.Open();
SqlCommandcheckemail = newSqlCommand("select email from [registration] where email
=@email and activation_code=@activation_code and is_active=@is_active", con);
checkemail.Parameters.AddWithValue("@email", email_url);
checkemail.Parameters.AddWithValue("@activation_code", activation_code);
checkemail.Parameters.AddWithValue("@is_active", 1);
SqlDataReader read = checkemail.ExecuteReader();
```



```
emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;color:rgb(41,41,41)'">Your password is reset successfully.</p>"; emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;color:rgb(41,41,41)'">Your new password is "+ password.Text + "</p>";
emailBody += "<p>&nbsp;</p><p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;margin:0px'">If you have any additional queries, please feel free to reach out us at +91 XXXXX XXXXX or drop us an email at <a href='mailto:Websiteweb.com' style='text-decoration:none;font-style:normal;font-variant:normal;font-weight:normal;font-family:Arial,Helvetica,Verdana,sans-serif; font-
```

```

size:14px;line-height:normal;color:rgb(162,49,35)'
target='_blank'>example@domain.com</a>. We are here to help you.</p>";
emailBody += "<p>&nbsp;</p>";
emailBody += "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;line-height:22px;margin:0px;font-weight:bold'>Best Regards,</p>"; emailBody
+= "<p style='font-family:Arial,Helvetica,Verdana,sans-serif; font-size:14px;color:rgb(41,41,41);line-height:22px;margin:0px'>Expert Squad Support</p>";
emailBody += "</td>";
emailBody += "</tr>";
emailBody += "</tbody>";
emailBody += "</table>";
emailBody += "</div>";

```

```

mail.Body = emailBody;
mail.IsBodyHtml = true;

```

```

SmtpClient smtp = new SmtpClient();
smtp.Host = "mail.nslcomp.org";
smtp.Port = 25;
smtp.Credentials =
new System.Net.NetworkCredential("studenttraining@nslcomp.org", "Bmd&1t21");
smtp.Send(mail);

```

```

lblMsgReg.Text = "Password Reset successfully. Now you can signin to your account with new
password.";
lblMsgReg.ForeColor = System.Drawing.Color.Red;
}
catch (Exceptioner)
{
lblMsgReg.Text = "something going wrong." + er;
lblMsgReg.ForeColor = System.Drawing.Color.Red;
}
finally
{
}
}
else
{
lblMsgReg.Text = "Password and confirm password is not same.";
lblMsgReg.ForeColor = System.Drawing.Color.Red;
}
}
else
{
lblMsgReg.Text = "Reset Link is expired";
lblMsgReg.ForeColor = System.Drawing.Color.Red;
con.Close();
}
}
}
public static string Base64Encode(string plainText)
{

```

```

var plainTextBytes = System.Text.Encoding.UTF8.GetBytes(plainText);
return System.Convert.ToBase64String(plainTextBytes);
}
public static string Base64Decode(string base64EncodedData)
{
var          base64EncodedBytes          =
System.Convert.FromBase64String(base64EncodedData);
System.Text.Encoding.UTF8.GetString(base64EncodedBytes);
return
}
private string MyEncrypt(string returnText)
{

```

```

stringEncryptionKey = "E5C2B81A3B2B2";
byte[] clearBytes = Encoding.Unicode.GetBytes(returnText);
using (Aesencryptor = Aes.Create())
{
    Rfc2898DeriveBytespdb = newRfc2898DeriveBytes(EncryptionKey, newbyte[] { 0x49, 0x76,
    0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
    encryptor.Key = pdb.GetBytes(32);
    encryptor.IV = pdb.GetBytes(16);
    using (MemoryStreamms = newMemoryStream())
    {
        using (CryptoStream cs = newCryptoStream(ms, encryptor.CreateEncryptor(),
        CryptoStreamMode.Write))
        {
            cs.Write(clearBytes, 0, clearBytes.Length);
            cs.Close();
        }
    }
    returnText = Convert.ToBase64String(ms.ToArray());
}
returnreturnText;
}

privatestringMyDecrypt(stringreturnText)
{
    stringEncryptionKey = "E5C2B81A3B2B2";
    byte[] cipherBytes = Convert.FromBase64String(returnText); using
    (Aesencryptor = Aes.Create())
    {
        Rfc2898DeriveBytespdb = newRfc2898DeriveBytes(EncryptionKey, newbyte[] { 0x49, 0x76,
        0x61, 0x6e, 0x20, 0x4d, 0x65, 0x64, 0x76, 0x65, 0x64, 0x65, 0x76 });
        encryptor.Key = pdb.GetBytes(32);
        encryptor.IV = pdb.GetBytes(16);
        using (MemoryStreamms = newMemoryStream())
        {
            using (CryptoStream cs = newCryptoStream(ms, encryptor.CreateDecryptor(),
            CryptoStreamMode.Write))
            {
                cs.Write(cipherBytes, 0, cipherBytes.Length); cs.Close();
            }
        }
        returnText = Encoding.Unicode.GetString(ms.ToArray());
    }
    returnreturnText;
}
}

```

OUTPUT

Screenshot of site (Home)



WELCOME TO TEJAS INFOTECH

[READ OUR STORY](#)

24 HOUR'S SERVICE

Tejas Infotech
AUDIO VISUAL SERVICES

- * CME
- * Webcasting
- * Day Conference
- * Video & Still Photo
- * and more...

Best Quality >

Call us
9031110707
9804333716

Wellcome

Welcome to Tejas Infotech Tejas Audio Visual Services specializes in Audio Visual System design, supply and installation services. With our technical expertise in this field, we pride ourselves to be the trusted one-stop AV solution partners for our clients.

Screenshot of site (Admin)

From here we can control each and every moment of our website clients and user. including all services





Fig1.1=Admin view

Screenshot of Site (Admin Login)

From here admin can login by feeding here required details




The screenshot shows a web browser window with the title "Admin Login" and the URL "tejasinfotech.nslcomp.org/admin/admin.aspx". The main content area displays a "Please Sign In" form. The form contains two input fields: "Email Address" and "Password...". Below these fields is a prominent green button labeled "SignIn".

Fig 1.2 = Admin Login

Screenshot of Site (User Register & Login Page)

From here user can register himself by feeding all the details and after that they can easily login with their email id and password..



Tejas Infotech

[Home](#) [Features](#) [About-Us](#) [Pandit](#) [Contact](#) [Order](#) [AV Solutions](#) [Login](#) [Register](#)

Registration/Login


First Name

Last Name

Email

Password

Fig =1.3 (Registration)




Tejas Infotech

[Home](#) [Features](#) [About-Us](#) [Pandit](#) [Contact](#) [Order](#) [AV Solutions](#) [Login](#) [Register](#)

Login

Fig =1.4 (User Login)

Screenshot of Site (Gallery / UpcomingEvent)



Fig=1.5 (Gallery)



Fig=1.6 (Upcoming Event)

Screenshot of Site(Order Placing)

The screenshot shows the Tejas Infotech website's 'Order Placing' page. The header includes the company logo and navigation links: Home, Features, About-Us, Pandit, Contact, Order, AV Slotuions, Welcome, Ayush, and Sign Out. The main content area has a dark background with light blue and yellow starburst effects. The title is 'Place Your Order For Your Event' with the tagline 'Your Event Our Responsibility'. Below the title are three input fields: 'Your Full Name' (with placeholder 'Enter Your Full Name'), 'Your Mobile Number' (with placeholder 'Enter Your Mobile Number'), and a dropdown menu labeled '--Please Select Puja Details--'.

Fig 1.7 =Pandit Order

This screenshot shows the same 'Place Your Order For Your Event' form as Fig 1.7, but with an additional input field for 'Your City' (placeholder 'Enter Your City'). The background features purple and blue starburst effects. The browser's address bar shows the URL 'tejasinfotech.hs.comp.org/order/event.aspx'. The Windows taskbar at the bottom indicates the time is 8:35 PM on 6/20/2020.

Fig 1.8 = Order Place for Event

Screenshot site for ("Contact us")

User can easily contact with us whatever query they can easily share with us .They will also get reply soon..




Fig = 1.8 ("Contact us")

Testing

Software testing is the process of exercising or evaluating a system or system component by manual or automated means to verify that it satisfies specified requirements or to identify differences between expected and actual results. Testing is an exercise to stimulate a system or program operation. It helps the program to achieve the required goal. Testing analyses a program to achieve the required goal.

Testing analyses a program with the intent of finding problems and errors that measure system quality. It also evaluates the attributes and capabilities of a program and assesses whether it achieves the required results. Testing includes inspection and structured peer reviews of requirements and design, as well as execution tests of code.

Requirement of software testing

Software testing is important as it may cause mission failure, impact on operational performance and reliability if not done properly. Effective software testing helps to deliver quality software products that satisfy user requirements, needs, and exceptions. If done poorly, defects are found during operation, resulting in high maintenance costs and user dissatisfaction.

Principle of Testing

Testing is the process of executing a program with the intent of finding errors and it should be planned long before testing begins. Do not plan a testing effort under the tactic assumption that no errors will be found. The probability of the existence of more errors in a section of a program is proportional to the number of errors already found in that section.

Purpose and benefit of testing

The main objective of testing is to help clearly describe system behaviour and to find defects in requirements, design, documentation, and code as clearly as possible. The testing process should be such that it should reduce the number of defects in the software product that will be delivered to the customer. All tests should be traceable to the customer requirement.

Different type of testing

BLACK BOX TESTING: is defined as a testing technique in which functionality of the Application Under Test (AUT) is tested without looking at the internal code structure, implementation details and knowledge of internal paths of the software. This type of testing is based entirely on software requirements and specifications. In BlackBox Testing we just focus on inputs and output of the software system without bothering about internal knowledge of the software program.

WHITE BOX TESTING: is testing of a software solution's internal structure, design, and coding. In this type of testing, the code is visible to the tester. It focuses primarily on verifying the flow of inputs and outputs through the application, improving design and usability, strengthening security. White box testing is also known as Clear Box testing, Open Box testing, Structural testing, Transparent Box testing, Code-Based testing, and Glass Box testing. It is usually performed by developers.

Compatibility Testing:

Testing to ensure compatibility of an application or website with different browser, operating system, hardware platforms. Compatibility testing can be performed manually or can be driven by automated functional or regression test suite.

Unit Testing:

It focuses on smallest unit of software design. In this we test an individual unit or group of inter related units. It is often done by programmer by using sample input and observing its corresponding outputs.

Integration Testing

The objective is to take unit tested components and build a program structure that has been dictated by design. Integration testing is testing in which a group of components are combined to produce output.

Regression Testing

Every time new module is added leads to changes in program. This type of test-ing make sure that whole component works properly even after adding com-ponents to the complete program.

Smoke Testing

This test is done to make sure that software under testing is ready or stable for further testing. It is called smoke test as testing initial pass is done to check if it did not catch the fire or smoked in the initial switch on.

Alpha Testing

This is a type of validation testing. It is a type of acceptance testing which is done before the product is released to customers. It is typically done by QA people.

Beta Testing

The beta test is conducted at one or more customer sites by the end-user of the software. This version is released for the limited number of users for test-ing in real time environment

System Testing

In this software

is tested such that it works fine for different operating system. It is covered under the black box testing technique. In this we just focus on re-quired input and output without focusing on internal working. In this we have security testing, recovery testing , stress testing and perfor-mance testing

Stress Testing

In this we gives unfavorable conditions to the system and check how they per-form in those condition.

FUTURE SCOPE

Event management, the most profound form of advertising and marketing, is a glamorous and thrilling profession. It provides an opportunity for unleashing one's creative potential to a very high degree. It demands a lot of hard work and effort but at the same time offers enormous scope.

Event management is a process of organizing a professional and focused event, for a particular target audience. It involves visualizing concepts, planning, budgeting, organizing and executing events such as fashion shows, musical concerts, corporate seminars, exhibitions, wedding celebrations, theme parties, product launching etc. It is a good career option which does not require much investment and offers a lot of independence and flexibility. If you have a passion for conducting events, having good organizing ability and be flexible to work for long hours, you can make a successful career in this field.

Today, there are a number of companies hosting and organizing events on a regular basis. These range from the small-time private events to the large-scale international events. A good number of young people are entering in this field because they realize the potential of the market and the demand and supply situation. In fact, the most profitable aspect of this field is the need for creativity. And that is how and where one earns.

The management of events calls, largely for coordination, from stage one. The first thing required is to get the orders for the event. This process is also known as pitching for an event. Usually, whether it is for small time events (birthday parties and weddings), or then for the larger ones assigned by companies (exhibitions and trade fairs), or the international concerts; the event manager/company is asked to submit a project report, with the finances involved. On the basis of this, the assignment is given to them.

CONCLUSION

Event management as an industry is in infant stage. It has long way to go. It has a bright future. This industry is growing at reasonably quick rate. This can be seen from the number of different firms that came up in this field in the past few years.

The government can also help this industry grow tremendously. Government should impose favorable rules and regulation on this industry which would help its development. For e.g. the time limits imposed on the events conducted can be increased like for dandiaras the time given is till ten in the night, which is quite less according to the people who come and attend the event. This time limit can be increased so as to give justice to both the event as well as the audience.

There should also be a set standard for the events that are being conducted. All the events conducted should be of high caliber. This will help the industry to increase the revenue that is generated from all the events that are organized.

Hence, for the industry to grow the government should bring in favorable policies, reduces taxes, develop essential infrastructure, bring in corporate to manage the events and above all establish a forum that would help all firms in their expansion.

In the near future, the companies will form a network of associations in different states in order to expand the industry so that the events can be held more professionally.

BIBLIOGRAPHY

- Website:
 1. www.wikipedia.com
 2. www.w3layout.com
 3. www.google.com

- Internal guide :