



Beautiful Made Easy

WIDELAM

8 MM HDF LAMINATE FLOORING AC4


WIDER AND BOLDER

About Laminates

Prime Floors introduces Widelam - a smart flooring solutions for classy living. The versatility and easy installment and wider coverage of Widelam makes it a smart solution for all consumers.

We offer ranges that reflect true luxury and emulates the warmth of natural wood. A floating glueless, interlocking flooring system that is easy to install and simple to maintain. From classic to modern, we offer a wide range of colors, textures and styles to choose from that are durable and truly affordable.

composition layers





Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



TEAK OVER | WL - 6001



Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



MURPHY BROWN | WL - 6002



Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



WOODY WALNUT | WL - 6003



Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



CARAMEL NUDE | WL - 6004



Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



MAGNETIC MAHOGANY | WL - 6005



Termite Resistant



Moisture Resistant



Stain Free



PRIME FLOOR PRODUCT DETAILS

Abrasion

AC4

Plank Size

1190 mm x 220 mm

Thickness

8 mm

Construction

Heterogenous

Installation

Click



DESERT TAUPE | WL - 6006

TECHNICAL SPECIFICATIONS

PRODUCT FEATURE	TEST STANDARD	AC 4
ABRASION RESISTANCE	EN13329	AC 4
IMPACT RESISTANCE	EN13329	IC 1
STAIN RESISTANCE	EN438	GROUP 5
CIGARETTE BURNS	EN438	CLASS 5
LIGHT FASTNESS	EN20105/A02	CLASS 7
FURNITURE LEGS	EN426	NO DAMAGE
CHAIR CASTER (SOFT ROLL)	EN425	NO DAMAGE
THICKNESS SWELLING	EN13329	18%
STATIC IDENTATION	EN433	0.9 N/mm ²
FLAME RESISTANCE	EN13501	CFL-S1
FLOOR DESIGN DIMENSIONS		1190mm x 220mm x 8mm
QUANTITY / SQ.FT PER BOX		8 Pcs/Box (22.5 Sft.)

UNIQUE FEATURES

 <p>Suitable For Underfloor heating</p>	 <p>Fade Resistant</p>	 <p>Termite Resistant</p>
 <p>Moisture Resistant</p>	 <p>Stain Free</p>	

Aarasi Impex