

Catalog

Lock & Hardware



LOCK & HARDWARE

Welcome your OEM/ODM Orders & Project !

15+

Years Experience

10000+

Square Meters area

80+

Business Countries

ABOUT US

ZHONGSHAN NASENTONS TECHNOLOGY CO.,LTD is located in Xiaolan,Zhongshan City,Guangdong Province, one of the well-known production base of miscellaneous hardware accessories in China. As a professional door lock manufacturer and trader, Nasentons have been working with many companies worldwide in the past 15 years and have rich experience in this field--- High Quality, Various Design and Function, Competitive Price, Punctual Delivery Time. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and ensure full customer satisfaction. Tested to the standards worldwide, quality is built in at every stage of manufacture. This uncompromising approach has founded a reputation for reliability and durability ensuring products that can be specified with confidence. We guarantee products offered to be of great quality and designed to give optimum value can therefore be selected to satisfy most selection criteria related to aesthetics, quality durability performance standards and cost perimeters.

CERTIFICATE



RF TEST REPORT
For
Zhongshan BES Hardware Technology Co., Ltd
Product Name: smart lock
Test Model(s): NLS3116

Report Reference No.: DAC240900000001
FCID ID: 18L024-RL0116

Applicant's Name: Zhongshan BES Hardware Technology Co., Ltd
Address: 11p, 12F, Yufeng South Street, Jiajiang 1st, Zhongshan City, Guangdong Province, China

Testing Laboratory: Shenzhen DAC Testing Technology Co., Ltd
Address: 1101, Baotian Road, A12, Building 14, Shenzhen City, Guangdong Province, China

Test Equipment Standard: 47 CFR Part 15.247
CE-1 F20213 & FCC 15.247A EPT1 18.2

Date of Report: September 10, 2024
Date of Test: September 10, 2024 to September 17, 2024
Date of Issue: September 10, 2024
Result: PASS

Certificate of Compliance

Certificate Number: R415028
Report Reference: R41009-20240910
Issue Date: 2024-SEPTEMBER-10

Product: Zhongshan BES Hardware Technology Co Ltd, No. 21 South, Yufeng South Street, Jiajiang 1 Station Town, Zhongshan, Guangdong CN

This certificate certifies that representative samples of **Single point lock and LED lock**

See Attachment Page: This has been evaluated by UL LLC in accordance with Standard(s) for **Safety**

[See Attachment Page]

Additional Information: This UL Product CP # 18194 (https://ul.com/product) may be additional information.

This Certificate of Compliance indicates that representative samples of the product identified in the certificate report have met the requirements for UL certification. It does not certify applicability to Public-Use Devices. Procedures for applying non-UL products to Public-Use Devices. Procedures for applying non-UL products to Public-Use Devices apply for UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Public-Use Devices.

Look for the UL Certification Mark on the product.

[Signature]
David P. Smith

UL Solutions

EST REPORT
For
Hardware Technology CO., Ltd
Product Name: smart lock
Model(s): NLS3116

Report Reference No.: 400009-000101
Model No.: NLS3116

Additional Information: HONGKONG TECHNOLOGY CO., LTD
1101, Baotian Road, A12, Building 14, Shenzhen City, Guangdong Province, China

Testing Laboratory: Shenzhen DAC Testing Technology Co., Ltd
Address: 1101, Baotian Road, A12, Building 14, Shenzhen City, Guangdong Province, China

Date of Report: 2024-09-10
Date of Test: 2024-09-10 to 2024-09-17
Date of Issue: 2024-09-10

Result: PASS

UL Solutions

Declaration of Conformity

This Declaration of Conformity certifies that the product(s) listed below are in compliance with the applicable UL Standard(s) listed below.

Product Name: Single point lock and LED lock
Model No.: NLS3116

UL Standard(s): UL 1054, UL 1054-1, UL 1054-2, UL 1054-3, UL 1054-4, UL 1054-5, UL 1054-6, UL 1054-7, UL 1054-8, UL 1054-9, UL 1054-10, UL 1054-11, UL 1054-12, UL 1054-13, UL 1054-14, UL 1054-15, UL 1054-16, UL 1054-17, UL 1054-18, UL 1054-19, UL 1054-20, UL 1054-21, UL 1054-22, UL 1054-23, UL 1054-24, UL 1054-25, UL 1054-26, UL 1054-27, UL 1054-28, UL 1054-29, UL 1054-30, UL 1054-31, UL 1054-32, UL 1054-33, UL 1054-34, UL 1054-35, UL 1054-36, UL 1054-37, UL 1054-38, UL 1054-39, UL 1054-40, UL 1054-41, UL 1054-42, UL 1054-43, UL 1054-44, UL 1054-45, UL 1054-46, UL 1054-47, UL 1054-48, UL 1054-49, UL 1054-50, UL 1054-51, UL 1054-52, UL 1054-53, UL 1054-54, UL 1054-55, UL 1054-56, UL 1054-57, UL 1054-58, UL 1054-59, UL 1054-60, UL 1054-61, UL 1054-62, UL 1054-63, UL 1054-64, UL 1054-65, UL 1054-66, UL 1054-67, UL 1054-68, UL 1054-69, UL 1054-70, UL 1054-71, UL 1054-72, UL 1054-73, UL 1054-74, UL 1054-75, UL 1054-76, UL 1054-77, UL 1054-78, UL 1054-79, UL 1054-80, UL 1054-81, UL 1054-82, UL 1054-83, UL 1054-84, UL 1054-85, UL 1054-86, UL 1054-87, UL 1054-88, UL 1054-89, UL 1054-90, UL 1054-91, UL 1054-92, UL 1054-93, UL 1054-94, UL 1054-95, UL 1054-96, UL 1054-97, UL 1054-98, UL 1054-99, UL 1054-100



Knob Lockset


Welcome your OEM/ODM Orders & Project !

Function Entrance Bathroom (No keys)
 Passage (No keys) Storeroom

Style Cylindrical Knobset

Backset 2-3/8" (60mm) or 2-3/4" (70mm)

Door Thickness 35-45 mm 1-3/8" to 1-3/4"




YALE SCHLAGE KWIKSET WEISER COMPUTER



KNOB LOCK

| Standard Product we offer |




5871SS-ET

5872SS-BK

5873SS-PS

5874SS-SR

5871AC-ET



5871MB-ET

5872MB-BK

5873MB-PS

5874MB-SR

5871AB-ET

| Optional Lock Style you can Choose |



5831SS-ET

5871HSS-ET

5881SS-ET

5791SS-ET

Z5902SS-ET



5791H-PB-ET

5717BN-AC-ET

5714PB-AC-ET

5831WPB-ET

Z5903AC-ET



Knob Lockset


Welcome your OEM/ODM Orders & Project !

Function Entrance Bathroom (No keys)
 Passage (No keys) Storeroom

Style Tubular Knobset

Backset 2-3/8" (60mm) to 2-3/4" (70mm) -Adjustable

Door Thickness 35-45 mm 1-3/8" to 1-3/4"



YALE SCHLAGE KWIKSET WEISER COMPUTER



KNOB LOCK

| Standard Product we offer |



| Optional Lock Style you can Choose |





Lever Lockset


Welcome your OEM/ODM Orders & Project !

Function ■ Entrance ■ Bathroom (No keys)
 ■ Passage (No keys) ■ Storeroom

Style Cylindrical Leverset

Backset 2-3/8" (60mm) or 2-3/4" (70mm)

Door Thickness 35-45 mm 1-3/8" to 1-3/4"



YALE SCHLAGE KWIKSET WEISER COMPUTER



LEVER LOCK

| Standard Product we offer |



5411SN-ET



5411SN-BK



5411SN-PS



5411AL-SN-ET



5411MB-ET



5411MB-BK



5411MB-PS



5411PB-ET



5411PB-BK



5411PB-PS

| Optional Lock Style you can Choose |

| Aluminum Leverset |



5411AL-AB-ET



5402AL-AB-ET



5481AL-SN-ET



5441AL-SF-ET



5461AL-SN-ET

| Zinc Alloy Leverset |




5085SN-ET



5481-SN-ET



5441-SN-ET



5461-SN-ET



5431SN-ET



Lever Lockset


Welcome your OEM/ODM Orders & Project !

Function Entrance Bathroom (No keys)
 Passage (No keys) Storeroom

Style Tubular Leverset

Backset 2-3/8" (60mm) to 2-3/4" (70mm) -Adjustable

Door Thickness 35-45 mm 1-3/8" to 1-3/4"



YALE SCHLAGE KWIKSET WEISER COMPUTER



LEVER LOCK

| Standard Product we offer |



6411SN-ET



6411PB-ET



6411MB-ET



6411AC-ET



6411AB-ET

| Aluminum Leverset |



6411AL-SN-ET



6411AL-SF-ET



6031AL-SN-BK



6051AL-SN-ET



6402AL-AB-ET



6441AL-SN-ET



6461AL-SN-PS



6481AL-SN-ET

| Zinc Alloy Leverset |



6021SN-ET



6041-SN-ET



6482AB-BK



6061SN-ET



6087SN-ET



6085SN-ET



6421SN-ET



6431SN-ET



6451SN-ET



6401SN-ET



Commercial Lockset

NASENTONS®


Welcome your OEM/ODM Orders & Project !

Function Entrance Bathroom (No keys)
 Passage (No keys) Storeroom

Style Grade2 / Grade 1 Lockset

Backset 2-3/8" (60mm) to 2-3/4" (70mm)

Door Thickness 35-45 mm 1-3/8" to 1-3/4"



YALE SCHLAGE KWIKSET WEISER COMPUTER



Commercial Lock

Standard Product we offer



4571SN-ET


4571SN-BK

4571MB-ET

4571SN-PS

4571MB-PS


Grade 1 Locksets



A1X00SN-ET

A200SN

Grade 2 Locksets



4451SN-ET

4473SN-BK

4471SN-ET

4466SN-ET

4500SN-ET



4371SN-ET

4461SN-ET

4493MB-ET

4582MB-BK A1X00

4472SN-BK



Heavy Duty Leverset


Welcome your OEM/ODM Orders & Project !

Function Entrance Bathroom (No keys)
 Passage (No keys) Storeroom

Style Tubular Leverset

Backset 2-3/8" (60mm) to 2-3/4" (70mm) -Adjustable

Door Thickness 35-45 mm 1-3/8" to 1-3/4"



YALE SCHLAGE KWIKSET WEISER COMPUTER



LEVER LOCK

| Standard Product we offer |



9807SN-ET



9807MB-ET



9807PB-ET



✓ Available in aluminium

9807AL-SN-ET



✓ Available in aluminium

9805SN-ET

| Optional Lock Style you can Choose |



9802SN-ET



9803SN-BK



9813SN-ET



9813SN-BK



9811SN-ET



9816SN-ET



9815SN-ET



9801SN-ET



9830SN-ET



9830MB-ET



5043SN-BK



5021MB-BK



5022SN-BK



5073MB-BK



5072PB-BK



Grip Handleset



Welcome your OEM/ODM Orders & Project !

Style Grip Handleset

Backset 2-3/8" (60mm) to 2-3/4" (70mm) -Adjustable

Door Thickness 35-50 mm 1-3 / 8" to 1-15/16"

Function ■ A ■ B ■ C ■ D




GRIP HANDLESET

| Standard Product we offer |



| Optional Lock Style you can Choose |





Deadbolt


Welcome your OEM/ODM Orders & Project !

Style Deadbolt

Backset 2-3/8" (60mm) to 2-3/4"(70mm)


Door Thickness 35-50 mm 1-3/8" to 1-15/16"

Function ■ Single ■ Double




DEADBOLT

| Standard Product we offer |



| Optional Lock Style you can Choose |





Sliding Lockset


Welcome your OEM/ODM Orders & Project !

Function ■ Entrance ■ Bathroom (No keys)

Style Sliding Lockset

Key 3 pcs of Brass Key

Door Thickness 35-45 mm 1-3/8"



SLIDING LOCKSET

Optional Lock Style you can Choose |



SD002SN-ET



SD001SN-ET



SD001SN-BK



SD001SN-BK



SD003SN-ET



SD004AB-ET



SD005PB-ET



SD006PB-AB-ET



SD001MB-ET



SD002MB-ET



SL91C-ET



SL91C-BK



SL91C-SN-PS



SL91C-ET



6041SN-ET



SL90-MB-ET



SL91SN-CH



SL91SN-ET



SL91MB-BK



SL91SN-BK



Rim Lockset

Welcome your OEM/ODM Orders & Project !

Latch ■ Aluminium ■ Brass

Style Rim Lockset


Key 3 pcs of Brass Key | Brass Cylinder

Door Thickness 50-60mm 1-15/16" to 2-6/16"




RIM LOCKSET

Standard Product we offer



Optional Lock Style you can Choose





Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | Legs & Feet Fitting | Support & Shelving | Bedroom Hardware |
Handles | Drawer Locks | Connectors



Hinges



11101

11102

11201

11202

12101



12102

12103

12201

12202

12203




13101

13102

14101

14102

14103



14104

14105

03012

01027

01041



03011

03009

03012

01027

01041


Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | **Slides** | Legs & Feet Fitting | Support & Shelving | Bedroom Hardware | Handles | Drawer Locks | Connectors



Slides




21201




21202



22101



22102



22201



22202



23101



23201



24101



25101



25102



25103



26101



26102

Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | **Legs & Feet Fitting** | Support & Shelving | Bedroom Hardware | Handles | Drawer Locks | Connectors



Legs & Feet Fitting

36001	36002	31001	31003	31006
30001	30003	30006	30004	30005
32001	32002	32003	32004	32005
32006	32007	32008	32009	32010
32011	32013	32014	33001	33002
33003	33004	33007	34002	34004

Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | Legs & Feet Fitting | **Support & Shelving** | Bedroom Hardware | Handles | Drawer Locks | Connectors



Support & Shelving



41001

40002

40003

40004

40005



40006

41001

41002

41003

41004



41005

41006

43001

43002

43003



43004

43005

43006

43007

43008



42002

42003

44001

44002

44003

Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | Legs & Feet Fitting | Support & Shelving | **Bedroom Hardware** |
Handles | Drawer Locks | Connectors



Bedroom Hardware



53001

53002

53003

52004

52005



52006

50001

50002

50003

50004



50005

50006

51001

51002

51003



51004

52001

52002

52003

05003



05004

05002

05001

04002

04001

Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | Legs & Feet Fitting | Support & Shelving | Bedroom Hardware |
Handles | Drawer Locks | Connectors



Handles




60001

60002

60003

60004

60005



60006

60007

60008

60009

60010

Drawer Locks



71001

71002

71003

71004

70001



70002

70003

70004

70005

70006



70007

70008

70009

70010

70011

Hardware

Welcome your OEM/ODM Orders & Project !

Style Hinges | Slides | Legs & Feet Fitting | Support & Shelving | Bedroom Hardware | Handles | Drawer Locks | **Connectors**



Connectors



80001

80002

80003

80004

80005



80006

80007

81001

81002

81003



81004

81006

82001

82002

82003



82004

82005

82006

82007

82008



82009

82010

82011

82012

82013

Function

Welcome your OEM/ODM Orders & Project !

CODE	FUNCTION	ABBREVIATION	DIAGRAM	DIRECTIONS
1	Bedroom	ET		<ul style="list-style-type: none"> .Unlocked by key from outside when button locking .Unlocked by knob/lever from either side when button unlocked .Inside knob/lever always unlocked .Outside knob can be locked by the side push(turn)button
2	Bathroom (Privacy)	BK		<ul style="list-style-type: none"> .Unlock door from outside when turning emergency slot. .Inside knob always active
3	Main Entrance	SR		<ul style="list-style-type: none"> .Deadlocking latch bolt. .Only the inside knob and outside key can operate latch bolt .Outside knob always rigid, inside knob always free providing emergency exit
4	Passage (Hall & Closet)	PS		<ul style="list-style-type: none"> .Both knobs/lever always free to operate latch bolt
5	Patio	PT		<ul style="list-style-type: none"> .For exit doors with limited entry .Deadlocking latch bolt. .Either knob operates latch bolt unless outside knob is locked by push-button inside .Button automatically releases when inside knob is turned .Inside knob always active
6	Classroom	CR		<ul style="list-style-type: none"> .Latch operated by knob/lever from either side except when outside knob/lever is Locked by key from outside .Inside knob/lever always free providing emergency exit
7	Entry and Communication Lock	CC		<ul style="list-style-type: none"> .Intended for communicating doors requiring deadlocking latch bolt. .Key in either knob locks and unlocks each knob independently
8	Exit Latch	EL		<ul style="list-style-type: none"> .For twin communicating or exit doors where one-side operation is required .Also when space is limited between door and switch panel. .Deadlocking latch bolt. .One knob operation .Blank rose .Should be used only where rooms have more than one entrance
9	Communication Lock	CL		<ul style="list-style-type: none"> .For doors 1-3/8" to 1-3/4"(35-45mm)only. .Deadlocking latch bolt. .Latch bolt operated by key or rotating knob .Fully Turn of key Lock or unlock
10	Dummy	DM		<ul style="list-style-type: none"> .Dummy turn for one side of door pull function

FINISH

Welcome your OEM/ODM Orders & Project !

Finshes Code	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
BHMA	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER	US5	US11	U34	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
Finshes Description												

One stop Door Hardware Solution for you

ZHONGSHAN NASENTONS TECHNOLOGY CO., LTD

E-MAIL: SALES@NASENTONS.COM | WEBSITE : WWW.NASENTONS.COM
NO.15 SHENGPING MIDDLE ROAD,XIAOLAN,ZHONGSHAN,GUANGDONG, CHINA, 528415

 @beslock_official @nasentonslock_official  @Nasentons/@BesLock

@Nasentons



@BesLock

