

**Lighting** Catalogue 2026

**BRIGHTER TOMORROW**  
[www.havoltappliances.com](http://www.havoltappliances.com)



DOWNLIGHTS | COB

**HAVOLT**

Unique Anti-Glare RIMLESS Design with deep reflector providing unobtrusive ambient light Sturdy Aluminum Body with high gloss black/rose gold reflector lending a premium look to your interiors. POWER LED DRIVER with HIGH POWER FACTOR  $>0.97$  (True Rated Power Consumption)

# CRETA MODEL

# HAVOLT



## CURVE COLOUR

- GOLD
- ROSE GOLD
- GUN BLACK

## BODY COLOUR

- WHITE
- BLACK

## KEY FEATURES

### SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	70X50	65	36 DEGREE	700/-	45
12W	85X65	80	36 DEGREE	857/-	45
18W	95X75	90	36 DEGREE	1119/-	36



# DELTA MODEL

# HAVOLT



Black

White

## BODY COLOUR

- WHITE
- BLACK

## KEY FEATURES

### SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	63x61	55	36 DEGREE	691/-	45
12W	84x61	75	36 DEGREE	810/-	45
18W	90x87	80	36 DEGREE	1096/-	36



# DELTA PRO MODEL

# HAVOLT



## BODY COLOUR

- WHITE
- BLACK

## CURVE COLOUR

- GOLD
- ROSE GOLD
- GUN BLACK

## KEY FEATURES

### SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	74X63	65	36 DEGREE	1058/-	45
12W	85X76	75	36 DEGREE	1272/-	45
18W	95X90	85	36 DEGREE	1691/-	36



# STAR MODEL

# HAVOLT



## BODY COLOUR

- WHITE
- BLACK
- GUN BLACK

## KEY FEATURES

### SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	62X83	55	38 DEGREE	1253/-	45
12W	72X95	65	38 DEGREE	1539/-	45
18W	82X100	75	38 DEGREE	1791/-	36



# METRIX MODEL

# HAVOLT



## BODY COLOUR

- WHITE
- BLACK
- GUN BLACK
- BROWNS
- ROSE GOLD

## KEY FEATURES

## SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGL	M.R.P.	MOQ
7W	70X61	65	36 DEGREE	943/-	45
12W	80X70	75	36 DEGREE	1158/-	45
18W	90X80	85	36 DEGREE	1458/-	36



# MAXX MODEL

# HAVOLT



## BODY COLOUR

- WHITE
- BLACK
- GUN BLACK

## KEY FEATURES

## SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	90X52	75	36 DEGREE	824/-	45
12W	90X62	75	36 DEGREE	919/-	45
18W	115X70	100	45 DEGREE	1219/-	36
30W	160X90	145	55 DEGREE	2100/-	25
50W	160X105	145	55 DEGREE	3039/-	25



# MOVABLE CYLINDER MODEL

# HAVOLT



## CURVE COLOUR

● ROSE GOLD

● GUN BLACK


## BODY COLOUR


○ WHITE

● BLACK

## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	BEAM ANGLE	M.R.P.	MOQ
7W	63X78	24 DEGREE	915/-	48
12W	78X95	24 DEGREE	1205/-	48
18W	88X105	24 DEGREE	1586/-	36



# PULL OUT MODEL

# HAVOLT




## BODY COLOUR


○ WHITE

● BLACK

## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
7W	85X90	75	38 DEGREE	1796/-	45
12W	103X120	90	38 DEGREE	2677/-	45
7W*2			38 DEGREE		36
12W*2	165X90	80X155	38 DEGREE		



# ROYAL CYLINDER MODEL

# HAVOLT




## BODY COLOUR

- BROWN
- GUN BLACK
- ROSE GOLD

## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	BEAM ANGLE	M.R.P.	MOQ
7W	63X53	36 DEGREE	1089/-	48
12W	83X65	36 DEGREE	1499/-	48
18W	105X74	36 DEGREE	1999/-	36



# TRACK LIGHT

# HAVOLT



White



Black


## BODY COLOUR


WHITE

BLACK

## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	BEAM ANGLE	M.R.P.	MOQ
10W	100X50	38 DEGREE	1067/-	45
20W	130X60	38 DEGREE	1486/-	45
30W	150X75	38 DEGREE	1877/-	36
50W	190X90	38 DEGREE	2669/-	35



## 3WATT BUTTON

COB

### BODY COLOUR

- WHITE
- BLACK
- BLACK





Black

White

Rose Gold

### KEY FEATURES

### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
3W	39X29	30	24 DEGREE	262/-	45



# DOWN LIGHT



### BODY COLOUR

- WHITE
- BLACK



### KEY FEATURES

### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
12W	120X50	115	120 DEGREE	805/-	60
18W	155X55	150	120 DEGREE	1048/-	45
24W	175X55	170	120 DEGREE	1343/-	45



# SURFACE PANEL

# HAVOLT

## BODY COLOUR


WHITE



## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
8W	4INCH	0	120 DEGREE	429/-	60
15W	6INCH	0	120 DEGREE	549/-	45
22W	8INCH	0	120 DEGREE	819/-	0



# ECO SLIM PANAL

# HAVOLT


## BODY COLOUR

WHITE



## KEY FEATURES

### SPECIFICATION

 Efficacy >100 lm/w

 CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
8W	4INCH	0	120 DEGREE	379/-	60
15W	6INCH	0	120 DEGREE	579/-	45
22W	8INCH	0	120 DEGREE	779/-	0





### BODY COLOUR

WHITE



### KEY FEATURES


### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

SIZE	CUT OUT	BEAM ANGLE	M.R.P.	MOQ
2X2	0	120 DEGREE	4199/-	20






## *Decorative*

### **Illuminate Every Moment with Elegance**

Transform your space into a realm of brilliance with our exquisite collection of **decorative lighting** — featuring **rope lights**, **LED strips**, and **K lights** designed to enchant and inspire. Whether you're highlighting architectural beauty, setting the mood for a celebration, or simply elevating everyday ambience, our lights offer the perfect balance of **style and performance**.

# ROPE LIGHT

**HAVOLT**



## KEY FEATURES

## SPECIFICATION

- Efficacy >60 lm/w
- CCT 3K,4K,65K

- Input Voltage: 230V AC
- Can be cut at different length
- IP65 Rope Light & LED Life up to >30,000
- Direct plug into AC supply with 2 pin plug
- Surge Protection upto 2.5kV
- Easy Installation in Small Spaces
- 8W / Mtr



**M.R.P. - 5999**

# STRIP

**HAVOLT**



## COLOUR

- WHITE
- WORM WHITE
- NATURAL WHITE

## KEY FEATURES

## SPECIFICATION

- Efficacy >100 lm/w
- CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	METER	LED	M.R.P.	MOQ
18W	5	240	449/-	100

## SMPS

WATT	AMR	POWER	M.R.P.	MOQ
60W	5AMR	80%	579/-	50
120W	10AMR	80%	779/-	50

# K LIGHT

# HAVOLT



## BODY COLOUR

● BLACK



## KEY FEATURES

### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

MODEL	WATT	M.R.P.	MOQ
HALF K	3W	565/-	50
FULL K	6W	795/-	50



# WALL WASHER

# HAVOLT



## BODY COLOUR

● BLACK



## KEY FEATURES

### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

MODEL	WATT	M.R.P.	MOQ
2 WAY	2W	679/-	50
4 WAY	4W	795/-	50



### BODY COLOUR

● BLACK



### KEY FEATURES

### SPECIFICATION

Efficacy >100 lm/w

CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

MODEL	WATT	M.R.P RGB	M.R.P.	MOQ
RAZER 1+1	4W		545/-	50
RAZER 2+2	8W		775/-	50
RAZER 3+3	12W		999/-	50



# FOOT LIGHT

### BODY COLOUR

● BLACK

### KEY FEATURES

### SPECIFICATION

Efficacy >100 lm/w

CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.



MODEL	SIZE	WATT	M.R.P.	MOQ
FOOT LIGHT	3 INCH	3	615/-	50





## COLOUR

- WHITE
- WORM WHITE
- GREEN
- RED



## KEY FEATURES

### SPECIFICATION

-  Efficacy >100 lm/w
-  CCT 3K,4K,65K

- Wide Voltage Range: 140-270V
- Surge Protection: 4 kV
- Multi Adjustable Design
- Life up to >25,000 Burning Hrs.
- Aerodynamic Design for Better Thermal Management.

WATT	BEAM ANGLE	M.R.P.	MOQ
50W	120 DEGREE	1899/-	20
100W	120 DEGREE	3329/-	10
200W	120 DEGREE	6429/-	5
50WRGB	120 DEGREE	2299/-	20
100WRGB	120 DEGREE	4099/-	10

## Smart Home Office LIGHT



At **Havolt**, we don't just light up spaces — we bring innovation, quality, and trust to every corner we touch. With a commitment to cutting-edge technology and energy-efficient solutions, our products are designed to enhance both functionality and aesthetics. Whether it's your home, office, or commercial space, Havolt lighting ensures durability, elegance, and brilliance that lasts.

**Illuminate your world with confidence — illuminate it with Havolt.**

[www.havolt.appliances.com](http://www.havolt.appliances.com)

Email-havolt.appliances@gmail.com