



Premium 2Way Accessory Catalog



RADIO WHOLESALE
800-53-RADIO (537-2346)

Table of Contents

Page 3	Naming Convention
Page 4 & 5	BRAIDED FIBER CLOTH Earpieces
Page 6 & 9	SnapLock System Earpieces
Page 10	Acoustic Tube Earpieces
Page 11	Ear Hook Earpieces
Page 12	C & D Rings and Ear Bud Earpieces
Page 13	Swivel Earpieces
Page 14 & 15	eco Priced Earpieces
Page 16 & 17	Wrap-Tight Earpieces
Page 18 & 19	Retail Swivel Earpieces
Page 20 & 21	Knowles Hi-Def Earpieces
Page 22 & 27	Near Earpieces
Page 27 & 28	Sonim
Page 30 & 37	Speaker Microphones
Page 38 & 39	CHOICE & Touch-Free PTT
Page 40 & 41	Receive Only Earpieces
Page 42	Noise Cancelling Knowles Hi-Def Headsets
Page 43	Light Weight Headsets
Page 44 - 47	Heavy Duty Headsets
Page 48	Adaptors
Page 49	Hirose™ Adaptors and Accessories
Page 50	Acoustic Tube Ear Tips & Parts
Page 51	Earpiece & Headset Parts
Page 52	Radio & HIROSE Adaptors
Page 53	Speaker Mic & Battery Parts
Page 54-61	Connector Charts

Earpieces

AT	Acoustic Tube
ATS	Acoustic Tube Straight
SWVL	Swivel
EH	Ear Hook
EHLG	Ear Hook Large
DR	D-Ring
DRA	D-Ring Adjustable
EB	Ear Bud
SL	SnapLock

Examples

AT1W = Acoustic Tube 1 Wire

AT1W-M = Acoustic Tube 1 Wire with Motorola M Connector

Receive Only Earpieces

ROC	Receive Only Coiled Wire
ROS	Receive Only Straight Wire

ATROC15 = Acoustic Tube Coil 15mm

ATROC15-3.5 = Receive Only Acoustic Tube Coiled Wire with 3.5 Connector

Earpiece Type

+	Braided Fiber
1W	1 Wire In-Line PTT
1WB	1 Wire Lines Out Bottom Of PTT
2W	2 Wire
3W	3 Wire

AT+2W = Acoustic Tube Braided 2 Wire

AT+2W-M12 = Acoustic Tube Braided Fiber 2 Wire with Motorola M12 Connector

Speaker Mics

SM	Speaker Mic
W	Water Proof
NC	Noice Cancelling

SM6W = Speaker Mic 6 Water Proof

SM6W-K = Speaker Mic 6 Water Proof with K Connector

Headsets

HS	Headset
HSS	Headset Single Ear
HSD	Headset Double Ear
HSB	Headset Behind Head
HSBHD	Headset Behind Head Heavy Duty
HSIE	Headset In Ear

HSS = Headset Single Ear

HSS-Y3 = Headset Single Ear with Vertex Y3 Connector

Parts

AD	Adaptor
ETIP	Ear Tip
BC	Belt Clip

AD-M12-M = Adaptor for Motorola M12 (Multi-Pin) to M (Single Pin)

HOME OF THE ORIGINAL

**BRAIDED
FIBER
CLOTH[®]**
EARPIECES

3X STRONGER

90 Pound Pull-Strength

Premium 2Way Accessories



Acoustic Tube



Swivel

Ear Hook

Adj. D Ring

C Ring



Available In

1 Wire Kit

2 Wire Kit

(2 Wire Is Noise Cancelling)

&

SNAPLOCK
EARPIECE
SYSTEM ®

BRAIDED FIBER CLOTH SnapLock

1 Wire
SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector



High-quality
SnapLock
metal-to-metal
connector



BRAIDED FIBER CLOTH SnapLock

2 Wire
SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male **SnapLock** connector

SnapLock

1 Wire

SL1W



- A straight through in-line PTT with microphone
- With male **SnapLock** connector

SnapLock

3 Wire

SL3W



- Palm PTT
- Discreet pin on lapel microphone
- With male **SnapLock** connector

Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

HOME OF THE ORIGINAL

SNAPLOCK[®]

EARPIECE SYSTEM

1 Wire

2 Wire

OR

3 Wire

Available In

BRAIDED FIBER CLOTH[®]

Or Standard Resin Line

HOME OF THE ORIGINAL

SNAPLOCK[®]
EARPIECE SYSTEM

INDUSTRY'S
LARGEST
SELECTION

Available In

BRAIDED FIBER CLOTH[®]
Or Standard Resin Line

Premium 2Way Accessories



SnapLock
Covert Ear Tips
SL-ET+2-W - White
SL-ET+2-B - Black



Indestructible
Connector



SnapLock
In-Ear Hi-Def
SL-HD+IEG - Gel Tip
SL-HDIEF - Foam Tip



SnapLock
Swivel
SL-SWVL



SnapLock
Ear Hook
SL-EH - Standard
SL-EHLG - Large speaker



SnapLock
Bone Conduction
SL-BC - Hearing Aid



SnapLock
D&C-Ring
SL-DRA - Adjustable
SL-DR - Standard
SL-CR - C-Ring



SnapLock High-Def
Acoustic Tube
SL-ATHD+ - Knowles Speaker



SnapLock
3.5 Connector
SL-F3.5 - Female
SL-3.5 - Male



SnapLock Near
SL-360 Silver - Critical Comm.



SnapLock
Acoustic Tube
SL-AT - Premium Acoustic Tube
SL-ATR - Economically Priced for
retail and hospitality



BRAIDED FIBER CLOTH Acoustic Tube 1 Wire

AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

Acoustic Tube 1 Wire

AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire

AT2W



- Clip-on PTT with microphone
- Surgical tubing with UV protection

Acoustic Tube 3 Wire

AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



[See Replacement Parts on Acoustic Parts Page](#)

Features

- Industry leading 30lb pull-strength
- Quick disconnect clip – secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes – hygienic quick and easy swap between multiple users sharing equipment

KEVLAR

Cords on All Earpieces

BRAIDED FIBER

CLOTH

Ear Hook

1 Wire

EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/microphone with added shielding



Ear Hook

1 Wire

EH1W

- A straight through in-line PTT with microphone



Ear Hook

2 Wire

EH2W

- Clip-on PTT with microphone

Ear Hook

with large speaker

EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



Features

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

**D-Ring
Adjustable
1 Wire
DRIW
DRA1W**

- A straight through in-line PTT with microphone



**C-Ring
1 Wire**

CR1W

- A straight through in-line PTT with microphone



**Ear Bud
1 Wire**
EB1W

- A straight through in-line PTT with microphone



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

**BRAIDED FIBER
CLOTH Swivel
1 Wire**
SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



**Swivel
1 Wire**
SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users

**Swivel
2 Wire**
SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

[Cords on All Earpieces](#)

eco
price

Standard Earpiece Offering
Economically (eco) Priced Below Our
Premium N2W Accessories

25% to 35% Lower Pricing

1 Year Warranty

Ear Hook
1 Wire

EH1WB(eco)

- Lines out Bottom
PTT with Microphone

eco
price



NEW

Swivel
1 Wire

SWVL1WB(eco)

- Lines out Bottom
PTT with Microphone

eco
price



NEW

D-Ring
1 Wire

DR1WB(eco)

- Lines out Bottom
PTT with Microphone

eco
price



NEW

Acoustic Tube
1 Wire

AT1WB(eco)

- Lines out Bottom
PTT with Microphone

eco
price



NEW

Acoustic Tube
2 Wire

AT2W(eco)

- Lines out Bottom
PTT with Microphone

eco
price



NEW

- **25% - 35% Lower Pricing**
- **Quality Microphone**
- **Loud Speaker**
- **Strong 360 Degree Rotating Clip**
- **Replaceable Parts**
- **1 Year Warranty**

ADJUSTABLE CORD LENGTH

For Different Size People

windable cord



Swivel Wrap-Tight

SWVLWT1W

- A straight through in-line PTT with microphone



NEW WRAP-TIGHT

NEW

Ear Hook Wrap-Tight

EHWT1W

- A straight through in-line PTT with microphone



- **Make it long or make it short**
- **Wrap up the extra line for a perfect fit**
- **Premium in-line microphone**
- **Strong rotating clothing clip**

KEVLAR

Cords on All Earpieces



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

NEW

NEW RETAIL SWIVEL

Available For:


Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)



RETAIL CONNECTORS

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)





NEW “HIGH-DEF” SPEAKER EAR PIECES


 NEW


 **knowles**
Premium Speakers



Speaker Size On A Dime

SnapLock

Hi-Def Knowles In-Ear
SL-HD+IEG

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



 NEW

SnapLock

Hi-Def Knowles In-Ear
SL-HDIEF

- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



 NEW

SnapLock

Hi-Def Acoustic Tube
Knowles Speaker
SL-ATHD+

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



 NEW


knowles

Premium Speakers
Engineered specifically
for Voice Quality

NEW "HI-DEF" RECEIVE ONLY ACOUSTIC TUBE

 NEW

Available Now!

Item: ATHDROC30-3.5



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



Speaker Size On A Dime



NEW "HI-DEF" SNAPLOCK ACOUSTIC TUBE

Available Now!

Item: SL-ATHD+



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all **SNAPLOCK** Base PTT Systems
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



Speaker Size On A Dime



N·ear

CRITICAL COMMUNICATIONS CERTIFIED



0% Ear Fatigue

5 Patents

In-Ear Technology

100% Situational Awareness

3-Year Warranty

Available In:

SnapLock Earpiece System

& Receive Only

N-ear
360 Single
3.5mm



N-ear
360 Dual Ear
3.5mm



N-ear
360 Single
SnapLock



N-ear
360 Dual Ear
SnapLock



No ear 360



0% Ear Fatigue
100% Situational Awareness
Elite Audio Micro Technology
Secure Fit and Hold
Available in Single or Dual-Ear



3-Year Warranty
120-Day 100% Refundable
Patented Technology





CHOICE/PTTmic


+ Bluetooth LE 4.0

Connect N-ear to Any Radio

- Premium Microphone
- Side PTT & Wireless PTT Replaceable Coin Battery (CR 2032)
- Finger or Handlebar Wireless PTT 2.4 GHz BLE 4.0
- **BRAIDED FIBER CLOTH** Line 90lb Pull-Strength
- Connectors for All Radios



Wireless PTT



Choice PTT/mic

Any 3.5 Receive Only Earpiece



N·ear
360

WHAT COMES WITH THE N-EAR 360

- 1 N·ear Dual 360 Earpiece
- 2 Open Ear Tip
Placed on Earpiece
Size Small (fits 85% of ears)
- 1 Double Flange Ear Tip
- 2 Wax Filters and Removers
- 1 User Guide
- 1 Zipper Case

N·ear 360 Dual - SnapLock



SnapLock **Earpiece System**

No ear
360



SnapLock 360 Dual-Ear
(Item: RO-360-22-3.5SD)



SnapLock 360 Single
(Item: RO-360-22-3.5S)



SnapLock PTT/mic Base
2 Wire Noise-Cancelling
Braided Fiber Cloth
(Item: SL+2W)

1 or 2 Wire Kits





- Speaker Mic 6
- Speaker Mic 6 Long Cord
- & Waterproof

NEW

WORKS WITH XP8

SM6-SN Best Selling Speaker Mic. 6

SM6WL-SN Extra Long Cord & Waterproof IP67




 1 & 2 Wire Resin
 1 & 2 Wire BRAIDED FIBER
 1 & 2 Wire SnapLock


Ear Hook



D-Ring Adjustable

Ear Hook Large



D-Ring

Acoustic Tube



Acoustic Tube Retail

Covert Ear Tips White



Hi-Def Knowles - Foam Tip

Covert Ear Tips Black



N-ear 360 Single Ear



Swivel



Ear Bud



Hi-Def Knowles Acoustic Tube



Hi-Def Knowles- Gel Tip



N-ear 360 Dual Ear

1 Wire PTT Base In-Line



1 Wire PTT Base



2 Wire PTT Base



AVAILABLE IN STANDARD RESIN OR NEW

BRAIDED FIBER CLOTH.

SO COMFORTABLE YOU'LL NEVER LOOK AT

TWO-WAY RADIO ACCESSORIES THE SAME AGAIN.



Speaker Microphones

Best Selling Speaker Microphone 6 Series

SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



3.5mm accessory port on the side

360 degree rotating clothing clip

SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord



Battery Powered Speaker Mic

SM7

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator - Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory port on the side

Micro USB Charging Port



KEVLAR

Cords on All Speaker Mics



SPEAKER MIC

Multiple styles for each user

Compact, heavy-duty design
4.9mm fire retardant cable
3.5mm audio accessory port
Heavy gauge coiled cord
Dimensions: 2.25"x.8"x2"



SM6W

3.5 Audio
Earpiece Port

Emergency Button Optional



IP67
Speaker Mic Rating

WATER AND DUST PROOF



ENGINEERED FOR ENHANCED AUDIO
PERFORMANCE AND DURABILITY
INDEPENDENT LAB TEST RATING IP67
4.9mm FIRE RETARDANT CABLE

Speaker Microphones

Compact Size

SM1

- Dimensions: 2.1" x 1" x 2.7"



3.5mm accessory port on the side
360 degree rotating clothing clip

Standard Size

SM2

- Dimensions: 2.3" x 1.1" x 3"



3.5mm accessory port on the side
360 degree rotating clothing clip

Compact Size

SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory port on the bottom
360 degree rotating clothing clip

Heavy Duty

SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant



3.5mm accessory port on the bottom
- SM4 model only
360 degree rotating clothing clip

Mobile Palm Mic

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



KEVLAR

Cords on All Speaker Mics






ACTIVE NOISE CANCELLING Speaker Mic.

NEW

Background Noise & Voice Go Into Radio

Mic. Reduces Background Noise for Clear Voice



SM6WLNC



Dual Mic. Technology

1st Mic Captures Voice

 2nd Mic Captures & Removes
Background Noise

Item # SM6WLNC




NEW

 Passive Noise Cancelling
SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip

NOISE CANCELLING

Premium Accessories



MIL SPEC SPEAKER MIC 8W

 NEW

Active Noise Cancelling



TRI MIC TECHNOLOGY

Performance speaker with integrated DSP hard/software for active noise cancellation via multiple microphones.



Features

- MIL-STD810G Tested
- IP67 water protection
- Active noise cancellation
- Triple microphone
- Flame retardant
- Large swivel belt clip w/ring
- Nexus 5 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Green or grey front PTT
- Red Transmit LED
- Optional emergency button
- Optional function button



SMOOTH TOUCH SM9

Active Noise Cancelling

 NEW

PUBLIC SAFETY READY

The New Speaker Mic. 9 is a powerhouse. Featuring 2 active MEMS microphones producing superior sound. The smooth front speaker grill is comfortable to the hand. This is our only speaker mic. with a 3.5 audio port that can be open or closed and still provide waterproof IP67 protection.



Features

- IP67 water protection
- Active noise cancellation
- 2 MEMS premium mics
- Triple microphone
- Heavy duty construction
- Fire retardant cable
- Large swivel belt clip w/ ring
- Audio jack for earphone 3.5mm
- Optional emergency button
- Optional function button

MEMS Microphone

The latest in microphone technology. Less electrical interference, less sensitivity to temperature change, higher precision sound, better protection from impact or shock damage.



FREE ON-SITE LASER ENGRAVING



IMMEDIATE DELIVERY

STICKER OPTIONS AVAILABLE



CHOICE Wireless PTT

+ Bluetooth LE

CHOOSE Any Radio or Any 3.5 Receive Only Earpiece

- Premium Microphone
- Side PTT & Wireless PTT
- Replaceable Coin Battery (CR 2032)
- Wireless PTT BLE
- Braided Fiber Cloth Line 90lb Pull-Strength
- Connectors for All Radios



CHOOSE Where you want to place your second/wireless PTT (vest, handlebars, steering wheel, belt, rifle)



Unscrew and replace battery (Coin Cell CR2032)

TOUCH-FREE PTT



Available in ***SnapLock*** Touch-Free 1 Wire Kits

Medical work fields

Medical teams that require sanitation at all times can wear the wrist sensor PTT to speak without touching the earpiece PTT.



Wristband Easily Snaps On

The silicone material allows for a fast snap onto your rest easily for a clean comfortable fit.



Construction / Mechanics

Workers with thick gloves or greasy hands can wear the wrist sensor PTT to activate without touching the earpiece PTT.



RECEIVE ONLY - LENGTH OPTIONS



RO
Receive Only

2.5 or 3.5
millimeter
connectors

LENGTH OPTIONS

Shoulder Mics	4 inch	10 cm
Shoulder Mics	6 inch	15 cm
Chest Mics	12 inch	30 cm
Hip Mics	48 inch	120 cm

NEW “HI-DEF” RECEIVE ONLY ACOUSTIC TUBE



Item: ATHDROC30-3.5

NEW

Speaker Size On A Dime



 **knowles**
Life above the noise

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm
ATHDROC30-3.5 12 in long w/ 3.5mm



Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm
ATROC15-2.5 6in long w/ 2.5mm
ATROC10-3.5 4in long w/ 3.5mm
ATROC15-3.5 6in long w/ 3.5mm
ATROC30-2.5 12in long w/ 2.5mm
ATROC30-3.5 12in long w/ 3.5mm
ATROC120 48in long w/ 3.5mm



D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm
DRROC15-3.5 6in long w/ 3.5mm



Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm
EHROC15-3.5 6in long w/ 3.5mm



BRAIDED FIBER CLOTH Receive Only **SnappyLock**

SL+ROS120-2.5 48in long w/ 2.5mm
SL+ROS120-3.5 48in long w/ 3.5mm

See **SnappyLock** System page



Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.5 9.5in long w/ 2.5mm
HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



N ear 360

Single or Dual Ear

RO-360-22-2.5S 22in long w/ 2.5mm
RO-360-22-3.5S 22in long w/ 3.5mm
RO-360-22-2.5SD 22in long w/ 2.5mm
RO-360-22-3.5SD 22in long w/ 3.5mm



D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm
DRAROC15-3.5 6in long w/ 3.5mm



Swivel Receive Only

SWVILROC15-2.5 6in long w/ 2.5mm
SWVILROC15-3.5 6in long w/ 3.5mm



Ear Bud Receive Only

EBROC15-2.5 6in long w/ 2.5mm
EBROC15-3.5 6in long w/ 3.5mm



NEW
HI-DEF, NOISE CANCELLING
IN-EAR HEADSET

NEW

HSHD+IEF

- Hi-Def premium sound
- Noise Cancelling Mic
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords



knowles
Premium Speakers
Engineered specifically
for Voice Quality

Mechanical On-Off to Ambient Noise

Premium Noise Reduction Foam Tips

Noise Cancelling Boom Mic

24.9 ~ 48.4 dB Reduction

Ambient Noise Control
On/Off Both Ear Tips



knowles
Premium Speaker

Noise Reduction
Ear Foam Tips



OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

Single Side
Lightweight
Over the Head
Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side
Lightweight
Over the Head
Headset

HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



Lightweight
Behind the Head
Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D
Behind the Head
Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable headstrap
- Heavy duty wire frame



NEW HARD HAT Headset



- Lightweight heavy duty hard hat headset
- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models

Available Now!



Item # HS2

Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT PADDED Headset



- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!



Item # HS-PTTCAB



Item # HS9

Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT FLEX Headset



- Lightweight and tight Collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Item # HS3

Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT FLEX Headset



- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Item # HS3G

Noise Cancelling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24dB ~ 33dB

NEW SINGLE MUFF Headset

NEW

- Adjustable over head single ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

NEW DOUBLE MUFF Headset

NEW

- Adjustable over head dual ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

BEHIND HEAD HEAVY DUTY HEADSETS

PTT on Ear Muff
Headset **HS4**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - HS4-CAB, NX-CAB

Available Colors



Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling/directional mic
- SNR rating 33db H=33db M=32db L=24dB

PTT in Cable
Headset **HS5**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - HS5-CAB, NX-CAB

Available Colors



Volume and PTT
on Headset **HS8**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately - HS4-CAB

KEVLAR

Cords on Large Ear Muff

Adaptors

Adaptor Options



ADC-Y3-FL3.5 adaptor
dongle to 3.5mm custom
accessories



AD-Y3-FL3.5 adaptor to 3.5mm
custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.



Adaptor Earpiece Options

Additional Adaptors Available
Inquire directly.

[See Adaptor Parts Page](#)



AD-K1-K
Kenwood



AD-M15-M
Motorola



AD-M12-M
Motorola

Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.

Adaptor Options



AD-K1-Hirose - works with Kenwood radios



AD-M12-Hirose - works with Motorola MOTOTRBO radios



AD-M3-Hirose includes PTT and 3.5mm accessory port

[See on Adaptor Page](#)



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube



AT1W-Hirose 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

AT2W-Hirose 2-wire acoustic tube earpiece with clip-on PTT / microphone



AT+1W-Hirose 1-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with straight through in-line PTT / microphone with added shielding

AT+2W-Hirose 2-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with noise cancelling premium microphone and palm PTT

SNAPLOCK SYSTEM



SL+2W - 2-wire **SNAPLOCK BRAIDED FIBER CLOTH** with noise cancelling premium microphone and palm PTT Earpieces sold separately:

- SL-EB** - Ear Bud
- SL-EH** - Ear Hook
- SL-SWVL** - Swivel
- SL-DR** - D-Ring
- SL-DRA** - Adjustable D-Ring
- SL-AT** - Acoustic Tube
- SL-ATR** - Acoustic Tube Retail

Acoustic Tube Ear Tips



ETIP Tan/Black
Clear 1, 2, 3
10 or 100 Pack



Molded Ear Tips
Black/Clear/Pink
S,M, L, Right/Left



EFIN Ear Fins Tips
S,M, L, Right/Left



ETIP3-C - Clear
10 or 100 Pack



ETIPHDG-MLMR
Hi-Def ear tip



ETIP-FOAM Premium
Noise Reduction ear tip
24~48 dB
1,10 or 100 pack



ETIP-FOAM & Plug
Premium Noise Reduction
ear tips
24~48 dB



YELLERS Noise
Reduction ear tip
1,10 or 100 pack

Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear
Tips



B4TUBESET - Clear
Tips Surgical Tubing



Acoustic Tube only
Clear/Black



TUBESET with Clear
Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B

Headset Mic Foams and Ear Pads



ESSB-10 - Black - for Ear Hook - 10 pack



MICMB - mic sponge
HSB, HSS, HSBHD &
HSD - 1 pack/10 pack



MICLB - mic sponge
HS4, HS5, HS7, HS8
1 pack/10 pack



DRATIPB - adjustable
D-Ring - 2 pack/10 pack



EMEGPAD - gel pad
HS4, HS5, HS7, HS8



HSLWEP - earpad
HSS & HSD



CLIP - fits 2.0mm &
2.5mm cable



CLIPA - 2.0-3.8mm
cable




ATHDCLIP



FPTT - Wired
Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7
Replacement Battery

Adaptors



AD-M12-M
Motorola



AD-M15-M
Motorola



AD-M4-M
Motorola



AD-M5-3.5
Motorola



AD-K1-K
Kenwood



AD-Y3-FL3.5
Vertex



AD-I-S2
Icom



ADC-Y3-FL3.5
Vertex

HIROSE



AD-M3-HIROSE
Motorola



AD-M15-HIROSE
Motorola



AD-M12-HIROSE
Motorola



AD-K1-HIROSE
Kenwood

Call for options
on non-US-stocked
adaptors

Battery Clips



BC1 - Clip for CP110
and RDU2080



BC2 - Clip for CP200



BC3 - Clip for HT750
and HT1250



BC4 - Clip for Motorola
XPR6550



BC5 - Clip for Motorola
XPR3500 and XPR7550

**Call for options
non-US-stocked
clips**

Speaker Mic Clips



SM2CLIP - replacement
clip for SM2, SM4 & SM4W



SM3CLIP - replacement
clip for SM1 & SM3



SM6CLIP - replacement
clip for SM6



PMCLP - replacement clip
for Palm Mics

Accessory Connector Chart



Image	Part no.	Works With Radio Models:
	BK2	P150 KNG
	K	Relm RPU416, RPU416A, RPU499, RPU499A Plus, RPU4200, RPV516, RPV599X, RPV516A, RPV599A Plus
	M5	Relm RPV3000 / 3600 / RPU3000 / 3300C
	M	Relm RP6500



Image	Part no.	Works With Radio Models:
	HR2	P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-25, XG-75
	H6	HDP100, HDP150, HDP250 Momentum
	H7	HDP-250



Image	Part no.	Works With Radio Models:
	H4	BD5 Series, PD4 Series, PD5 Series, TC-446S, TC-500, TC-508, TC-518, TC-580, TC-600, TC-610, TC618, TC620, TC626, TC-700, TC-700 Ex PLUS, POWER446
	H5	TC320 with locking screw
	H6	PD7 Series, PD98X
	H7	PD-6 Series, X1e, X1p
	H8	BD3 Series, PD3 Series
	M4	TC-980
	M5	TC-610P, TC700P, TC-780, TC-780P, TC-780M



Image	Part no.	Works With Radio Models:
	S2B	IP-100H, IP-501H - Waterproof
	S3	F1100D/F2100D, F3210D/F4210D, F11, F11S, F14, F14S, F21, F21S, F24, F24S, F33GS, F33GT, F43GS, F43GT, F43TR, F3003/F4003, F4026DR, F4029SDR, F43GS, F43GT, F43TR, F1000/F2000, F3003, F3021/F4021, F4029SDR, F3001/F4001, F3011/F4011, F3101/F4101, JC-V80/V80E,
	S3B	F1000/F2000D/T/S, F1100D/F2100D, F3031S/4031S, F3230/4230DT/DS, F31/41W, V88 - BC1000 Watreproof
	I2	F30G/ F30GT/ F30GS/ F31GS/ F31GT, F40G/ F40GS/ F40GT, F50/ F50V/ F51, F60/ F61/ F61V, F70, F80, M87 / 88, F3061 Series/ F4061 Series, IC-F3161 Series/ F4161 Series, F3062/F4162, F4029DRR
	I4	F3260/ F4230, F3261D/ F4261D, F3360D/ F4360D, PD52D, PD62D, F3400D/ F4400DT/DS/D, F5400/6400D/DS, F7010/F7020, F7210T/F/S, F9011/F9021,

KENWOOD

Image	Part no.	Works With Radio Models:
	K	Free Talk XLS, NX240V/340U, Pro Talk XLS, TK208/308, TK2100/3100, 2160/3160/3101, TK2170/3170/3173, TK220/320, TK240/340, TK240D/340D, T248, TK250/350/353, TK348, TK248, TK430/431, TK2200/3200, TK2202/3202/TK3212, TK2130, TK2212, TK2300/TK2312 3101 Free Talk, TK2400, TK2302/3302, TK3312, TK259/359, TK272G/372G, TK3100, TK3130 (ProTalk XLS), TK3173, TK2360, ,TK3230, TK3360, TK3131, TK3201, TK3300, TK3350, TK260G/360G, TK270G/370G, TK373G, XL2102/3102 Pro Talk, TK2400VP/3400UP, TK2402V/3402U, TK260, TK360, TK370, TK373 TK2130 ProTalk XLS), TK3131 (FreeTalk XLS) NEXEDGE NX220, NX240 / 340, NX320, NX420
	K1	TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210/5310, TK-5220/5320, TK-5410, TK-5320/5420, TK-5400, <u>NEXEDGE</u> NX200/300, NX210, NX410/411, NX-3200/3300, NX-5200, NX-5300, NX-5400
	K2	PKT23
	K5	NX-P500
	KM	Kenwood Mobil Palm Mic

EFJohnsⁱⁿ

Image	Part no.	Works With Radio Models:
	M3	Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-Net Ascend ES Series, AN/PRC 127EFJ

Accessory Connector Chart



Image	Part no.	Works With Radio Models:
	M	BC10, BC90, BC120, BC130, BPR40, CLS1110, CLS1410, CP125, CP88, CP100, CP110, CP150, CP185, CP200, CP200D, CP200XLS, CP450, CT150, CT250, CT450, CT450LS, DTR Series, GP2000, GP300, GP308, GP68, GP88, GP2000, GTI, GTX, LTS2000, MAG ONE, PR400, P040, P080, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, GP280, GP350 (requires Motorola adaptor HLN9482)
	M3	GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000Astro, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838
	M4	GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860, MTP700, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO9150, PTX700, PTX760, PTX780, PRO7750, WARIS
	M5	EX500, EX560, EX560XLS, EX600, GL200, GL2000, GP328Plus, GP338Plus, GP344, GP388, Pro5150Elite, Pro7150, Pro9150, Elite7150, Elite9150
	M12	APX6000, APX7000, DP3400, DP3401, DP3600, DP3601, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e,
	M14	SL300, SL3000e, SL3500e, SL500, SL7000, SL7500, SL7550e, SL7580e, SL7590e, SL4000, SL4010 - WAVE TLK100
	M15	APX3000/8000, DP2000, DP2400, DP2600, DP 3441MTP, 3100/3150/3200/3250/3500/3550, DP2400, DP2600, DP3441, MOTOTRBO - XPR3300e, XPR3500e
	M17	CLP1010, CLP1040, CLP1060
	MM	XPR5000 Series Mobile Radio Pam Mic
	MM1	CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic

maxon 

Image	Part no.	Works With Radio Models:
	M	TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	TPD-1116, TPD-1416, TPD-1124, TPD-1424
	M14	TPD-8124, TPD-8424
	K	TS-3416K

Accessory Connector Chart



Image	Part no.	Works With Radio Models:
NEXTEL		
	KN	NEXTEL i300, i305, i405, i450, i475
sepura		
	SP2	SC230 Series, STP8000, STP9000, STP9100, STP9200
tait		
	TA	TP8100 series, TP9400 series
TEKK		
	M Digital Ready	XU100, XV100, XU1000, XV1000



Image	Part no.	Works With Radio Models:
	Y3	BC95, eVerge- eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX300, VX231, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
	Y5	VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	eVX-S24