

DRP

VALVES & FITTINGS
MANUFACTURERS &
EXPORTERS



DRP Manufacturing Company

DRP Lane Bulandpur Road, Jalandhar 144 012 (Pb.)
Ph.: 0181 4063750, 2604750 Email: drps@drpgroup.in
website : www.drpgroup.in

PRICE LIST

MRP List No.: FITTINGS-103 W.E.F. 01-04-2026

DRP

SSE

Sr. No. 01
S.S.

ELBOW 90°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	103/-	132/-
10	114/-	147/-
15	120/-	158/-
20	175/-	231/-
25	271/-	357/-
32	452/-	599/-
40	523/-	667/-
50	885/-	1124/-

DRP

SSER

Sr. No. 02
S.S.

REDUCING ELBOW 90°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
10	114/-	147/-
15	120/-	158/-
20	175/-	231/-
25	271/-	357/-
32	452/-	599/-
40	523/-	667/-
50	885/-	1124/-

DRP

SSEMF

Sr. No. 03
S.S.

ELBOW M/F 90°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	122/-	158/-
10	122/-	158/-
15	122/-	158/-
20	185/-	242/-
25	301/-	399/-
32	410/-	546/-
40	633/-	819/-
50	1029/-	1363/-

DRP

SSE45

Sr. No. 04
S.S.

ELBOW 45°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	103/-	131/-
10	113/-	147/-
15	120/-	158/-
20	174/-	231/-
25	271/-	357/-
32	452/-	599/-
40	523/-	667/-
50	884/-	1124/-



SST

Sr. No. 05
S.S.

TEE

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	135/-	181/-
10	156/-	205/-
15	160/-	210/-
20	236/-	307/-
25	433/-	578/-
32	595/-	788/-
40	788/-	1042/-
50	1153/-	1502/-



SSTR

Sr. No. 06
S.S.

REDUCING TEE

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
10	156/-	205/-
15	160/-	210/-
20	236/-	307/-
25	433/-	578/-
32	595/-	788/-
40	788/-	1042/-
50	1153/-	1502/-



SSC

Sr. No. 07
S.S.

CROSS

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	252/-	315/-
20	357/-	443/-
25	496/-	614/-
32	777/-	966/-
40	985/-	1229/-
50	1313/-	1628/-



SSS

Sr. No. 08
S.S.

SOCKET 180°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	80/-	103/-
10	84/-	112/-
15	89/-	116/-
20	112/-	145/-
25	200/-	252/-
32	313/-	389/-
40	376/-	472/-
50	635/-	798/-



SSSR

Sr. No. 09
S.S.

REDUCING SOCKET 180°

CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
10	84/-	112/-
15	89/-	116/-
20	112/-	145/-
25	200/-	252/-
32	313/-	389/-
40	376/-	472/-
50	635/-	798/-

**SSU**Sr. No. 10
S.S.**UNION 180°**
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)

Size in mm	RATE CF-8 304	RATE CF-8M 316
8	229/-	300/-
10	242/-	315/-
15	248/-	328/-
20	357/-	462/-
25	513/-	662/-
32	740/-	924/-
40	1015/-	1271/-
50	1573/-	1907/-

**SSCP**Sr. No. 011
S.S.**ROUND CAP**
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)

Size in mm	RATE CF-8 304	RATE CF-8M 316
8	61/-	80/-
10	63/-	84/-
15	68/-	90/-
20	103/-	135/-
25	147/-	184/-
32	210/-	263/-
40	309/-	389/-
50	454/-	567/-

**SSSP**Sr. No. 012
S.S.**PLUG SQUARE MALE**
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)

Size in mm	RATE CF-8 304	RATE CF-8M 316
8	53/-	69/-
10	57/-	76/-
15	61/-	82/-
20	80/-	105/-
25	126/-	158/-
32	189/-	237/-
40	227/-	284/-
50	355/-	452/-

**SSB**Sr. No. 013
S.S.**REDUCING HEX BUSH**
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)

Size in mm	RATE CF-8 304	RATE CF-8M 316
10	70/-	91/-
15	76/-	99/-
20	133/-	168/-
25	204/-	252/-
32	326/-	405/-
40	458/-	567/-
50	725/-	903/-

**SSN**Sr. No. 014
S.S.**HEX NIPPLE 180°**
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)

Size in mm	RATE CF-8 304	RATE CF-8M 316
8	63/-	82/-
10	66/-	84/-
15	79/-	103/-
20	105/-	139/-
25	183/-	231/-
32	326/-	405/-
40	399/-	502/-
50	645/-	809/-

**SSNR**

Sr. No. 015

S.S.

RED. HEX NIPPLE 180°

CF-8 (AISI 304) /

CF8M (AISI 316)

(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
10	66/-	84/-
15	79/-	103/-
20	105/-	139/-
25	183/-	231/-
32	326/-	405/-
40	399/-	502/-
50	645/-	809/-

**SSHN**

Sr. No. 016

S.S.

HOSE NIPPLE 180°

CF-8 (AISI 304) /

CF8M (AISI 316)

(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	110/-	145/-
10	114/-	153/-
15	118/-	160/-
20	229/-	294/-
25	336/-	437/-
32	446/-	570/-
40	620/-	798/-
50	998/-	1286/-

**SST**

Sr. No. 017

S.S.

TANK NIPPLE

CF-8 (AISI 304) /

CF8M (AISI 316)

(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
10	248/-	310/-
15	248/-	310/-
20	336/-	420/-
25	452/-	565/-
32	683/-	853/-
40	903/-	1129/-
50	1260/-	1575/-

**SSPN**

Sr. No. 18

S.S. 316-304

PIPE NIPPLE

CF-8 (AISI 304)

(Screwed) Male

Size in mm	3"	4"	6"	9"	12"
8	107/-	124/-	172/-	235/-	311/-
10	120/-	145/-	206/-	286/-	374/-
15	139/-	170/-	237/-	344/-	447/-
20	166/-	206/-	286/-	405/-	531/-
25	223/-	279/-	363/-	557/-	733/-
32	279/-	363/-	487/-	706/-	930/-
40	340/-	428/-	609/-	890/-	1166/-
50	412/-	525/-	764/-	1111/-	1447/-

TERM & CONDITIONS:

✓ All taxes shall be charged extra as applicable ✓ This price list cancel all our previous lists ✓ Prices are subject to change without prior notice. ✓ All disputes are subject to Jalandhar Jurisdiction courts only
NOTE: All Fittings are supplied with BSP threads. Fittings are also available in BSPT threads on demand at nominal extra cost.