



DRP Manufacturing Company

DRP Lane Bulandpur Road, Jalandhar 144 012 (Pb.)
Ph.: 0181 4063750, 2604750 Email: drps@drpgroup.in
website : www.drpgroup.in

PRICE LIST

MRP List No.: **VALVES-103**
W.E.F. 01-04-2026



ICL

Sr. No. 01
S.S. BALL VALVE
MEDIUM 1000 Lbs.
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8/10	510/-	630/-
15	510/-	630/-
20	706/-	882/-
25	994/-	1239/-
32	1697/-	2037/-
40	2493/-	2982/-
50	3581/-	4284/-



IC

Sr. No. 02
S.S. BALL VALVE
STANDARD 2000 Lbs.
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	666/-	753/-
20	1122/-	1279/-
25	1562/-	1773/-
32	1988/-	2258/-
40	3094/-	3514/-
50	4710/-	5353/-
65	7726/-	8363/-
80	9826/-	10849/-
100	19137/-	21956/-



ICS

Sr. No. 03
S.S. BALL VALVE
3 Pc. Design 2000Lbs.
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
8/10 & 15	1037/-	1239/-
20	1252/-	1449/-
25	1644/-	1890/-
32	3240/-	3717/-
40	3682/-	4232/-
50	5338/-	6143/-
65	8832/-	9996/-
80	12513/-	15057/-



ICF

Sr. No. 04
S.S. BALL VALVE
3 Pc. Design
2000 Lbs. CL-150
CF-8 (AISI 304) /
CF8M (AISI 316)
(Flanged)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	2128/-	2552/-
20	2207/-	2646/-
25	2980/-	3465/-
32	3682/-	4242/-
40	5153/-	5933/-
50	8281/-	9660/-
65	13102/-	14910/-
80	14981/-	17115/-
100	25394/-	28602/-
150	77259/-	89250/-

TERM & CONDITIONS:

✓ All taxes shall be charged extra as applicable ✓ This price list cancel all our previous lists ✓ Prices are subject to change without prior notice. ✓ All disputes are subject to Jalandhar Jurisdiction courts only



IBF

Sr. No. 05
S.S. BALL VALVE
2 Pc. Design 2000 Lbs.
CF-8 (AISI 304) /
CF8M (AISI 316)
Flanged CL-150



Size in mm	RATE CF-8 304	RATE CF-8M 316
25	3087/-	3705/-
32	3780/-	4536/-
40	5250/-	6300/-
50	8400/-	10080/-
65	13314/-	15981/-
80	15456/-	18564/-
100	25394/-	30503/-



IBH

Sr. No. 06
S.S. BALL VALVE
MEDIUM 1000 Lbs.
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)
with Butterfly Handle



Size in mm	RATE CF-8 304	RATE CF-8M 316
8	510/-	630/-
10	510/-	630/-
15	510/-	630/-
20	706/-	882/-
25	994/-	1239/-



CBV

Sr. No. 07
CARBON STEEL
BALL VALVE
3 Pc. Design
Regular Bore
(Screwed/ SW Ends)



Size in mm	RATE WCB
15	1006/-
20	1167/-
25	1888/-
32	2646/-
40	3357/-
50	5304/-



CSF

Sr. No. 08
CARBON STEEL
BALL VALVE
3 Pc. Design
(Flanged Ends)
CL-150



Size in mm	RATE WCB
15	1297/-
20	1540/-
25	2092/-
32	2708/-
40	3713/-
50	6308/-
65	9550/-
80	11156/-
100	18712/-



CBF

Sr. No. 09
CARBON STEEL
BALL VALVE
2 Pc. Design
(Flanged)
CL-150



Size in mm	RATE WCB
25	2216/-
32	2888/-
40	3927/-
50	6909/-
65	10358/-
80	12369/-
100	20045/-

DRP**3WV**


Sr. No. 10
 S.S. 3 WAY BALL VALVE
 CF-8 (AISI 304) /
 CF8M (AISI 316) (Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	2595/-	3255/-
20	3460/-	4410/-
25	4704/-	5880/-

DRP**IST**

Sr. No. 11
 S.S. THERMODYMANIC
 STREAM TRAP SCREWED



Size in mm	RATE CF-8 304	RATE (CA-40)420
15	1672/-	1890/-
20	1800/-	2111/-
25	2550/-	2993/-

DRP**SGV**

Sr. No. 12
 S.S. GLOBE STEAM VALVE
 CF-8 (AISI 304)/ CF8M (AISI 316)
 (Screwed) PN-40
 with S.S. 410 Working Parts



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	894/-	1103/-
20	1349/-	1691/-
25	1994/-	2520/-
32	2813/-	3507/-
40	3501/-	4337/-
50	5433/-	6720/-

DRP**DCV**

Sr. No. 13
 S.S. DISC CHECK VALVE
 CF-8 (AISI 304) /
 CF8M (AISI 316)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15 & 20	492/-	620/-
25	684/-	840/-
32	964/-	1208/-
40	1140/-	1418/-
50	1611/-	2016/-
65	2644/-	3371/-
80	3319/-	4242/-
100	4762/-	6101/-
125	8400/-	10500/-
150	10435/-	13125/-

DRP**VCV**

Sr. No. 14
 S.S.
 VERTICAL CHECK VALVE
 CF-8 (AISI 304) /
 CF8M (AISI 316)
 (Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	400/-	510/-
20	570/-	730/-
25	775/-	985/-
32	1210/-	1550/-
40	1700/-	2180/-
50	2420/-	3070/-
65	4710/-	5900/-
80	6412/-	8000/-
100	11840/-	14770/-

DRP**SMC**

Sr. No. 15
 S.S. MULTI CHCEK VALVE
 Metal to Metal Seat
 CF-8 (AISI 304) /
 CF8M (AISI 316)
 (Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	349/-	446/-
20	493/-	620/-
25	698/-	893/-
32	1077/-	1355/-
40	1537/-	2037/-
50	2653/-	3360/-
65	4395/-	5460/-
80	6592/-	8201/-
100	12729/-	15750/-



SCV

Sr. No. 16
S.S. SWING CHECK VALVE
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	468/-	588/-
20	678/-	851/-
25	903/-	1155/-
32	1869/-	2247/-
40	2520/-	3024/-
50	3885/-	4662/-
65	5933/-	7224/-
80	9282/-	11130/-
100	17955/-	21210/-



SYS

Sr. No. 17
S.S. STRAINER 'Y' TYPE
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	420/-	525/-
20	523/-	672/-
25	887/-	1134/-
32	1107/-	1386/-
40	1643/-	2058/-
50	2455/-	3119/-
65	4494/-	5723/-
80	6195/-	7844/-



SSG

Sr. No. 18
S.S. SIGHT GLASS
CF-8 (AISI 304) /
CF8M (AISI 316)
(Screwed)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	712/-	893/-
20	795/-	998/-
25	971/-	1260/-
32	1082/-	1376/-
40	1641/-	2142/-
50	1959/-	2541/-



SFV

Sr. No. 19
S.S. FLOT VALVE
WITH NITRILE RUBBER SEAT
CF-8 (AISI 304) /
CF8M (AISI 316)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	591/-	767/-
20	653/-	882/-
25	1077/-	1418/-
32	1569/-	2048/-
40	2100/-	2741/-
50	3349/-	4355/-
65	5702/-	7413/-
80	6986/-	9089/-



FV

Sr. No. 20
S.S. FOOT VALVE
CF-8 (AISI 304) /
CF8M (AISI 316)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15 & 20	567/-	735/-
25	714/-	956/-
32	966/-	1260/-
40	1575/-	2054/-
50	1995/-	2688/-
65	3045/-	3906/-
80	4620/-	5880/-
100	7833/-	9881/-
125	13860/-	16947/-
150	18165/-	22260/-



AV

Sr. No. 21
S.S. AIR RELEASE VALVE
CF-8 (AISI 304) / CF8M (AISI 316)



Size in mm	RATE CF-8 304	RATE CF-8M 316
15	651/-	882/-
20	693/-	924/-
25	798/-	1050/-