

















# ZOLOTO<sup>®</sup> VALVES










*Touching Lives Everyday.. Everywhere...*

Maximum Retail  
**PRICE LIST**  
Dt. 26.05.2026

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1001	 <p>ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84819090</p>	1/4	8	1,000	1 1/2	40	4,123
		3/8	10	1,000	2	50	6,013
		1/2	15	1,000	2 1/2	65	10,308
		3/4	20	1,442	3	80	17,163
		1	25	1,894	4	100	29,572
		1 1/4	32	3,126			
1001A	 <p>ZOLOTO Bronze Angle Globe Valve No.4 (Screwed) HSN Code : 84819090</p>	1/2	15	1,077			
		3/4	20	1,938			
		1	25	2,664			
		1 1/4	32	3,452			
		1 1/2	40	6,221			
1002	 <p>ZOLOTO Bronze Globe Valve No.5 (Screwed) HSN Code : 84819090</p>	1/4	8	1,000	1 1/2	40	6,795
		3/8	10	1,070	2	50	11,446
		1/2	15	1,520	2 1/2	65	18,977
		3/4	20	2,481	3	80	27,991
		1	25	3,947			
1003	 <p>ZOLOTO Bronze Globe Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84819090</p>	1/2	15	4,678			
		3/4	20	6,097			
		1	25	8,216			
		1 1/4	32	9,862			
		1 1/2	40	14,254			
1004	 <p>ZOLOTO Bronze Globe Valve (One Side Flanged) with PTFE Seating Flanged Ends to BS 10 Table 'D' HSN Code : 84812000</p>	1/2	15	3,385			
		3/4	20	4,445			
		1	25	6,197			
		1 1/4	32	8,835			
		1 1/2	40	11,881			
1005	 <p>ZOLOTO Bronze Needle Valve (Screwed) HSN Code : 84812000</p>	1/2	15	931			
		3/4	20	1,592			
		1	25	2,362			
		1 1/4	32	3,483			
		1 1/2	40	4,641			
1006	 <p>ZOLOTO Bronze Gate Valve (Hex. Type) (Screwed) HSN Code : 84818030</p>	1/4	8	1,022	1 1/2	40	5,584
		3/8	10	1,324	2	50	8,179
		1/2	15	1,464	2 1/2	65	14,215
		3/4	20	2,060	3	80	21,240
		1	25	2,847	4	100	41,180
1 1/4	32	3,931	6	150	2,15,808		








Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1007	 <p>ZOLOTO Bronze Gate Valve (Peg. Type) (Screwed) HSN Code : 84818030</p>	1/4	8	1,022	1 1/2	40	5,584	
		3/8	10	1,324	2	50	8,179	
		1/2	15	1,464	2 1/2	65	14,215	
		3/4	20	2,060	3	80	21,240	
		1	25	2,847	4	100	41,180	
		1 1/4	32	3,931				
1008	 <p>ZOLOTO Bronze Ball Valve (Screwed) HSN Code : 84818090</p>	1/2	15	1,374	2 1/2	65	19,254	
		3/4	20	2,078	3	80	27,917	
		1	25	2,592	4	100	44,889	
		1 1/4	32	5,046				
		1 1/2	40	7,153				
		2	50	11,270				
1008A	 <p>ZOLOTO Bronze Ball Valve - E Model (Screwed) HSN Code : 84818090</p>	1/2	15	1,239				
		3/4	20	1,737				
		1	25	2,488				
		1 1/4	32	4,208				
		1 1/2	40	6,408				
		2	50	8,835				
1008B	 <p>ZOLOTO Forged Brass Ball Valve (Screwed) HSN Code : 84818090</p>	1/4	8	624	1 1/2	40	3,410	
		3/8	10	624	2	50	4,896	
		1/2	15	640	2 1/2	65	10,369	
		3/4	20	886	3	80	17,821	
		1	25	1,402	4	100	27,689	
		1 1/4	32	2,343				
1009	 <p>ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000</p>	1/2	15	931	2 1/2	65	8,535	
		3/4	20	1,329	3	80	11,898	
		1	25	1,856	4	100	19,478	
		1 1/4	32	2,872				
		1 1/2	40	3,358				
		2	50	5,002				
1009A	 <p>ZOLOTO Forged Brass Multi Utility Check Valve (Screwed) HSN Code : 84813000</p>	1/2	15	704				
		3/4	20	931				
		1	25	1,441				
		1 1/4	32	2,250				
		1 1/2	40	2,822				
		2	50	4,239				
1010	 <p>ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000</p>	1/4	8	942	1 1/2	40	3,839	
		3/8	10	942	2	50	5,595	
		1/2	15	942	2 1/2	65	9,574	
		3/4	20	1,349	3	80	15,920	
		1	25	1,769	4	100	27,419	
		1 1/4	32	2,899				








Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1010A	 ZOLOTO Bronze Angle Type Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,245			
		3/4	20	2,177			
		1	25	2,945			
		1 1/4	32	3,687			
		1 1/2	40	6,537			
		2	50	8,983			
1011	 ZOLOTO Bronze Horizontal Check Valve No.5 (Screwed) HSN Code : 84813000	1/4	8	954	1 1/2	40	6,474
		3/8	10	1,022	2	50	10,894
		1/2	15	1,449	2 1/2	65	18,072
		3/4	20	2,362	3	80	26,656
		1	25	3,755			
		1 1/4	32	5,008			
1012	 ZOLOTO Bronze Horizontal Check Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84813000	1/2	15	2,915			
		3/4	20	4,148			
		1	25	6,515			
		1 1/4	32	8,577			
		1 1/2	40	9,055			
		2	50	13,382			
1013	 ZOLOTO Bronze Horizontal Check Valve No.9 (Screwed) HSN Code : 84813000	1/4	8	1,464	1 1/2	40	6,827
		3/8	10	1,464	2	50	11,630
		1/2	15	2,189	2 1/2	65	21,153
		3/4	20	2,493	3	80	28,640
		1	25	4,204	4	100	51,204
		1 1/4	32	6,203			
1014	 ZOLOTO Bronze Horizontal Check Valve No.9 (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84813000	1/2	15	4,900	2 1/2	65	38,798
		3/4	20	5,874	3	80	46,841
		1	25	9,783	4	100	72,824
		1 1/4	32	13,041			
		1 1/2	40	16,551			
		2	50	26,896			
1018	 ZOLOTO Bronze Ferrule Cock (Medium) HSN Code : 84818020	1/4	8	887			
		3/8	10	936			
		1/2	15	1,031			
1019	 ZOLOTO Bronze Ferrule Cock (Heavy) HSN Code : 84818020	1/2	15	1,359			
		3/4	20	1,905			
		1	25	4,058			








Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1019A	 <p>ZOLOTO Bronze Ferrule Cock (As Per IS 2692) HSN Code : 84818020</p>	1/4	8	1,852			
		3/8	10	1,889			
		1/2	15	1,903			
		3/4	20	3,007			
		1	25	5,110			
1024A	 <p>ZOLOTO Forged Brass Ball Bib Cock with Hose Union (Chrome Plated) HSN Code : 84818020</p>	1/2	15	806			
1031	 <p>ZOLOTO Bronze Union Bonnet Globe Valve (Screwed) HSN Code : 84818030</p>	1/4	8	2,007	1 1/2	40	9,318
		3/8	10	2,007	2	50	14,719
		1/2	15	2,154	2 1/2	65	22,913
		3/4	20	3,422	3	80	32,058
		1	25	5,051	4	100	56,003
1 1/4	32	7,151					
1032	 <p>ZOLOTO Bronze Union Bonnet Globe Valve (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030</p>	1/2	15	6,028	2 1/2	65	43,991
		3/4	20	6,739	3	80	53,596
		1	25	9,613	4	100	86,807
		1 1/4	32	14,658			
		1 1/2	40	17,298			
2	50	27,451					
1033	 <p>ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84818030</p>	1/4	8	1,040	1 1/2	40	6,617
		3/8	10	1,040	2	50	9,253
		1/2	15	1,471	2 1/2	65	19,206
		3/4	20	2,074	3	80	25,715
		1	25	3,035	4	100	40,269
1 1/4	32	4,747					
1034	 <p>ZOLOTO Bronze Globe Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030</p>	1/2	15	4,985	2 1/2	65	32,699
		3/4	20	6,074	3	80	42,588
		1	25	8,566	4	100	68,445
		1 1/4	32	12,749			
		1 1/2	40	14,958			
2	50	22,013					
1035	 <p>ZOLOTO Bronze Gate Valve (Screwed) HSN Code : 84818030</p>	1/4	8	1,162	1 1/2	40	6,669
		3/8	10	1,442	2	50	9,769
		1/2	15	1,679	2 1/2	65	15,080
		3/4	20	2,263	3	80	22,354
		1	25	3,524	4	100	42,197
1 1/4	32	4,936					















Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1035A	 ZOLOTO Bronze Gate Valve, Class-2 (Screwed) HSN Code : 84818030	1/2	15	1,894	2 1/2	65	18,559
		3/4	20	2,498	3	80	25,984
		1	25	3,826	4	100	46,508
		1 1/4	32	5,145			
		1 1/2	40	7,390			
		2	50	11,213			
1035B	 ZOLOTO Bronze Gate Valve with Rising Stem (Screwed) HSN Code : 84818030	1/2	15	2,353	2 1/2	65	22,421
		3/4	20	2,993	3	80	36,153
		1	25	4,201	4	100	62,812
		1 1/4	32	7,044			
		1 1/2	40	9,841			
		2	50	14,586			
1035C	 ZOLOTO Bronze Gate Valve with Rising Stem Class-2 (Screwed) HSN Code : 84818030	1/2	15	2,655	2 1/2	65	27,590
		3/4	20	3,303	3	80	42,024
		1	25	4,557	4	100	69,229
		1 1/4	32	7,340			
		1 1/2	40	10,903			
		2	50	16,741			
1036	 ZOLOTO Bronze Gate Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	5,202	2 1/2	65	33,248
		3/4	20	6,273	3	80	41,521
		1	25	9,220	4	100	65,431
		1 1/4	32	12,436			
		1 1/2	40	15,678			
		2	50	21,649			
1037	 ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,167			
		3/4	20	1,520			
		1	25	2,295			
		1 1/4	32	3,186			
		1 1/2	40	3,827			
		2	50	6,311			
1038	 ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,241	2 1/2	65	16,332
		3/4	20	1,811	3	80	22,103
		1	25	2,826	4	100	34,613
		1 1/4	32	4,147			
		1 1/2	40	5,752			
		2	50	8,526			
1039	 ZOLOTO Bronze Horizontal Check Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84813000	1/2	15	5,295	2 1/2	65	28,450
		3/4	20	6,212	3	80	36,629
		1	25	8,566	4	100	58,862
		1 1/4	32	10,980			
		1 1/2	40	14,410			
		2	50	19,087			




Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1040A	 ZOLOTO Bronze Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	2 1/2	65	26,919			
		3	80	40,917			
		4	100	83,104			
1040B	 ZOLOTO Forged Brass Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	1/2	15	2,684			
		3/4	20	3,309			
		1	25	6,037			
		1 1/4	32	7,578			
		1 1/2	40	8,386			
		2	50	11,474			
1041	 ZOLOTO Bronze Globe Steam Stop Valve (Screwed) HSN Code : 84818030	1/2	15	4,258			
		3/4	20	5,217			
		1	25	7,858			
		1 1/4	32	11,589			
		1 1/2	40	14,546			
		2	50	20,820			
1042	 ZOLOTO Bronze Globe Steam Stop Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	9,634			
		3/4	20	10,759			
		1	25	14,378			
		1 1/4	32	20,145			
		1 1/2	40	24,125			
		2	50	32,457			
1043	 ZOLOTO Bronze Horizontal Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	3,371			
		3/4	20	3,898			
		1	25	7,092			
		1 1/4	32	9,971			
		1 1/2	40	13,246			
		2	50	18,912			
1044	 ZOLOTO Bronze Horizontal Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	9,032			
		3/4	20	10,058			
		1	25	13,518			
		1 1/4	32	18,695			
		1 1/2	40	22,822			
		2	50	30,884			
1045	 ZOLOTO Bronze Vertical Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	3,069			
		3/4	20	4,045			
		1	25	6,528			
		1 1/4	32	8,057			
		1 1/2	40	9,063			
		2	50	13,582			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1046	 ZOLOTO Bronze Vertical Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	8,542			
		3/4	20	10,542			
		1	25	12,145			
		1 1/4	32	15,575			
		1 1/2	40	19,522			
		2	50	29,031			
<b>I.B.R</b>							
1047	 ZOLOTO Bronze Asbestos Packed Water Level Gauge (Screwed) HSN Code : 84818030	1/2	15	11,792			
		3/4	20	15,806			
<b>I.B.R</b>							
1048	 ZOLOTO Bronze Asbestos Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1/2	15	16,867			
		3/4	20	20,360			
<b>I.B.R</b>							
1049	 ZOLOTO Bronze Sleeve Packed Water Level Gauge (Screwed) HSN Code : 84818030	1/2	15	20,331			
		3/4	20	26,440			
<b>I.B.R</b>							
1050	 ZOLOTO Bronze Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	23,524			
		3/4	20	28,261			
<b>I.B.R</b>							
1052	 ZOLOTO Bronze Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1	25	35,140			
		1 1/4	32	41,991			
		1 1/2	40	48,328			
		2	50	71,004			
<b>I.B.R</b>							
1053	 ZOLOTO Bronze Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	1,401			
		3/4	20	2,498			
		1	25	5,062			
		1 1/4	32	6,364			
		1 1/2	40	9,237			
		2	50	17,268			
<b>I.B.R</b>							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1053A	 <p>ZOLOTO Forged Brass Y-Type Strainer PN 25 (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818090</p>	1/2	15	929			
		3/4	20	1,638			
		1	25	2,268			
		1 1/4	32	4,274			
		1 1/2	40	4,987			
		2	50	8,473			
1054	 <p>ZOLOTO Bronze Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'H', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	5,198			
		3/4	20	7,564			
		1	25	11,577			
		1 1/4	32	15,575			
		1 1/2	40	23,925			
		2	50	36,215			
<b>I.B.R</b>							
1055	 <p>ZOLOTO Bronze Thermodynamic Steam Trap (Screwed) S.S 304 Perforated Sheet Screen Ø0.5 mm HSN Code : 84818030</p>	1/2	15	3,543			
		3/4	20	4,506			
		1	25	8,693			
<b>I.B.R</b>							
1063	 <p>ZOLOTO Bronze Fusible Plug (One Piece Design) HSN Code : 84814000</p>	1/2	15	1,366			
		3/4	20	1,427			
		1	25	2,299			
<b>I.B.R</b>							
1064	 <p>ZOLOTO Bronze Fusible Plug (Two Piece Design) HSN Code : 84814000</p>	1/2	15	2,219			
		3/4	20	2,299			
		1	25	2,611			
		1 1/4	32	3,311			
		1 1/2	40	3,854			
		2	50	5,628			
<b>I.B.R</b>							
1064A	 <p>ZOLOTO Bronze Spare Cone for Fusible Plug Two Piece Design HSN Code : 84818030</p>	1/2	15	1,361			
		3/4	20	1,392			
		1	25	1,714			
		1 1/4	32	2,335			
		1 1/2	40	2,442			
		2	50	3,262			
<b>I.B.R</b>							
1065	 <p>ZOLOTO Cast Iron Globe Steam Stop Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030</p>	1/2	15	3,175	2 1/2	65	12,419
		3/4	20	3,359	3	80	16,173
		1	25	3,805	4	100	21,130
		1 1/4	32	4,889	5	125	39,078
		1 1/2	40	6,739	6	150	49,688
		2	50	8,675	8	200	69,583
<b>I.B.R</b>							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1066	 <p>ZOLOTO Cast Iron Globe Steam Stop Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030</p>	1/2	15	3,175	2 1/2	65	12,419
		3/4	20	3,359	3	80	16,173
		1	25	3,805	4	100	21,130
		1 1/4	32	4,889	8	200	69,583
		1 1/2	40	6,739			
		2	50	8,675			
<b>I.B.R</b>							
1067	 <p>ZOLOTO Cast Iron Horizontal Lift Check Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000</p>	1/2	15	2,858	2 1/2	65	11,279
		3/4	20	3,200	3	80	15,240
		1	25	3,733	4	100	20,146
		1 1/4	32	4,108	5	125	35,286
		1 1/2	40	6,250	6	150	43,097
		2	50	8,234	8	200	59,153
<b>I.B.R</b>							
1068	 <p>ZOLOTO Cast Iron Horizontal Lift Check Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000</p>	1/2	15	2,858	2 1/2	65	11,279
		3/4	20	3,200	3	80	15,240
		1	25	3,733	4	100	20,146
		1 1/4	32	4,108	8	200	59,153
		1 1/2	40	6,250			
		2	50	8,234			
<b>I.B.R</b>							
1069	 <p>ZOLOTO Cast Iron Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	566			
		3/4	20	820			
		1	25	1,233			
		1 1/4	32	1,670			
		1 1/2	40	2,124			
		2	50	3,606			
<b>I.B.R</b>							
1070	 <p>ZOLOTO Cast Iron Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'F', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	2,528	2 1/2	65	11,975
		3/4	20	2,912	3	80	13,598
		1	25	3,098	4	100	20,059
		1 1/4	32	3,508			
		1 1/2	40	5,133			
		2	50	7,621			
<b>I.B.R</b>							
1071	 <p>ZOLOTO Cast Steel Globe Steam Stop Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84818030</p>	1/2	15	5,317	2 1/2	65	20,818
		3/4	20	5,618	3	80	30,485
		1	25	6,955	4	100	38,657
		1 1/4	32	9,322	6	150	82,588
		1 1/2	40	10,393	8	200	1,79,376
		2	50	13,053			
<b>I.B.R</b>							
1072	 <p>ZOLOTO Cast Steel Horizontal Lift Check Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84813000</p>	1/2	15	4,923	2 1/2	65	19,518
		3/4	20	5,207	3	80	25,832
		1	25	6,534	4	100	34,230
		1 1/4	32	8,271	6	150	76,107
		1 1/2	40	8,885	8	200	1,67,366
		2	50	12,259			
<b>I.B.R</b>							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1073	 <p>ZOLOTO Cast Steel Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'J', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1	25	7,152	4	100	38,380
		1 1/4	32	9,058	6	150	65,796
		1 1/2	40	12,271			
		2	50	14,034			
		2 1/2	65	18,794			
		3	80	25,718			
I.B.R							
1074	 <p>ZOLOTO Forged Steel Globe Valve, Class-800 (Standard Bore) HSN Code : 84818030</p>	1/2	15	2,558			
		3/4	20	2,934			
		1	25	4,456			
		1 1/4	32	7,709			
		1 1/2	40	9,069			
		2	50	12,418			
I.B.R							
1074A	 <p>ZOLOTO Forged Steel Globe Valve, Class-800 (Full Bore) HSN Code : 84818030</p>	3/8	10	2,558			
		1/2	15	2,934			
		3/4	20	4,456			
		1	25	7,709			
		1 1/4	32	9,069			
		1 1/2	40	12,418			
I.B.R							
1075	 <p>ZOLOTO Forged Steel Gate Valve, Class-800 (Standard Bore) HSN Code : 84818030</p>	1/2	15	2,484			
		3/4	20	2,899			
		1	25	4,365			
		1 1/4	32	8,562			
		1 1/2	40	10,074			
		2	50	13,375			
I.B.R							
1075A	 <p>ZOLOTO Forged Steel Gate Valve, Class-800 (Full Bore) HSN Code : 84818030</p>	3/8	10	2,484			
		1/2	15	2,899			
		3/4	20	4,365			
		1	25	8,562			
		1 1/4	32	10,074			
		1 1/2	40	13,375			
I.B.R							
1076	 <p>ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Standard Bore) HSN Code : 84813000</p>	1/2	15	2,046			
		3/4	20	2,079			
		1	25	3,111			
		1 1/4	32	6,496			
		1 1/2	40	7,644			
		2	50	11,383			
I.B.R							
1076A	 <p>ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Full Bore) HSN Code : 84813000</p>	3/8	10	2,046			
		1/2	15	2,079			
		3/4	20	3,111			
		1	25	6,496			
		1 1/4	32	7,644			
		1 1/2	40	11,383			
I.B.R							



Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1077	 <p>ZOLOTO Cast Steel Gate Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 HSN Code : 84818030</p>	1 1/2	40	13,691	6	150	62,185
		2	50	17,697	8	200	92,031
		2 1/2	65	21,147			
		3	80	26,802			
		4	100	39,440			
		5	125	46,155			
1078	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,297			
		2	50	3,717			
		2 1/2	65	3,977			
		3	80	4,279			
		4	100	5,557			
		5	125	6,608			
1078A	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI &amp; Sizes above 400 mm are available in PN 1.0 rating only.</i> HSN Code : 84818030</p>	8	200	20,728			
		10	250	33,741			
		12	300	40,138			
		14	350	55,154			
		16	400	81,855			
		18	450	82,186			
		20	500	1,18,823			
1078B	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,340			
		2	50	3,981			
		2 1/2	65	4,493			
		3	80	5,060			
		4	100	6,670			
		5	125	9,058			


*Trees are the Earth's endless effort  
to speak to the listening Heaven.*








**ZOLOTO's**  
*continuous endeavour of  
Tree Plantation, is for our Environment.*

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1078C	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI &amp; PN 1.0 rating only.</i> HSN Code : 84818030</p>	8	200	23,570			
		10	250	39,948			
		12	300	47,188			
		14	350	61,185			
1078D	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Pneumatic Actuator Body S.G Iron, Pneumatic Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Neoprene / Viton / Silicon &amp; Buna-N lining, S.S 316 Disc &amp; Limit Switch (Positioner) and Solenoid Device can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	16,255			
		2	50	16,900			
		2 1/2	65	17,250			
		3	80	17,806			
		4	100	27,312			
		5	125	29,768			
		6	150	32,333			
		8	200	60,818			
1078F	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator Body S.G Iron, Electric Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon &amp; Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	30,936			
		2	50	31,562			
		2 1/2	65	32,073			
		3	80	32,633			
		4	100	34,240			
		5	125	70,849			
		6	150	73,574			
		8	200	81,912			
		10	250	1,38,582			
		12	300	1,46,097			
1078G	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,539			
		2	50	3,978			
		2 1/2	65	4,301			
		3	80	4,688			
		4	100	6,094			
		5	125	7,037			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1078H	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	8	200	22,567				
		10	250	36,233				
		12	300	42,971				
1078I	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,573				
		2	50	4,268				
		2 1/2	65	4,854				
		3	80	5,465				
		4	100	7,306				
		5	125	9,635				
		6	150	12,949				
1078J	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon &amp; Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	8	200	25,347				
		10	250	42,058				
		12	300	50,197				
1078K	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator Body S.G Iron, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon &amp; Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	31,268				
		2	50	31,957				
		2 1/2	65	32,522				
		3	80	33,137				
		4	100	69,141				
		5	125	71,748				
		6	150	74,748				
		8	200	98,117				
		10	250	1,42,556				
		12	300	1,50,801				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1079A	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem, Pad Lock in all sizes and By-pass arrangement in sizes 200 mm &amp; above at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI.</i> HSN Code : 84818030</p>	2	50	9,472	24	600	6,31,466	
		2 1/2	65	10,353				
		3	80	12,997				
		4	100	19,809				
		5	125	22,829				
		6	150	27,342				
		8	200	49,218				
		10	250	72,059				
		12	300	89,309				
		14	350	1,78,627				
		16	400	2,40,525				
		18	450	3,05,977				
1079B	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm &amp; above at a nominal extra cost. HSN Code : 84818030</p>	2	50	9,924				
		2 1/2	65	12,074				
		3	80	15,178				
		4	100	21,808				
		5	125	27,143				
		6	150	33,514				
		8	200	54,622				
		10	250	80,411				
		12	300	1,03,024				
		1079C	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm &amp; above at a nominal extra cost. HSN Code : 84818030</p>	2	50	11,814		
2 1/2	65			12,901				
3	80			16,197				
4	100			24,687				
5	125			28,453				
6	150			34,074				
8	200			61,341				
12	300			1,11,303				



Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079D	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm &amp; above at a nominal extra cost. HSN Code : 84818030</p>	2	50	12,264			
		2 1/2	65	14,625			
		3	80	18,378			
		4	100	26,689			
		6	150	40,246			
		8	200	66,745			
		10	250	98,160			
1080A	 <p>ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	2,052			
		3/4	20	2,982			
		1	25	4,537			
		1 1/4	32	5,409			
		1 1/2	40	8,115			
		2	50	10,604			
1080B	 <p>ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	4,605	3	80	34,866
		3/4	20	5,192	4	100	53,977
		1	25	7,455			
		1 1/4	32	9,565			
		1 1/2	40	12,473			
		2	50	18,148			
		2 1/2	65	27,040			
1081	 <p>ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	1,945			
		3/4	20	2,484			
		1	25	4,096			
		1 1/4	32	5,122			
		1 1/2	40	6,617			
1081A	 <p>ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	3,722	3	80	30,742
		3/4	20	4,652	4	100	47,576
		1	25	6,889			
		1 1/4	32	8,887			
		1 1/2	40	11,788			
		2	50	16,804			
	2 1/2	65	24,181				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1082	 ZOLOTO Cast Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24.50 kg/cm <sup>2</sup> g , Seat Test Pressure - 16 kg/cm <sup>2</sup> g HSN Code : 84813000	1 1/2	40	5,166	10	250	35,810
		2	50	5,883	12	300	51,210
		2 1/2	65	6,490			
		3	80	7,372			
		4	100	9,273			
		5	125	11,189			
		6	150	12,421			
		8	200	27,188			
1082A	 ZOLOTO Ductile Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24 Bar, Seat Test Pressure - 17.6 Bar HSN Code : 84813000	1 1/2	40	5,189	10	250	35,985
		2	50	5,911	12	300	51,460
		2 1/2	65	6,522	14	350	65,567
		3	80	7,406	16	400	1,13,245
		4	100	9,318	18	450	1,45,655
		5	125	11,241	20	500	1,73,977
		6	150	12,479	24	600	2,52,627
		8	200	27,320			
1083	 ZOLOTO Cast Iron Non-Return Valve PN 1.0 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	5,395	8	200	42,109
		2 1/2	65	6,921	10	250	47,293
		3	80	10,188	12	300	59,656
		4	100	14,225			
		5	125	19,750			
		6	150	24,798			
1083A	 ZOLOTO Cast Iron Non-Return Valve PN 1.6 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	6,423	8	200	49,879
		2 1/2	65	8,513	10	250	54,371
		3	80	10,494	12	300	62,790
		4	100	14,669			
		5	125	22,541			
		6	150	27,900			
1083B	 ZOLOTO Cast Iron Non-Return Valve PN 1.0 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	7,374	8	200	46,870
		2 1/2	65	8,901	10	250	52,056
		3	80	12,169	12	300	68,086
		4	100	16,204			
		5	125	21,731			
		6	150	26,777			
1083C	 ZOLOTO Cast Iron Non-Return Valve PN 1.6 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	8,562	8	200	54,865
		2 1/2	65	10,654	10	250	59,360
		3	80	12,636	12	300	73,102
		4	100	16,808			
		5	125	24,683			
		6	150	30,041			



Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1084	 <p>ZOLOTO Cast Iron Y-Type Strainer, PN 10 (Flanged) Shell Test Pressure - 15 kg/cm<sup>2</sup>g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030</p>	1 1/2	40	3,568	8	200	43,785
		2	50	4,958	10	250	70,417
		2 1/2	65	6,941	12	300	96,672
		3	80	8,152	14	350	1,45,216
		4	100	10,929			
		5	125	21,199			
		6	150	21,882			
1084A	 <p>ZOLOTO Cast Iron Y-Type Strainer, PN 16 (Flanged) Shell Test Pressure - 24 kg/cm<sup>2</sup>g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030</p>	1 1/2	40	4,853	8	200	52,167
		2	50	6,311	10	250	79,513
		2 1/2	65	8,660			
		3	80	10,504			
		4	100	14,404			
		5	125	22,628			
		6	150	29,558			
1085	 <p>ZOLOTO Bronze Ball Valve with Integral Strainer (Screwed) HSN Code : 84818030</p>	1/2	15	2,316			
		3/4	20	3,598			
		1	25	4,563			
1085A	 <p>ZOLOTO Bronze Ball Valve with Integral Strainer &amp; Flare Nut (Mixed Ends) HSN Code : 84818030</p>	1/2	15	3,171			
		3/4	20	3,574			
		1	25	3,840			
1085B	 <p>ZOLOTO Bronze Ball Valve with Flare Nut (Mixed Ends) HSN Code : 84818030</p>	1/2	15	2,066			
		3/4	20	2,098			
		1	25	2,545			
1086	 <p>ZOLOTO Stainless Steel Thermodynamic Steam Trap (Screwed) Stainless Steel S.S 304 Perforated Sheet Screen Ø0.5 mm, Shell Test Pressure - 52 bar (Hyd.), Maximum Working Pressure - 31.6 bar (Steam) HSN Code : 84818030</p>	1/2	15	2,324			
		3/4	20	2,506			
		1	25	2,693			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1087	 <p>ZOLOTO Bronze Double Regulating Balancing Valve (Screwed) with Nozzle HSN Code : 84818030</p>	1/2	15	5,370			
		3/4	20	6,061			
		1	25	7,128			
		1 1/4	32	9,589			
		1 1/2	40	11,685			
		2	50	18,696			
1087A	 <p>ZOLOTO Cast Iron Double Regulating Balancing Valve (Flanged) with Nozzle Flanged Ends to BS 4504 Section 3.2 PN 16 HSN Code : 84818030</p>	2 1/2	65	14,453	10	250	1,21,085
		3	80	16,981	12	300	1,56,370
		4	100	25,262			
		5	125	36,004			
		6	150	48,819			
		8	200	92,318			
1088	 <p>ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	1,696			
		3/4	20	2,248			
		1	25	3,968			
		1 1/4	32	4,112			
		1 1/2	40	5,578			
		2	50	8,970			
1089	 <p>ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	3,444	2 1/2	65	18,759
		3/4	20	4,432	3	80	24,449
		1	25	6,681	4	100	37,615
		1 1/4	32	7,527			
		1 1/2	40	9,636			
		2	50	15,641			
1090	 <p>ZOLOTO Cast Iron Bucket Type Steam Trap (Screwed) HSN Code : 84818030</p>	1/2	15	3,756			
		3/4	20	4,571			
		1	25	8,396			
		1 1/4	32	14,261			
		1 1/2	40	14,518			
		2	50	18,139			
1091	 <p>ZOLOTO Cast Steel Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030</p>	3/4	20	21,361			
1092	 <p>ZOLOTO Cast Steel Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030</p>	1	25	16,762			
		1 1/4	32	23,567			
		1 1/2	40	28,966			
		2	50	34,958			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1093	 <p>ZOLOTO Bronze Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm &amp; Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030</p>	3	80	38,413			
1093A	 <p>ZOLOTO Stainless Steel (S.S 304) Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm &amp; Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030</p>	3	80	14,627			
1094	 <p>ZOLOTO Bronze Spring Loaded Safety Relief Valve, Open Discharge (Screwed) HSN Code : 84814000</p>	1/2	15	3,842			
		3/4	20	4,379			
		1	25	6,303			
		1 1/4	32	8,451			
		1 1/2	40	12,524			
1094A	 <p>ZOLOTO Bronze Spring Loaded Safety Relief Valve, Enclosed Discharge (Screwed) HSN Code : 84814000</p>	1/2	15	4,379			
		3/4	20	4,917			
		1	25	7,376			
		1 1/4	32	9,527			
		1 1/2	40	14,133			
1095	 <p>ZOLOTO Forged Brass Air Release Valve (Screwed) HSN Code : 84818090</p>	1/2	15	1,144			
		3/4	20	1,624			
		1	25	1,691			
1096	 <p>ZOLOTO Ductile Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring, Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm &amp; above at a nominal extra cost. HSN Code : 84818030</p>	2	50	12,083			
		2 1/2	65	14,421			
		3	80	17,933			
		4	100	25,963			
		5	125	28,368			
		6	150	39,832			
		8	200	65,508			
		10	250	97,058			
		12	300	1,22,546			

S.No.	Particulars	Amount
1.	ZOLOTO Cast Iron Y-Type Strainer with Magnet	10% Extra
2.	ZOLOTO Butterfly Valve with S.S 304 Disc & Dual Plate Check Valve with S.S 316 Disc	5% Extra
3.	ZOLOTO Open Shut Indicator / Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	5% Extra
4.	ZOLOTO Open Shut Indicator with Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	7% Extra
5.	ZOLOTO Open Shut Indicator / Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	7% Extra
6.	ZOLOTO Open Shut Indicator with Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	10% Extra
7.	ZOLOTO Gear Arrangement on Butterfly Valve (40 mm to 150 mm)	₹ 5,769 Extra
8a.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (40 mm to 300 mm)	₹ 4,355 Extra
8b.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (350 mm)	₹ 4,895 Extra
9.	ZOLOTO Sluice Valve with Brass Stem	25% Extra
10.	ZOLOTO Sluice Valve with Extended Stem For Article No. 1079A, 1079B & 1096 (Extra Charges)	
	1.0 Metre ₹ 3,730      3.0 Metres ₹ 15,547      5.0 Metres ₹ 27,350	
	1.5 Metres ₹ 5,906      3.5 Metres ₹ 19,581      10 Metres ₹ 56,873	
	2.0 Metres ₹ 9,640      4.0 Metres ₹ 21,443	
	2.5 Metres ₹ 13,680      4.5 Metres ₹ 25,490	
11a.	ZOLOTO Solenoid (Device) for Butterfly Valve with Pneumatic Actuator	₹ 7,661 Extra
11b.	ZOLOTO Limit Switch (Position Indicator) for Butterfly Valve with Pneumatic Actuator	₹ 5,643 Extra
12.	ZOLOTO Control Panel with Sensor for Butterfly Valve with Electrical Actuator For Article No. 1078F & 1078K	
	Input & Output Volt of 230V AC / 24V DC ₹ 8,692 Extra	
	Input 230V AC & Output 24V DC ₹ 9,540 Extra	
13.	ZOLOTO Valves with PTFE Seating	10% Extra
14.	ZOLOTO Limit Switch for Sluice Valve PN 1.6 (Flanged) (ISI) For Article No. 1079B & 1096	
	50 mm ₹ 3,997      125 mm ₹ 5,082      300 mm ₹ 8,273      600 mm ₹ 12,092	
	65 mm ₹ 3,997      150 mm ₹ 5,082      350 mm ₹ 10,071	
	80 mm ₹ 4,117      200 mm ₹ 5,969      400 mm ₹ 10,071	
	100 mm ₹ 4,601      250 mm ₹ 7,665      450 mm ₹ 10,477	
	Note : For sizes above 300 mm, the pressure rating will be PN 1.0 (Non-ISI) For Article No. 1079A	
15a.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator For Article No. 1078F (40 mm to 300 mm)	
	Input Voltage - 24V DC ₹ 1,760 Extra	
15b.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator For Article No. 1078K (40 mm to 300 mm)	
	Input Voltage - 24V DC ₹ 1,760 Extra	

### Special Notes

1. Flanged Valves are generally supplied UNDRILLED, unless & until specified by the buyer.
2. (a) Zoloto's Bronze & Brass Forged (All Waterline Non-Ferrous) Valves carry Lifetime Warranty against any manufacturing defect.  
(b) However, all Ferrous Valves irrespective of their application and Non-Ferrous Valves, which are meant to be used for steam application are guaranteed for free replacement against any manufacturing defects for 18 months from the date of invoice or 12 months from the date of installation, whichever ends earlier.
3. Each I.B.R Valve can be supplied with a test certificate on Form III C issued by the Director of Boilers, Punjab or any other inspecting authority duly recognized by the Indian Boiler Regulation.
4. Please insist for a Material / Test Certificate / Drawing(s) of the product(s) as these can very well be provided with the Goods.
5. Threads to NPT or any other standard can also be provided on customer's demand.
6. Valves with customer's Specifications / Drawings can also be supplied.
7. Maximum working temperature for I.B.R products in Bronze is 225°C, Cast Iron 220°C, Cast Steel 400°C, Forged Steel 425°C and Stainless Steel 450°C but for a detailed pressure / temperature rating of other "ZOLOTO" products, please refer our catalogue.
8. Valves are recommended only for those gases & fluids, which do not react with the material of construction of those specified Valves.
9. Gate, Globe, Check and Ball Valves with soldered ends are also available at a nominal extra price.
10. Article No. 1008 is also available with Pad Lock arrangement up to 50 mm at a nominal extra price.
11. Article Nos. 1001 to 1004, 1010, 1014, 1031 to 1034, 1071 can also be provided with Teflon Disc at a nominal extra price.
12. Globe & Check Valve (Horizontal) can also be provided with PTFE seating for Air & Gas application at a nominal extra price.
13. Cast Steel and Forged Steel Valves can also be provided with Stellite seating at a nominal extra price.
14. Line balancing facility is also available on demand & chargeable basis. Quote for the same can be provided by the Company as & when required by the Dealer / Consumer.
15. Following articles have been discontinued henceforth.  
1015, 1016, 1017, 1020, 1021, 1022, 1022A, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1040, 1051, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1078E, 1079.
16. Our detailed Catalogue can also be provided on demand.
17. Owing to our ever continuous product development, dimensions, materials & any / all published literature are subject to change without any prior notice.
18. Gun Metal is just another type of Bronze which is simply a Copper based alloy with its chief alloying elements being Tin (Sn) - 4% to 6%, Zinc (Zn) - 4% to 6%, Lead (Pb) - 4% to 6% and Copper (Cu) as Remainder which is recommended to manufacture valves. In the earlier days this alloy was used for making primitive Barrels for Guns, hence the name stuck on & 'Gun Metal' just became colloquial & a commercially used name for it, in the Trade.
19. **S.G Iron (Spheroidal Graphite Iron) and D.I (Ductile Iron), both are synonymous terms** used for Casting Alloys of Iron & Carbon, wherein Carbon is present in Spheroidal or Nodular form.

### Terms & Conditions

1. Prices listed are in Indian Rupees, F.O.R Jalandhar and inclusive of all packing & forwarding charges.
2. The GST @18% is inclusive in this Maximum Retail Price List.
3. We also reserve the right to execute any order in full or in part(s) according to our supply position or manufacturing capacity.
4. While taking delivery of the consignment from the carrier, please ensure that the actual weight of the consignment tallies with the one mentioned on the G.R / L.R. In case of any discrepancy, please insist upon an open delivery before lodging your claim with the carriers and obtaining a shortage certificate / survey report, at the earliest.
5. As each consignment contains a packing slip, complaint regarding shortage, damage & wrong supply if any, must be brought to our notice for verification within 10 days of taking delivery of the consignment. However, no complaint shall be entertained until the documents have been retired.
6. The prices & Government taxes / levies are subject to revision, without any prior notice & shall be charged, as prevailing at the time of despatch.
7. Orders placed directly or through any of our Sales Executives are subject to written confirmation from the Head Office.
8. Our responsibility ceases for any delay in supplies, loss or damage incurred to the goods due to War, Lock-out, Breakdown(s) Fire, Riots, Power Shortage, Acts of God, Natural calamity or any other contingencies beyond our control.
9. Goods would not be returned nor exchanged, once the supplies have been billed & executed.
10. Payment against our Invoice(s) may please be made through the mode of payment (Advance Cheque / D.D / NEFT / RTGS) as mutually agreed between us. We do not take responsibility for any Cash Payment(s) made by you.
11. Competent courts at Jalandhar alone, shall have jurisdiction over any dispute.
12. This Price List cancels & supercedes all our previous Price Lists.

#### Disclaimer

Due Diligence and Utmost Care has been taken while compiling the HSN Codes of the products.  
However, legal opinion should essentially be taken from your consultant(s) before implementation of the same in your system of working.





Download PDF Catalogue



[www.zolotovalves.com](http://www.zolotovalves.com)

Manufacturers

**ZOLOTO INDUSTRIES**

Zoloto House, 11th Milestone, Lambra,  
Nakodar Road, Jalandhar - 144 026  
Punjab. INDIA

Phones

+91 181 4676666 (100 Lines)  
+91 181 5096666

E-mail

[sales@zolotovalves.com](mailto:sales@zolotovalves.com)  
[corporate@zolotovalves.com](mailto:corporate@zolotovalves.com)