


ORTHOPEDIC IMPLANTS



SURGFIXER

ABOUT US

SurgFixer is a trusted manufacturer and supplier of surgical ortho-implants, specializing in high-quality screws and bone plates. We are committed to delivering precise, durable, and safe solutions that support surgeons in improving patient outcomes.

Our products are engineered with advanced technology and strict quality control to meet global medical standards. With a focus on strength and biocompatibility, our implants are designed to perform reliably during critical orthopedic procedures.

Our surgical screws and bone plates come in various sizes and configurations for different clinical needs. Every product is tested thoroughly to ensure performance, safety, and compliance with industry regulations. We listen to our clients and prioritize customer satisfaction in everything we do. Our team provides expert support to help healthcare professionals choose the right product.

At SurgFixer, innovation and continuous improvement drive our work. We invest in research to expand and enhance our implant range. Surgeons and medical institutions across the globe rely on us for dependable surgical tools.

We aim to be a long-term partner for those advancing orthopedic care. Our commitment is to quality, service, and innovation. Choose SurgFixer for reliable surgical solutions you can trust.

Let's shape the future of surgery together.



01-SSE
Cortical Screw 1.5mm
Length 06mm to
20mm
With Hex & Cross-Slot



02-SSE
Cortical Screw 2.0 mm
Length 06mm to
30mm
With Hex & Cross-Slot



03-SSE
Cortical Screw 2.5mm
Length 06mm to
30mm



04-SSE
Cortical Screw 2.7mm
Length 06mm to
40mm



05-SSE
Cortical Screw 3.5mm
Length 10mm to
60mm



06-SSE
Cortical Screw
3.5mm Fine Pitch
Length 10mm to
60mm



07-SSE
Cortical Screw 4.5mm
Length 12mm to
110mm



08-SSE
Shaft Screw 4.5mm
Length 40mm to
120mm
Thread Length 32mm



09-SSE
Emergency Screw
4.5mm Self Tapping
Length 12mm to 80mm



10-SSE
Malleolar Screw
4.5mm
Length 20mm to
90mm



11-SSE
Malleolar Screw
3.5mm
Length 15mm to
60mm



12-SSE
Cancellous Screw
6.5mm Thread 16mm
Length 25mm to
120mm



13-SSE
Cancellous Screw
6.5mm Thread 32mm
Length 40mm to
120mm



14-SSE
Cancellous Screw
6.5mm Full Thread
Length 25mm to
120mm



15-SSE
Small Cancellous
Screw
4.0mm Short Thread
Length 10mm to
60mm



16-SSE
Small Cancellous
Screw
4.0mm Full Thread
Length 10mm to
60mm



17-SSE
Cannulated Screw
3.5mm Short Thread
Length 15mm to
60mm



18-SSE
Cannulated Screw
3.5mm Full Thread
Length 14mm to
60mm



19-SSE
Cannulated Screw
4.5mm Short & Full
Thread
Length 20mm to
80mm



20-SSE
Cannulated Screw
6.5mm 16&32 Thread
Length 35mm to
120mm



21-SSE
Cannulated Screw
7.0mm 16&32 Thread
Length 35mm to
120mm



22-SSE
Cancellous Screw
3.5mm Short
& Full Thread
Length 12mm to 60mm



23-SSE
Cancellous Screw
4.5mm Short
& Full Thread
Length 12mm to 80mm



24-SSE
Cancellous Screw
6.5mm Straight Head
Length 40mm to 60mm



25-SSE
Cancellous Screw
6.5mm Flat Head
Length 40mm to 100mm



26-SSE
Locking Screw
Length 20mm to 100mm




27-SSE
4.0mm Flat Type
Full Thread
Malleolar End
Length 20mm to 70mm



28-SSE
4.0mm Flat Type
Full Thread
Self Type 2 Cut
Length 20mm to 70mm




29-SSE
4.0mm Flat Type
Full Thread
Self Tap 3 Cut
Length 20mm to 70mm



30-SSE
Cortical Type Check Sign
Full Thread 4.5mm
Self Tap 4 Cut
Length 20mm to 70mm



31-SSE
Cortical Type
H- Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm



32-SSE
Cortical Type
F- Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm



33-SSE
Flat Type 5.0mm
Malleolar End
Full Thread
Length 20mm to 100mm




34-SSE
Flat Type 5.0mm
Self Tap Full Thread 3 Cut
Length 20mm to 100mm



35-SSE
V Type 5.0mm
Full Thread
Self Tap 2 Cut
Length 20mm to 100mm




36-SSE
Cortical Type
5.0mm 16 Thread
Self Tap 2 Cut
Length 20mm to 100mm



37-SSE
Cortical Type
5.0mm 32 Thread
Self Tap 2 Cut
Length 20mm to 100mm



38-SSE
Cortical Type
5.0mm H- Thread
Self Tap 2 Cut
Length 20mm to 100mm



39-SSE
Cortical Type
5.0mm F- Thread
Self Tap 2 Cut
Length 20mm to 100mm



40-SSE
Flat Type
6.4mm F- Thread
Malleolar end
Length 30mm to 100mm



41-SSE
V Type 6.0mm
F- Thread
Self Tap 2 Cut
Length 25mm to 100mm



42-SSE
Cannulated Type
6.4mm 23 Th
Self Tap 2 Cut
Length 40mm to 100mm

43-SSE**DCP Broad Plate**

Ranges between 4 holes to 24 holes
Available in Aesculap & Swiss Pattern

44-SSE**DCP Narrow Plate**

Ranges between 2 holes to 20 holes
Available in Aesculap & Swiss Pattern

45-SSE**DCP Small Plate**

Ranges between 2 holes to 14 holes
Available in Aesculap & Swiss Pattern

46-SSE**Small Fragment Plate 2.7mm**

Ranges between 2 holes to 12 holes
Available in Aesculap & Swiss Pattern

47-SSE**Straight Micro Plate**

Ranges between 4 holes to 10 holes

43-SSE**44-SSE****45-SSE****46-SSE****47-SSE****49-SSE****LC-DCP Narrow Plate**

Ranges between 2 holes to 20 holes

50-SSE**LC-DCP Small Plate**

Ranges between 2 holes to 14 holes

48-SSE**49-SSE****50-SSE****51-SSE****52-SSE****53-SSE****51-SSE****Re-Construction Plate 4.5mm**

Ranges between 4 holes to 20 holes

52-SSE**Re-Construction Plate 3.5mm**

Ranges between 4 holes to 24 holes

53-SSE**Re-Construction Plate 2.7mm**

Ranges between 4 holes to 20 holes


54-SSE**Maxillo-Mandibular**

Re-Construction Plate Chain Like
Ranges between 4 holes to 22 holes

55-SSE**Pelvic Re-Construction Plate 3.5mm Curved**

Ranges between 6 holes to 18 holes

54-SSE**55-SSE**

**56-SSE****Semi Tubular Plate**

Ranges between 2 holes to 12 holes

57-SSE**One Third Tubular Plate**

Ranges between 2 holes to 14 holes

58-SSE**Quarter Tubular Plate**

Ranges between 3 holes to 12 holes

59-SSE

Straight Mini Plate 20H

60-SSE**Standard T-Plate**

Ranges between 4 holes to 12 holes

61-SSE**T-Buttress Plate**

Ranges between 4 holes to 12 holes

62-SSE**L-Buttress Plate (L+R)**


Ranges between 4 holes to 10 holes

63-SSE**L-Plate (L+R)**

Ranges between 4 holes to 10 holes

64-SSE**S-Buttress Plate (L+R)**

Ranges between 3 holes to 6 holes

**65-SSE****65-SSE****Multiple Fragment Plate 2.7**

Available in Standard Sizes

66-SSE**Small T-Plate × 3 (Right Angle)**

Ranges between 3 holes to 6 holes

67-SSE**Small T-Plate × 4 (Right Angle)**

Ranges between 3 holes to 8 holes

68-SSE**Small T-Plate × 3 (Oblique Angle)**

Ranges between 3 holes to 8 holes

69-SSE**Cervical Spine Head-Plate**

Available in Standard Sizes



70-SSE**Mini H-Plate**

Available in Standard Size

71-SSE**Mini Condylar Plate**

Available in Standard Size

72-SSE**Mini L-Plate (L&R)****Oblique Angled**


Available in Standard Size

73-SSE**Mini L Plate 90° (L&R)**

Available in Standard Size

74-SSE**Mini Straight Plate**

Ranges between 2 holes to 20 holes



70-SSE ▼



72-SSE ▼



73-SSE ▼



71-SSE ▼

74-SSE ▼




75-SSE ▼



77-SSE ▼



76-SSE ▼



78-SSE ▼

75-SSE**Mini T-Plate 1.5mm**

Available in Standard Size

76-SSE**Mini T-Plate 2.00mm**

Available in Standard Size

77-SSE**Mini T-Plate 2.7mm**

Available in Standard Size

78-SSE**Mini T-Plate x 4**

Available in Standard Size

79-SSE**Orbital Y-Type**

Available in Standard Size

80-SSE**Orbital T-Type 3x3**

Available in Standard Size

81-SSE**Orbital T-Type 2x4**

Available in Standard Size

82-SSE**Orbital H-Type**

Available in Standard Size

83-SSE**Micro Plate With Gap**


Available in Standard Size

84-SSE**Micro Plate Without Gap**

Available in Standard Size




79-SSE ▼



80-SSE ▼



81-SSE ▼



84-SSE ▼

83-SSE ▼



82-SSE ▼

85-SSE**Condylar Buttress Plate (L+R)**

Ranges between 5 holes to 12 holes

86-SSE**Cobra Head Plate**

Ranges between 6 holes to 12 holes

87-SSE**Cloverleaf Plate**

Ranges between 3 holes to 10 holes

88-SSE**Spoon Plate**

Ranges between 3 holes to 10 holes

89-SSE**Broad Lengthening Plate**

Ranges between
170mm to 250mm in 9 sizes

90-SSE**Narrow Lengthening Plate**

Ranges between
135mm to 195mm in 7 sizes

91-SSE**Tibial Plate (L+R)**

Ranges between 3 holes to 6 holes

92-SSE**Lateral Tibia Plate (L+R)**

Ranges between 5 holes to 13 holes

93-SSE**Distal Femur Plate (L+R)**


Ranges between 7 holes to 13 holes

94-SSE**Distal Tibia Plate (L+R)**

Ranges between 7 holes to 13 holes

95-SSE**Proximal Tibia Plate (L+R)**

Ranges between 7 holes to 13 holes





96-SSE
Y-Plate


Available in Standard Sizes



97-SSE

Y-Plate Re-Construction Type

Available in Standard Sizes



98-SSE

Calcaneal Plate

Length 60mm & 70mm (L&R)

99-SSE

Jewet Nail Plate 135°

Ranges between 4 holes to 16 holes

Blade Length 50mm to 120mm

100-SSE

Special Jewet Nail Plate 130°


Ranges between 4 holes to 10 holes

Blade Length 50mm to 120mm

101-SSE

Northampton Nail

Available in Standard Size



102-SSE

**Casper Trapezial Plate
for Cervical Spine**

Length 28mm to 88mm in 16 sizes

103-SSE

Sherman Bone Plate

Ranges between

2 holes to 8 holes in 10 sizes

104-SSE


Hook Shaped Bone Plate

Available in Standard Sizes

105-SSE

DHS Trochanter Stabilizing Plate

Available in Standard Sizes



106-SSE**Dynamic Hip System 135°****Long Barrel**

Ranges between 2 holes to 20 holes

107-SSE**Dynamic Hip System 135°****Short Barrel**

Ranges between 2 holes to 16 holes

108-SSE**DCS 95°**

Ranges between 4 holes to 24 holes

109-SSE**LAG Screw for DHS & DCS**

Ranges between 50mm to 120mm

110-SSE**Compression Screw**

Available in Standard Sizes

106-SSE

107-SSE

108-SSE

109-SSE

110-SSE

111-SSE

111-SSE**Angled Plate for Intertrochanteric Femoral Osteotomies 120°**

Available in Standard Sizes

112-SSE**Angled Blade Plate 130°**

Ranges between 4 holes to 16 holes

Blade Length 50mm to 120mm

113-SSE**Condylar Blade Plate 95°**

Ranges between 4 holes to 20 holes

Blade Length 50mm to 120mm


114-SSE**Marquardt Bone Plate forked 85°**

Available in Standard Size


112-SSE

113-SSE

114-SSE



115-SSE
Screw Driver Slot 1.5 & 2.0mm



116-SSE
Screw Driver Cross 1.5



117-SSE
Screw Driver Cross 2.0mm



118-SSE
Screw Driver Cross Bending 2.0mm



120-SSE
Screw Driver Hex 2.7 & 3.5



121-SSE
Screw Driver Hex 4.5



122-SSE
Screw Driver Extra length Hex 4.5



123-SSE
Cannulated Screw Driver 4.5


124-SSE
Paedical Screw Driver Female

125-SSE
Paedical Screw Driver Male



119-SSE ►



**126-SSE****Cerclage Wire**

Available in Standard Sizes

127-SSE**A Wire**

Available in Standard Sizes

128-SSE**K Wire**

Available in Standard Sizes

129-SSE**Steinmann Pin**

Available in Standard Sizes

130-SSE**Schanz Screw**

Available in Standard Sizes

131-SSE**Drill Bit**

Available in Standard Sizes

132-SSE**Suture Wire with Spool**

Available in Standard Sizes

133-SSE**C - Washer****134-SSE****Cancellous Washer**

4.0mm & 6.5mm

135-SSE**Harrington Hook Small (Sharp & Blunt)****136-SSE****Harrington Hook Large (Sharp & Blunt)****137-SSE****Harrington Rod**

Available in Standard Sizes

138-SSE**Rush Nail**

Available in Standard Sizes

139-SSE**Kuntscher Nail Tibia with Collar**

Available in Standard Sizes



140-SSE**Kuntscher Nail Tibia without Collar**

Available in Standard Sizes

141-SSE**Kuntscher Nail Femoral**

Available in Standard Sizes

TITANIUM ITEMS



142-SSE
Single Hole Plate
Available in Standard Size

143-SSE
Double Hole Plate
Available in Standard Size

144-SSE
**Casper Trapezial Plate
for Cervical Spine**
Available in Standard Size

145-SSE
Z - Plate
Available in Standard Size

146-SSE
H - Plate
Available in Standard Size



147-SSE
DCP Broad Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern

148-SSE
DCP Narrow Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern

149-SSE
DCP Small Plate
Ranges between 4 holes to 10 holes
Available in Swiss Pattern



150-SSE
LC - DCP Broad Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern

151-SSE
LC - DCP Narrow Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern


152-SSE
LC - DCP Small Plate
Ranges between 4 holes to 10 holes
Available in Swiss Pattern

153-SSE
Condylor Buttress Plate (L+R)
Ranges between 5 holes to 10 holes

154-SSE
Cobra Head Plate
Ranges between 6 holes to 10 holes



TITANIUM ITEMS



155-SSE
Re-Construction Plate 1.5 & 2.0mm
Available in 20 holes

156-SSE
Re-Construction Plate 3.5mm
Ranges between 4 holes to 12 holes

157-SSE
Re-Construction Plate 4.5mm
Ranges between 4 holes to 12 holes





158-SSE
Dynamic Hip System 135°
Long Barrel
Ranges between 3 holes to 10 holes

159-SSE
LAG Screw for DHS & DCS
Ranges between 50mm to 120mm

160-SSE
Compression Screw
Available in Standard Sizes

161-SSE
Poly Axel Screw Set
Available in Standard Sizes

162-SSE
Pedical Screw Set
Available in Standard Sizes





@surgfixer



Whatsapp: +92 302 1668287



Email: info@surgfixer.com



Website: www.surgfixer.com