



MM SAFETY AND WORK WEAR SOLUTIONS

CATALOGUE

"Elevating Industrial Safety Through Quality and Commitment"

TABLE OF CONTENTS



- 1. ABOUT US
 - OUR VISION
 - II. OUR MISSION
 - III. OUR JOURNEY
 - IV. WHAT SETS US APART
- 2. TRUSTED PARTNERS
- OUR CLIENTS
- 4. SAFETY SERVICES
 - I. SAFETY SERVICE
 - II. WORKPLACE OCCUPANCY
- 5. SAFETY EQUIPMENT
 - I. FOOT PROTECTION
 - II. HANDS AND ARMS PROTECTION
 - III. NOSE AND FACE PROTECTION
 - IV. ROAD SAFETY AND VISUAL MANAGEMENT
 - V. FALL PROTECTION AND WORKING AT HEIGHTS SAFETY
 - VI. EARS AND EYES PROTECTION
 - VII. WORK WEAR SOLUTIONS
 - VIII. SPILL AND SLIP PROTECTION
 - IX. FIRE SAFETY
 - X. ELECTRICAL SAFETY
 - XI. LOCK OUT AND TAG OUT (LOTO)
 - XII. FIRST AID AND MEDICAL SAFETY
 - XIII. WATER AND FLOOD SAFETY
 - XIV. HYGINE EQUIPMENT AND DISPENSORS
 - XV. RODENT AND BIRD REPELLENT SOLUTIONS

ABOUT US



"Elevating Industrial Safety Through Quality and Commitment"

Who We Are:

Founded in 2018, MM Safety & Work Wear Solutions is a one-stop partner for Industrial, Fire, Chemical, and Medical Safety Products & Services. We go beyond product supply — delivering engineering-based safety solutions trusted by India's leading industries.

Our Vision:

To be India's most trusted provider of certified safety products and workplace solutions through innovation, integrity, and excellence.

Our Mission:

To make workplaces safer by combining global-quality products with expert consulting and unmatched service.

Our Journey:

2018 - Inception

2019 - First client: Pernod Ricard India Pvt. Ltd.

2020 – Partnership with Honeywell Safety

? 2021 – Alliance with *JCB Safety Shoes*

2022 – Collaboration with *Brady India* for VLOP & Visual Management

📍 2023 – First Greenfield Project: Moon Beverages Pvt. Ltd.

2025 – 500+ Products | 100+ Clients | PAN India Presence

What Sets Us Apart:

- · PAN India supply network
- 1000+ safety products under one roof
- Certified brand portfolio
- · Tailored industrial safety services and equipment
- Trusted by India's leading manufacturing and F&B companies

<u>Trusted Partners</u>































And Many More...

Our Clients















Godrej & Boyce Mfg. Co. Ltd.















And Many More...

MM SAFETY AND WORK WEAR SOLUTIONS






SAFETY SERVICES

MM SAFETY SERVICES





Are Flash & Shock Hazard Appropriate PPE Required

Are Flash & Shock Hazard Appropriate PPE Required

REST (AMR PROTECTION MATERIAL AND APPROPRIATE AND APPROP

VLOP/LOTO PROCEDURES

ARC-FLASH STUDY



ELECTRICAL CAPABILITY STUDY



THERMOGRAPHY STUDY



VISUAL MANAGEMENT STUDY AND IMPLEMENTATION (OSHA)




LOTO TRAINING

MM SAFETY AND WORK WEAR SOLUTIONS

MM SAFETY SERVICES





ENTRY ACCESS CONTROL



Par Prediction

The prediction of the Control of th

SAFETY DEMONSTRATIONS



DOJO BOARD



SAFETY MANNEQUIN



FIRE PROTECTION SYSTEMS
INSTALLATION & TESTING



ANNUAL MAINTENANCE CONTRACTS (AMC)

Scheduled inspection and preventive maintenance of:

- Fire Extinguishers
- Hydrant Systems
- Sprinklers
- Fire Alarm Panels
- Suppression Systems

MM SAFETY AND WORK WEAR SOLUTIONS

MM SAFETY SERVICES





FIRE EXTINGUISHER SUPPLY, REFILLING, AND HYDRO-TESTING



FIRE ALARM AND DETECTION SYSTEM SETUP AND TESTING



VISUAL MANAGEMENT AND SAFETY SIGNAGE IMPLEMENTATION FOR FIRE ZONES

WORKPLACE MONITORING SOLUTIONS



DESK AND SEAT OCCUPANCY SENSOR

(Designed to detect desks or seats occupancy)w

Standard Version: Uses PIR technology

Pro Version: Uses PIR and Thermopile IR temperature technology

- Wireless detection and easy configuration
- Reliable and convenient desk or seat arrangement optimization
- LoRaWAN high distance internet wireless deployment
- · V0 grade flame retardant material for safety and reliability
- NFC equipped for one-touch configuration
- · 5 Year Battery Life
- Usage: Single person Desk, Face to Face Desk, Bar Table, Round Table, and Other customizations
- Size: 73 x 73 x 26 mm



AI WORKPLACE OCCUPANCY SENSOR

(Designed to monitor occupancy & utilization of workplace)

Sitting object: Used for region people counting Standing Object: Used for line cross counting

- 100% anonymous detection
- LoRaWAN high distance internet wireless deployment
- 78 square meters large detection area
- Equipped with Wi-Fi for web GUI configuration
- Recognition rate is up to 98% based on advanced Al identification and analysis technology
- Used to determine the number of people in specific areas
- Size: 85 × 85 × 20 mm

AI TOF PEOPLE COUNTING SENSOR

(Actionable Insights Beyond People Counting)

Sitting object: Used for region people counting Standing Object: Used for line cross counting

- 100% anonymous detection
- · LoRaWAN high distance internet wireless deployment
- · Line Crossing & Regional People Counting
- Staff Detection and Adults/Children Differentiation
- On-board Al algorithm (99.8% accuracy)
- Extendable multi-device stitching
- Advanced Heat Map
- Size: 180 × 26 × 72 mm





MM SAFETY AND WORK WEAR SOLUTIONS





SAFETY EQUIPMENT

MM SAFETY AND WORK WEAR SOLUTIONS





FOOT PROTECTION



We deal in various kinds of Safety Shoes and have genuine branded products that fit all kinds of uses and fulfils all types of requirements:

JCB FASTRAC

Sporty Safety Footwear with Enhanced Wearer Comfort.

Perfectly adapted to the high humid Indian atmosphere for its outstanding air exchange, low weight and optimal climate control. Standing and walking in Fastrac is highly comfortable – all day long.

- Sole: Single Density PU, Black Outsole
- Toecap: Steel
- Lining: Mesh
- Footbed: EVA Footbed
- Safety category: EN ISO 20345 : 2011 & IS 15298 (Part 2): 2016
- Sample weight: 850 gm. + 50g. | Size 8.
- Size range: UK 5-12
- Options: ESD, Penetration Resistance

JCB EXCAVATOR

(Ankle Safety Footwear)

Light Weight Black 4 Metal D Rings & One Hook, High Ankle, Double Density, Slip Resistant, Direct Injected (On DESMA) PU Sole, Double Density Safety Footwear. Nail Less Strobel Construction.

- · Sole: PU Double Density Black In Color, Black Outsole
- Toecap: Steel
- Lining: Mesh
- Footbed: Full EVA Moulded ANTISTATIC
- · Safety category: As Per IS 15298 (Part 2): 2016 Clause 7 ISI
- Sample weight: 850 gm. + 50g. | Size 8.
- Size range: UK 5-1
- Electrical Properties: Antistatic, Resistance Between 100 Kilo Ω Ohms & 1000 Mega Ω Ohms

JCB EXEC

(Low Ankle Safety Footwear)

Light Weight Black Formal Shoe , low ankle, Double Density, Slip Resistant, Direct Injected (on DESMA) PU Sole, Safety Footwear.

- · Sole: PU Double Density Black In Color, Black Outsole
- Lining: Mesh
- Footbed: Non-Woven Antistatic More Than 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 5-12
- Electrical Properties: Antistatic

JCB VENT

(Breathable Safety footwear)

Vent is sporty, youthful, stylish combined with first-class wearer comfort. Lightweight design, climate-optimized high-tech materials, and ergonomically designed highest SRC slip resistance, out sole.

- Sole: PU Double Density, Yellow Outsole
- Lining: Gray Mesh
- Footbed: EVA Footbed
- · Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 5-12
- Sample Weight: 875+-50g | Size 8

JCB MIGHT

(Non-Metallic Leather Safety footwear)

High wearer comfort & highest slip resistance, thanks to its lightweight design, tropicalized high-tech materials including composite toe, and ergonomically designed out sole. Mighty the ideal companion for frequent flyers.

- Sole: PU Double Density, Grey Outsole
- Lining: Mesh
- Footbed: EVA Footbed
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 5-12
- Sample Weight: 900+-50g | Size 8



















JCB TREKKER

(Ankle Safety Footwear)

Lace up Beige Safety Ankle Boot, Double Density, Direct Injected (on DESMA) PU Sole, Safety Footwear. Nail less Strobel Construction As per Design B.

- · Outsole: PU Double Density Black In Color
- · Color: Beige Except Color Which Is Black.
- Lining: Mesh
- · Footbed: Non-Woven Antistatic More Than 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 5-12
- Electrical Properties: Antistatic, Resistance Between 100 Kilo Ω Ohms & 1000 Mega Ω Ohms

JCB EARTHMOVER

(Low Ankle Safety Footwear)

Light Weight Black 4 Metal Eyelets Low Ankle, Double Density, Slip Resistant, Direct Injected (On DESMA) PU Sole, Safety Footwear Nail Less Strobel Construction, As per Design A.

- Outsole: PU Double Density Black In Color
- Color: Black.
- Lining: Mesh, Non-Woven Antistatic More Than 2 mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 5-12
- Electrical Properties: Antistatic, Resistance Between 100 Kilo Ω Ohms & 1000 Mega Ω Ohms

JAMA PHOENIX (JS073, JS073FT)

(Buffalo Barton Print Black) Water-Resistant

- Sole: PU Double Density/Single Density, Oil & fuel resistant
- Lining: Non-Woven Grey Mesh Lining
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic

JAMA TYLER (JB048)

(Genuine Leather Full Grain Brown Oil Pull-Up) Water-Resistant

- Sole: PU Double Density/Single Density, Oil & fuel resistant
- · Lining: Non-Woven Air-Mesh Lining
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic

JAMA TYLER (ANKLE PROTECTION) (JB046)

(Genuine Leather Full Grain Brown Oil Pull-Up) Water-Resistant

- Sole: PU Double Density/Single Density, Oil & fuel resistant
- Lining: Non-Woven Air-Mesh Lining
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic

JAMA URBANA (JR003)

(Buffalo Full Grain Barton Print Black) Water-Resistant

- Sole: PU Double Density or Single Density, Oil & fuel resistant
- Lining: Non-Woven Mesh Lining
- · Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic



















JAMA OLYMPIA (JR001)

(Buffalo CG Claret Black) Water-Resistant

- Sole: PU Double Density, Oil & fuel resistant
- · Lining: Non-Woven Grey Mesh Lining
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- · Electrical Properties: Antistatic

JAMA RICHMOND (JF001)

(Fly knit Upper Grey/Black)

- Sole: PU Double Density/Single Density PU, Oil & fuel resistant
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets EN ISO 20345:2022, IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- · Electrical Properties: Antistatic

JAMA BROOKLYN (JF002)

(KPU Upper Black with Suede Black Toe Bump and Counter)

- · Sole: PU Double Density/Single Density PU, Oil & fuel resistant
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets EN ISO 20345:2022, IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic

PERF TORNADO LOW

(Water Resistant Nubuck Leather)

- Sole: E-LITE PU/PU, Slip Resistant
- · Lining: Bdry Polyamide lining
- Toe Cap: Non-Magnetic Composite Toecap (TOP Defence)
- Safety Certification: EN ISO 20345:2011 (SRA+SRB)
- Size range: UK 4-13
- Mid-Sole: Non-Magnetic, puncture resistant composite fabric plate

PERF BASE TURBO-X LOW

(Buff Grain Leather)

- Sole: PU Double Density
- Lining: Extremely Breathable, Antibacterial Polyamide Lining
- Toe Cap: Steel Toe, 200J
- Safety Certification: EN ISO 20345:2011
- Size range: UK 4-13
- Footbed: Insole PU 10mm Expanded, Covered with Antibacterial Fabric

PERF PB 34 E

(Buff Grain Leather)

- Sole: PU Single Density
- Lining: Extremely Breathable, Antibacterial Polyamide Lining
- Toe Cap: Steel Toe, 200J
- Safety Certification: EN ISO 20345:2011
- Size range: UK 4-13
- Footbed: Insole PU 10mm Expanded, Covered with Antibacterial Fabric

PERF PB 69

(Buff Grain Leather)

- Sole: PU Double Density
- · Lining: Extremely Breathable, Antibacterial Polyamide Lining
- Toe Cap: Steel Toe, 200J
- Safety Certification: EN ISO 20345:2011
- Size range: UK 4-13
- Footbed: Insole PU 10mm Expanded, Covered with Antibacterial Fabric

















LEMAITRE RINGO

(Water Resistant PUTEK) (ESD) (Electrical)

- · Sole: PU Double Density
- · Lining: Extremely Breathable Antibacterial Polyamide Lining
- Toe Cap: Aluminium Toe, 200J
- Safety Certification: EN ISO 20345:2011 (SRC)
- Size range: UK 4-13
- · Footbed: Insole PU 10mm Expanded, Covered with Antibacterial Fabric
- Electrical Properties: ESD Shoe, Antistatic electrical resistance (100 Kilo ohm)

PERF AIR FLOW

(Breathable Mesh)

- · Sole: PU Single Density
- · Lining: Bdry Breathable lining
- Toe Cap: Imported Steel Toe, 200J
- Safety Certification: EN ISO 20345:2011
- Size range: UK 4-13
- Footbed: Insole PU 10mm Expanded, Covered with Antibacterial Fabric

SAFETIX RAPID PLUS

(Buff Barton Grain Leather)

- · Sole: PU/PU Double Density
- · Lining: Bdry Breathable Lining
- · Toe Cap: Imported Steel Toe, 200J
- Safety Certification: EN ISO 20345:2011 (SRC)
- Size range: UK 4-13
- Footbed: Moulded with EVA Lamination
- · In-Sole: Non-Woven anti-static board

AGARSON ROCKFORD

(Leather Upper PU Sole)

- Sole: PU Single Density, Oil and Fuel Resistant, Basic Heat resistance
- Lining: Fabric/Cambrell Lining
- Toe Cap: Steel Toe, 200J
- Safety Certification: EN ISI 15298 Part-II
- Size range: UK 6-10
- In-socks: Poly Dull Laminates with EVA

AGARSON POWER

(Synthetic Upper PVC Sole)

- Sole: PU Single Density, Oil and Fuel Resistant, Basic Heat resistance
- Lining: Fortis/Mesh Lining
- Toe Cap: Steel Toe, 200J
- Safety Certification: EN ISI 15298 Part-II
- Salety Certification: E
 Size range: UK 5-13
- In-socks: Poly Dull Laminates with EVA

KARAM FS 01

(Full Grain Leather Upper)

- Sole: Double Density PU/PU Sole
- In sock: 5mm Anti-Fatigue moulded EVA/PU in-socks laminated with netlon fabric
- · Lining: Netlon padded with foam
- Safety category: Meets EN ISO 20345:2011, IS 15298: 2016 Part II
- Size range: UK 3-13
- Toe cap: Steel Toe
- Outsole: Cleated outsole with wider cleats

KARAM FS 215

(Fly knit fabric Upper)

- Sole: Single Density PU
- In sock: Anti-Fatigue moulded EVA/PU in-socks laminated with soft black netlon fabric
- Lining: Breathable soft Fabric lining
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 3-13
- Toe cap: Composite Toe
- Outsole: Cleated outsole with wider cleats













SAFETY SHOES FOR WOMEN



JCB COUNTESS

(Ladies Safety footwear with Velcro fastener) Water-Resistant

Countess is Ladies safety footwear with two leather straps fitted with Velcro fasteners. it offers convenience, first-class wearer comfort and highest slip resistance. Thanks to its lightweight design, climate-optimized high-tech materials, and ergonomically designed sole. Countess the ideal companion for the working day and beyond.

- Sole: Black Single Density PU
- Lining: Mesh
- Toecap: Steel
- Footbed: EVA Footbed
- Safety category: EN ISO 20345 : 2011 & IS 15298 (Part 2): 2016
- Size range: UK 2-8
- Sample Weight: 850 gm. + 50g. | Size 8.

JAMA PORTLAND (Unisex)

(Microfiber) (Colors Available: Black and White) Clean Room

- Sole: PU Double Density, Oil & fuel resistant
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Composite Toe, 200J
- Electrical Properties: Antistatic

AGARSON LDS-05 (Unisex)

(Leather Upper PU Sole)

- Sole: PU Single Density, Oil and Fuel Resistant, Basic Heat resistance
- Lining: Fabric/Cambrell Lining
- Toe Cap: Steel Toe
- Safety Certification: EN ISI 15298 Part-II
- Size range: UK 3-8
- In-socks: Poly Dull Laminated with EVA
- Weight: 520 grams

KARAM FS 201 (Unisex)

(Flyknit fabric Upper) Ultra Lightweight

- Sole: Single Density PU
- In sock: Anti-Fatigue molded EVA/PU in-socks laminated with soft black Netlon fabric
- Lining: Breathable soft black Netlon Fabric lining
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 3-13 Toe cap: Composite Toe
- Outsole: Cleated outsole with wider cleats

VISITOR SAFETY TOE GUARD











WELDING & HEAT SAFETY SHOES



JAMA PHOENIX (HEAT AND CHEMICAL PROTECTION)

(Buffalo Barton Print Black)

Waterproof, Chemical Resistant, Heat Resistant

- Sole: Nitrile Rubber Double Density
- · Chemical Resistant, Oil & fuel resistant
- · Heat Resistant upto 300 Degree Celsius for 1 minute
- Midsole: PU
- · Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic



JAMA WELDER BOOT (HEAT AND CHEMICAL PROTECTION)

(Buffalo Barton Print Black)

Waterproof, Chemical Resistant, Heat Resistant

- Sole: Nitrile Rubber Double Density
- · Chemical Resistant, Oil & fuel resistant
- · Heat Resistant upto 300 Degree Celsius for 1 minute
- Midsole: PU
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets EN ISO 20345:2022, IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Steel Toe, 200J (Composite Toe also available)
- Electrical Properties: Antistatic



ALSO AVAILABLE IN OTHER MODELS BY JAMA

CLEAN ROOM SAFETY SHOES

JAMA PORTLAND (Unisex)

(Microfiber) Clean Room

- Sole: PU Double Density, Oil & fuel resistant
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Composite Toe, 200J
- Electrical Properties: Antistatic

JAMA PORTLAND (Unisex)

(Microfiber) Clean Room

- · Sole: PU Double Density, Oil & fuel resistant
- Insole: Non-Woven Anti-static, 2 Mm Thickness
- Safety category: Meets IS 15298: 2016 Part II
- Size range: UK 4-12
- Toe cap: Composite Toe, 200J
- Electrical Properties: Antistatic





GUM BOOTS



Specialized Variety of Gum Boots is available with us which come in all adult sizes to match all your requirements:

STEEL TOE GUMBOOTS:

Steel toe gumboots help prevent a wide range of injuries, not just injuries from falling objects. They can also help prevent injuries due to slips and falls, cuts/lacerations and burns, and punctures. A sturdy safety boot makes it more difficult for injuries such as these to occur.

RAIN BOOTS GUMBOOTS:

Rain Boots are boots made of polyvinyl chloride, a plastic-based polymer, and formed by injection molding. This results in a boot that is highly waterproof, lightweight and quite durable, Rain boots help prevent a wide range of injuries, not just injuries from falling objects.

DIELECTRIC FIRE-FIGHTING GUMBOOTS:

Dielectric fire-fighting gumboots are specially designed insulated boots that protect firefighters from electric shocks while working in wet or live-wire environments. They also offer superior heat, chemical, and puncture resistance, ensuring safety during fire and rescue operations.

GUMBOOTS DRYING RACK:

Boot drying rack on legs, for industrial applications. Tubular structure allowing you to dry your industry boots or work shoes. Easy to use and space saving manual boot drying rack.









MM SAFETY AND WORK WEAR SOLUTIONS






HANDS AND ARMS PROTECTION

CUT RESISTANT HAND GLOVES



There are Multiple Levels of Cut Resistant Gloves available with us:

EN388:2016 Explained











How to Choose:





200 - 499 grams to cut Small parts assembly, electronics assembly, product inspection & quality control



LOW Cut Hazards 500 - 1,499 grams to cut Warehousing, light material handling, construction

general labor



MODERATE **Cut Hazards**

1,500 - 2,199 grams to cut

Light sheet metal stamping, sheet metal handling, HVAC assembly/installation/ maintenance, construction framing, glass handling, bottling line operat











HIGH **Cut Hazards**

2,200 - 3,999 grams to out

Oil & gas refinery, oil & gas extraction, sheet metal stamping, automotive & rospace manufacturing & assembly, HNAC anufacturing, recycling sorting, metal stamping



4,000 - 6,000+ grams to cut

Deboning, meat processing, industrial blade maintenance & changing, pulp & paper naintenance, glass manufacturing, heavy metal stamping, glass installation

4X42B (A2)



4X42D (A4)

4X42E (A5)









4X43E (A5)

4X43F (A6)

4X42F (A7)

4X42F (A9)









Colors and Different Brands Available

HAND GLOVES



We have a wide range of Hand gloves meant to fulfil the requirements of all types of different industries and jobs. We have a list of top quality branded and un-branded gloves to fulfil any type of requirement:



MM SAFETY AND WORK WEAR SOLUTIONS

HAND GLOVES



IMPACT RESISTANT GLOVES (HEAVY DUTY)





PVC GLOVES



FULL NITRILE COATED GLOVES



CRINKLE LATEX COATED GLOVES (BETTER GRIP)



WITH SAFETY CUFF





STERILE SURGICAL GLOVES

CRYOGENIC GLOVES (LOW TEMP.)

PE GLOVES







HAND AND FINGER GUARDS

THUMB GUARDS

FINGER GUARDS / FINGER COTS







MM SAFETY AND WORK WEAR SOLUTIONS

ARM SLEEVES





CERAMIC CUTTERS (HAND PROTECTION)



We have a wide range of Ceramic Cutters meant to fulfil the requirements of all types of different industries and jobs. Stainless steel blades have been the time-tested solution for every need. Ceramic blades are made from zirconium dioxide and have a hard edge, which helps it in staying sharp for a very long time. In a nutshell, these can be described as an alternative that is safer, stronger, and an absolute delight to use.

It is **non-magnetic**, **non-conductive**, and **non-sparking**, which makes it perfect for industrial use. It is **chemically inert** and **non-contaminating**, which makes it easy to maintain.

It is non-reactive, does not rust, and Oil and lubricant-free, which makes it ideal for cutting in special conditions.

It is very hard, non-porous, and chemically resistant, which makes it **safer than metal blades**. Its **sharpness does not dull quickly**, so it is not excessively sharpened, which makes it safer.

Box Cutters:

Box cutters are compact, handheld tools that cut thin materials such as corrugated packaging or plastic film.









Micro-Ceramic Knives:

The smaller cutting surfaces on micro-ceramic-blade knives work well with thin materials such as paper, plastic film, vinyl, and even clamshell packaging.





Ceramic scissors:

Ceramic scissors are any scissors that use a ceramic material for their blades. The best ceramic scissors use 100 percent advanced ceramics, also called engineered ceramics, or zirconium oxide, to ensure longevity and performance.

Utility Knives:

Utility knives are hand tools that cut corrugated packaging, plastic, and other materials. Industrial utility knife uses include opening and breaking down corrugated boxes, cutting pallet wrap and banding, trimming flash from plastic components, and cutting raw materials to shape on the factory floor.









MM SAFETY AND WORK WEAR SOLUTIONS





NOSE AND FACE PROTECTION

DISPOSABLE MASKS



FFP1 DISPOSABLE FACE MASK WITH HEADBAND FFP1 DISPOSABLE FACE MASK WITH EAR LOOPS FFP1 DISPOSABLE FACE MASK WITH HEADBAND AND EXHALATION VALVE FFP1 DISPOSABLE FACE MASK WITH EAR LOOPS AND EXHALATION VALVE









DISPOSABLE SURGICAL 3 PLY FACE MASK

DISPOSABLE SURGICAL 3 PLY FACE MASK WITH HEAD TIE

CLOTH MASK WITH TIES

COTTON CLOTH MASK









N95/FFP2 DISPOSABLE FACE MASK WITH HEADBAND

N95/FFP2 DISPOSABLE FACE MASK WITH EAR LOOPS

N95/FFP2 DISPOSABLE FACE MASK WITH HEADBAND AND EXHALATION VALVE

N95/FFP2 DISPOSABLE FACE MASK WITH EAR LOOPS AND EXHALATION VALVE

















FACE SHIELDS



DISPOSABLE FACE SHIELD UNIVERSAL ALUMINIUM METAL HEAD GEAR UNIVERSAL PLASTIC HEAD GEAR CLEAR SAFETY FACE SHIELD









CLEAR FACE SHIELD FOR HELMET CLEAR POLYCARBONATE VISOR IR5 DARK
POLYCARBONATE
WELDING VISOR

GOLD COATED
POLYCARBONATE HEAT
RESISTANT VISOR









FOLDABLE FACE SHIELD



WELDING FACE SHIELDS

WELDING SHIELD WITH SHADE GLASS LENS AUTO DARKENING WELDING SHIELD HELMET MOUNTABLE WELDING SHIELD

WELDING SHIELD









REUSABLE RESPIRATORS



It is a common misconception that respirators and masks provide the same type of protection. Respirators can help protect you while you breathe in by filtering out small and even microscopic particles in the air and harmful gases, whereas cloth and single use masks are more about protecting those around you from large particle droplets as you breathe out, cough or sneeze. Industrial Respirator masks are available with us with national and international certifications

SINGLE CARTRIDGE HALF FACE RESPIRATOR - TPE SINGLE CARTRIDGE HALF FACE RESPIRATOR -SILICONE DUAL CARTRIDGE HALF FACE RESPIRATOR - TPE DUAL CARTRIDGE HALF FACE RESPIRATOR -SILICONE









DUAL CARTRIDGE FULL FACE RESPIRATOR - SILICONE







REUSABLE RESPIRATOR FILTERS

ORGANIC VAPOUR FILTER - A ORGANIC VAPOR/ACID GAS FILTER - AE

AMMONIA
METHYLAMINE FILTER
- K

MULTIGAS/VAPOR FILTER - ABEK









ORGANIC VAPOR AND ACID GAS FILTER – AE WITH P2 FILTER MULTIGAS/VAPOR FILTER – ABEK WITH P2 FILTER P2 CLASS PARTICULATE FILTER

P3 CLASS PARTICULATE FILTER









MM SAFETY AND WORK WEAR SOLUTIONS

POWERED AIR PURIFYING RESPIRATORS



CONAER™ CA2100 POWERED AIR PURIFYING RESPIRATOR (PAPR)

Bison Life ConAer™ CA2100 PAPR is a high-performance powered air purifying respirator designed for demanding industrial environments. With dual airflow settings and a fast-charging lithiumion battery, it ensures continuous clean air delivery for extended wear and superior user comfort. Industries & Applications:

- Spray Painting
- Powder Handling
- Chemical Processing
- Pharmaceutical Manufacturing
- Surface Coating and Mixing Tasks





NORTH PRIMAIR 700 SERIES

The Honeywell North Primair 700 (PA700) Series PAPR is engineered to be ergonomic, efficient and effortless to get workers on the job faster and keep them comfortable and productive. The PA700 Series PAPR offers convenience, comfort, and confidence Industries & Applications:

- Pharmaceutical Development*
- Manufacturing (silica dust)
- Abatement
- Construction
- Hospital labs (chemotherapy drug mixing and infectious disease)





SELF CONTAINED BREATHING APPARATUS (SCBA) SETS



HONEYWELL T8000TN SCBA

A robust, EN 137:2006 Type 2 certified SCBA for firefighting and industrial environments. Offers panoramic visibility, buddy breather, optional digital gauge with PASS alarm, and ergonomic harness for extreme heat zones.



3M** SCOTT** SIGMA 2 TYPE 2 SCBA

A high-performance, cost-effective self-contained breathing apparatus designed for industrial, marine, and firefighting use. Ergonomically built with a Kevlar® harness, first-breath activation, and compatibility with 200/300 bar cylinders. Simple to use and maintain.



DRÄGER PSS® 3000 SCBA

Lightweight yet rugged SCBA system for industrial and emergency applications. Built with integrated hoses, ergonomic padding, and a proven pressure-reducing valve system. Designed for ease of use, maintenance, and long-duration comfort.



MM SAFETY AND WORK WEAR SOLUTIONS






ROAD SAFETY AND VISUAL MANAGEMENT

SIGN BOARDS AND SIGNAGES



All Types of sign boards, customised and standard built, GID and Weatherproof, are available with us. Following are examples of some sign boards for reference:



VISUAL MANAGEMENT EQIPMENT



EMERGENCY EXIT LIGHT WITH BATTERY BACKUP

LED EMERGENCY EXIT LIGHT WITH BATTERY BACKUP

LED EDGE LIT EXIT **SIGN**

LED BACKLIT FIRE EXIT **SIGNAGE**













ASSEMBLY POINT **SIGNS**











SAFETY INSTRUCTION



FIRE EQUIPMENT

SIGNAGE

FIRE EQUIPMENT FLOOR SIGNAGE











PIPE MARKERS & FLOW DIRECTION INDICATORS



ROAD SAFETY EQUIPMENT















TRAFFIC CONES (320, 500, 750, 1000 mm)



SPRING POSTS (300, 600, 700, 750, 970 mm)



AIR TRAFFIC CONE



LANE DIVIDER (42, 70 mm)

GUIDE POST (800 mm)

MESSAGE PLATE











SOLAR BLINKER

PVC CHAIN

WALL GUARD (30 mm Height)

CORNER/COLUMN GUARD (800, 900, 1000, 1200, 1250 mm)













CRASH BARRIER


PLASTIC/ALUMINIUM ROAD STUDS WITH REFLECTOR/LIGHT (Lengths: 250, 120, 100 mm) (Heights: 30, 26, 24, 22, 18 mm)





ROAD SAFETY EQUIPMENT







RUBBER SPEED BREAKERS

PU ROAD RUMBLER





STOPPER



CHOKE















ROAD TRAFFIC BARRICADES



LLDPE PLASTIC H: 1600, 1055



LLDPE PLASTIC



STEEL



IRON/STEEL



EXPANDABLE/SCISSOR BARRIER (300-2700mm)

CAUTION TAPE (MEN AT WORK/DANGER)

PLASTIC FLOOR STAND

ROAD DELINEATORS

FLASH BATON (GREEN & RED)

















TRAFFIC LIGHTS

SAFETY REFLECTOR VEST

QUEUE MANAGER

MEDIAN MARKERS















MM SAFETY AND WORK WEAR SOLUTIONS

SAFETY TAPES AND MARKERS



We deal in all type for Tapes and Markers to help improve visual .safety in all speres of work. We Deal in Brands such as BRADY, Udyogi, and 3M.

SOLID FLOOR MARKING TAPE (2", 3", 4") (ALSO AVAILABLE IN BRADY TOUGH-STRIPE TAPES) STRIPED & PATTERNED TAPE (2", 3", 4") ALSO AVAILABLE IN BRADY TOUGH-STRIPE TAPES



GLOW IN DARK TAPES

GLOW IN DARK MARKERS

BORDER MARKING TAPE







RETRO REFLECTIVE TAPE

ANTI-SKID TAPE (MULTICOLOR)

DIE-CUT FLOOR MARKING TAPES







SEMICONDUCTOR & CHEMICAL PIPE MARKERS (MULTI-COLOR)



CAUTION AND WARNING TAPE

AND DE	CHUTCH	CANTON	CATTON	- Carrier	CASTION	CARTINA	ALC: N	CAUTIO
CANTON	CAUTION	CANTUS	CHITE	CAUTING	CANTRIA	CARTIES	CAUTION	EMTR
1111	// A	CAUTION	VA.		14	AUTION	411	
BEEF BUT	ADD BUT	OUP OUT	ALCOP ONT	KILP OUT	NIIP BE	GUP NO	1137 MIT	BEED? O
HELP BUT	BEEF BUT	DEP OUT	000 OUT	KEEP OUT	NEEP BUT	BED BUT	COD SAT	XIIOF O
1111	II A	KEEP OU	TA/	////	14	CEEP OUT	411	////
N KINDE	NUMBE	WARRING	VARIANCE	NAMES.	WATNOX	BARNE	WARNING	VARIO
VARIAN.	RMARK	WANTE	WARRE	WANES	WANTE	WARRING	WANADE	WARR
,,,,	## A	WARNIN	EA.	,,,,,	ZAI	VARNING	A 11	,,,,

FLOOR PAINTING STENCIL TAPE



MM SAFETY AND WORK WEAR SOLUTIONS

MM SAFETY AND WORK WEAR SOLUTIONS





FALL PROTECTION AND WORKING AT HEIGHTS SAFETY

HEAD PROTECTION



LOAD CARRYING SAFETY HELMET



INDUSTRIAL SAFETY HELMET



INDUSTRIAL SAFETY HELMET WITH VENTS



FIREFIGHTER HELMET WITH **NECK SHROUD**



SAFETY HELMET COLOR GUIDE

COLOUR	HELMET	FOR
White		Supervisors, architects, engineers, and managers.
Grey		Site Visitors
Green		Safety inspectors on-site, trainees and officers
Brown		Welders or people with high heat working areas.
Blue		Electricians or technical workers like carpenters and interim workers.
Red		Frefighters
Pink		Female workers or others
Yellow		Earth moving operators or heavy-duty workers and labourers

SAFETY HELMET SUSPENSIONS



4 Point Plastic





6 Point Plastic 6 Point Nylon Webbing

SAFETY BUMP CAP



HEAD LIGHT (HELMET MOUNTED)



SAFETY BELT/HARNESS



Often Working at height can be dangerous, but is our duty to take precautions and ensure Work Safety and Fall Protection, our range of Safety belts and harnesses help ensure this, and there are a lot of options to choose from.

AVAILABLE BRANDS: KARAM, HONEYWELL, PRIMA



PN-16 FULL BODY HARNESS FOR BASIC FALL ARREST (CLASS A)



PN-17
ALONG WITH ALL THE
FEATURES OF PN 16,
PN 17 HAS TWO LATERAL DRINGS AT THE SIDES FOR
POSITIONING AT HEIGHTS



PN-18 FULL BODY HARNESS FOR TOEER CLIMBING (CLASS L)



PN-19 FULL BODY HARNESS FOR ENTRY AND EXIT IN CONFINED SPACE (CLASS E)



PN-44 OR
THIS HARNESS
COMES WITH A
STERNAL FALL
ARREST
ATTACHMENT, AND
IS AN IDEAL CHOICE
FOR WORK
POSITIONING WHILE
WORKING AT
HEIGHT.



PN-56 OR
COMES WITH
COMFORTABLE BACK
AND SHOULDER
PADDING, THIS
HARNESS CAN BE USED
FOR ALL APPLICATIONS
LIKE ROPE ACCESS,
RESCUE, DESCENT,
WORK POSITIONING AND
FALL ARREST.



PN-22 AS
NOSPARK RANGE
OF HARNESSES
ARE ANTI-STATIC
IN NATURE AND
ARE ATEX
CERTIFIED



PN-22 FR
FLANIL RANGE OF
HARNESSES ARE
FLAME RESISTANT
AND CAN
WITHSTAND
TEMPERATURES OF
UP TO 700° F / 371°
C WITHOUT ANY
DAMAGE

SAFETY BELT/HARNESS





PN-22 DE
DIENOC RANGE OF
HARNESSES ARE
SPECIALLY DESIGNED
FOR WORKERS
WORKING IN
CONDITIONS WHERE
THERE ARE POSSIBLE
ELECTRICAL HAZARDS



PN-74
ELASTO RANGE
CONSTITUTES SPECIAL
STRETCHABLE HARNESSES
DESIGNED FOR TOTAL
COMFORT TO THE
WEARER, THESE
HARNESSES PROVIDES
FOR GREATER FREEDOM
OF MOVEMENT



PN 57
TOEER HARNESS HAS A
FULLY PADDED AND
ADJUSTABLE WORK
POSITIONING TO PROVIDE
AN EXTREME LEVEL OF
SUPPORT TO THE BACK
WHILE WORKING AT
HEIGHT



PN 43 IS
THE IDEAL HARNESS
FOR TOEER
CLIMBING, WORK
POSITIONING AND
WORKING ON A
MAST



PN 41
IS A SPECIALIZED
HARNESS FOR FALL
ARREST AND WORK
POSITIONING AT HEIGHT
IN INDUSTRIES LIKE
CHEMICALS AND
FERTILIZERS



PN-25
THE EXTENSION RESCUE
STRAP INCORPORATED ON
THE SHOULDER STRAP OF
THE HARNESS HAS A D-RING
THAT CAN BE USED TO
CONNECT TO THE RESCUE
EQUIPMENT, WHEN IN NEED.
IT ALLOWS EASY RESCUE OF
THE WORKER AND MINIMIZE
DISCOMFORT



PN 11
BASIC CE COMPLIANT
HARNESS, HAVING
ADJUSTABLE CHEST
AND THIGH STRAPS,
WITH A DORSAL D-RING
FOR FALL ARREST



PN 14
HARNESS BEST
SUITED FOR A
CONTROLLED
DESCENT IN
CONFINED SPACES.

FALL PROTECTION EQUIPMENT





FALL PROTECTION EQUIPMENT



FALL ARRESTER SYSTEM ON FLEXIBLE ANCHORAGE LINE

ROPE GRAB

EDGE PROTECTOR











TEMPORARY HORIZONTAL LINE

TEMPORARY HORIZONTAL LIFELINE

RETRACTABLE FALL ARRESTORS (10, 18, 20, 25, 30 METERS)







CONFINED SPACE: TRIPOD

CANTILEVER K-POD

H-BASE DAVIT







RESCUE SEATS/EQUIPMENT



PILOT CHAIR




EVACUATION TRIANGLE



EASY SEAT



RESCUE CHAIR



RESPAC RECOVERY STRETCHER

FALL PROTECTION EQUIPMENT



SAFETY NET (CUSTOM MAKE)



ASCENDERS & DESCENDERS









LADDERS AND SAFETY LIFTS

DUAL MAST ALUMINIUM SCISSOR LIFT

DUAL BUILD PORTABLE MULTIPURPOSE FOLDING LADDER

ALUMINIUM DUAL SELF-SUPPORTING PLATFORM LADDER







ALUMINIUM TELESCOPIC FOLDABLE LADDER



ALUMINIUM FOLDABLE LADDER







MM SAFETY AND WORK WEAR SOLUTIONS





EARS AND EYES PROTECTION

SAFETY GOGGLES



ANTI-SCRATCH, LATERA PROTECTION, FLEXIBLE TEMPLE CHEMICAL SPLASH GOGGLES, LATERAL PROTECTION GENERAL USE CLEAR GOGGLES WITH LATERAL PROTECTION GENERAL USE DARK GOGGLES WITH LATERAL PROTECTION









OVER THE SPECTACLES SPLASH PROOF GOGGLES IR5 WELDING SPECTACLES, ANTI-FOG, ANTI-SCRATCH WELDING GOGGLES WITH FLIP-UP LENSES CUTTING/GRINDING SPLASH AND DUST PROTECTION GOGGLES









HEAT RESISTANT ANTIFLAMING GOGGLES SAFETY GOGGLES FACE SHIELD





EAR PROTECTION



CORDED EAR PLUGS

EAR PLUGS

EAR PLUG HEADBAND

EAR PLUGS DISPENSER











EAR MUFFS

HELMET MOUNTED EAR MUFFS





EAR MUFFS/PLUGS CLASSIFICATION					
MEASURED EXPOSURE DB(A)	CLASS				
Less than 90	1				
90 to less than 95	2				
95 to less than 100	3				
100 to less than 105	4				
105 to less than 110	5				

FOLDABLE EAR MUFFS



EMERGENCY EYE WASH AND SHOWER



EYE/FACE WASH PUSH PLATE OPERATED

EYE /FACE WASH FOOT PEDAL OPERATED

PUSH PLATE/PEDAL OPERATED WITH COVER

BODY SPRAY WALL BRACKETED



PUSH PLATE OPERATED WALL MOUNTED



STAINLESS STEEL PUSH PLATE OPERATED WALL MOUNTED



HAND OPERATED WITH FLEXIBLE HOSE PIPE



PORTABLE EYE WASH BOTTLE





PORTABLE EYE WASH

STATION



TROLLEY MOUNTED PORTABLE EYE WASH



CABINET SHOWER WITH PULL ROD



PORTABLE EYE WASH

TANK





EYE WASH WITH PUSH PLATE & SHOWER PULL ROD



MULTIPLE NOZZLE OPERATED BY WALK ON PLATFORM



CEILING MOUNTED SAFETY SHOWER/PULL ROD OPERATED







MM SAFETY AND WORK WEAR SOLUTIONS





WORK WEAR SOLUTIONS

BODY SUITS AND COVERALLS



COTTON COVERALLS



POLY-COTTON COVERALLS



NOMEX FIRE SUIT



FIRE RETARDANT COVERALL



LEATHER WELDERS' SUIT



MOLTEN METAL SUIT



ALUMINIZED FIRE PROXIMITY SUITS



DISPOSABLE COVERALL WITH HOOD (W/WO LAMINATION)



PVC COVERALL



ANTISTATIC (ESD) COVERALLS



ARC-FLASH SUIT SET





APRONS





LEG/SHIN GUARDS



LEATHER LEG GUARD (WELDING/GRINDING)



SNAKE GAITERS





BOOT COVER



DISPOSABLE PPEs

BOUFFANT CAP 18", 21", 24"

BEARD COVER

NON-WOVEN SHOE COVER







PLASTIC SHOE COVER

NON-WOVEN BANGLE/WATCH COVER

NON-WOVEN ARM SLEEVES







MM SAFETY AND WORK WEAR SOLUTIONS





SPILL AND SLIP PROTECTION

SPILL AND SLIP PROTECTION



CHEMICAL ABSORBENT UNIVERSAL OIL ABSORBENT PAD ANTI-SKID MAT PAD ABSORBENT PAD CHEMICAL UNIVERSAL OIL ABSORBENT ROLL ANTI FATIGUE MAT ABSORBENT ROLL ABSORBENT ROLL UNIVERSAL CHEMICAL OIL ABSORBENT DRUM TOP PAD ABSORBENT PILLOW ABSORBENT PILLOW **PILLOW** CHEMICAL UNIVERSAL OIL ABSORBENT SOCK STICKY STEP MAT ABSORBENT SOCK ABSORBENT SOCK & BOOM

SPILL KIT



OIL SPILL KITS

Item Details	20L	40L	55L	70L	75L	90L	95L	100L	120L	150L	200L	250L
Oil Absorbent Pad 15 in × 19 in	14	27	37	50	60	62	72	65	80	100	126	165
Oil Absorbent Socks 3 in × 4 ft	1	2	3	3	3	4	4	5	6	7	10	12
Oil Absorbent Pillow 11 in × 11 in	1	1	1	1	1	1	1	1	1	1	1	1
Dust Pan	1	1	1	1	1	1	1	1	1	1	1	1
Wiper Small	1	1	1	1	1	1	1	1	1	1	1	1
Splash Goggles	1	1	1	1	1	1	1	1	1	1	1	1
Big Handle Wiper	-	-	-	-	-	-		-	-	1	1	1
Nitrile Hand Gloves	1	1	1	1	1	1	1	1	1	1	1	1
Disposable Poly Bag	2	5	5	5	6	7	7	7	7	7	10	12
HDPE Wheel Drum	-	-	-	-	1	-	-	1	1	1	1	1
PVC / Canvas Bag	1	1	-	-	-	-	-	-	-	-	-	-
HDPE Transparent Drum	-	-	1	1	-	1	-	-	-	-	-	-
Barricading Tape – Yellow & Black	-	1	1	1	1	1	1	1	1	1	1	1
Emergency Eye Wash Bottle 500 ml	1	1	1	1	1	1	1	1	1	1	1	1
Oil Resistant Apron Bib Type	1	-	-	-	-	-	-	-	-	-	-	-
Anti-Static Coverall – Type 5 & 6	-	1	1	1	1	1	1	1	1	1	1	1
Safety Board – Wet Floor Caution	-	-	-	-	-	/2	-	1	1	1	1	1
Shoe Cover	1	1	1	1	1	1	1	1	1	1	1	1
Disposable Respirator	1	-	-	-	-	-	-	- "		-	-	- /
Reusable Half Facepiece with Cartridge	Dr.	1	1	1	1	1	1	1	1	1	1	2
Cable Tie for Disposable Bag	2	5	5	5	6	7	7	7	7	7	10	12
Instruction Manual	1	1	1	1	1	1	1	1	1	1	1	1









CHEMICAL SPILL KITS

		_	-		_	_	-	-	_	_		
Item Details	20L	40L	55L	70L	75L	90L	95L	100L	120L	150L	200L	250L
Chemical Absorbent Pad 15 in × 19 in	14	27	37	50	60	62	72	65	80	100	126	165
Chemical Absorbent Socks 3 in × 4 ft	1	2	3	3	3	4	4	5	6	7	10	12
Chemical Absorbent Pillow 11 in × 11 in	1	1	1	1	1	1	1	1	1	1	1	1
Dust Pan	1	1	1	1	1	1	1	1	1	1	1	1
Wiper Small	1	1	1	1	1	1	1	1	1	1	1	1
Splash Goggles	1	1	1	1	1	1	1	1	1	1	1	1
Big Handle Wiper	-	- 1	-	-	-	-	1-	-	-	1	1	1
Chemical Resistant Hand Gloves	1	1	1	1	1	1	1	1	1	1	1	1
Disposable Poly Bag	2	5	5	5	6	7	7	7	7	7	10	12
HDPE Wheel Drum	-	-	-	-	1	-	-0	1	1	1	1	1
PVC / Canvas Bag	1	1	-	-	-	-	-	h. =	-	-	-	-
Poly Transparent Drum	-	-	1	1	-	1	1	100	-	-	-	-
Barricading Tape - Yellow & Black	-	1	1	1	1	1	1	1	1	1	1	1
Emergency Eye Wash Bottle 500 ml	1	1	1	1	1	1	1	1	1	1	1	1/
Chemical Resistant Apron Bib Type	1	-	-	-	-	-	-	-	100	-	-	A
Chemical Resistant Coverall	-	1	1	1	1	1	1	1	1	1	1	1
Safety Board – Wet Floor Caution	-	-	-	-	-)	-/0	-	1	1	1	1 /	1
Shoe Cover	-	1	1	1	1	1	1	1	1	1	1	1
Disposable Respirator	1	1	1	1	1	1	1	1	1	1	1	2
Reusable Half Face Respirator for Multi Gas		1	1	1	1	1	1	1	1	1	1	1
Cable Tie for Disposable Bag		5	5	5	6	7	7	7	7	7	10	12
Instruction Manual	1	1	1	1	1	1	1	1	1	1	1	1
(A)								V				



UNIVERSAL SPILL KITS


ITEM DETAILS	20L	40L	55L	70L	75L	90L	95L	100L	120L	150L	200L	250L
Universal Absorbent Pad 15 In X 19 In	14	27	37	50	60	62	70	65	80	100	126	165
Universal Absorbent Socks 3 In X 4 ft	1	2	3	3	3	4	4	5	6	7	10	12
Universal Absorbent Pillow 11 In X 11 In	1	2	2	3	3	4	5	5	5	7	10	12
Dust Pan	1	1	1	1	1	1	1	1	1	1	1	1
Wiper Small	1	1	1	1	1	1	1	1	1	1	1	1
Splash Goggles	1	1	1	1	1	1	1	1	1	1	1	1
Big Handle Wiper	-		-	·				•	-	1	1	1
Chemical Resistant Hand Gloves	1	1	1	1	1	1	1	1	1	1	1	1
Disposable Poly Bag	2	5	5	6	6	7	7	7	7	7	10	12
HDPE Wheel Drum	-	-	-	-	1	-	-	1	1	1	1	1
PVC / Canvas Bag	1	1	-	1	-	-	-	•	-	-	-	-
Poly Transparent Drum	-	-	1	1	-	1	1	1	-	-	-	-
Barricading Tape - Yellow & Black	-	1	1	1	1	1	1	1	1	1	1	1
Emergency Eye Wash Bottle 500ml	1	1	1	1	1	1	1	1	1	1	1	1
Chemical Resistant Apron Bib Type	1	-	-	-	-	-	-	-	-	-	-	-
Chemical Resistant Overall	-	1	1	1	1	1	1	1	1	1	1	1
Safety Board - Wet Floor Caution	-	-	-	-	-	-	-	1	1	1	1	1
Shoe Cover	1	1	1	1	1	1	1	1	1	1	1	1
Disposable respirator	1	-	-	1	-	-	-	1	-	-	-	-
Reusable Half Face respirator for Multi Gas	-	1	1	1	1	1	1	1	1	1	1	1
Cable Tie for Disposable Bag	2	5	5	6	6	7	7	7	7	7	10	12
Instruction Manual	1	1	1	1	1	1	1	1	1	1	1	1





SPILL CONTAINMENT PALLET









FIRE EXTINGUISHERS



Type of Extinguisher	Fire Classes Fought	Agent	Typical Sizes	Features / Applications
Water-Based	A Water		Portable: 6 L, 9 L; Wheeled: 50 L, 100 L, 135 L	Effective against wood, paper, cloth fires. High-pressure throw. Not suitable for electrical or oil fires.
ABC Powder (MAP 50 / MAP 90)	А, В, С	Mono Ammonium Phosphate Powder	Portable: 2–12 kg; Wheeled: 25–100 kg	Multi-purpose, fights solids, flammable liquids, and electrical fires. High discharge reliability.
CO2-Based	В, С	Carbon Dioxide	Portable: 2 kg; Wheeled: 4.5–22.5 kg	Ideal for electrical fires and flammable liquids. Leaves no residue. Rapid cooling effect.
Foam-Based	А, В	Foam	Portable: 3–9 L; Wheeled: 50–135 L	Forms a blanket over flammable liquids. Suitable for wood, paper, and petrol fires. Alcohol-resistant variants available.
Watermist / Foammist	A, F	Watermist / Foam Mist	Portable: 2–9 L; Wheeled: 20–250 L	Uses fine mist to cool flames, safe for kitchens and electrical equipment. Environment-friendly.
Wet Chemical	A, F	Wet Chemical (bio- degradable)	Portable: 2–9 L	Specifically for cooking oil and fat fires. Prevents re-ignition and safe for kitchens.
Metal Fire (Class D)	D	SPM-TEC / SPM- PYRO Powder	4–9 kg	For fires involving alkali and heavy metals like magnesium, sodium, titanium. High heat resistance up to 5000°C.
Clean Agent (HFC236fa)	А, В, С	HFC236fa Gas	2–9 kg	Zero-damage, residue-free agent for electrical equipment and sensitive areas.
Specialty (B Plus Powder)	В, С	High-power powder	2–9 kg	Enhanced coverage for petrol pumps, petrochemical units. Splits powder into four upon activation for wider reach.
Home & Car Designer / Classic Range	A, B, C	MAP 50, MAP 90, HCFC 123	500 g, 1 kg	Compact and aesthetic design, suitable for homes and vehicles. Easy to handle and portable.
Lithium Battery Fire Extinguisher	ESF / Electrical, Lithium-ion fires	MAP 90 or Clean Agents	Portable: 1–9 kg	Designed for lithium battery fires, electronics, and sensitive equipment. Quick deployment, residue-free options, safe for high-tech environments.

WATER BASED

ABC POWDER

CO2

FOAM-BASED



WATERMIST



WET CHEMICAL (K)



METAL FIRE



CLEAN AGENT



SPECIALITY FIRE EXTINGUISHERS



HOME/CAR FIRE EXTINGUISHERS



LITHIUM BATTERY FIRE EXTINGUISHERS



MODULAR TYPE FIRE EXTINGUISHERS













FIRE EXTINGUISHER BALL PYROPROTECT FIRE HOSE

ATTACK FIRE HOSE

SUPPLY FIRE HOSE









SUCTION AND DELIVERY FIRE HOSE

SPRAY JET FIRE HOSE NOZZLE

JET SPRAY FIRE NOZZLE

HAND CONTROLLED JET AND SPRAY









POLYCARBONATE FIRE HOSE NOZZLE SPRAY

SHORT BRANCH PIPE

MULTI PURPOSE NOZZLE

BOWFIRE NOZZLE









HIGH PRESSURE PISOL GRIP NOZZLE

LONG BRANCH PIPE

JUMBO CURTAIN NOZZLE

REVOLVING BRANCH PIPE











SINGLE OUTLET LANDING VALVE

DOUBLE HEAD LANDING VALVE

FLANGED BIB NOSE TYPE VALVE

THREADED BIB NOSE TYPE VALVE









RIGHT ANGLED FLANGE

STRAIGHT VALVE

ANGLE HOSE VALVE

GATE VALVE









LARGE DIAMETER HOSE

SUCTION COUPLING

BLANK CAPS AND CHAINS

DIVIDING BREECHINGS









COLLECTING BREECHINGS

LONG RANGE MONITOR

WATER FOAM JET MONITOR

PORTABLE WATER AND FOAM MONITOR











WATER JET MONITOR

SUPER JET WATER MONITOR

DOUBLE HOSE CABINET

FOAM STATION CABINET









DRY RINSER INLET CABINET

HOSE REEL CABINET

STAND MOUNTED HOSE REEL

HOSE REEL WITH FOAM STATION









SWING TYPE HOSE REEL

FIXED TYPE HOSE REEL

PVC/THERMOPLASTIC HOSE

WAFER TYPE BUTTERFLY VALVE









GROOVED TYPE BUTTERFLY VALVE

TWO WAY INLET BREECHING

THREE WAY INLET BREECHING

FOUR WAY INLET BREECHING











GATE VALVE

PRESSURE RESTRICTING VALVE



ONE WAY HYDRANT STANDPOST









TWO WAY HYDRANT STANDPOST

ALARM CHECK VALVE

UPRIGHT TYPE SPRINKLER

PENDENT TYPE SPRINKLER









SIDEWALL TYPE SPRINKLER

MEDIUM VELECITY
SPRAY NOZZLE


HIGH VELECITY SPRAY NOZZLE

FOAM BRANCH PIPE









FOAM EDUCTORS

FAST ATTACK MOBILE FOAM UNIT

PORTABLE FIRE PUMPS

SPARK ARRESTOR











WIND SOCK WITH **STAND**

FIRE EXTINGUISHER **STANDS**

FIRE BUCKET AND **STAND**

FIRE BLANKETS









POSITIVE PRESSURE **VENTILATOR**



FIRE AXE

EMERGENCY EXIT SIGNS









SAFETY CABINETS















FLAMMABLE **CABINETS**

Yellow Safety Cabinet for storing flammable liquids(low and median flash point liquid1, flash point<37.8°C)



Red Safety Cabinet for storing paintings, oil and other flammable liquids(high flash point liquid2, flash point≥ 37.8°C)

CORROSIVE **CABINETS**

Blue Safety Cabinet for storing corrosive liquids3

TOXIC **CABINETS**

White Safety Cabinet for storing chemicals

PESTICIDES CABINETS

Green Safety Cabinet for storing insecticides, pesticides, disinfectors and other chemicals











FIRE ALARM AND SMOKE DETECTOR SYSTEM



TYPES OF FIRE DETECTION METHOD		TYPICAL USE	FEATURES		
Addressable Fire Alarm System Conventional Fire zones; detectors identify the zone of fire Each device has a unique address for pinpoint		Small to medium facilities like warehouses, offices, schools	Cost-effective, easy installation, zone-based identification		
		Large and complex sites (factories, plants, malls, hospitals)	Precise location identification, programmable logic, network integration		
Wireless Fire Alarm System			Quick installation, no wiring, easy expansion		
Aspiration (VESDA) System	1		Ultra-early smoke detection, high sensitivity, minimal false alarms		

TYPES OF FIRE DETECTORS	DETECTION BASIS	APPLICATIONS	KEY FEATURES	
Ionization Smoke Detector Detects microscopic smoke particles		Fast-flaming fires, offices, hotels	High sensitivity, compact, widely used	
harricles via light		Smouldering fires (paper, cloth)	Fewer false alarms, ideal for residential/commercial use	
Heat Detector Detects temperature rise or fixed threshold		Kitchens, boiler rooms, workshops	Heat rate-of-rise or fixed temperature, durable design	
Multi-Sensor Detector	Combines heat and smoke sensing	High-risk zones, factories	Smart detection, minimizes false triggers	
Flame Detector (UV/IR)	Detects ultraviolet or infrared radiation from flames	Fuel storage, chemical plants	Fast response, suitable for outdoor and hazardous zones	
Gas Detector	Detects flammable or toxic gases	Refineries, manufacturing plants	Catalytic or infrared sensor types, often integrated with alarms	

COMPLIANCE S'	TANDARDS (INDIA)				
IS 2189: 2008	Fire Detection and Alarm System				
NFPA 72	National Fire Alarm and Signalling Code				
NBC (National Building Code of India, 2016)	Fire protection and alarm system guidelines				
BIS / CE / UL	Approvals recommended for equipment reliability				

INTEGRATED SOLUTIONS AVAILABLE THROUGH MM SAFETY

- Design, supply, and installation of fire alarm and smoke detection systems
- Site assessment and zone mapping as per NBC & IS standards
- Integration with sprinkler and suppression systems
- Annual maintenance contracts (AMC) and training support

FIRE ALARM AND SMOKE DETECTOR SYSTEM



FIRE ALARM CONTROL PANEL (FACP)





POWER SUPPLY UNIT (PSU)









HEAT DETECTOR

IONIZATION PLASTIC SMOKE DETECTORS

PHOTOELECTRIC TYPE SMOKE DETECTOR

ADDRESSABLE SMOKE DETECTOR









CONVENTIONAL SMOKE DETECTOR

WIRELESS SMOKE DETECTOR

FLAME DETECTOR

GAS DETECTORS









MANUAL CALL POINT (MCP)

SOUNDER WITH STROBE LIGHT

SIREN

FIRE BELL









FLAMEPROOF LIGHTING



Certified lighting and signalling solutions for hazardous locations. Designed to ensure safety, compliance, and long-term reliability.

FLAMEPROOF SUNFLOWER LIGHT FLAMEPROOF CLEANROOM LIGHTS EMERGENCY FLAME PROOF LED LIGHT FLAMEPROOF BULKHEAD LIGHT











FLAMEPROOF STREET LIGHT

FLAMEPROOF TUBE LIGHT (LED OR FL)

FLAMEPROOF WELL GLASS LIGHT

FLAMEPROOF 100W LED FLOOD LIGHT









FLAMEPROOF HIGH BAY LIGHT

FLAMEPROOF HAND LAMP

FLAMEPROOF EMERGENCY LIGHT

AVIATION OBSTRUCTION LIGHT









FLAMEPROOF FANS

FLAMEPROOF PORTABLE TORCH

LED SEARCH LIGHT

FLAMEPROOF HOOTERS, FLASHERS, BEACONS, SPEAKER









NON-SPARKING TOOLS




Aluminium Bronze / Beryllium Copper Construction



MM SAFETY AND WORK WEAR SOLUTIONS





ELECTRICAL SAFETY

ELECTRICAL SAFETY EQUIPMENT



ARC FLASH SUIT


ARC FLASH SUIT SELECTION GUIDE



ARC RATING (CAL/CM²)	PROTECTION LEVEL	TYPICAL USE / APPLICATION
4 – 8 CAL/cm²	Low Risk	Control panels, LV switchboards, routine inspections
8 – 12 CAL/cm²	Moderate Risk	MCC panels, distribution boards, maintenance work
12 – 25 CAL/cm²	High Risk	415V–11kV switchgear operation, substation work
25 – 40 CAL/cm²	Very High Risk	Power plants, industrial switchyards, HV maintenance
> 40 CAL/cm² (up to 100 CAL/cm²)	Extreme Risk	Live-line operations, high-energy faults, HV substations

INSULATED MAT / ELECTRICAL SAFETY MAT

INSULATED MAT / ELECTRICAL SAFETY MAT SELECTION GUIDE



CLASS / TYPE	WORKING VOLTAGE (AC RMS)	THICKNESS (MM)	TYPICAL APPLICATION AREA
Class A / Type 0	Up to 1.1 kV	2.0 – 2.5 mm	Control panels, testing labs, small equipment rooms
Class B / Type 1	Up to 3.3 kV	2.5 – 3.0 mm	LT & HT panels, substations, DG sets
Class C / Type 2	Up to 11 kV	(3.0) - 3.5 mm	11kV / 33kV switchgear rooms, transformer bays
Class D / Type 3	Up to 33 kV	3.5 – 4.5 mm	EHV substations, high-voltage maintenance zones

INSULATING RUBBER GLOVES

INSULATING RUBBER GLOVES SELECTION GUIDE



	CLASS	WORKING VOLTAGE (AC RMS)	TEST VOLTAGE (AC)	TYPICAL APPLICATIONS
C	Class 00	Up to 500 V	2,500 V	Control panels, low-voltage testing
C	Class 0	Up to 1,000 V	5,000 V	Electricians, switchboards, LV panels
C	Class 1	Up to 7,500 V	10,000 V	Industrial maintenance, substations
C	Class 2	Up to 17,000 V	20,000 V	Medium-voltage operations, HT panels
C	Class 3	Up to 26,500 V	30,000 V	High-voltage substations, utilities
	Class 4	Up to 36,000 V	40,000 V	EHV substations, transmission lines

RUBBER GLOVES

GENERAL ELECTRICAL GLOVES (11KV, 33 KV)

ELECTRICAL SAFETY SHOES












ELECTRICAL SAFETY EQUIPMENT





MM SAFETY AND WORK WEAR SOLUTIONS





LOCK OUT AND TAG OUT (LOTO)

LOTO EQUIPMENT AND ACCESSORIES



LOCKOUT SAFETY HASP LABELLED LOCKOUT HASP METALLIC HASP

DI-ELECTRIC LOCKOUT HASP









SCORPIO LOCKOUT HASP BALL VALVE LOCKOUT

BUTTERFLY VALVE LOCKOUT UNIVERSAL VALVE LOCKOUT









GATE VALVE LOCKOUT

CABLE LOCKOUT DEVICES

DO NOT OPERATE LOCKOUT TAG

DISPOSABLE LOCKOUT TAGS









SCAFFOLDING TAG

SCAFFOLDING TAG -GREEN FIRE EXTINGUISHER
TAG

MAGNETIC CAUTION SIGNS















LOTO EQUIPMENT AND ACCESSORIES



ENERGY SOURCE IDENTIFICATION TAGS





ELECTRICAL PANEL LOCKOUT











DI-ELECTRIC PANEL LOCKOUT DEVICE

OSHA SAFETY PADLOCK

OSHA SAFETY
PADLOCK WITH DI-ELECTRIC SHACKLE

CIRCUIT BREAKER LOCKOUT









LOCKOUT TAGOUT STATION

LOCKOUT TAGOUT STATION

LOTO WALL MOUNTED TAG HOLDER



HASP & TAGS CABINET



RED EMERGENCY KEY BOX







FIRST AID AND MEDICAL SAFETY

FIRST AID EQUIPMENT



FIRST-AID BOX





FIRST AID KIT









BAND-AID

BURN GEL

GAUZE ROLL

ANTISEPTIC WIPE









Measurement and Detection Equipment

INFRARED THERMOMETER

DIGITAL BLOOD PRESSURE MACHINE

PULSE OXIMETER

DIGITAL THERMOMETER









GLUCOMETER

SPIROMETER

ALCOHOL DETECTOR

DIGITAL WEIGHING SCALE









MM SAFETY AND WORK WEAR SOLUTIONS

MEDICAL ROOM EQUIPMENT



WHEELCHAIR SIDE TROLLEY BEDSIDE LOCKER **COLOR CODED BINS** (LARGE) **COLOR CODED BINS NEBULIZER DISPOSABLE EXAMINATION** COVERALL SUIT (SMALL) **GLOVES** SANITIZER DISPENSER NON-WOVEN GOWN SUCTION MACHINE RUBBER HOT WATER (ELECTRIC) (DISPOSABLE) BAG **SWABS** STEEL REVOLVING ADJUSTABLE CERVICAL **VAPORIZER** STOOL COLLAR

MEDICAL ROOM EQUIPMENT





STRETCHERS









WATER AND FLOOD SAFETY

WATER AND FLOOD RESCUE EQUIPMENT











HYGIENE EQUIPMENT AND DISPENSORS

HYGIENE PRODUCTS AND DISPENSERS



AUTOMATIC SOLE CLEANING MACHINE-140W AUTOMATIC SOLE CLEANING MACHINE -40W SANITIZER DISPENSER (ELECTRIC) FLY KILLER (SIZE AS PER ORDER)









AIR CURTAIN

HAND DRYER

SOAP DISPENSER

SHOE COVER DISPENSER









EAR PLUG DISPENSER

WRINGER TROLLEY 3-BUCKET SPIN FLOOR CLEANING WITH MOP HOUSEKEEPING CART WITH DOORS













RODENT AND BIRD REPELLENT SOLUTIONS

RODENT AND BIRD REPELLENT ECO-FRIENDLY AND HARMLESS SOLUTIONS



RAT/RODENT CATCHER **SNAKE CATCHER**

SNAKE HOOK

SNAKE/RODENT BAG









SNAKE CATCHER NET

BIRD REPELLENT REFLECTOR SONIC BIRD CHASER

BIRD EXPELLER PRO









FLOCK REFLECTOR

BIRD OPTICAL GEL

BIRD LASER

BIRD STROBE LASER LIGHT









ANIMAL HANDLING GLOVES





THANK YOU.