










Chemical Agents Risk Assessment – Part 1 of 3			
Division: Midlands Louth Meath CHO		Source of Risk: chemicals	
HG/CHO/NAS/Function : Older People services		Primary Impact Category: Residents, staff and visitors	
Hospital Site / Service: Drogheda Services for Older People		Risk Type: Harm caused by chemicals	
Dept/Service Site: St Mary's Hospital		Name of Risk Owner (BLOCKS): SEAMUS MCCAUL	
Date of Assessment: Ecolab Hand sanitiser 16.02.2022		Signature of Risk Owner:	
Unique ID No: 021		Risk Co-Ordinator: Yvonne Buckley	
		Risk Assessor(s) Seamus McCaul	
Chemical Name (Concentration):		Chemical Process:	
Ecolab Hand Sanitizer		Mixture: alcohol based hand rub	
Number of Employees Exposed:	Categories of employees likely to be exposed: (Tick)		Duration and frequency of contact (Hr/day):
All	Nursing Staff <input checked="" type="checkbox"/> Medical Staff <input checked="" type="checkbox"/> Care Staff <input checked="" type="checkbox"/> Maintenance Staff <input checked="" type="checkbox"/> Housekeeping <input checked="" type="checkbox"/> Others (please specify): Residents and visitors		Regular daily use
Safety Data Sheet available: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Location of SDS : In designated folder with cleaning equipment	Date of SDS: 16.02.2022

Amount used and quantity stored	Hazard and risk associated with chemical:	Exposure route(s) (Tick):	Dustiness or Volatility: High, Medium or Low
	Highly Flammable	Eyes <input checked="" type="checkbox"/> Skin <input type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation <input type="checkbox"/>	

Unique ID Number:

Chemical Agents Risk Assessment – Part 2 of 3									
Classification, Labelling and Packaging (CLP) Hazard Symbols									
CLP SYMBOLS									
	Acute toxicity hazard	Serious long term health hazard	Health hazard	Corrosion Hazard	Environmental hazard	Flammability hazard	Oxidising Hazard	Explosion Hazard	Stored as gas under pressure
Tick appropriate pictogram. Refer to section 2 of SDS						✓			
Insert appropriate signal word i.e. danger or warning . Refer to section 2 of the SDS									

Occupational Exposure Limit Value (OELV) If applicable insert airborne OELV : _____
Refer to Code of Practice to Chemical Agents Regulations 2011 link:
http://www.hsa.ie/eng/Publications_and_Forms/Publications/Chemical_and_Hazardous_Substances/Code_of_Practice_Chemical_Agent_Regulations_2011.pdf

Unique ID No 017

HAZARD & RISK DESCRIPTION	EXISTING CONTROL MEASURES			ADDITIONAL CONTROLS REQUIRED	ACTION OWNER	DUE DATE	
Chemical may cause injury to person or environment	<ul style="list-style-type: none">• Safety Data sheets available for chemicals in use• All chemicals stored as per manufacturer’s instructions in a locked cabinet.• Staff trained in how to store and use chemicals• PPE available for all staff to use as necessary• Training provided to household staff as required• Secure cleaning trolley provided for the safe storage and transport of chemicals• Management of chemicals included for induction of new household staff			<ul style="list-style-type: none">• Further training required in chemical awareness if/when new chemicals are introduced• Ensure that all staff are aware of the flammability of this product• Ensure that fire hazard identification label is placed on outside of Unit.	Seamus McCaul	Ongoing and for review January 2023	
INITIAL RISK				Risk Status			
Likelihood		Impact	Initial Risk Rating	Open		Monitor	Closed
possible		min	3	✓			

