










Chemical Agents Risk Assessment – Part 1 of 3			
Division: Midlands Louth Meath CHO		Source of Risk: chemicals	
HG/CHO/NAS/Function : Older People services		Primary Impact Category: Residents, staff and visitors	
Hospital Site / Service: Drogheda Services for Older People		Risk Type: Harm caused by chemicals	
Dept/Service Site: The Village Residence		Name of Risk Owner (BLOCKS): SEAMUS MCCAUL	
Date of Assessment: 16.02.2022, Sept 2023		Signature of Risk Owner:	
Unique ID No: 027		Risk Co-Ordinator: Andrea Doorley	
		Risk Assessor(s) Seamus McCaul	
Chemical Name (Concentration):		Chemical Process:	
Milton Sterilising Fluid		Aqueous sterilising solution	
Number of Employees Exposed:	Categories of employees likely to be exposed: (Tick)		Duration and frequency of contact (Hr/day):
Various	Nursing Staff <input checked="" type="checkbox"/> Medical Staff <input type="checkbox"/> Care Staff <input checked="" type="checkbox"/> Maintenance Staff <input checked="" type="checkbox"/> Housekeeping <input checked="" type="checkbox"/> Others (please specify): Residents and visitors		Intermittent use
Safety Data Sheet available: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Location of SDS : In designated folder with cleaning equipment	Date of SDS: 18/06/2018

Amount used and quantity stored	Hazard and risk associated with chemical:	Exposure route(s) (Tick):	Dustiness or Volatility: High, Medium or Low
		Eyes <input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/>	

Unique ID Number:

Chemical Agents Risk Assessment – Part 2 of 3									
Classification, Labelling and Packaging (CLP) Hazard Symbols									
CLP SYMBOLS									
	Acute toxicity hazard	Serious long term health hazard	Health hazard	Corrosion Hazard	Environmental hazard	Flammability hazard	Oxidising Hazard	Explosion Hazard	Stored as gas under pressure
Tick appropriate pictogram. Refer to section 2 of SDS			✓						
Insert appropriate signal word i.e. danger or warning . Refer to section 2 of the SDS									
Occupational Exposure Limit Value (OELV) If applicable insert airborne OELV : _____ Refer to Code of Practice to Chemical Agents Regulations 2011 link: http://www.hsa.ie/eng/Publications_and_Forms/Publications/Chemical_and_Hazardous_Substances/Code_of_Practice_Chemical_Agent_Regulations_2011.pdf									

Unique ID No 017

HAZARD & RISK DESCRIPTION		EXISTING CONTROL MEASURES		ADDITIONAL CONTROLS REQUIRED		ACTION OWNER		DUE DATE	
Chemical may cause injury to person or environment		<ul style="list-style-type: none">Safety Data sheets available for chemicals in useAll chemicals stored as per manufacturer’s instructions in a locked cabinet.Staff trained in how to store and use chemicalsPPE available for all staff to use as necessaryTraining provided to household staff as requiredSecure cleaning trolley provided for the safe storage and transport of chemicalsManagement of chemicals included for induction of new household staff		<ul style="list-style-type: none">Further training required in chemical awareness if/when new chemicals are introducedEnsure if using a spray formula that date of making up of solution and discard after 24 hours.		Michael Mc Caul		Sept 2024	
INITIAL RISK				Risk Status					
Likelihood		Impact	Initial Risk Rating	Open			Monitor	Closed	
possible		mod	9	✓					