










Chemical Agents Risk Assessment – Part 1 of 3				
Division: Midlands Louth Meath CHO			Source of Risk: chemicals	
HG/CHO/NAS/Function Older People services			Primary Impact Category: Residents, staff and visitors	
Hospital Site / Service: Drogheda Services for Older People			Risk Type: Harm caused by chemicals	
Dept/Service Site: THE VILLAGE RESIDENCE			Name of Risk Owner (BLOCKS): MICHAEL SEAMUS MCCAUL	
Date of Assessment: 16.02.2022, SEPT 2023			Signature of Risk Owner: Seamus McCaul	
Unique ID No: 017			Risk Co-Ordinator: ANDREA DOORLY	
			Risk Assessor(s):MICHAEL Seamus McCaul	
Chemical Name (Concentration):			Chemical Process:	
Titan Chlor Plus Tablets			Specialised Cleaner and Disinfectant	
Number of Employees Exposed:	Categories of employees likely to be exposed: (Tick)		Duration and frequency of contact (Hr/day):	
Various	Nursing Staff <input type="checkbox"/> Medical Staff <input type="checkbox"/> Care Staff <input checked="" type="checkbox"/> Maintenance Staff <input checked="" type="checkbox"/> Housekeeping <input checked="" type="checkbox"/> Others (please specify): Residents and visitors		Minimal use. For use as part of transmission based precautions.	
Safety Data Sheet available: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Location of SDS : In designated folder with cleaning equipment		Date of SDS: 06/06/ 2020
Amount used and quantity stored	Hazard and risk associated with chemical:	Exposure route(s) (Tick):	Dustiness or Volatility: High, Medium or Low	
		Eyes <input checked="" type="checkbox"/>		

		Skin <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/>	
--	--	---	--

Unique ID Number:

Chemical Agents Risk Assessment – Part 2 of 3									
Classification, Labelling and Packaging (CLP) Hazard Symbols									
CLP SYMBOLS									
	Acute toxicity hazard	Serious long term health hazard	Health hazard	Corrosion Hazard	Environmental hazard	Flammability hazard	Oxidising Hazard	Explosion Hazard	Stored as gas under pressure
Tick appropriate pictogram. Refer to section 2 of SDS			✓		✓				
Insert appropriate signal word i.e. danger or warning . Refer to section 2 of the SDS									
Occupational Exposure Limit Value (OELV) If applicable insert airborne OELV : _____ Refer to Code of Practice to Chemical Agents Regulations 2011 link: http://www.hsa.ie/eng/Publications and Forms/Publications/Chemical and Hazardous Substances/Code of Practice Chemical Agent Regulations 2011.pdf									

Unique ID No

HAZARD & RISK DESCRIPTION		EXISTING CONTROL MEASURES		ADDITIONAL CONTROLS REQUIRED		ACTION OWNER	DUE DATE
Chemical may cause injury to person or environment		<ul style="list-style-type: none">• Safety Data sheets available for chemicals in use• All chemicals stored as per manufacturer’s instructions in a locked cabinet.• Staff trained in how to store and use chemicals• PPE available for all staff to use as necessary• Training provided to household staff as required• Secure cleaning trolley provided for the safe storage and transport of chemicals• Management of chemicals included for induction of new household staff		Further training required in chemical awareness if/when new chemicals are introduced		Seamus McCaul	Ongoing and for review January 2024
INITIAL RISK				Risk Status			
Likelihood		Impact	Initial Risk Rating	Open		Monitor	Closed

possible	moderate	9	✓		
----------	----------	---	---	--	--