










Chemical Agents Risk Assessment – Part 1 of 3				
Division: Midlands Louth Meath CHO			Source of Risk: chemicals	
HG/CHO/NAS/Function Older People services			Primary Impact Category: Residents, staff and visitors	
Hospital Site / Service: The Village Residence			Risk Type: Harm caused by chemicals	
Dept/Service Site: The Village Residence			Name of Risk Owner (BLOCKS): SEAMUS MCCAUL	
Date of Assessment: 16.02.2022, Sept 2023			Signature of Risk Owner: Seamus McCaul	
Unique ID No: 017			Risk Co-Ordinator: Andrea Doorley	
			Risk Assessor(s): Seamus McCaul	
Chemical Name (Concentration):			Chemical Process:	
Clinell universal wipes			Specialised Cleaner and Disinfectant for hard surfaces.	
Number of Employees Exposed:	Categories of employees likely to be exposed: (Tick)		Duration and frequency of contact (Hr/day):	
All	Nursing Staff <input checked="" type="checkbox"/> Medical Staff <input type="checkbox"/> Care Staff <input checked="" type="checkbox"/> Maintenance Staff <input checked="" type="checkbox"/> Housekeeping <input checked="" type="checkbox"/> Others (please specify): Residents and visitors		Daily use	
Safety Data Sheet available: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Location of SDS : In designated folder with cleaning equipment		Date of SDS: March 2020
Amount used and quantity stored	Hazard and risk associated with chemical:	Exposure route(s) (Tick):	Dustiness or Volatility: High, Medium or Low	
		No problems during normal use.		

		Eyes <input checked="" type="checkbox"/> Skin; <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/>	
--	--	--	--

Unique ID Number:

Chemical Agents Risk Assessment – Part 2 of 3									
Classification, Labelling and Packaging (CLP) Hazard Symbols									
CLP SYMBOLS									
	Acute toxicity hazard	Serious long term health hazard	Health hazard	Corrosion Hazard	Environmental hazard	Flammability hazard	Oxidising Hazard	Explosion Hazard	Stored as gas under pressure
Tick appropriate pictogram. Refer to section 2 of SDS									
Insert appropriate signal word i.e. <b>danger</b> or <b>warning</b> . Refer to section 2 of the SDS									
Occupational Exposure Limit Value (OELV) If applicable insert airborne OELV : _____									
Refer to Code of Practice to Chemical Agents Regulations 2011 link: <a href="http://www.hsa.ie/eng/Publications and Forms/Publications/Chemical and Hazardous Substances/Code of Practice Chemical Agent Regulations 2011.pdf">http://www.hsa.ie/eng/Publications and Forms/Publications/Chemical and Hazardous Substances/Code of Practice Chemical Agent Regulations 2011.pdf</a>									

Unique ID No

HAZARD & RISK DESCRIPTION		EXISTING CONTROL MEASURES		ADDITIONAL CONTROLS REQUIRED		ACTION OWNER		DUE DATE	
Chemical may cause injury to person or environment		<ul style="list-style-type: none"><li>• Safety Data sheets available for chemicals in use</li><li>• All chemicals stored as per manufacturer’s instructions in a locked cabinet.</li><li>• Staff trained in how to store and use chemicals</li><li>• PPE available for all staff to use as necessary</li><li>• Training provided to household staff as required</li><li>• Secure cleaning trolley provided for the safe storage and transport of chemicals</li><li>• Management of chemicals included for induction of new household staff</li></ul>		Further training required in chemical awareness if/when new chemicals are introduced		Seamus McCaul		Ongoing and for review Sept 2023	
INITIAL RISK				Risk Status					
Likelihood		Impact	Initial Risk Rating	Open			Monitor	Closed	

possible	moderate	9	✓		
----------	----------	---	---	--	--