










Chemical Agents Risk Assessment – Part 1 of 3				
Division: Midlands Louth Meath CHO			Source of Risk: chemicals	
HG/CHO/NAS/Function Older People services			Primary Impact Category: Residents, staff and visitors	
Hospital Site / Service: Drogheda Services for Older People			Risk Type: Harm caused by chemicals	
Dept/Service Site: THE VILLAGE RESIDENCE			Name of Risk Owner (BLOCKS): Michael SEAMUS MCCAUL	
Date of Assessment: 16.02.2022, SEPT 2023			Signature of Risk Owner: Seamus McCaul	
Unique ID No: 017			Risk Co-Ordinator: Andrea Doorly	
			Risk Assessor(s): Michael Seamus McCaul	
Chemical Name (Concentration):			Chemical Process:	
Diversey Suma special pur eco L4			Product for dishwasher machine	
Number of Employees Exposed:	Categories of employees likely to be exposed: (Tick)		Duration and frequency of contact (Hr/day):	
Various	Nursing Staff <input type="checkbox"/> Medical Staff <input type="checkbox"/> Care Staff <input type="checkbox"/> Maintenance Staff <input checked="" type="checkbox"/> Housekeeping <input checked="" type="checkbox"/> Kitchen Staff <input checked="" type="checkbox"/> Others (please specify): Residents and visitors		Daily use	
Safety Data Sheet available: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Location of SDS : In designated folder with cleaning equipment		Date of SDS: 9/9/2017
Amount used and quantity stored	Hazard and risk associated with chemical:	Exposure route(s) (Tick):	Dustiness or Volatility: High, Medium or Low	
		Eyes <input checked="" type="checkbox"/>		

		Skin <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation <input type="checkbox"/>	
--	--	--	--

Unique ID Number:

Chemical Agents Risk Assessment – Part 2 of 3									
Classification, Labelling and Packaging (CLP) Hazard Symbols									
CLP SYMBOLS									
	Acute toxicity hazard	Serious long term health hazard	Health hazard	Corrosion Hazard	Environmental hazard	Flammability hazard	Oxidising Hazard	Explosion Hazard	Stored as gas under pressure
Tick appropriate pictogram. Refer to section 2 of SDS				✓					
Insert appropriate signal word i.e. <b>danger</b> or <b>warning</b> . Refer to section 2 of the SDS									
<b>Occupational Exposure Limit Value (OELV) If applicable insert airborne OELV : _____</b> <b>Refer to Code of Practice to Chemical Agents Regulations 2011 link:</b> <a href="http://www.hsa.ie/eng/Publications_and_Forms/Publications/Chemical_and_Hazardous_Substances/Code_of_Practice_Chemical_Agent_Regulations_2011.pdf">http://www.hsa.ie/eng/Publications and Forms/Publications/Chemical and Hazardous Substances/Code of Practice Chemical Agent Regulations 2011.pdf</a>									

Unique ID No

HAZARD & RISK DESCRIPTION	EXISTING CONTROL MEASURES			ADDITIONAL CONTROLS REQUIRED	ACTION OWNER	DUE DATE
Chemical may cause injury to person or environment	<ul style="list-style-type: none"> <li>Safety Data sheets available for chemicals in use</li> <li>All chemicals stored as per manufacturer's instructions in a locked cabinet.</li> <li>Staff trained in how to store and use chemicals</li> <li>PPE available for all staff to use as necessary</li> <li>Training provided to household and kitchen staff as required</li> <li>Management of chemicals included for induction of new household and kitchen staff.</li> </ul>			<p>Further training required in chemical awareness if/when new chemicals are introduced.</p> <p>Ensure that cabinet that is used to store chemicals is locked at all times.</p>	Seamus McCaul	Ongoing and for review January 2025
INITIAL RISK			Risk Status			
Likelihood	Impact	Initial Risk Rating	Open	Monitor	Closed	
possible	moderate	9	✓			

