



# ACTICHLOR



Actichlor 1.7g  
Disinfection  
Tablets

**Used for:** Disinfection of Surfaces, Note with the exception of blood spillage, surface to be cleaned first prior to using Actichlor

## How?

General Surfaces:1000ppm	Blood Spillage: 10,000ppm
<p><b>Dilution Instructions:</b></p> <p><b>1 tablet - 1 litre cool water (small bucket, basin)</b></p> <p><b>5 tablets – 5 litres of cool water ( large bucket)</b></p> <p><b>Contact time: 10 mins</b></p> 	<p><b>Dilution Instructions:</b></p> <p><b>10 tablets – 1 litre of cool water (small bucket, basin)</b></p> <p><b>Contact time: 10 mins</b></p> 

## REMEMBER

- Apply personal protective equipment when preparing and using disinfectants
- Use a clean, dry graduated container
- Use correct number of tablets to achieve desired dilution concentration
- Always place tablet into water
- Discard solutions after 24 hours
- Allow contact time of 10 minutes.

**ACTICHLOR GRANULES:** Use for blood spillages on floor

# ACTICHLOR PLUS



Actichlor 1.7g  
Disinfection  
Tablets

**Used for:** Cleaning and Disinfection of Surfaces

**How?**

General Surfaces:1000ppm	Blood Spillage: 10,000ppm
<p><b>Dilution Instructions:</b></p> <p><b>1 tablet - 1 litre cool water (small bucket, basin)</b></p> <p><b>5 tablets – 5 litres of cool water ( large bucket)</b></p> <p><b>Contact time: 10 mins</b></p>	<p><b>Dilution Instructions:</b></p> <p><b>10 tablets – 1 litre of cool water (small bucket, basin)</b></p> <p><b>Contact time: 10 mins</b></p>



## REMEMBER

- Apply personal protective equipment when preparing and using disinfectants
- Use a clean, dry graduated container
- Use correct number of tablets to achieve desired dilution concentration
- Always place tablet into water
- Discard solutions after 24 hours
- Allow contact time of 10 minutes.

**ACTICHLOR GRANULES:** Use for blood spillages on floor