

URVI CONCEPTS



Safety isn't expensive, it is priceless



URVI CONCEPTS



Valor Systems



*Do your work with pride,
put safety in every stride*

ABOUT URVI CONCEPTS

Urvi Concepts specializes in innovative, value-added safety products for industrial and project applications, incorporating wearable technology. Our mission is to empower workforces with enhanced safety and protection against occupational hazards.

Founded in 2013 by Shilpa Gulalkari and supported by Manish Gulalkari, both engineers, Urvi Concepts operates on a B2C business model. We cater to a diverse corporate clientele, providing comprehensive safety solutions.

Our commitment is to deliver high-quality safety products, adhering to the latest safety certifications and global standards. Urvi Concepts serves clients pan India.

OUR PRODUCT OFFERINGS

We provide a comprehensive range of safety solutions, covering :

Personal Protective Equipment (PPE)

- Head Protection (helmets, caps)
- Eye Protection (goggles, spectacles)
- Ear Protection (earplugs, earmuffs)
- Nose Protection (masks)
- Face Protection (face shields)
- Hand Protection (gloves)
- Leg/Foot Protection (boots, shoes)
- Fall Protection (harnesses, lanyards)

Emergency Response and First Aid

- First Aid Boxes
- FR Suits
- Boiler Suits
- SCBA (Self-Contained Breathing Apparatus)
- Evacuation Chairs
- Spill Kits
- LOTO Kits (Lockout/Tagout)
- Fire Blankets
- Lifting Belts

Industrial and Road Safety Products

- Road Safety Products (cones, barriers)
- Industrial Safety Products (signs, tags)
- Fire Safety Equipment (extinguishers, fire balls)
- Ladders (aluminum, FRP)
- Safety Posters

Specialized Safety Solutions

- Marine Safety PPE
- Customized safety solutions for specific industries and applications

Our extensive product range ensures that we can provide a one-stop solution for all your safety needs.

OUR MISSION

To provide high-quality safety products that meet the highest safety standards, while offering:

- Competitive pricing
- Timely delivery with optimized lead times

Our goal is to ensure our customers receive exceptional value, reliability, and service.

PPE : YOUR PERSONAL SAFETY SHIELD !


I N D E X

DISCRIPTION	PAGE NO.	DISCRIPTION	PAGE NO.
Urvi Concepts Main Page	1	Fire Blankets	20
About Urvi Concepts	2	Leather Apron	20
Index	3	Hand Sleeves, Leg Guard	20
Helmets Colour Significance	4	Shoulder Pad	20
Safety Helmets	5	Insulation Mats	20
Ear Plug, Ear Muff	6	Cones, Chains, Spring Post, Caution Wet Floor	21
Grinding Face Shield	6	Road Barriers	22
Welding Face Shield	6	Industrial Nose Masks	23
Safety Goggles	7	Polycarbonate Mirrors	23
Full Body Harness	8	Safety Torch	23
Safety Hand Gloves	9	Barricading / Caution Tape	23
Electrical Handgloves	10	Fall Protection Equipments	24
Safety Jackets Colours	11	Fall Protection Equipments	25
Safety Jackets	12	Safety Ladders	26
Protective Clothing Suits	13	Safety Net	27
Gumboots	14	Stretchers	28
Safety Shoes	15	First Aid Boxes	28
Safety Shoes	16	First Aid Boxes	29
Safety Products Fro Pharma / Cleanrooms	17	Spill Kits	29
Safety Products Fro Pharma / Cleanrooms	18	Eye Wash Bottles	29
Fire Extinguishers	19	Loto Kits	30
Fire Stands	19	Safety Posters	31
Fire Ball	19	Address, Mail Ids & Contact Nos	32

COLOUR CODING FOR SAFETY HELMETS

COLOUR	IMAGE	FOR
Yellow		Labourer, Heavy-duty operations & Construction tasks
Grey		Site Visitors
Red		Firefighters
Brown		Welders, high heat operations
Blue		Electricians and technical operators
Green		Safety officers
Pink		female workers* *in some companies it is used as an additional helmet
White		Managers, Engineers, Supervisors, Foreman

*A HELMET on your head will keep
you away from a hospital bed*



SAFETY HELMET WITH RACHET
ADJUSTMENT H.D.P.E. IS : 2925
MODEL NO.: VH-1021



SAFETY HELMET WITH MANUAL
ADJUSTMENT H.D.P.E. IS : 2925
MODEL NO.: VH-2021



CHIN-STRAP MINE
SAFETY HELMET
H.D.P.E. IS : 2925
MODEL NO.: VH-3021



LOAD CARRYING HELMET H.D.P.E
MODEL NO.: VH-6021



WITH LIGHT HELMET
MODEL NO.: VH-7021



VENTILATION SAFETY HELMENT
MODEL NO.: VH-8021



• EAR-PLUG • EARMUFF • FACE SHIELD

MODEL NO. VM - 2122
SNR 29DB



MODEL NO. VS - 2131

MATERIAL : Poly Carbonate
SIZE : 6 x 12 Inch
THICKNESS : 1.5 to 1.8 mm
PACKING : 96 Pcs. In 1 Box



MODEL NO. VM - 3122
SNR 29DB



MODEL NO. VS - 2131A

MATERIAL : Poly Carbonate
SIZE : 9 x 12 Inch
THICKNESS : 1.5 to 1.8 mm
PACKING : 72 Pcs. In 1 Box



MODEL NO. VM - 4122
SNR 27DB



MODEL NO. VS - 3131

Welding Face Shield





URVI CONCEPTS



Valor Systems

*With safety glasses tight,
you'll surely keep your sight.*

SAFETY GOGGLES

MODEL NO. VES 1002



Material : Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Construction Site, Sand Area & Large Dust Particles
Are Blowing At High Speed Metal Processing

MODEL NO. VES 6002



Material : Hard Coated Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Construction Site, Sand Area & Large Dust Particles
Are Blowing At High Speed Metal Processing

MODEL NO. VES 7002



Material : Hard Coated Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Construction Site, Sand Area & Large Dust Particles
Are Blowing At High Speed Metal Processing

MODEL NO. VES 9002



Material : Hard Coated Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Construction Site, Sand Area & Large Dust Particles
Are Blowing At High Speed Metal Processing

MODEL NO. VES 2102



Material : Hard Coating Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Construction Site, Sand Area & Large Dust Particles
Are Blowing At High Speed Metal Processing

MODEL NO. VES 0302



Material : 5 Din Welding Glass

Certification : Meets Standards EN 166 : 2002, EN 175:1997 & Ansi Z. 87. 1-2010

Application : Area Involving Gas Welding Operations Area Where There is
Molten Metal, Furnaces Etc.

MODEL NO. VES 1302



Material : 11 Din Welding Glass

Certification : Meets Standards EN 166 : 2002, EN 175:1997 & Ansi Z. 87. 1-2010

Application : Area Involving Gas Welding Operations Area Where There is
Molten Metal, Furnaces Etc.

MODEL NO. VES 0502



Material : Hard Coated Polycarbonate Lens

Certification : Meets Standards CE EN 166 Cli Approved As Per ISI Ansi Z. 87. 1

Application : Ideal For Use In Chemical, Pharmaceutical And Paint
Industries, Areas Exposed To Splashes Of Chemicals

FULL BODY HARNESS

As Per IS 3521 : 1990



FULL BODY HARNESS : (CLASS A)

MODEL NO. VB 1011

- Full Body Harness SB-1101 Confirming to IS 3521 - IS Marked. Class A
- Harnesses shall have one D-ring for fall arrest attachment affixed to both
- Shoulder straps at the back or at the front. Width and thickness of PP/Nylon
- Webbing shall be 40 mm and 3 mm respectively.
- Waist and leg strap are adjustable. Make Urvi Concepts eco.



FULL BODY HARNESS : (CLASS L)

MODEL NO. VB 5011

- Full Body Harness SB-1105 Confirming to IS 3521 - IS Marked. Class L harnesses
- Shall have one D-ring on back side two D ring in the front side of the harness.
- Width and Thickness of PP/Nylon Webbing shall be 40 mm and 3 mm respectively.
- Waist and shoulder strap are adjustable. Make Urvi Concepts eco.



FULL BODY HARNESS : (CLASS P)

MODEL NO. VB 6011

- Full Body Harness SB-1106 Confirming to IS 3521 - IS Marked. Class P Harnesses
- Shall have Two D-ring mounted at waist level.
- Width and Thickness of PP/Nylon Webbing shall be 40 mm and 3 mm respectively.
- Shoulder, waist, leg straps are adjustable. Make Urvi Concepts eco.



FULL BODY TOWER HARNESS

MODEL NO. VB 6501

- ID Plate Maintains the D ring in Place after a Fall
- Thigh straps - Fully Padded straps with Automatic Buckle Allows easy Adjustment
- Shoulder Straps - Fully Padded
- Powder Coated Metal Components
- Used for Painting, Glass Window Cleaning, Rescue



****All above belts can also be Provided with Shock Absorbers**

HOW TO WEAR A HARNESS



*Your hands do not come
with a lifetime warranty*

SAFETY HANDGLOVES



Knitted



Anticut (Cut Level 1 to 5)



Leather



Dotted



Heat Resistance



Glass Handling



Dotted



Chemical



Rubber

*Don't be safety blinded,
be safety minded.*

ELECTRICAL HANDGLOVES

CODE NO. VR - 001

Voltage Test Table for Electrical Shock Proof Seamless Rubber Hand Gloves (Universally Accepted) :

TEST VOLTAGE	WORKING VOLTAGE	TEST VOLTAGE	WORKING VOLTAGE
500 VOLTS	650 VOLTS	33000 VOLTS	7500 VOLTS
11000 VOLTS	1100 VOLTS	33000 VOLTS	11000 VOLTS
15000 VOLTS	3300 VOLTS	33000 VOLTS	17000 VOLTS
22000 VOLTS	4000 VOLTS	33000 VOLTS	26500 VOLTS
25000 VOLTS	5000 VOLTS	40000 VOLTS	36000 VOLTS



CODE NO. VR - 002

Voltage Test Table for Electrical Shock Proof Seamless Rubber Hand Gloves As Per I.S. 4770 1991:2001 :

TYPE	TEST VOLTAGE	WORKING VOLTAGE
I	5000 VOLTS	650 VOLTS
II	10000 VOLTS	1100 VOLTS
III	17000 VOLTS	7500 VOLTS
IV	25000 VOLTS	17000 VOLTS



CODE NO. VR - 003

Voltage Test Table for Electrical Shock Proof Seamless Rubber Hand Gloves As Per EN 60903 :

CLASS	TEST VOLTAGE	WORKING VOLTAGE	BREAKDOWN VOLTAGE
CLASS 00	2500 VOLTS	500 VOLTS	5000 VOLTS
CLASS 0	5000 VOLTS	1000 VOLTS	10000 VOLTS
CLASS 1	10000 VOLTS	7500 VOLTS	20000 VOLTS
CLASS 2	20000 VOLTS	17500 VOLTS	30000 VOLTS
CLASS 3	30000 VOLTS	26500 VOLTS	40000 VOLTS
CLASS 4	40000 VOLTS	36000 VOLTS	50000 VOLTS



Look twice, save a life

COLOUR OPTIONS FOR SAFETY JACKETS



ORANGE



FLUORESCENT GREEN



BLUE



SKY BLUE



RED



ROYAL BLUE



GLASS GREEN



YELLOW



LIGHT GREEN



URVI CONCEPTS



Valor Systems

Safety rules are your best tools.

SAFETY JACKETS

MODEL NO. VJ-001



MODEL NO. VJ-002



MODEL NO. VJ-003



MODEL NO. VJ-004



MODEL NO. VJ-005



MODEL NO. VJ-006



MODEL NO. VJ-007



MODEL NO. VJ-008



MODEL NO. VJ-009



PROTECTIVE CLOTHING SUITS

ALUMINISED FIRE PROXIMITY SUIT



NOMEX FIRE SUIT



FR SUIT COVERALL



ARC FLASH SUIT

- Arc Flash Suit 8 cal/cm²
- Arc Flash Suit for 11 kv | 12 cal/cm²
- Arc Flash Suit 25 cal/cm²
- Arc Flash Suit for 33 KV | 40 cal/cm²
- Arc Flash Suit 75 cal/cm²
- Arc Flash Suit 100 cal/cm²



BOILER SUITS

GUMBOOTS

SAFETY GUMBOOT 11"

PVC Gumboot, without Steel Toe
Size : 6 to 10
Packing 30 Pair/Box

MODEL NO. VB 8061



SAFETY GUMBOOT 10"

IS 12254 : 1993

Double Density and Double Color Gumboots
Providing Highest Level of Safety & Comfort
Puncture and Tear Resistant.

Various Chemicals and Oil/Acid Resistant,
Water Proof, Anti Static, Anti-Slip.

Inside Lining-Fabric.

Packing 24 Pair/Box

IS : 12254

MODEL NO. VB 9061



SAFETY GUMBOOT 13"

IS 12254 : 1993

Double Density and Double Color Gumboots
Providing Highest Level of Safety & Comfort
Puncture and Tear Resistant.

Various Chemicals and Oil/Acid Resistant,
Water Proof, Anti Static, Anti-Slip

Steel Toe Cap as per ISI Standards

Providing Maximum Safety

Inside Lining-fabric. Packing 12 Per/Box

IS : 12254

MODEL NO. VB 1061



SAFETY GUMBOOT 15"

IS 12254 : 1993

Double Density and Double Color Gumboots
Providing Highest Level of Safety & Comfort
Puncture and Tear Resistant.

Various Chemicals and Oil/Acid Resistant,
Water Proof, Anti Static, Anti-Slip

Steel Toe Cap as per ISI Standards

Providing Maximum Safety

Inside Lining-fabric. Packing 12 Per/Box

IS : 12254

MODEL NO. VB 1161





URVI CONCEPTS



Valor Systems

*For feet's sake!
Wear foot protection*

SAFETY SHOES

PVC SAFETY SHOES LOW ANKLE

Product Details :

- Upper : Synthetic Leather
- Sole Construction : PVC
- Top Cap : Steel / Fiber
- Size : 6 to 10

MODEL NO. : VS PVCL



PVC SAFETY SHOES HIGH ANKLE

Product Details :

- Upper : Synthetic Leather
- Sole Construction : PVC
- Top Cap : Steel / Fiber
- Size : 6 to 10

MODEL NO. : VS PVCH



PU SAFETY SHOES LOW ANKLE SD

IS 15298 (Part 2) : 2016

- **UPPER** - Buffalo Split Barton Leather
- **TOE CAP** - Steel Toecap – 200 Joules
- **LINING** - Breathable Mesh Lining
- **INSOCKS** - Eva
- **EYELET** - Brass Nickel Round
- **SOLE MATERIAL** - PU Single Density/ Double Density
- **AVAILABLE SIZE** - 6 to 10

MODEL NO. : EVEREST VALOR



PU SAFETY SHOES HIGH ANKLE SD

IS 15298 (Part 2) : 2016

- **UPPER** - Buffalo Split Barton Leather
- **TOE CAP** - Steel Toecap – 200 Joules
- **LINING** - Breathable Mesh Lining
- **INSOCKS** - Eva
- **EYELET** - Brass Nickel Round
- **SOLE MATERIAL** - PU Single Density/ Double Density
- **AVAILABLE SIZE** - 6 to 10

MODEL NO. : EVEREST VALOR HSD



*Safety is Gainful,
Accident is Painful*

SAFETY SHOES

SPORTS LOOK SAFETY SHOES

- Buffalo Suede leather 1.8-2.00 mm.
- PU/PU light weight sole for comfort
- Double Density PU sole.
- Steel toe cap 200 joules.
- Rust proof nickel-brass D-ring.
- Antistatic inner and outer sole.
- Energy absorption in the heel.
- Oil resistant sole.
- 3 Ply nylon thread stitching in upper.
- Cotton lace as per norms.
- 3 mm EVA insocks.
- SIZE : EU 39-EU 46, IND 5 - IND 12

MODEL NO. : PATROS SPDD
IS 15298 (Part 2) : 2016



MODEL NO. : VALOR SG



MODEL NO. : HILLSON DD



LADIES SAFETY SHOES

IS 15298 (Part 2) : 2016

- **UPPER** : Buffalo Grain Barton Print Leather
- **LINING** : Pink Mesh Lining
- **SOLE** : PU Single Density Sole
- **TOECAP** : Steel 200JIMPORTED
- **STYLE** : Metal Free/midplate/antistatic



TIGER SAFETY SHOES

IS 15298 (Part 2) : 2016

- **UPPER** - Buffalo Split Barton Leather
- **TOE CAP** - Steel Toecap – 200 Joules
- **SOLE MATERIAL** - PU Single Density/ Double Density



PPE'S FOR PHARMA / CLEANROOMS



SURGICAL FACE MASK

- 3 ply Face Mask Inner/Outer Elastic
- 3 Ply Face Mask Tie Lace
- 3 Ply Children Face Mask Elastic
- 4 Ply Activated Carbon Mask



DISPOSABLE CAPS

- Bouffant Cap
- Shower Cap
- Surgeon Cap
- Hood Cap
- Balaclava Cap/Hood Cap



**NONWOVEN
SLEEVE COVER**



PE SLEEVES COVER



BEARD COVER



**PLASTIC
APRON HM/LD**



COVERALLS

PPE'S FOR PHARMA / CLEANROOMS

NITRILE GLOVES



LATEX GLOVES POWERED & POWERED FREE



PLASTIC HAND GLOVES



PLASTIC SHOE COVER



DISPOSABLE ANTISTATIC SHOE COVER



NON WOVEN SHOE COVER



COMPOSTTABLE SHOE COVER



NON WOVEN BOOTIES



SHOE COVER DISPENSER



PE BOOTIES



PVC SHOE COVER



PE BOOTIES



*Do your work with pride,
put safety in every stride.*

FIRE EXTINGUISHERS & FIRE STANDS



Fire Extinguishers

Sr No.	Type	Variants
1.	ABC/DCP	4 kg, 6 kg, 9kg
2.	Co2	2 kg, 4.5 kg, 6.5 kg, 9 kg
3.	Foam	6L, 9L
4.	Water	9L

* Stored pressure & Cartridge type fire extinguishers available in dry chemical powder(ABC & BC) and water types.



**Modular
Clean Agent**



3 Fire Bucket with Stand



Fire Ball



3 Fire Bucket Stand with Canopy



**Floor
Stand**

Best Be Safe Today

FIRE BLANKETS, INSULATION MATS & LEATHER PPE'S



GLASS WOOL - 350° C



VERMICULITE - 1250° C



SHOULDER PAD



LEATHER APRON



**LEATHER HAND
SLEEVES**



INSULATION MATS



LEATHER LEG GUARDS

ROAD SAFETY

CONES

MODEL NO. 1051



TRAFFIC CONE LIGHT BASE

Made up of LDPE using UV stabilized colors
Height - 500mm & 750mm
Weight - 480g. & 1.25 kgs.
Reflective Sleeve - 4"
Colour - Red
Applications : Lane dividing, Road diversion,
Parking areas, Men at work zone

CONES

MODEL NO. 2051



TRAFFIC CONE HEAVY BASE

Made up of LDPE using UV stabilized colors
Height - 750mm
Weight - 3.30 kgs. appx.
Base Size : 385 X 385 mm
Reflective Sleeve - 4"
Colour - Red
Applications : Lane dividing, Road diversion,
Parking areas, Men at work zone

CONES

MODEL NO. 3051



Applications : Lane dividing, Road diversion,
Parking areas, Men at work zone
TRAFFIC CONE Heavy BASE Made up of LDPE using
UV stabilized colors
Height - 750mm
Weight - 4.26 kgs appx.
Base Size : 385 X 385 mm
Reflective Sleeve - 4"
Colour - Orange

MODEL NO. 4051

CONE



Applications : Lane dividing, Road diversion, Parking
areas, Men at work zone This traffic cone comes with
a rubber base fitted at the bottom of the cone, to make
the cone heavier so that it withstands heavy vehicular
movement and heavy wind.

TRAFFIC CONE WITH RUBBER BASE
Made up of LDPE using UV stabilized colors
Height - 750mm, 1000mm
Weight - 2 & 5 Kgs appx.
Reflective Sleeve - 4"
Colour - Red

MODEL NO. 5051

CONE



Applications : Lane dividing, Road diversion, Parking
areas, Men at work zone This traffic cone comes with
a rubber base fitted at the bottom of the cone, to make
the cone heavier so that it withstands heavy vehicular
movement and heavy wind.
TRAFFIC CONE WITH RUBBER BASE
Made up of LDPE using UV stabilized colors
Height - 750mm
Weight - 1.2 - 1.5 Kgs
Reflective Sleeve - 4"
Colour - Red

CONE CHAIN

MODEL NO. 6051



TRAFFIC CONE CHAIN
Red and White colour
linking cone chain
Packing - 10mtr.

SPRING POST

MODEL NO. 7051



Spring Post has two or three reflective tape
bands
Made Up Of : Poly-Urethane High flexibility,
High Performance, High impact resistance,
Tensile strength, UV stabilized, Reflective
tape for day-night highly visibility
Height : 750mm, 700mm, 600mm, 450mm

CAUTION WET FLOOR

MODEL NO. WF-8051



Lightweight and versatile; makes a heavy
statement about safety Two-sided, 25"
(63.5cm) Model for use in narrow areas.
Folding design for convenient storage of
transport on the MRI Custodial Cart.

ROAD SAFETY

3 PC FENCE BARRIER



MATERIAL : LLDPE HIGH VIRGIN QUALITY
SIZE : 2000L X 1200H X 500W MM
WT : 13 kg (Empty) SAND
FILLABLE : 25KG
DISPLAY AREA : CENTRE - 220 X 650 MM

L-SHAPE JERSY BARRIER



MATERIAL : LLDPE HIGH VIRGIN QUALITY
SIZE : 1000L X 750H X 350W MM
WT : 7 kg (Empty)
WATER CAPACITY/WEIGHT :
 WATER FILLING - 60 LTR (30-40 Kg)
DISPLAY AREA : CENTRE - 225 x 325 MM SIDE - 138 X 963 MM

1 Mtr PORTABLE BARRIER



MATERIAL : LLDPE HIGH VIRGIN QUALITY (INTERLOCKING)
SIZE : 1060L X 855H X 350W MM
WT : 7 kg (Empty)
WATER CAPACITY/WEIGHT :
 WATER FILLING - 60 LTR (40-50 Kg)
DISPLAY AREA : CENTRE - 915 x 190 MM

INTERLOCKING CONNECTING BOARD MILKY WHITE



WHITE COLOR BOARD **REF. TAPE :** 4 NOS
 OF WHITE/RED COLOR
SIZE : 1465L X 160W X 500H MM
WEIGHT : 6 KG (EMPTY)
OVERALL LENGTH : 2950L X 500W X 800H MM

2 Mtr WATER FILLABLE BARRIER



MATERIAL : LLDPE HIGH VIRGIN QUALITY
SIZE : 2000L X 1000H X 580W MM
WT : 21 kg (Empty)
WATER CAPACITY/WEIGHT :
 WATER FILLING - 120 LTR (50-60 Kg)
DISPLAY AREA : CENTRE - 790 X 335 MM SIDE - 310 X 445 MM

2 Mtr WATER FILLABLE BARRIER



MATERIAL : LLDPE HIGH VIRGIN QUALITY (INTERLOCKING)
SIZE : 2000L X 1000H X 580W MM
WT : 14 kg (Empty)
WATER CAPACITY/WEIGHT :
 WATER FILLING - 120 LTR (50-60 Kg)
DISPLAY AREA : CENTRE - 790 X 335 MM SIDE - 310 X 445 MM

Prepare to prevent

NOSE MASKS - MIRRORS - TORCH BARRICADING TAPES

N95



VC22




**Polycarbonate Convex
Mirrors 18"/24"/32"**



Industrial Torch



DANGER DO NOT ENTER



FALL PROTECTION EQUIPMENT

WORK POSITIONING ROPE LANYARD

Urvi Concepts has a Customized Work Positioning Lanyard. This Lanyard Can Be Connected To The Lateral D-ring On The Work Positioning Belt or Combination Harness and Easily Adjusted For Their Length To Suit The Application

- Work Positioning Lanyard With Grip Adjuster Made Of
- 14mm Polyamide 3-strand Twisted Rope
- Has A Convenient Rope Grab Adjuster For Easy Length Adjustment
- Easy To Connect Connectors
- As Per En358:2000

MODEL NO. WPRL-01



ANCHORAGE LINE

- Anchorage Line (To Be Used With Fall Arrester)
- 14mm, 16mm Dia Polyamide Rope One Side Loop Other Side Snap Hook

MODEL NO.	ROPE LENGTH
AL-10	10 Mtr
AL-20	20 Mtr
AL-30	30 Mtr
AL-50	50 Mtr
AL-100	100 Mtr

- Longer Length Also Available.



RETRACTABLE BLOCK

- Retractable Fall Arrest Block Built-in Galvanized Steel Swivel Eye
- 3/20 "(4mm) Galvanized Steel Cable Has A Tensile Strength Of 3080lbs (14kn), Length:10m
- P.p. Housing And Drum, Durable & Lightweight And Resistant To Corrosion
- Weight : 10.6lbs (4.83kgs)
- Meets The Requirements En 360



MODEL NO. RBFA-02

WINDOW CLEANING KIT



MODEL NO.	DESCRIPTION
VB-6501	Full Body Harness
VAL-05	Anchorage Line 100 Mts. Long Polyamide Rope With One Side Snap Hook & Other Side end Stop Knot
VFA-7022	Rope Grap Fall Arrester With Karabiner
KRL-50	Anchorage Line 50 Mts. Long Karamental Semi Static Rope With One Side Snap Hook & Other Side end Stop Knot
WPRL-01	Work Positioning Lanyard With Automatic Grip Adjuster
WS-901	Sling
CT-01	Cow Tails (0.5m)
CK-01	Cutter Knife



URVI CONCEPTS



Valor Systems

Prevention is better than cure.

LADDERS



FRP LADDERS



**Al Step Ladder
with Platform**

**Self Support
Extendabl**

**Wall Support
Extendable**

**Aluminium
A type Ladder**

Speak up if it's not safe

SAFETY NET-BRADED

MODEL NO. VS 2071

Material : HDPE (Braded Rope)

Inner Rope : 2.5mm

Mesh Size : 30mm

Outer & Tie Rope : 12mm



MODEL NO. VS 0171B

Material : HDPE (Braded Rope)

Inner Rope : 2.5mm

Mesh Size : 30mm

Outer & Tie Rope : 12mm

Second layer : Monofilament Net



MODEL NO. VS 2071B

Material : HDPE (Braded Rope)

Inner Rope : 2.5mm

Mesh Size : 35mm

Outer & Tie Rope : 12mm

Second layer : Monofilament Net



MODEL NO. VS 2071C

Material : HDPE (Braded Rope)

First Layer Inner Rope : 5mm

Mesh Size : 100mm

Second Layer Inner Rope : 2.5mm

Mesh Size : 30mm

Third layer : Monofilament Net

Outer & Tie Rope : 12mm



STRETCHERS & FIRST AID BOXES



Industrial First Aid Kit
(Designed as per Industrial Act)



Office/Workplace First Aid Kit



A/B/C Type First Aid Kit



Stainless Steel First Aid Kit



Two/Four Wheeler First Aid Kit



Burn Care Kit



Burn Care Kit



Plastic First Aid Box



Tracelling/Mining First Aid Box



Rescue Stretcher



M.S. Folding Stretcher



Scoop Stretcher



Spine Board



Ambulatory Stretcher



Patient Transfer Sheet

Stay alert, don't get hurt

FIRST AID KIT SPILL KIT - EYE WASH



As per BOCW act



Spill Kits For Oil,
Hazardous Materials,
Mercury, Battery & Biohazards



Eye Wash Bottle

Stop! Think! Then act!

LOCKOUT/TAGOUTS KITS

LOCKOUT WAIST POUCH

- Vinyl Coated Hasp - Small - 2 Nos
- Vinyl Coated Hasp - Premier - 2 Nos
- Scorpio Two Way Hasp - 1 Nos
- Padlock with Regular Shackle, with Separate Keys - 2 Nos
- Padlock with Long Shackle with same key - 2 Nos
- Saf-T-Lockout Tags - 10 Nos
- Saf-T-Lockout Ties - 10 Nos
- Writing Pen - 1 Nos
- Waist Pouch / 3 Pockets - 1 Nos



LOCKOUT STARTER KIT

1. Gate Valve Lockout (02) - 1 No.
2. Gate Valve Lockout (04) - 1 No.
3. Ball Valve Lockout - Small - 1 No.
4. Vinyl Coated Hasp - Small - 1 No.
5. Vinyl Coated Hasp - Premier - 1 No.
6. Scorpio Two Way Hasp - 1 No.
7. De Electric Hasp 3 holes / 3 mm shackle - 1 No.
8. De Electric Hasp 3 holes / 6 mm shackle - 1 No.
9. De Electric Hasp 6 holes / 6 mm shackle - 1 No.
10. Combo Miniature Circuit Breaker Lockout / Fuse Lockout - 1 Set
11. Pin Type Circuit Breaker Lockout Combo Pack - 1 Set
12. Large Circuit Breaker Lockout (Round) - 1 No.
13. Mini Universal Circuit Breaker Lockout - 2 Nos.
14. Plug Lockout - Small - 1 No.
15. TOP Multipurpose CABLE Lockout with 2 Meter Cable - 1 Set
16. DE Electric Padlocks, Red - 2 Nos
17. SQUEEZER Multipurpose Cable Lockout - BLUE CABLE - 1 No.
18. Long Shackle Padlocks - 1 Set
19. Cylinder Lockout - 1 No.
20. Saf-T-Lockout Tags - 5 Nos.
21. Saf-T-Lockout Ties - 5 Nos.
22. Writing Pen - 1 No.
23. Lockout Booklet - 1 No.
24. Screw Driver - 1 No.
25. Electrical Kit Lockout Bag - 1 No.



NOTE : Customised Kits Can Be Delivered.

SAFETY POSTERS





*Safety Is A State Of Mind,
Stay Alert Wherever You Find.*

URVI CONCEPTS

Unit No 1, New Modella Industrial Estate, Padwal Nagar,
Wagle Estate, Thane (W) - 400604 (M.S)

Contact No. - 9833554020 / 9819029177

Mail ID - sales@urviconcepts.in

**Pan India
presence**

