

MINKO LIGHTING CO.,LTD.
Catalogue of Led Downlights






S9 SERIES

Model	Power	Size	Hole Size	Beam Angle
S9-30	5-7W	φ90XH47	φ82	90
S9-30K	5-7W	φ95XH47	φ85	90
S9-40	10-12W	φ119XH50	φ112	90
S9-40K	10-12W	φ125XH50	φ115	90
S9-60	18-25W	φ175XH56	φ168	90
S9-60K	18-25W	φ180XH56	φ170	90



S8P SERIES

Model	Power	Size	Hole Size	Beam Angle
S8P-25	5-10W	φ92XH53	φ75	70
S8P-35	8-12W	φ104XH55	φ95	70
S8P-40	12-20W	φ135XH66	φ115-120	60
S8P-60	20-30W	φ190XH90	φ165-175	60
S8P-80	30-50W	φ224XH98	φ195-210	60



S9A SERIES

Model	Power	Size	Hole Size	Beam Angle
S9A-25	3-5W	φ85XH50	φ75	90
S9A-30	5-7W	φ95XH50	φ85	90
S9A-35	7-9W	φ102XH56	φ90	90
S9A-40	9-12W	φ124XH56	φ110-115	90



S8 SERIES

Model	Power	Size	Hole Size	Beam Angle
S8-25	5-7W	φ88XH46	φ75	70
S8-35	10-12W	φ105XH60	φ90	70
S8-40	12-15W	φ130XH68	φ110	70
S8-60	20-24W	φ185XH93	φ165	70
S8-80	25-30W	φ220XH98	φ195	70





S1 SERIES

Model	Power	Size	Hole Size	Beam Angle
S1-30	5-10W	φ107XH46	φ90-95	120
S1-40	10-18W	φ138XH49	φ120-125	120
S1-50	15-20W	φ156XH52	φ140-145	120
S1-60	18-30W	φ194XH52	φ170-180	120
S1-80	25-40W	φ229XH52	φ210-215	120



S2C SERIES

Model	Power	Size	Hole Size	Beam Angle
S2C-30	5-10W	φ115XH48	φ95-100	60/90
S2C-40	10-18W	φ145XH60	φ125-130	60/90
S2C-50	15-20W	φ159XH60	φ140-145	60/90
S2C-60	18-30W	φ190XH60	φ165-175	60/90
S2C-80	25-40W	φ230XH72	φ200-215	60/90



S2C SERIES

Model	Power	Size	Hole Size	Beam Angle
S2C-30	5-10W	φ115XH48	φ95-100	100
S2C-40	10-18W	φ145XH60	φ125-130	100
S2C-50	15-20W	φ159XH60	φ140-145	100
S2C-60	18-30W	φ190XH60	φ165-175	100
S2C-80	25-40W	φ230XH72	φ200-215	100



S2CI SERIES

IP65

Model	Power	Size	Hole Size	Beam Angle
S2CI-30	5-10W	φ115XH48	φ95-100	60/90
S2CI-40	10-18W	φ145XH60	φ125-130	60/90
S2CI-50	15-20W	φ159XH60	φ140-145	60/90
S2CI-60	18-30W	φ190XH60	φ165-175	60/90
S2CI-80	25-40W	φ230XH72	φ200-215	60/90





S3A SERIES

Model	Power	Size	Hole Size	Beam Angle
S3A-25	3-5W	φ100XH50	φ70-85	100
S3A-30	5-7W	φ110XH50	φ85-95	100
S3A-35	7-9W	φ120XH50	φ95-105	100
S3A-40	9-15W	φ145XH57	φ115-130	100
S3A-50	15-18W	φ180XH57	φ150-170	100
S3A-60	18-24W	φ191XH57	φ160-180	100



S5C SERIES

Model	Power	Size	Hole Size	Beam Angle
S5C-30	5-10W	φ110XH75	φ90-100	24
S5C-40	10-18W	φ130XH96	φ105-120	24
S5C-50	15-20W	φ158H106	φ125-140	24
S5C-60	18-30W	φ182XH118	φ150-170	24
S5C-80	25-40W	φ230XH130	φ190-215	30



S4 SERIES

Model	Power	Size	Hole Size	Beam Angle
S4-50	15-20W	φ160XH75	φ140-150	90
S4-60	18-25W	φ190XH75	φ175-180	90
S4-80	24-30W	φ230XH85	φ205-215	90



C2R SERIES

Model	Power	Size	Hole Size	Beam Angle
C2R-25	5-10W	φ90XH50	φ75-80	38
C2R-35	10-18W	φ120H65	φ100-110	60
C2R-40	15-20W	φ148XH85	φ125-135	60
C2R-60	20-35W	φ200XH105	φ170-190	60
C2R-80	30-50W	φ230XH110	φ200-220	60





MS1 SERIES

IP65

Model	Power	Size	Hole Size	Beam Angle
MS1-75	5-10W	φ90XH55	φ75	24/36
MS1-95	10-15W	φ105XH65	φ95	24/36



C3R SERIES

Model	Power	Size	Hole Size	Beam Angle
C3R-25	5-7W	φ85XH70	φ75-80	24/38/60
C3R-30	7-12W	φ100XH85	φ85-90	15/24/38/60
C3R-40	12-18W	φ140XH105	φ120-130	15/24/38/60
C3R-50	18-25W	φ175XH118	φ150-160	15/24/38/60



MS2 SERIES

IP65

Model	Power	Size	Hole Size	Beam Angle
MS2-25	4-7W	φ87XH65	φ75	60
MS2-35	7-10W	φ110XH65	φ95	60
MS2-40	10-15W	φ135XH95	φ120	60
MS2-50	15-20W	φ160XH110	φ150	60
MS2-60	20-30W	φ186XH122	φ175	60



C3S SERIES

Model	Power	Size	Hole Size	Beam Angle
C3S-25	5-7W	φ75XH106	φ70	15/24/38
C3S-30	7-12W	φ91XH120	φ85	15/24/38
C3S-40	12-20W	φ128XH130	φ120	15/24/38





L1A SERIES

Model	Power	Size	Hole Size	Beam Angle
L1A-75	7-15W	Φ90XH113	Φ75	15/24/38



L2 SERIES

Model	Power	Size	Hole Size	Beam Angle
L2-85	7-15W	Φ95XH105	Φ85	15/24/38




L1B SERIES

Model	Power	Size	Hole Size	Beam Angle
L1B-75	7-15W	Φ85XH113	Φ75	15/24/38



L4 SERIES


Model	Power	Size	Hole Size	Beam Angle
L4-65	5-8W	Φ74XH70	Φ65	20/40/60
L4-75	7-12W	Φ84XH76	Φ75	15/25/38/60
L4-80	10-15W	Φ92XH92	Φ80-85	15/25/38/60






L5 SERIES

Model	Power	Size	Hole Size	Beam Angle
L5-55	3-5W	φ63XH63	φ55	15/24/38
L5-75A	5-8W	φ85XH76	φ75	15/24/38
L5-75B	8-15W	φ85XH93	φ75	15/24/38
L5-95	15-25W	φ106XH99	φ95	15/24/38



CF1 SERIES

Model	Power	Size	Hole Size	Beam Angle
CF1-65	5-10W	φ70XH70	φ65	15/30/45
CF1-75	10-20W	φ85XH105	φ75	15/30/45
CF1-95	15-30W	φ105XH112	φ95	15/30/45



L6 SERIES

Model	Power	Size	Hole Size	Beam Angle
L6-55	3-5W	φ68XH51	φ55-60	24
L6-75	5-9W	φ85XH73	φ68-75	15/30/45
L6-95	10-18W	φ109XH100	φ95-100	15/30/45
L6-115	15-24W	φ139XH120	φ115-125	15/30/45



NA1 SERIES

Model	Power	Size	Hole Size	Beam Angle
NA1-25	5-10W	φ84XH55	φ70	15/24/36/55
NA1-30	10-15W	φ99XH60	φ90	15/24/36/55
NA1-40	15-20W	φ138XH74	φ120	15/24/36/55
NA1-50	20-25W	φ152XH86	φ140	15/24/36/55





L6S SERIES

Model	Power	Size	Hole Size	Beam Angle
L6S-1	5-9W	L80*W80*H85	L75*W75	15/24/38/60
L6S-1A	5-9W	L90*W90*H85	L75*W75	15/24/38/60



L6S SERIES

Model	Power	Size	Hole Size	Beam Angle
L6S-2	5-9W*2	L176*W90*H85	L155*W75	15/24/38/60



C5 SERIES

Model	Power	Size	Hole Size	Beam Angle
C5-1	10-15W	L130XW130XH100	Φ110mm	24/15/30/45



C5 SERIES

Model	Power	Size	Hole Size	Beam Angle
C5-2	20-30W	L250XW130XH100	L230XW110	24/15/30/45
C5-3	30-45W	L365XW130XH100	L345XW110	24/15/30/45





C6 SERIES

Model	Power	Size	Hole Size	Beam Angle
C6-3	8-10W	L130XW55XH50	L120XW45	15/24/38/50
C6-5	15-20W	L205XW55XH50	L195XW45	15/24/38/50
C6-10	30-40W	L395XW55XH50	L385XW45	15/24/38/50



C6 SERIES

Model	Power	Size	Hole Size	Beam Angle
C6-4	12-16W	L92XW92XH50	L80XW80	15/24/38/50
C6-9	25-36W	L130XW130XH50	L120XW120	15/24/38/50

C6-4

C6-9



CF2 SERIES

Model	Power	Size	Beam Angle
CF2-55	5-10W	φ55XH100	15/30/45
CF2-75	10-15W	φ75XH130	15/30/45
CF2-95	15-20W	φ95XH150	15/30/45
CF2-115	20-30W	φ115XH160	15/30/45



L3 SERIES

Model	Power	Size	Hole Size	Beam Angle
L3-75	5-12W	φ85XH60	φ75	

